


NOTE: ALL EROSION CONTROL DEVICES SHOWN ARE LOCATED WITHIN EXISTING R/W OR EASEMENT.	NOTE: CONTRACTOR SHALL MAINTAIN ALL DEVICES AS PROJECT IS BROUGHT UP TO GRADE.
NOTE: CONTRACTOR SHALL PROVIDE INLET PROTECTION FOR PARTIALLY INSTALLED STORM DRAINS. THIS MEASURE SHOULD BE INSTALLED AT THE END OF EACH WORKING DAY.	NOTE: INSTALL MATTING FOR EROSION CONTROL IN ALL PROPOSED DITCH LINES EXCEPT WHERE PERMANENT LINES ARE SPECIFIED ON THE PLANS OR DIRECTED OTHERWISE BY THE ENGINEER.
NOTE: UTILIZE FABRIC INSERT INLET PROTECTION DEVICES IN LIEU OF ROCK INLET SEDIMENT TRAPS TYPE C, AS DIRECTED TO AVOID IMPROVEMENT OF RUNOFF IN ROADWAY OPEN TO TRAFFIC.	NOTE: CONTRACTOR SHALL PROVIDE GROUND COVER ON EXPOSED SLOPES IN ACCORDANCE WITH THE 'SOIL STABILIZATION TIMEFRAMES' SEE EC-3.

PROJECT REFERENCE NO. I-5987B	SHEET NO. E8-38/20MSY.03
R/W SHEET NO. ROADSIDE ENVIRONMENTAL PROJECT ENGINEER	LEVEL III CERTIFIED BY: ELENIA M. RIGGS, PE CERTIFICATION NUMBER: 3056 ISSUED: MARCH 15, 2022
Prepared in the Office of: <b>M</b> M 201 Paddy Rd. S.W., Tallahassee, FL 32310 NATIONAL CONSULTING ENGINEERS	FINAL EROSION CONTROL FOR CONSTRUCTION SHEET 13

REVISIONS

DATE: 03/15/2022, 11:45 AM, N:\Projects\I-5987B\EC\38\20MSY\03.dwg, P:\Users\jmc\OneDrive\Documents\jmc.dwg

240 x 40 x 3  
3.0 inch Skimmer  
with 2.625 inch  
Orifice Diameter  
32 ft. weir  
ID 13.02



LOCATION: INTERCHANGE -YS- (W. BROAD ST.) WITH -L- (I-95)
TR NO: I-5987B COUNTY: ROBESON
DESIGNED BY:
CHECKED BY: DATE:

SEE SHEET NO. 13A

MATCHLINE -L- STA. 601 + 00.00 SEE SHEET NO. 12

MATCHLINE -L- STA. 628 + 00.00 SEE SHEET NO. 14

MATCHLINE -SR10- STA. 27 + 00.00 SEE SHEET NO. 42

MATCHLINE -YS- STA. 34 + 00 SEE SHEET NO. 41

MATCHLINE -YS- STA. 49 + 50.00