

5/14/99

NAD 83/2011

PROJECT REFERENCE NO.	SHEET NO.
1-5897B	EC-83/CONST.37
RW SHEET NO.	
ROADSIDE ENVIRONMENTAL PROJECT ENGINEER	

LEVEL III CERTIFIED BY:
 MATTHEW HARVEY, PE
 CERTIFICATION NUMBER: 3487
 ISSUED: MARCH 15, 2022

Prepared in the Office of:

M M
 MOTT MACDONALD
 PO Box 700
 Fuquay-Varina, NC 27526
 www.mottmac.com/americas

WETHERILL ENGINEERING
 1223 Jones Franklin Rd.
 Raleigh, N.C. 27606
 License No. 643177
 Bus: 919 851 8077
 Fax: 919 851 8107

NOTE: ALL EROSION CONTROL DEVICES SHOWN ARE LOCATED WITHIN EXISTING RW OR EASEMENT.

NOTE: CONTRACTOR SHALL MAINTAIN ALL DEVICES AS PROJECT IS BROUGHT UP TO GRADE.

NOTE: CONTRACTOR SHALL PROVIDE INLET PROTECTION FOR PARTIALLY INSTALLED STORM DRAINS. THIS MEASURE SHOULD BE INSTALLED AT THE END OF EACH WORKING DAY.

NOTE: INSTALL MATTING FOR EROSION CONTROL IN ALL PROPOSED DITCH LINES EXCEPT WHERE PERMANENT LINERS ARE SPECIFIED ON THE PLANS OR DIRECTED OTHERWISE BY THE ENGINEER.

FINAL EROSION CONTROL FOR CONSTRUCTION SHEET 37

NOTE: CONTRACTOR SHALL PROVIDE GROUND COVER ON EXPOSED SLOPES IN ACCORDANCE WITH THE "SOIL STABILIZATION TIMEFRAMES", SEE EC-3.

NOTE: UTILIZE FABRIC INSERT INLET PROTECTION DEVICES IN LIEU OF ROCK INLET SEDIMENT TRAPS TYPE-C, AS DIRECTED, TO AVOID IMPOUNDMENT OF RUNOFF IN ROADWAY OPEN TO TRAFFIC.

273
 CURTIS A. MABE
 DB 1858 PG 730
 PB 37 PG 16

150 x 55 x 3
 2.5 inch Skimmer
 with 2.5 inch
 Orifice Diameter
 31 ft. weir
 ID 36.1

3 inch Skimmer
 with 2.625 inch
 Orifice Diameter
 23 ft. weir with
 4.5 ft. weir height
 ID 37.2
 (See Earthen Dam
 with Skimmer Detail)


274
 SN PROPERTIES OF
 LUPBERTON, LLC
 DB 1981 PG 499
 PB 34 PG 92

276
 NO CLAIM
 H. MITCHELL III BAKER
 DB 498 PG 87

277

MATCHLINE -L- STA. 892 + 00.00 SEE SHEET NO. 36

MATCHLINE -L- STA. 904 + 00 SEE SHEET NO. 38



3/14/2022
 Erosion_Control_15987B_EC_PSH_37_f.mxd
 Mott MacDonald

45 PRIVATE ROAD EASEMENT PB/34 PG 92