



3/21/2022 9:08:54 AM G:\Projects\2020\Division 6 (Mott) Mac - NV5\I-5987B\Structures\Site 7 (Y1B over L)\Drawings\Final\I5987B_SMU_BM.dgn



**POUR SEQUENCE AND LAYOUT FOR COMPUTING
REINFORCED CONCRETE DECK SLAB AREA**

(SQ. FT. 11,429)

POUR ② CAN NOT BE STARTED UNTIL BOTH ADJACENT ① POURS REACH
A MINIMUM OF 3000 PSI.



**TRANSVERSE CONSTRUCTION
JOINT DETAIL**


NOTE: REINFORCING STEEL IN SLAB NOT SHOWN.
LONGITUDINAL REINFORCING STEEL SHALL BE
CONTINUOUS THRU JOINT.

PROJECT NO. I-5987B
ROBESON COUNTY
STATION: 29+51.04 -Y1B-

SHEET 1 OF 2

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
RALEIGH
SUPERSTRUCTURE

BILL OF MATERIAL



REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	S7-24
1			3			TOTAL SHEETS
2			4			37

DRAWN BY: T. BANKOVICH	DATE: 3-22
CHECKED BY: D.A. SEALEY	DATE: 3-22
DESIGN ENGINEER OF RECORD: D.A. SEALEY	DATE: 3-22

**DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED**