COMPUTED BY: C.R. LAVENDER DATE: AUGUST 17, 2020 CHECKED BY: M. H. STEPHENS DATE: August 17, 2020

SUMMARY OF SUBSURFACE DRAINAGE

LINE	Station	Station	Location LT/RT/CL	Drain Type* UD/BD/SD	LF
	CONTIN	SD	200		
				TOTAL LF:	200

*UD = Underdrain

*BD = Blind Drain

*SD = Subsurface Drain

(12-17-19) **STATE OF NORTH CAROLINA DIVISION OF HIGHWAYS**

SUMMARY OF AGGREGATE SUBGRADE/STABILIZATION

LINE	Station	Station	Aggregate Type* ASU(1/2)/ AST	Aggregate Thickness INCHES [8" for ASU(2)]	Shallow Undercut CY	Class IV Subgrade Stabilization TONS	Geotextile for Soil Stabilization SY	Stabilizer Aggregate TONS	Class IV Aggregate Stabilization TONS
C	CONTINGENC	Y	ASU(1)	12	100	200	300		
			TOTAL	CY/TONS/SY:	100	200**	300**	0	0

*ASU(1/2) = Aggregate Subgrade (Type 1 or 2) *AST = Aggregate Stabilization **Total tons of "Class IV Subgrade Stabilization" and total square yards of "Geotextile for Soil Stabilization" are only the estimated quantities for ASU(1/2)/AST and may only represent a portion of the subgrade stabilization and geotextile quantities shown in the Item Sheets of the Proposal.

PROJECT NO.	SHEET NO.
(Y-5500JC)	3G-1