STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	B-5810	1	33

REFERENCE: B-5810

PROJECT: 45764

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT

STRUCTURE SUBSURFACE INVESTIGATION

COUNTY CABARRUS

SITE DESCRIPTION BRIDGE NO. 22 ON NC 24/27 EBL OVER ROCKY RIVER

CONTENTS

CAUTION NOTICE

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF STUDY, PLANNING AND DESIGN, AND NOT FOR CONSTRUCTION OR PAY PURPOSES. THE VARIOUS FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA AVAILABLE MAY BE REVIEWED OR INSPECTED IN RALEIGH BY CONTACTING THE N. C. DEPARTMENT OF TRANSPORTATION, GEOTECHNICAL ENGINEERING UNIT AT (919) 707-6850. THE SUBSURFACE PLANS AND REPORTS, FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA ARE NOT PART OF THE CONTRACT.

GENERAL SOIL AND ROCK STRATA DESCRIPTIONS AND INDICATED BOUNDARIES ARE BASED ON A GEOTECHNICAL INTERPRETATION OF ALL AVAILABLE SUBSURFACE DATA AND MAY NOT NECESSARILY REFLECT THE ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS OR BETWEEN SAMPLED STRATA WITHIN THE BOREHOLE. THE LABORATORY SAMPLE DATA AND THE IN SITU (IN-PLACE) TEST DATA CAN BE RELIED ON ONLY TO THE DEGREE OF RELIABILITY INHERENT IN THE STANDARD TEST METHOD. THE OBSERVED WATER LEVELS OR SOIL MOISTURE CONDITIONS INDICATED IN THE SUBSURFACE INVESTIGATIONS ARE AS RECORDED AT THE TIME OF THE INVESTIGATION. THESE WATER LEVELS OR SOIL MOISTURE CONDITIONS MAY VARY CONSIDERABLY WITH TIME ACCORDING TO CLIMATIC CONDITIONS INCLUDING TEMPERATURES, PRECIPITATION AND WIND, AS WELL AS OTHER NON-CLIMATIC FACTORS.

THE BIDDER OR CONTRACTOR IS CAUTIONED THAT DETAILS SHOWN ON THE SUBSURFACE PLANS ARE PRELIMINARY ONLY AND IN MANY CASES THE FINAL DESIGN DETAILS ARE DIFFERENT. FOR BIDDING AND CONSTRUCTION PURPOSES, REFER TO THE CONSTRUCTION PLANS AND DOCUMENTS FOR FINAL DESIGN INFORMATION ON THIS PROJECT. THE DEPARTMENT DOES NOT WARRANT OR GUARANTEE THE SUFFICIENCY OR ACCURACY OF THE INVESTIGATION MADE, NOR THE INTERPRETATIONS MADE, OR OPINION OF THE DEPARTMENT AS TO THE TYPE OF MATERIALS AND CONDITIONS TO BE ENCOUNTERED. THE BIDDER OR CONTRACTOR IS CAUTIONED TO MAKE SUCH INDEPENDENT SUBSURFACE INVESTIGATIONS AS HE DEEMS NECESSARY TO SATISFY HIMSELF AS TO CONDITIONS TO BE ENCOUNTERED ON THE PROJECT. THE CONTRACTOR SHALL HAVE NO CLAIM FOR ADDITIONAL COMPENSATION OR FOR AN EXTENSION OF TIME FOR ANY REASON RESULTING FROM THE ACTUAL CONDITIONS ENCOUNTERED AT THE SITE DIFFERING FROM THOSE INDICATED IN THE SUBSURFACE INFORMATION.

NOTES:
1. THE INFORMATION CONTAINED HEREIN IS NOT IMPLIED OR GUARANTEED BY THE N. C. DEPARTMENT OF TRANSPORTATION AS ACCURATE NOR IS IT CONSIDERED PART OF THE PLANS, SPECIFICATIONS OR CONTRACT FOR THE PROJECT.
2. BY HAVING REQUESTED THIS INFORMATION, THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

PERSONNEL

INVESTIGATED BY J.K. STICKNEY

DRAWN BY T.T. WALKER

CHECKED BY J.E. BEVERLY

SUBMITTED BY K.B. MILLER

DATE JULY 2019

NORTH CAROLINA LICENSED SEAL 2029 GEOLOGIST KEVIN BENNETT MILLER

DocuSigned by:

957A789AED704CB...

7/30/2019

SIGNATURE DATE

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

PROJECT REFERENCE NO.	SHEET NO.
B-5810	2

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT

SUBSURFACE INVESTIGATION

SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS

SOIL DESCRIPTION

SOIL IS CONSIDERED UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A CONTINUOUS FLIGHT POWER AUGER AND YIELD LESS THAN 100 BLOWS PER FOOT ACCORDING TO THE STANDARD PENETRATION TEST (AASHTO T 206, ASTM D1586). SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM. BASIC DESCRIPTIONS GENERALLY INCLUDE THE FOLLOWING: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. FOR EXAMPLE,
VERY STIFF, GRAY, SILTY CLAY, MOIST WITH INTERBEDDED FINE SAND LAYERS, HIGHLY PLASTIC, A-7-6

SOIL LEGEND AND AASHTO CLASSIFICATION

GENERAL CLASS.	GRANULAR MATERIALS (≤ 35% PASSING #200)							SILT-CLAY MATERIALS (> 35% PASSING #200)				ORGANIC MATERIALS		
GROUP CLASS.	A-1		A-3	A-2				A-4	A-5	A-6	A-7	A-1, A-2 A-3	A-4, A-5 A-6, A-7	
	A-1-a	A-1-b		A-2-4	A-2-5	A-2-6	A-2-7				A-7-5, A-7-6			
SYMBOL														
% PASSING #10 #40 #200	50 MX 30 MX 15 MX	50 MX 25 MX	51 MN 10 MX	35 MX	35 MX	35 MX	35 MX	36 MN	36 MN	36 MN	36 MN	GRANULAR SOILS	SILT-CLAY SOILS	MUCK, PEAT
MATERIAL PASSING #40 LL PI	– 6 MX		– NP	40 MX 10 MX	41 MN 10 MX	40 MX 11 MN	41 MN 11 MN	40 MX 10 MX	41 MN 10 MX	40 MX 11 MN	41 MN 11 MN	SOILS WITH LITTLE OR MODERATE AMOUNTS OF ORGANIC MATTER		HIGHLY ORGANIC SOILS
GROUP INDEX	0		0	0		4 MX		8 MX	12 MX	16 MX	NO MX			
USUAL TYPES OF MAJOR MATERIALS	STONE FRAGS. GRAVEL, AND SAND		FINE SAND	SILTY OR CLAYEY GRAVEL AND SAND				SILTY SOILS		CLAYEY SOILS				
GEN. RATING AS SUBGRADE	EXCELLENT TO GOOD							FAIR TO POOR				FAIR TO POOR	POOR	UNSUITABLE

PI OF A-7-5 SUBGROUP IS ≤ LL - 30 ; PI OF A-7-6 SUBGROUP IS > LL - 30

CONSISTENCY OR DENSENESS

PRIMARY SOIL TYPE	COMPACTNESS OR CONSISTENCY	RANGE OF STANDARD PENETRATION RESISTENCE (N-VALUE)	RANGE OF UNCONFINED COMPRESSIVE STRENGTH ($TONS/FT^2$)
GENERALLY GRANULAR MATERIAL (NON-COHESIVE)	VERY LOOSE	< 4	
	LOOSE	4 TO 10	
	MEDIUM DENSE	10 TO 30	
	DENSE	30 TO 50	
	VERY DENSE	> 50	N/A
GENERALLY SILT-CLAY MATERIAL (COHESIVE)	VERY SOFT	< 2	< 0.25
	SOFT	2 TO 4	0.25 TO 0.5
	MEDIUM STIFF	4 TO 8	0.5 TO 1.0
	STIFF	8 TO 15	1 TO 2
	VERY STIFF	15 TO 30	2 TO 4
	HARD	> 30	> 4

TEXTURE OR GRAIN SIZE

U.S. STD. SIEVE SIZE	4	10	40	60	200	270
OPENING (MM)	4.76	2.00	0.42	0.25	0.075	0.053

BOULDER (BLDR.)	COBBLE (COB.)	GRAVEL (GR.)	COARSE SAND (CSE. SD.)	FINE SAND (F SD.)	SILT (SL.)	CLAY (CL.)

GRAIN SIZE	MM	305	75	2.0	0.25	0.05	0.005
	IN.	12	3				

SOIL MOISTURE - CORRELATION OF TERMS

SOIL MOISTURE SCALE (ATTERBERG LIMITS)	FIELD MOISTURE DESCRIPTION	GUIDE FOR FIELD MOISTURE DESCRIPTION
	- SATURATED - (SAT.)	USUALLY LIQUID; VERY WET, USUALLY FROM BELOW THE GROUND WATER TABLE
LL — LIQUID LIMIT		
PLASTIC RANGE (PI)	- WET - (W)	SEMISOLID; REQUIRES DRYING TO ATTAIN OPTIMUM MOISTURE
PL — PLASTIC LIMIT		
OM — OPTIMUM MOISTURE SL — SHRINKAGE LIMIT	- MOIST - (M)	SOLID; AT OR NEAR OPTIMUM MOISTURE
	- DRY - (D)	REQUIRES ADDITIONAL WATER TO ATTAIN OPTIMUM MOISTURE

PLASTICITY

	PLASTICITY INDEX (PI)	DRY STRENGTH
NON PLASTIC	0-5	VERY LOW
SLIGHTLY PLASTIC	6-15	SLIGHT
MODERATELY PLASTIC	16-25	MEDIUM
HIGHLY PLASTIC	26 OR MORE	HIGH

COLOR

DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW-BROWN, BLUE-GRAY). MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC. ARE USED TO DESCRIBE APPEARANCE.

GRADATION

WELL GRADED - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE.
UNIFORMLY GRADED - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE.
GAP-GRADED - INDICATES A MIXTURE OF UNIFORM PARTICLE SIZES OF TWO OR MORE SIZES.

ANGULARITY OF GRAINS

THE ANGULARITY OR ROUNDNESS OF SOIL GRAINS IS DESIGNATED BY THE TERMS: ANGULAR, SUBANGULAR, SUBROUNDED, OR ROUNDED.

MINERALOGICAL COMPOSITION

MINERAL NAMES SUCH AS QUARTZ, FELDSPAR, MICA, TALC, KAOLIN, ETC. ARE USED IN DESCRIPTIONS WHEN THEY ARE CONSIDERED OF SIGNIFICANCE.

COMPRESSIBILITY

SLIGHTLY COMPRESSIBLE	LL < 31
MODERATELY COMPRESSIBLE	LL = 31 - 50
HIGHLY COMPRESSIBLE	LL > 50

PERCENTAGE OF MATERIAL

ORGANIC MATERIAL	GRANULAR SOILS	SILT - CLAY SOILS	OTHER MATERIAL	
TRACE OF ORGANIC MATTER	2 - 3%	3 - 5%	TRACE	1 - 10%
LITTLE ORGANIC MATTER	3 - 5%	5 - 12%	LITTLE	10 - 20%
MODERATELY ORGANIC	5 - 10%	12 - 20%	SOME	20 - 35%
HIGHLY ORGANIC	> 10%	> 20%	HIGHLY	35% AND ABOVE

GROUND WATER

- WATER LEVEL IN BORE HOLE IMMEDIATELY AFTER DRILLING
- STATIC WATER LEVEL AFTER 24 HOURS
- PW — PERCHED WATER, SATURATED ZONE, OR WATER BEARING STRATA
- SPRING OR SEEP

MISCELLANEOUS SYMBOLS

- ROADWAY EMBANKMENT (RE) WITH SOIL DESCRIPTION
- SOIL SYMBOL
- ARTIFICIAL FILL (AF) OTHER THAN ROADWAY EMBANKMENT
- INFERRED SOIL BOUNDARY
- INFERRED ROCK LINE
- ALLUVIAL SOIL BOUNDARY
- 25/025 — DIP & DIP DIRECTION OF ROCK STRUCTURES
- SPT / DPT / DMT / VST / PMT — TEST BORING
- AUGER BORING
- CORE BORING
- MW — MONITORING WELL
- PIEZOMETER INSTALLATION
- SLOPE INDICATOR INSTALLATION
- CONE PENETROMETER TEST
- SOUNDING ROD
- TEST BORING WITH CORE
- SPT N-VALUE

RECOMMENDATION SYMBOLS

- UNDERCUT
- SHALLOW UNDERCUT
- UNCLASSIFIED EXCAVATION - UNSUITABLE WASTE
- UNCLASSIFIED EXCAVATION - ACCEPTABLE DEGRADABLE ROCK
- UNCLASSIFIED EXCAVATION - ACCEPTABLE, BUT NOT TO BE USED IN THE TOP 3 FEET OF EMBANKMENT OR BACKFILL

ABBREVIATIONS

AR - AUGER REFUSAL
BT - BORING TERMINATED
CL. - CLAY
CPT - CONE PENETRATION TEST
CSE. - COARSE
DMT - DILATOMETER TEST
DPT - DYNAMIC PENETRATION TEST
e - VOID RATIO
F - FINE
FOSS. - FOSSILIFEROUS
FRAC. - FRACTURED, FRACTURES
FRAGS. - FRAGMENTS
HI. - HIGHLY
MED. - MEDIUM
MICA. - MICACEOUS
MOD. - MODERATELY
NP - NON PLASTIC
ORG. - ORGANIC
PMT - PRESSUREMETER TEST
SAP. - SAPROLITIC
SD. - SAND, SANDY
SL. - SILT, SILTY
SLI. - SLIGHTLY
TCR - TRICONE REFUSAL
w - MOISTURE CONTENT
V - VERY
VST - VANE SHEAR TEST
WEA. - WEATHERED
γ - UNIT WEIGHT
γ_d - DRY UNIT WEIGHT

SAMPLE ABBREVIATIONS

S - BULK
SS - SPLIT SPOON
ST - SHELBY TUBE
RS - ROCK
RT - RECOMPACTED TRIAXIAL
CBR - CALIFORNIA BEARING RATIO

EQUIPMENT USED ON SUBJECT PROJECT

DRILL UNITS:
- [ ] CME-45C
- [ ] CME-55
- [ ] CME-550
- [ ] VANE SHEAR TEST
- [ ] PORTABLE HOIST
- [X] CME-550X
- [ ] _____

ADVANCING TOOLS:
- [ ] CLAY BITS
- [ ] 6" CONTINUOUS FLIGHT AUGER
- [X] 8" HOLLOW AUGERS
- [ ] HARD FACED FINGER BITS
- [ ] TUNG.-CARBIDE INSERTS
- [X] CASING [ ] W/ ADVANCER
- [ ] TRICONE _____" STEEL TEETH
- [ ] TRICONE _____" TUNG.-CARB.
- [ ] CORE BIT
- [ ] _____

HAMMER TYPE:
- [X] AUTOMATIC [ ] MANUAL

CORE SIZE:
- [ ] -B _____ [ ] -H _____
- [X] -N _____

HAND TOOLS:
- [ ] POST HOLE DIGGER
- [ ] HAND AUGER
- [ ] SOUNDING ROD
- [ ] VANE SHEAR TEST
- [ ] _____

ROCK DESCRIPTION

HARD ROCK IS NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT REFUSAL IF TESTED. AN INFERRED ROCK LINE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL. SPT REFUSAL IS PENETRATION BY A SPLIT SPOON SAMPLER EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS IN NON-COASTAL PLAIN MATERIAL, THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK.
ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS:

WEATHERED ROCK (WR)	NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT N VALUES > 100 BLOWS PER FOOT IF TESTED.
CRYSTALLINE ROCK (CR)	FINE TO COARSE GRAIN IGNEOUS AND METAMORPHIC ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES GRANITE, GNEISS, GABBRO, SCHIST, ETC.
NON-CRYSTALLINE ROCK (NCR)	FINE TO COARSE GRAIN METAMORPHIC AND NON-COASTAL PLAIN SEDIMENTARY ROCK THAT WOULD YEILD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES PHYLLITE, SLATE, SANDSTONE, ETC.
COASTAL PLAIN SEDIMENTARY ROCK (CP)	COASTAL PLAIN SEDIMENTS CEMENTED INTO ROCK, BUT MAY NOT YIELD SPT REFUSAL. ROCK TYPE INCLUDES LIMESTONE, SANDSTONE, CEMENTED SHELL BEDS, ETC.

WEATHERING

FRESH	ROCK FRESH, CRYSTALS BRIGHT, FEW JOINTS MAY SHOW SLIGHT STAINING. ROCK RINGS UNDER HAMMER IF CRYSTALLINE.
VERY SLIGHT (V SLI.)	ROCK GENERALLY FRESH, JOINTS STAINED, SOME JOINTS MAY SHOW THIN CLAY COATINGS IF OPEN, CRYSTALS ON A BROKEN SPECIMEN FACE SHINE BRIGHTLY. ROCK RINGS UNDER HAMMER BLOWS IF OF A CRYSTALLINE NATURE.
SLIGHT (SLI.)	ROCK GENERALLY FRESH, JOINTS STAINED AND DISCOLORATION EXTENDS INTO ROCK UP TO 1 INCH. OPEN JOINTS MAY CONTAIN CLAY. IN GRANITOID ROCKS SOME OCCASIONAL FELDSPAR CRYSTALS ARE DULL AND DISCOLORED. CRYSTALLINE ROCKS RING UNDER HAMMER BLOWS.
MODERATE (MOD.)	SIGNIFICANT PORTIONS OF ROCK SHOW DISCOLORATION AND WEATHERING EFFECTS. IN GRANITOID ROCKS, MOST FELDSPARS ARE DULL AND DISCOLORED, SOME SHOW CLAY. ROCK HAS DULL SOUND UNDER HAMMER BLOWS AND SHOWS SIGNIFICANT LOSS OF STRENGTH AS COMPARED WITH FRESH ROCK.
MODERATELY SEVERE (MOD. SEV.)	ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. IN GRANITOID ROCKS, ALL FELDSPARS DULL AND DISCOLORED AND A MAJORITY SHOW KAOLINIZATION. ROCK SHOWS SEVERE LOSS OF STRENGTH AND CAN BE EXCAVATED WITH A GEOLOGIST'S PICK. ROCK GIVES "CLUNK" SOUND WHEN STRUCK. *IF TESTED, WOULD YIELD SPT REFUSAL*
SEVERE (SEV.)	ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC CLEAR AND EVIDENT BUT REDUCED IN STRENGTH TO STRONG SOIL. IN GRANITOID ROCKS ALL FELDSPARS ARE KAOLINIZED TO SOME EXTENT. SOME FRAGMENTS OF STRONG ROCK USUALLY REMAIN. *IF TESTED, WOULD YIELD SPT N VALUES > 100 BPF*
VERY SEVERE (V SEV.)	ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC ELEMENTS ARE DISCERNIBLE BUT MASS IS EFFECTIVELY REDUCED TO SOIL STATUS, WITH ONLY FRAGMENTS OF STRONG ROCK REMAINING. SAPROLITE IS AN EXAMPLE OF ROCK WEATHERED TO A DEGREE THAT ONLY MINOR VESTIGES OF ORIGINAL ROCK FABRIC REMAIN. *IF TESTED, WOULD YIELD SPT N VALUES < 100 BPF*
COMPLETE	ROCK REDUCED TO SOIL. ROCK FABRIC NOT DISCERNIBLE, OR DISCERNIBLE ONLY IN SMALL AND SCATTERED CONCENTRATIONS. QUARTZ MAY BE PRESENT AS DIKES OR STRINGERS. SAPROLITE IS ALSO AN EXAMPLE.

ROCK HARDNESS

VERY HARD	CANNOT BE SCRATCHED BY KNIFE OR SHARP PICK. BREAKING OF HAND SPECIMENS REQUIRES SEVERAL HARD BLOWS OF THE GEOLOGIST'S PICK.
HARD	CAN BE SCRATCHED BY KNIFE OR PICK ONLY WITH DIFFICULTY. HARD HAMMER BLOWS REQUIRED TO DETACH HAND SPECIMEN.
MODERATELY HARD	CAN BE SCRATCHED BY KNIFE OR PICK. GOUGES OR GROOVES TO 0.25 INCHES DEEP CAN BE EXCAVATED BY HARD BLOW OF A GEOLOGIST'S PICK. HAND SPECIMENS CAN BE DETACHED BY MODERATE BLOWS.
MEDIUM HARD	CAN BE GROOVED OR GOUGED 0.05 INCHES DEEP BY FIRM PRESSURE OF KNIFE OR PICK POINT. CAN BE EXCAVATED IN SMALL CHIPS TO PEICES 1 INCH MAXIMUM SIZE BY HARD BLOWS OF THE POINT OF A GEOLOGIST'S PICK.
SOFT	CAN BE GROVED OR GOUGED READILY BY KNIFE OR PICK. CAN BE EXCAVATED IN FRAGMENTS FROM CHIPS TO SEVERAL INCHES IN SIZE BY MODERATE BLOWS OF A PICK POINT. SMALL, THIN PIECES CAN BE BROKEN BY FINGER PRESSURE.
VERY SOFT	CAN BE CARVED WITH KNIFE. CAN BE EXCAVATED READILY WITH POINT OF PICK. PIECES 1 INCH OR MORE IN THICKNESS CAN BE BROKEN BY FINGER PRESSURE. CAN BE SCRATCHED READILY BY FINGERNAIL.

FRACTURE SPACING

TERM	SPACING
VERY WIDE	MORE THAN 10 FEET
WIDE	3 TO 10 FEET
MODERATELY CLOSE	1 TO 3 FEET
CLOSE	0.16 TO 1 FOOT
VERY CLOSE	LESS THAN 0.16 FEET

BEDDING

TERM	THICKNESS
VERY THICKLY BEDDED	4 FEET
THICKLY BEDDED	1.5 - 4 FEET
THINLY BEDDED	0.16 - 1.5 FEET
VERY THINLY BEDDED	0.03 - 0.16 FEET
THICKLY LAMINATED	0.008 - 0.03 FEET
THINLY LAMINATED	< 0.008 FEET

INDURATION

FOR SEDIMENTARY ROCKS, INDURATION IS THE HARDENING OF MATERIAL BY CEMENTING, HEAT, PRESSURE, ETC.

FRIABLE	RUBBING WITH FINGER FREES NUMEROUS GRAINS; GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE.
MODERATELY INDURATED	GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER.
INDURATED	GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER.
EXTREMELY INDURATED	SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.

TERMS AND DEFINITIONS

ALLUVIUM (ALLUV.) - SOILS THAT HAVE BEEN TRANSPORTED BY WATER.

AQUIFER - A WATER BEARING FORMATION OR STRATA.

ARENACEOUS - APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND.

ARGILLACEOUS - APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MINERALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, SUCH AS SHALE, SLATE, ETC.

ARTESIAN - GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE.

CALCAREOUS (CALC.) - SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE.

COLLUVIUM - ROCK FRAGMENTS MIXED WITH SOIL DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE.

CORE RECOVERY (REC.) - TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE.

DIKE - A TABULAR BODY OF IGNEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK.

DIP - THE ANGLE AT WHICH A STRATUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL.

DIP DIRECTION (DIP AZIMUTH) - THE DIRECTION OR BEARING OF THE HORIZONTAL TRACE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH.

FAULT - A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE.

FISSILE - A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES.

FLOAT - ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLODGED FROM PARENT MATERIAL.

FLOOD PLAIN (FP) - LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM.

FORMATION (FM.) - A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD.

JOINT - FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED.

LEDGE - A SHELF-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT.

LENS - A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS.

MOTTLED (MOT.) - IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS. MOTTLING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE.

PERCHED WATER - WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM.

RESIDUAL (RES.) SOIL - SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK.

ROCK QUALITY DESIGNATION (RQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE.

SAPROLITE (SAP.) - RESIDUAL SOIL THAT RETAINS THE RELIC STRUCTURE OR FABRIC OF THE PARENT ROCK.

SILL - AN INTRUSIVE BODY OF IGNEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT, THAT HAS BEEN EMPLACED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRUDED ROCKS.

SLICKENSIDE - POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE.

STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT) - NUMBER OF BLOWS (N OR BPF) OF A 140 LB. HAMMER FALLING 30 INCHES REQUIRED TO PRODUCE A PENETRATION OF 1 FOOT INTO SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPOON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS.

STRATA CORE RECOVERY (SREC.) - TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE.

STRATA ROCK QUALITY DESIGNATION (SRQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATUM EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE.

TOPSOIL (TS.) - SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER.

BENCH MARK: BL-6: -BL- 19+41.82; N: 551070.2340, E: 1559978.6410
B-5810-3: -BL- 24+90.80; N:550880.752, E: 1560493.888
BL-6 ELEVATION: 504.22 FEET B-5810-3 ELEVATION: 505.48 FEET

NOTES:
NM= NOT MEASURED

DATE: 8-15-14

PROJECT REFERENCE NO.	SHEET NO.
B–5810	2A

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT

SUBSURFACE INVESTIGATION

SUPPLEMENTAL LEGEND, GEOLOGICAL STRENGTH INDEX (GSI) TABLES FROM AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS

AASHTO LRFD Figure 10.4.6.4-1 — Determination of GSI for Jointed Rock Mass (Marinos and Hoek, 2000)

GEOLOGICAL STRENGTH INDEX (GSI) FOR JOINTED ROCKS (Hoek and Marinos, 2000)

From the lithology, structure and surface conditions of the discontinuities, estimate the average value of GSI. Do not try to be too precise. Quoting a range from 33 to 37 is more realistic than stating that GSI = 35. Note that the table does not apply to structurally controlled failures. Where weak planar structural planes are present in an unfavorable orientation with respect to the excavation face, these will dominate the rock mass behaviour. The shear strength of surfaces in rocks that are prone to deterioration as a result of changes in moisture content will be reduced if water is present. When working with rocks in the fair to very poor categories, a shift to the right may be made for wet conditions. Water pressure is dealt with by effective stress analysis.

STRUCTURE

- INTACT OR MASSIVE - intact rock specimens or massive in situ rock with few widely spaced discontinuities
- BLOCKY - well interlocked undisturbed rock mass consisting of cubical blocks formed by three intersecting discontinuity sets
- VERY BLOCKY - interlocked, partially disturbed mass with multi-faceted angular blocks formed by 4 or more joint sets
- BLOCKY/DISTURBED/SEAMY - folded with angular blocks formed by many intersecting discontinuity sets. Persistence of bedding planes or schistosity
- DISINTEGRATED - poorly interlocked, heavily broken rock mass with mixture of angular and rounded rock pieces
- LAMINATED/SHEARED - Lack of blockiness due to close spacing of weak schistosity or shear planes



AASHTO LRFD Figure 10.4.6.4-2 — Determination of GSI for Tectonically Deformed Heterogeneous Rock Masses (Marinos and Hoek, 2000)

GSI FOR HETEROGENEOUS ROCK MASSES SUCH AS FLYSCH (Marinos. P and Hoek E., 2000)

From a description of the lithology, structure and surface conditions (particularly of the bedding planes), choose a box in the chart. Locate the position in the box that corresponds to the condition of the discontinuities and estimate the average value of GSI from the contours. Do not attempt to be too precise. Quoting a range from 33 to 37 is more realistic than giving GSI = 35. Note that the Hoek-Brown criterion does not apply to structurally controlled failures. Where unfavourably oriented continuous weak planar discontinuities are present, these will dominate the behaviour of the rock mass. The strength of some rock masses is reduced by the presence of groundwater and this can be allowed for by a slight shift to the right in the columns for fair, poor and very poor conditions. Water pressure does not change the value of GSI and it is dealt with by using effective stress analysis.

COMPOSITION AND STRUCTURE



A. *Thick bedded, very blocky sandstone The effect of pelitic coatings on the bedding planes is minimized by the confinement of the rock mass. In shallow tunnels or slopes these bedding planes may cause structurally controlled instability.*

B. *Sandstone with thin interlayers of siltstone*

C. *Sandstone and siltstone in similar amounts*

D. *Siltstone or silty shale with sandstone layers*

E. *Weak siltstone or clayey shale with sandstone layers*

C, D, E, and **G** - may be more or less folded than illustrated but this does not change the strength. Tectonic deformation, faulting and loss of continuity moves these categories to **F** and **H.**

F. *Tectonically deformed, intensively folded/faulted, sheared clayey shale or siltstone with broken and deformed sandstone layers forming an almost chaotic structure*

G. *Undisturbed silty or clayey shale with or without a few very thin sandstone layers*

H. ***Tectonically deformed silty or clayey shale forming a chaotic structure with pockets of clay. Thin layers of sandstone are transformed into small rock pieces.***

→ Means deformation after tectonic disturbance

DATE: 8-19-16

PROJECT REFERENCE NO.	SHEET NO.
B-5810	3

SITE PLAN

0 60 120
FEET

SKEW = 90°



PROJECT REFERENCE NO.	SHEET NO.
B-5810	4

CROSS SECTION THROUGH END BENT 1
AT –L– STATION 20+57
SKEW=90°

0 10 20
FEET
VE = 1:1

EB1-A
20+38
16.4' LT

℄

EB1-B
20+95
19.4' RT

Ground Surface

Roadway Embankment:

Soft to Medium Stiff, Moist, Red-Orange, Sandy Silty CLAY

Residual:

Medium Stiff to Very Stiff, Moist, Red-Orange-Yellow, Sandy Silty CLAY

Weathered Rock: Blue-Gray (META-ARGILLITE)

Non-Crystalline Rock: (META-ARGILLITE)

	EB1-A	EB1-B
2	2	5
2	2	8
2	3	100/0.9
3	10	
10	15	
15	100/0.3	
100/0.3		
	BT DRY	BT NM
		04/19

510 500 490 480 470 460 450 440 430

50 40 30 20 10 0 10 20 30 40 50

GROUNDLINE TAKEN FROM .TIN FILE RECIEVED BY NCDOT DATED 06052019.
INFERRED STRATIGRAPHY IS DRAWN THROUGH THE BORINGS WITH BOTH PROJECTED ONTO THE CROSS SECTION.

PROJECT REFERENCE NO.	SHEET NO.
B-5810	5

CROSS SECTION THROUGH BENT 1
AT -L- STATION 21+52
SKEW=90°

0 10 20
FEET
VE = 1:1

B1-A
21+52
18.7' LT

℄

B1-B
21+52
19.4' RT

510
500
490
480
470
460
450
440
430

Ground Surface

2 — 04/19

1 — 04/19

Alluvial:

8 Very Loose to Loose, Moist, Brown-Tan, Silty SAND 8

Residual: Hard, Moist, Brown-Gray, Sandy Silty CLAY and **Weathered Rock:** Brown-Gray (META-ARGILLITE)

Sandy CLAY

100/0.6

100/0.2

100/0.6

Non-Crystalline Rock: (META-ARGILLITE)

RS-1

REC=96%
RQD=57%
GSI=67

BT
NM

REC=90%
RQD=35%
GSI=52

BT

50 40 30 20 10 0 10 20 30 40 50

GROUNDLINE TAKEN FROM .TIN FILE RECIEVED BY NCDOT DATED 06052019.
INFERRED STRATIGRAPHY IS DRAWN THROUGH THE BORINGS WITH BOTH PROJECTED ONTO THE CROSS SECTION.

PROJECT REFERENCE NO.	SHEET NO.
B-5810	6

CROSS SECTION THROUGH BENT 2
AT -L- STATION 22+47
SKEW=90°

0 10 20
FEET
VE = 1:1

B2-A
22+45
19.5' LT

℄

B2-B
22+44
19.1' RT

510
500
490
480
470
460
450
440
430

Ground Surface

Alluvial: Very Soft, Moist, Brown-Gray, Sandy Silty CLAY

Loose, Moist, Brown-Tan-Red, Silty SAND

Weathered Rock: Gray (META-ARGILLITE)

Non-Crystalline Rock: (META-ARGILLITE)

WOH 04/19
5
100/0.2
RS-2
REC=94%
RQD=77%
GSI=80
BT

WOH 04/19
5
100/0.9
REC=98%
RQD=90%
GSI=82
BT

50 40 30 20 10 0 10 20 30 40 50

GROUNDLINE TAKEN FROM .TIN FILE RECIEVED BY NCDOT DATED 06/05/2019.
INFERRED STRATIGRAPHY IS DRAWN THROUGH THE BORINGS WITH BOTH PROJECTED ONTO THE CROSS SECTION.

PROJECT REFERENCE NO.	SHEET NO.
B-5810	7

CROSS SECTION THROUGH BENT 3
AT -L- STATION 23+42
SKEW=90°

0 10 20
FEET
VE = 1:1

B3-A
23+41
18.2' LT

℄

B3-B
23+40
19.0' RT

Ground Surface

Alluvial:

Loose to Loose, Moist, Brown-Red, Silty SAND

7 — 04/19
5
100/0.9
60/0.1
60/0.1
60/0.1
60/0.0
BT

6 — 04/19
5
8
60/0.1
RS-3
REC=95%
RQD=55%
GSI=70
BT
NM

Weathered Rock: Gray (META-ARGILLITE)

Non-Crystalline Rock: (META-ARGILLITE)

510
500
490
480
470
460
450
440
430

50 40 30 20 10 0 10 20 30 40 50

GROUNDLINE TAKEN FROM .TIN FILE RECIEVED BY NCDOT DATED 06052019.
INFERRED STRATIGRAPHY IS DRAWN THROUGH THE BORINGS WITH BOTH PROJECTED ONTO THE CROSS SECTION.

PROJECT REFERENCE NO.	SHEET NO.
B-5810	8

CROSS SECTION THROUGH BENT 4
AT -L- STATION 24+37
SKEW=90°

0 10 20
FEET
VE = 1:1

B4-A
24+35
10.7' LT

℄

B4-B
24+35
10.4' RT

Ground Surface

Ⓐ

Ⓐ

REC=94%
RQD=0%
GSI=25

Non-Crystalline Rock:
(META-ARGILLITE)

REC=97%
RQD=5%
GSI=40

REC=93%
RQD=40%

BT

RS-4

REC=99%
RQD=28%
GSI=68

BT
NM

500
490
480
470
460
450
440
430
420
410

50 40 30 20 10 0 10 20 30 40 50

Ⓐ **Alluvial:** Sandy SILT with Cobbles

GROUNDLINE TAKEN FROM .TIN FILE RECIEVED BY NCDOT DATED 06/05/2019.
INFERRED STRATIGRAPHY IS DRAWN THROUGH THE BORINGS WITH BOTH PROJECTED ONTO THE CROSS SECTION.

PROJECT REFERENCE NO.	SHEET NO.
B-5810	9

CROSS SECTION THROUGH BENT 5
AT -L- STATION 25+07
SKEW=90°

0 10 20
FEET
VE = 1:1

B5-A
25+07
10.5' LT

℄

B5-B
25+06
10.0' RT

500
490
480
470
460
450
440
430
420
410

A

B

Ground Surface

REC=61%
RQD=0%
GSI=40

Non-Crystalline Rock:
(META-ARGILLITE)

RS-5

REC=95%
RQD=74%
GSI=80

BT
NM

REC=97%
RQD=81%
GSI=85

BT
NM

50 40 30 20 10 0 10 20 30 40 50

Ⓐ **Alluvial:** Sandy SILT

Ⓑ **Alluvial:** SAND and Cobbles

GROUNDLINE TAKEN FROM .TIN FILE RECIEVED BY NCDOT DATED 06052019.
INFERRED STRATIGRAPHY IS DRAWN THROUGH THE BORINGS WITH BOTH PROJECTED ONTO THE CROSS SECTION

PROJECT REFERENCE NO.	SHEET NO.
B-5810	10

CROSS SECTION THROUGH END BENT 2
AT -L- STATION 25+77
SKEW=90°

0 10 20
FEET
VE = 1:1

EB2-A
25+75
20.0' LT

℄

EB2-B
25+75
23.0' RT

520
510
500
490
480
470
460
450

Ground Surface

Roadway Embankment:
Very Soft to Medium Stiff, Moist, Red-Orange, Sandy Silty CLAY

Residual:
Hard, Moist, Blue-Gray, Silty CLAY with Rock Fragments

Weathered Rock: Blue-Gray (META-ARGILLITE)

Non-Crystalline Rock: (META-ARGILLITE)

5
100/0.8
BT
DRY

3
1
WOH
100/0.2
BT
DRY

50 40 30 20 10 0 10 20 30 40 50

GROUNDLINE TAKEN FROM .TIN FILE RECIEVED BY NCDOT DATED 06052019.
INFERRED STRATIGRAPHY IS DRAWN THROUGH THE BORINGS WITH BOTH PROJECTED ONTO THE CROSS SECTION

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. EB1-A	**STATION** 20+38	**OFFSET** 16 ft LT	**ALIGNMENT** -L-	**0 HR.** Dry
COLLAR ELEV. 505.3 ft	**TOTAL DEPTH** 35.3 ft	**NORTHING** 551,048	**EASTING** 1,559,982	**24 HR.** Dry
DRILL RIG/HAMMER EFF./DATE HFC0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing w/ SPT	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/07/19	**COMP. DATE** 04/07/19	**SURFACE WATER DEPTH** N/A	

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT 0.5ft	0.5ft	0.5ft	BLOWS PER FOOT 0 25 50 75 100	SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION ELEV. (ft) / DEPTH (ft)
510										
505										505.3 GROUND SURFACE 0.0 **ROADWAY EMBANKMENT** Red-Orange, Sandy Silty CLAY
500	501.5	3.8	WOH	WOH	2	2		M		
495	496.5	8.8	WOH	1	1	2		M		
490	491.5	13.8	WOH	1	1	2		M		
485	486.5	18.8	3	1	2	3		M		
480	481.5	23.8	3	5	5	10		M		481.0 24.3 **RESIDUAL** Red-Orange-Yellow, Sandy Silty CLAY
475	476.5	28.8	9	4	11	15		M		474.0 31.3 **WEATHERED ROCK** Blue-Gray (META-ARGILLITE)
470	471.5	33.8	100/0.3			100/0.3				470.0 35.3 Boring Terminated with Casing Advancer Refusal at Elevation 470.0 ft on Non-Crystalline Rock (META-ARGILLITE)

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. EB1-B	**STATION** 20+95	**OFFSET** 19 ft RT	**ALIGNMENT** -L-	**0 HR.** 4.3
COLLAR ELEV. 483.9 ft	**TOTAL DEPTH** 17.3 ft	**NORTHING** 550,996	**EASTING** 1,560,024	**24 HR.** NM
DRILL RIG/HAMMER EFF./DATE HFC0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing w/ SPT	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/07/19	**COMP. DATE** 04/07/19	**SURFACE WATER DEPTH** N/A	

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT 0.5ft	0.5ft	0.5ft	BLOWS PER FOOT 0 25 50 75 100	SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION
485										483.9 GROUND SURFACE 0.0
480	479.4	4.5	1	2	3	5		M		**ROADWAY EMBANKMENT** Red-Orange, Sandy Silty CLAY
475	474.4	9.5	1	3	5	8		M		473.9 10.0 **RESIDUAL** Red-Orange-Yellow, Sandy Silty CLAY
470	469.4	14.5	18	15	85/0.4	100/0.9				468.4 15.5 **WEATHERED ROCK** 466.6 Blue-Gray (META-ARGILLITE) 17.3 Boring Terminated with Casing Advancer Refusal at Elevation 466.6 ft on Non-Crystalline Rock (META-ARGILLITE)

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B1-A	**STATION** 21+52	**OFFSET** 19 ft LT	**ALIGNMENT** -L-	**0 HR.** 4.4
COLLAR ELEV. 482.0 ft	**TOTAL DEPTH** 40.0 ft	**NORTHING** 551,013	**EASTING** 1,560,091	**24 HR.** NM
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/05/19	**COMP. DATE** 04/05/19	**SURFACE WATER DEPTH** N/A	

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT 0.5ft	0.5ft	0.5ft	BLOWS PER FOOT 0 25 50 75 100	SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION ELEV. (ft)	DEPTH (ft)
485											
										482.0	0.0
480										GROUND SURFACE	
	478.6	3.4								**ALLUVIAL** Brown-Tan, Silty SAND	
			1	1	1	2		M			
475											
	473.6	8.4									
			3	4	4	8		M			
470										470.3	11.7
	468.6	13.4								**RESIDUAL** Brown-Gray, Sandy Silty CLAY	13.4
			60	40/0.1		100/0.6				468.6 **WEATHERED ROCK** Brown-Gray (META-ARGILLITE)	
465											
	463.6	18.4	100/0.2			100/0.2				461.3	20.7
460										**NON-CRYSTALLINE ROCK** (META-ARGILLITE)	
455											
							RS-1				
450											
445										442.0	40.0
										Boring Terminated at Elevation 442.0 ft in Non-Crystalline Rock (META-ARGILLITE)	

NCDOT BORE DOUBLE B5810_GEO_BH_BRDG0022.GPJ NC_DOT.GDT 7/24/19

GEOTECHNICAL BORING REPORT
CORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B1-A	**STATION** 21+52	**OFFSET** 19 ft LT	**ALIGNMENT** -L-	**0 HR.** 4.4
COLLAR ELEV. 482.0 ft	**TOTAL DEPTH** 40.0 ft	**NORTHING** 551,013	**EASTING** 1,560,091	**24 HR.** NM
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/05/19	**COMP. DATE** 04/05/19	**SURFACE WATER DEPTH** N/A	
CORE SIZE NX	**TOTAL RUN** 19.3 ft			

ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN REC. (ft) %	RUN RQD (ft) %	SAMP. NO.	STRATA REC. (ft) %	STRATA RQD (ft) %	LOG	DESCRIPTION AND REMARKS ELEV. (ft)	DEPTH (ft)
461.3											Begin Coring @ 20.7 ft	
460	461.3	20.7	4.3	1:03/1.0 1:01/1.0 0:52/1.0 0:56/1.0 0:00/0.3	(4.3) 100%	(0.5) 12%		(18.6) 96%	(11.0) 57%		461.3 **NON-CRYSTALLINE ROCK** Gray, Moderately Severly Weathered to Fresh, Moderately Hard to Hard, META-ARGILLITE with Very Close to Moderately Close Fracture Spacing GSI=67	20.7
	457.0	25.0										
455			5.0	0:47/1.0 0:49/1.0 0:52/1.0 0:39/1.0 0:39/1.0	(4.8) 96%	(2.0) 40%						
	452.0	30.0					RS-1					
450			5.0	0:34/1.0 0:39/1.0 0:44/1.0 0:47/1.0 0:49/1.0	(4.8) 96%	(4.6) 92%						
	447.0	35.0										
445			5.0	0:43/1.0 0:39/1.0 0:42/1.0 0:46/1.0 0:40/1.0	(4.7) 94%	(3.9) 78%						
	442.0	40.0									442.0 Boring Terminated at Elevation 442.0 ft in Non-Crystalline Rock (META-ARGILLITE)	40.0

NCDOT CORE DOUBLE B5810_GEO_BH_BRDG0022.GPJ NC_DOT.GDT 7/24/19

CORE PHOTOGRAPHS: Bridge No. 22 on NC 24/27 EBL over Rocky River, B1-A 21+52, 18.7’ LT

Begin
20.7 feet

0.0 0.2 0.4 0.6 0.8 1.0 1.2 1.4 1.6 1.8 2.0

SCALE IN FEET

End
40.0 feet

0.0 0.2 0.4 0.6 0.8 1.0 1.2 1.4 1.6 1.8 2.0

SCALE IN FEET

.

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B1-B	**STATION** 21+52	**OFFSET** 19 ft RT	**ALIGNMENT** -L-	**0 HR.** 5.8
COLLAR ELEV. 482.9 ft	**TOTAL DEPTH** 36.2 ft	**NORTHING** 550,977	**EASTING** 1,560,078	**24 HR.** 5.5
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/05/19	**COMP. DATE** 04/05/19	**SURFACE WATER DEPTH** N/A	

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT 0.5ft	0.5ft	0.5ft	BLOWS PER FOOT 0 25 50 75 100	SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION ELEV. (ft)	DEPTH (ft)
485											
										482.9	0.0
										GROUND SURFACE	
480										**ALLUVIAL**	
	479.1	3.8	1	0	1	1		M		Brown-Tan, Silty SAND	
475											
	474.1	8.8	2	4	4	8		M		471.0	11.9
470										**RESIDUAL**	
	469.1	13.8								468.6	14.3
			12	41	59/0.1	100/0.6				Brown-Gray, Sandy CLAY	
465										**WEATHERED ROCK**	
										466.4	16.5
										Brown-Gray (META-ARGILLITE)	
460										**NON-CRYSTALLINE ROCK**	
										(META-ARGILLITE)	
455											
450										446.7	36.2
										Boring Terminated at Elevation 446.7 ft in Non-Crystalline Rock (META-ARGILLITE)	

GEOTECHNICAL BORING REPORT
CORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B1-B	**STATION** 21+52	**OFFSET** 19 ft RT	**ALIGNMENT** -L-	**0 HR.** 5.8
COLLAR ELEV. 482.9 ft	**TOTAL DEPTH** 36.2 ft	**NORTHING** 550,977	**EASTING** 1,560,078	**24 HR.** 5.5
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/05/19	**COMP. DATE** 04/05/19	**SURFACE WATER DEPTH** N/A	
CORE SIZE NX	**TOTAL RUN** 19.7 ft			

ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN REC. (ft) %	RUN RQD (ft) %	SAMP. NO.	STRATA REC. (ft) %	STRATA RQD (ft) %	LOG	DESCRIPTION AND REMARKS ELEV. (ft)	DEPTH (ft)
466.4											Begin Coring @ 16.5 ft	
465	466.4	16.5	4.7	0:44/1.0 0:41/1.0 0:52/1.0 0:47/1.0 0:00/0.7	(3.1) 66%	(2.1) 45%		(17.8) 90%	(6.8) 35%		466.4 **NON-CRYSTALLINE ROCK**	16.5
	461.7	21.2									Gray to Brown, Moderately Severly Weathered to Fresh, Moderately Hard to Hard, META-ARGILLITE with Very Close to Moderately Close Fracture Spacing GSI=52	
460			5.0	0:46/1.0 0:39/1.0 0:44/1.0 0:50/1.0 0:37/1.0	(5.0) 100%	(1.6) 32%						
	456.7	26.2										
455			5.0	0:39/1.0 0:41/1.0 0:47/1.0 0:40/1.0 0:42/1.0	(4.7) 94%	(0.0) 0%						
	451.7	31.2										
450			5.0	0:48/1.0 0:41/1.0 0:53/1.0 0:44/1.0 0:49/1.0	(5.0) 100%	(3.1) 62%						
	446.7	36.2									446.7 Boring Terminated at Elevation 446.7 ft in Non-Crystalline Rock (META-ARGILLITE)	36.2

CORE PHOTOGRAPHS: Bridge No. 22 on NC 24/27 EBL over Rocky River, B1-B 21+52, 19.4’ RT

Begin
16.5 feet

0.0 0.2 0.4 0.6 0.8 1.0 1.2 1.4 1.6 1.8 2.0

SCALE IN FEET

End
36.2 feet

0.0 0.2 0.4 0.6 0.8 1.0 1.2 1.4 1.6 1.8 2.0

SCALE IN FEET

.

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B2-A	**STATION** 22+45	**OFFSET** 20 ft LT	**ALIGNMENT** -L-	**0 HR.** 4.4
COLLAR ELEV. 475.4 ft	**TOTAL DEPTH** 35.4 ft	**NORTHING** 550,984	**EASTING** 1,560,179	**24 HR.** 4.2
DRILL RIG/HAMMER EFF./DATE HFC0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/30/19	**COMP. DATE** 04/30/19	**SURFACE WATER DEPTH** N/A	

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT 0.5ft	0.5ft	0.5ft	BLOWS PER FOOT 0 25 50 75 100	SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION
										ELEV. (ft) DEPTH (ft)
480										
475										475.4 GROUND SURFACE 0.0
	471.5	3.9	WOH	WOH	WOH	0		M		**ALLUVIAL** Brown-Gray, Sandy Silty CLAY
470										
	466.5	8.9	1	2	3	5		M		467.4 8.0 Brown-Tan-Red, Silty SAND
465										
	461.5	13.9	100/0.2			100/0.2				462.0 13.4 **WEATHERED ROCK** Gray (META-ARGILLITE)
460										459.2 16.2 **NON-CRYSTALLINE ROCK** (META-ARGILLITE)
455										
450							RS-2			
445										
440										440.0 35.4 Boring Terminated at Elevation 440.0 ft in Non-Crystalline Rock (META-ARGILLITE)

NCDOT BORE DOUBLE B5810_GEO_BH_BRDG0022.GPJ NC_DOT.GDT 7/24/19

GEOTECHNICAL BORING REPORT
CORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B2-A	**STATION** 22+45	**OFFSET** 20 ft LT	**ALIGNMENT** -L-	**0 HR.** 4.4
COLLAR ELEV. 475.4 ft	**TOTAL DEPTH** 35.4 ft	**NORTHING** 550,984	**EASTING** 1,560,179	**24 HR.** 4.2
DRILL RIG/HAMMER EFF./DATE HFC0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/30/19	**COMP. DATE** 04/30/19	**SURFACE WATER DEPTH** N/A	
CORE SIZE NX	**TOTAL RUN** 19.2 ft			

ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN REC. (ft) %	RUN RQD (ft) %	SAMP. NO.	STRATA REC. (ft) %	STRATA RQD (ft) %	LOG	DESCRIPTION AND REMARKS
459.2											Begin Coring @ 16.2 ft
	459.2	16.2	4.2	0:59/1.0 1:07/1.0 1:15/1.0 1:20/1.0 1:18/0.2	(3.5) 83%	(3.0) 71%		(18.0) 94%	(14.8) 77%		459.2 **NON-CRYSTALLINE ROCK** 16.2 Gray, Very Slightly Weathered to Fresh, Hard, META-ARGILLITE with Close to Wide Fracture Spacing GSI=80
455	455.0	20.4									
			5.0	1:21/1.0 1:23/1.0 1:20/1.0 1:24/1.0 1:25/1.0	(4.5) 90%	(4.0) 80%					
450	450.0	25.4									
			5.0	1:31/1.0 1:21/1.0 1:24/1.0 1:27/1.0 1:30/1.0	(5.0) 100%	(3.1) 62%	RS-2				
445	445.0	30.4									
			5.0	1:27/1.0 1:19/1.0 1:22/1.0 1:27/1.0 1:30/1.0	(5.0) 100%	(4.7) 94%					
440	440.0	35.4									440.0 35.4 Boring Terminated at Elevation 440.0 ft in Non-Crystalline Rock (META-ARGILLITE)

NCDOT CORE DOUBLE B5810_GEO_BH_BRDG0022.GPJ NC_DOT.GDT 7/24/19

CORE PHOTOGRAPHS: Bridge No. 22 on NC 24/27 EBL over Rocky River, B2-A 22+45, 19.5' LT

Begin
16.2 feet





End
35.4 feet



.

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B2-B	**STATION** 22+44	**OFFSET** 19 ft RT	**ALIGNMENT** -L-	**0 HR.** 4.6
COLLAR ELEV. 477.0 ft	**TOTAL DEPTH** 35.1 ft	**NORTHING** 550,948	**EASTING** 1,560,165	**24 HR.** 4.3
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/01/19	**COMP. DATE** 04/01/19	**SURFACE WATER DEPTH** N/A	

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT 0.5ft	0.5ft	0.5ft	BLOWS PER FOOT 0 25 50 75 100	SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION
										ELEV. (ft) DEPTH (ft)
480										
										477.0 GROUND SURFACE 0.0
475	473.5	3.5	WOH	WOH	WOH	0		M		**ALLUVIAL** Brown-Gray, Sandy Silty CLAY
470	468.5	8.5	2	2	3	5		M		469.0 8.0 Brown-Red, Silty SAND
465	463.5	13.5	15	85/0.4		100/0.9				463.0 14.0 **WEATHERED ROCK** Gray (META-ARGILLITE)
460										460.5 16.5 **NON-CRYSTALLINE ROCK** (META-ARGILLITE)
455										
450										
445										441.9 35.1 Boring Terminated at Elevation 441.9 ft in Non-Crystalline Rock (META-ARGILLITE)

NCDOT BORE DOUBLE B5810_GEO_BH_BRDG0022.GPJ NC_DOT.GDT 7/24/19

GEOTECHNICAL BORING REPORT
CORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B2-B	**STATION** 22+44	**OFFSET** 19 ft RT	**ALIGNMENT** -L-	**0 HR.** 4.6
COLLAR ELEV. 477.0 ft	**TOTAL DEPTH** 35.1 ft	**NORTHING** 550,948	**EASTING** 1,560,165	**24 HR.** 4.3
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/01/19	**COMP. DATE** 04/01/19	**SURFACE WATER DEPTH** N/A	
CORE SIZE NX	**TOTAL RUN** 18.6 ft			

ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN REC. (ft) %	RUN RQD (ft) %	SAMP. NO.	STRATA REC. (ft) %	STRATA RQD (ft) %	LOG	DESCRIPTION AND REMARKS
											ELEV. (ft) DEPTH (ft)
460.5											Begin Coring @ 16.5 ft
460	460.5	16.5	3.6	0:51/1.0 0:44/1.0 0:43/1.0 0:00/0.6	(3.6) 100%	(3.2) 89%		(18.3) 98%	(16.8) 90%		460.5 16.5 **NON-CRYSTALLINE ROCK** Gray, Fresh, Hard, META-ARGILLITE with Close to Wide Fracture Spacing GSI=82
	456.9	20.1	5.0	0:45/1.0 0:40/1.0 0:38/1.0 0:42/1.0 0:46/1.0	(5.0) 100%	(4.9) 98%					
455	451.9	25.1	5.0	0:39/1.0 0:44/1.0 0:42/1.0 0:46/1.0 0:40/1.0	(4.9) 98%	(4.1) 82%					
450	446.9	30.1	5.0	0:48/1.0 0:52/1.0 0:54/1.0 0:55/1.0 0:53/1.0	(4.8) 96%	(4.6) 92%					
445	441.9	35.1									441.9 35.1 Boring Terminated at Elevation 441.9 ft in Non-Crystalline Rock (META-ARGILLITE)

NCDOT CORE DOUBLE B5810_GEO_BH_BRDG0022.GPJ NC_DOT.GDT 7/24/19

CORE PHOTOGRAPHS: Bridge No. 22 on NC 24/27 EBL over Rocky River, B2-B 22+44, 19.1’ RT

Begin
16.5 feet

End
35.1 feet

.

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B3-A	**STATION** 23+41	**OFFSET** 18 ft LT	**ALIGNMENT** -L-	**0 HR.** 5.0
COLLAR ELEV. 476.5 ft	**TOTAL DEPTH** 33.6 ft	**NORTHING** 550,952	**EASTING** 1,560,269	**24 HR.** 4.4
DRILL RIG/HAMMER EFF./DATE HFC0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing w/ SPT	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/29/19	**COMP. DATE** 04/29/19	**SURFACE WATER DEPTH** N/A	

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT 0.5ft	0.5ft	0.5ft	BLOWS PER FOOT 0 25 50 75 100	SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION
										ELEV. (ft) DEPTH (ft)
480										
										476.5 GROUND SURFACE 0.0
475										**ALLUVIAL** Brown-Red, Silty SAND
	472.7	3.8	5	4	3	7		M		
470										
	467.7	8.8	1	2	3	5		M		
465										
	462.7	13.8	3	22	78/0.4	100/0.9				461.7 14.8 **WEATHERED ROCK** Gray (META-ARGILLITE)
460										458.5 18.0 **NON-CRYSTALLINE ROCK** (META-ARGILLITE)
	457.9	18.6	60/0.1			60/0.1				
455										
	452.9	23.6	60/0.1			60/0.1				
450										
	448.4	28.1	60/0.1			60/0.1				
445										
	442.9	33.6	60/0.0			60/0.0				442.9 33.6 Boring Terminated at Elevation 442.9 ft in Non-Crystalline Rock (META-ARGILLITE)

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B3-B	**STATION** 23+40	**OFFSET** 19 ft RT	**ALIGNMENT** -L-	**0 HR.** 4.0
COLLAR ELEV. 478.4 ft	**TOTAL DEPTH** 40.4 ft	**NORTHING** 550,917	**EASTING** 1,560,256	**24 HR.** NM
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/30/19	**COMP. DATE** 04/30/19	**SURFACE WATER DEPTH** N/A	

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT 0.5ft	0.5ft	0.5ft	BLOWS PER FOOT 0 25 50 75 100	SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION
480										ELEV. (ft) DEPTH (ft)
										478.4 GROUND SURFACE 0.0
475	474.3	4.1	1	3	3	6		M		**ALLUVIAL** Red-Brown, Silty SAND
470	469.3	9.1	2	2	3	5		M		
465	464.3	14.1	3	4	4	8		M		
460	459.3	19.1	60/0.1			60/0.1				461.3 17.1 **WEATHERED ROCK** Gray (META-ARGILLITE)
										457.2 21.2 **NON-CRYSTALLINE ROCK** (META-ARGILLITE)
455										
450										
445							RS-3			
440										438.0 40.4 Boring Terminated at Elevation 438.0 ft in Non-Crystalline Rock (META-ARGILLITE)

GEOTECHNICAL BORING REPORT
CORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B3-B	**STATION** 23+40	**OFFSET** 19 ft RT	**ALIGNMENT** -L-	**0 HR.** 4.0
COLLAR ELEV. 478.4 ft	**TOTAL DEPTH** 40.4 ft	**NORTHING** 550,917	**EASTING** 1,560,256	**24 HR.** NM
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/30/19	**COMP. DATE** 04/30/19	**SURFACE WATER DEPTH** N/A	
CORE SIZE NX	**TOTAL RUN** 19.2 ft			

ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN REC. (ft) %	RUN RQD (ft) %	SAMP. NO.	STRATA REC. (ft) %	STRATA RQD (ft) %	LOG	DESCRIPTION AND REMARKS
457.2											ELEV. (ft) DEPTH (ft)
											Begin Coring @ 21.2 ft
455	457.2	21.2	4.2	0:54/1.0 0:48/1.0 0:59/1.0 0:58/1.0 0:00/0.2	(3.5) 83%	(1.3) 31%		(18.2) 95%	(10.6) 55%		457.2 21.2 **NON-CRYSTALLINE ROCK** Gray, Very Slightly Weathered to Fresh, Hard, META-ARGILLITE with Close to Moderately Close Fracture Spacing GSI=70
450	453.0	25.4	5.0	1:15/1.0 1:18/1.0 1:20/1.0 1:14/1.0 1:16/1.0	(5.0) 100%	(2.4) 48%					
445	448.0	30.4	5.0	1:21/1.0 1:27/1.0 1:15/1.0 1:20/1.0 1:24/1.0	(5.0) 100%	(4.6) 92%	RS-3				
440	443.0	35.4	5.0	1:23/1.0 1:27/1.0 1:25/1.0 1:11/1.0 1:07/1.0	(4.7) 94%	(2.3) 46%					
	438.0	40.4									438.0 40.4 Boring Terminated at Elevation 438.0 ft in Non-Crystalline Rock (META-ARGILLITE)

CORE PHOTOGRAPHS: Bridge No. 22 on NC 24/27 EBL over Rocky River, B3-B 23+40, 19.0’ RT

Begin
21.2 feet

0.0 0.2 0.4 0.6 0.8 1.0 1.2 1.4 1.6 1.8 2.0

SCALE IN FEET

End
40.4 feet

0.0 0.2 0.4 0.6 0.8 1.0 1.2 1.4 1.6 1.8 2.0

SCALE IN FEET

.

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B4-A	**STATION** 24+35	**OFFSET** 11 ft LT	**ALIGNMENT** -L-	**0 HR.** N/A
COLLAR ELEV. 459.6 ft	**TOTAL DEPTH** 19.5 ft	**NORTHING** 550,915	**EASTING** 1,560,356	**24 HR.** N/A
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/10/19	**COMP. DATE** 04/10/19	**SURFACE WATER DEPTH** 4.6ft	

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT 0.5ft	0.5ft	0.5ft	BLOWS PER FOOT 0 25 50 75 100	SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION ELEV. (ft)	DEPTH (ft)
460										459.6 GROUND SURFACE	0.0
										459.1 **ALLUVIAL** Sandy SILT with Cobbles	0.5
455										**NON-CRYSTALLINE ROCK** (META-ARGILLITE)	
450											
445										444.1	15.5
										440.1 Boring Terminated at Elevation 440.1 ft in Non-Crystalline Rock (META-ARGILLITE)	19.5

NCDOT BORE DOUBLE B5810_GEO_BH_BRDG0022.GPJ NC_DOT.GDT 7/24/19

GEOTECHNICAL BORING REPORT
CORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B4-A	**STATION** 24+35	**OFFSET** 11 ft LT	**ALIGNMENT** -L-	**0 HR.** N/A
COLLAR ELEV. 459.6 ft	**TOTAL DEPTH** 19.5 ft	**NORTHING** 550,915	**EASTING** 1,560,356	**24 HR.** N/A
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/10/19	**COMP. DATE** 04/10/19	**SURFACE WATER DEPTH** 4.6ft	
CORE SIZE NX	**TOTAL RUN** 19.0 ft			

ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN REC. (ft) %	RUN RQD (ft) %	SAMP. NO.	STRATA REC. (ft) %	STRATA RQD (ft) %	LOG	DESCRIPTION AND REMARKS ELEV. (ft)	DEPTH (ft)
459.1											Begin Coring @ 0.5 ft	
	459.1	0.5	3.0	0:00/1.0 0:00/1.0 0:00/1.0	(3.0) 100%	(0.0) 0%		(14.6) 97%	(0.8) 5%		459.1 **NON-CRYSTALLINE ROCK** Brown and Gray, Severly Weathered to Slightly Weathered, Medium Hard to Moderately Hard META-ARGILLITE with Very Close to Close Fracture Spacing GSI=40	0.5
	456.1	3.5										
455			5.0	1:24/1.0 1:33/1.0 1:35/1.0 1:51/1.0 1:34/1.0	(5.0) 100%	(0.4) 8%						
	451.1	8.5										
450			5.0	1:41/1.0 1:36/1.0 1:32/1.0 1:35/1.0 1:40/1.0	(4.6) 92%	(0.4) 8%						
	446.1	13.5										
445			5.0	1:43/1.0 1:51/1.0 1:39/1.0 1:41/1.0 1:44/1.0	(4.6) 92%	(1.6) 32%		(3.7) 93%	(1.6) 40%		444.1	15.5
	441.1	18.5										
	440.1	19.5	1.0	0:00/1.0	(1.0) 100%	(0.0) 0%					440.1 Boring Terminated at Elevation 440.1 ft in Non-Crystalline Rock (META-ARGILLITE)	19.5

NCDOT CORE DOUBLE B5810_GEO_BH_BRDG0022.GPJ NC_DOT.GDT 7/24/19

CORE PHOTOGRAPHS: Bridge No. 22 on NC 24/27 EBL over Rocky River, B4-A 23+35, 10.7’ LT

Begin
0.5 feet



End
19.5 feet



.

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B4-B	**STATION** 24+35	**OFFSET** 10 ft RT	**ALIGNMENT** -L-	**0 HR.** N/A
COLLAR ELEV. 460.3 ft	**TOTAL DEPTH** 19.4 ft	**NORTHING** 550,895	**EASTING** 1,560,349	**24 HR.** N/A
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/15/19	**COMP. DATE** 04/15/19	**SURFACE WATER DEPTH** 5.5ft	

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT 0.5ft	0.5ft	0.5ft	BLOWS PER FOOT 0 25 50 75 100	SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION ELEV. (ft)	DEPTH (ft)
465											
460										460.3 GROUND SURFACE	0.0
										459.2 **ALLUVIAL** Sandy SILT with Cobbles	1.1
455										455.9 **NON-CRYSTALLINE ROCK** (META-ARGILLITE)	4.4
										(META-ARGILLITE)	
450							RS-4				
445										440.9	19.4
										Boring Terminated at Elevation 440.9 ft in Non-Crystalline Rock (META-ARGILLITE)	

NCDOT BORE DOUBLE B5810_GEO_BH_BRDG0022.GPJ NC_DOT.GDT 7/24/19

GEOTECHNICAL BORING REPORT
CORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B4-B	**STATION** 24+35	**OFFSET** 10 ft RT	**ALIGNMENT** -L-	**0 HR.** N/A
COLLAR ELEV. 460.3 ft	**TOTAL DEPTH** 19.4 ft	**NORTHING** 550,895	**EASTING** 1,560,349	**24 HR.** N/A
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/15/19	**COMP. DATE** 04/15/19	**SURFACE WATER DEPTH** 5.5ft	
CORE SIZE NX	**TOTAL RUN** 18.3 ft			

ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN REC. (ft) %	RUN RQD (ft) %	SAMP. NO.	STRATA REC. (ft) %	STRATA RQD (ft) %	LOG	DESCRIPTION AND REMARKS ELEV. (ft)	DEPTH (ft)
459.2											Begin Coring @ 1.1 ft	
	459.2	1.1	3.3	0:00/1.0 0:00/1.0 0:00/1.0 0:00/0.3	(3.1) 94%	(0.0) 0%		(3.1) 94%	(0.0) 0%		459.2 **NON-CRYSTALLINE ROCK** Brown, Very Severly Weathered to Moderately Weathered, Soft to Moderately Hard META-ARGILLITE with Very Close to Close Fracture Spacing GSI=25	1.1
455	455.9	4.4	5.0	1:52/1.0 1:59/1.0 1:47/1.0 1:55/1.0 2:00/1.0	(5.0) 100%	(1.1) 22%		(14.8) 99%	(4.2) 28%		455.9 Gray, Slightly Weathered to Fresh, Hard, META-ARGILLITE with Very Close to Close Fracture Spacing GSI=68	4.4
	450.9	9.4										
450			5.0	1:47/1.0 1:53/1.0 1:59/1.0 1:58/1.0 1:51/1.0	(4.9) 98%	(2.6) 52%						
							RS-4					
445	445.9	14.4	5.0	1:54/1.0 1:49/1.0 2:02/1.0 2:00/1.0 1:51/1.0	(4.9) 98%	(0.5) 10%						
	440.9	19.4									440.9 Boring Terminated at Elevation 440.9 ft in Non-Crystalline Rock (META-ARGILLITE)	19.4

NCDOT CORE DOUBLE B5810_GEO_BH_BRDG0022.GPJ NC_DOT.GDT 7/24/19

CORE PHOTOGRAPHS: Bridge No. 22 on NC 24/27 EBL over Rocky River, B4-B 24+35, 10.4’ RT

Begin
1.1 feet





End
19.4 feet



.

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B5-A	**STATION** 25+07	**OFFSET** 11 ft LT	**ALIGNMENT** -L-	**0 HR.** NM
COLLAR ELEV. 465.1 ft	**TOTAL DEPTH** 20.1 ft	**NORTHING** 550,891	**EASTING** 1,560,424	**24 HR.** NM
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/09/19	**COMP. DATE** 04/09/19	**SURFACE WATER DEPTH** N/A	

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT 0.5ft	0.5ft	0.5ft	BLOWS PER FOOT 0 25 50 75 100	SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION ELEV. (ft)	DEPTH (ft)
470											
465										465.1 GROUND SURFACE	0.0
										465.0 **ALLUVIAL** Sandy SILT	0.1
460										461.7 **NON-CRYSTALLINE ROCK** (META-ARGILLITE) (META-ARGILLITE)	3.4
455							RS-5				
450											
445										445.0 Boring Terminated at Elevation 445.0 ft in Non-Crystalline Rock (META-ARGILLITE)	20.1

GEOTECHNICAL BORING REPORT
CORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B5-A	**STATION** 25+07	**OFFSET** 11 ft LT	**ALIGNMENT** -L-	**0 HR.** NM
COLLAR ELEV. 465.1 ft	**TOTAL DEPTH** 20.1 ft	**NORTHING** 550,891	**EASTING** 1,560,424	**24 HR.** NM
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/09/19	**COMP. DATE** 04/09/19	**SURFACE WATER DEPTH** N/A	
CORE SIZE NX	**TOTAL RUN** 20.0 ft			

ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN REC. (ft) %	RUN RQD (ft) %	SAMP. NO.	STRATA REC. (ft) %	STRATA RQD (ft) %	LOG	DESCRIPTION AND REMARKS ELEV. (ft)	DEPTH (ft)
465											Begin Coring @ 0.1 ft	
	465.0	0.1	5.0	0:00/1.0 0:00/1.0 0:00/1.0 0:00/1.0 0:00/1.0	(3.5) 70%	(1.2) 24%		(2.0) 61%	(0.0) 0%		465.0 **NON-CRYSTALLINE ROCK** Tan-Brown-Gray, Moderately Severely Weathered, Medium Hard, META-ARGILLITE with Very Close to Close Fracture Spacing GSI=40	0.1
460	460.0	5.1	5.0	1:34/1.0 1:43/1.0 1:48/1.0 1:36/1.0 1:51/1.0	(4.5) 90%	(2.5) 50%		(15.9) 95%	(12.4) 74%		461.7 Gray, Fresh, Hard, META-ARGILLITE with Very Close to Wide Fracture Spacing GSI=80	3.4
455	455.0	10.1	5.0	1:53/1.0 1:42/1.0 1:48/1.0 1:57/1.0 1:51/1.0	(4.8) 96%	(4.4) 88%	RS-5					
450	450.0	15.1	5.0	1:54/1.0 1:42/1.0 1:46/1.0 1:39/1.0 1:38/1.0	(5.0) 100%	(4.3) 86%						
445	445.0	20.1									445.0 Boring Terminated at Elevation 445.0 ft in Non-Crystalline Rock (META-ARGILLITE)	20.1

CORE PHOTOGRAPHS: Bridge No. 22 on NC 24/27 EBL over Rocky River, B5-A 25+07, 11.3' LT

Begin
0.1 feet



End
20.1 feet



.

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B5-B	**STATION** 25+06	**OFFSET** 10 ft RT	**ALIGNMENT** -L-	**0 HR.** NM
COLLAR ELEV. 467.1 ft	**TOTAL DEPTH** 21.4 ft	**NORTHING** 550,872	**EASTING** 1,560,416	**24 HR.** NM
DRILL RIG/HAMMER EFF./DATE HFC0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/14/19	**COMP. DATE** 04/14/19	**SURFACE WATER DEPTH** N/A	

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT 0.5ft	0.5ft	0.5ft	BLOWS PER FOOT 0 25 50 75 100	SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION ELEV. (ft)	DEPTH (ft)
470										467.1 GROUND SURFACE	0.0
										465.7 **ALLUVIAL** SAND and Cobbles	1.4
465										**NON-CRYSTALLINE ROCK** (META-ARGILLITE)	
460											
455											
450										445.7 Boring Terminated at Elevation 445.7 ft in Non-Crystalline Rock (META-ARGILLITE)	21.4

GEOTECHNICAL BORING REPORT
CORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. B5-B	**STATION** 25+06	**OFFSET** 10 ft RT	**ALIGNMENT** -L-	**0 HR.** NM
COLLAR ELEV. 467.1 ft	**TOTAL DEPTH** 21.4 ft	**NORTHING** 550,872	**EASTING** 1,560,416	**24 HR.** NM
DRILL RIG/HAMMER EFF./DATE HFC0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing W/SPT & Core	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/14/19	**COMP. DATE** 04/14/19	**SURFACE WATER DEPTH** N/A	
CORE SIZE NX	**TOTAL RUN** 20.0 ft			

ELEV (ft)	RUN ELEV (ft)	DEPTH (ft)	RUN (ft)	DRILL RATE (Min/ft)	RUN REC. (ft) %	RUN RQD (ft) %	SAMP. NO.	STRATA REC. (ft) %	STRATA RQD (ft) %	LOG	DESCRIPTION AND REMARKS ELEV. (ft)	DEPTH (ft)
465.7											Begin Coring @ 1.4 ft	
465	465.7	1.4	5.0	0:00/1.0 0:00/1.0 1:41/1.0 1:39/1.0 1:47/1.0	(4.6) 92%	(2.7) 54%		(19.4) 97%	(16.1) 81%		465.7 **NON-CRYSTALLINE ROCK** Gray, Slightly Weathered to 2.4' then Fresh, Hard, META-ARGILLITE with Close to Wide Fracture Spacing GSI=85	1.4
460	460.7	6.4	5.0	1:52/1.0 1:43/1.0 1:49/1.0 1:53/1.0 1:46/1.0	(5.0) 100%	(3.8) 76%						
455	455.7	11.4	5.0	1:50/1.0 1:47/1.0 1:52/1.0 1:51/1.0 1:45/1.0	(5.0) 100%	(4.8) 96%						
450	450.7	16.4	5.0	1:48/1.0 1:59/1.0 1:42/1.0 1:51/1.0 1:40	(4.8) 96%	(4.8) 96%						
	445.7	21.4									445.7 Boring Terminated at Elevation 445.7 ft in Non-Crystalline Rock (META-ARGILLITE)	21.4

CORE PHOTOGRAPHS: Bridge No. 22 on NC 24/27 EBL over Rocky River, B5-B 25+06, 10.0’ RT

Begin
1.4 feet



End
21.4 feet



.

GEOTECHNICAL BORING REPORT
BORE LOG

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. EB2-A	**STATION** 25+75	**OFFSET** 20 ft LT	**ALIGNMENT** -L-	**0 HR.** Dry
COLLAR ELEV. 505.5 ft	**TOTAL DEPTH** 13.2 ft	**NORTHING** 550,878	**EASTING** 1,560,491	**24 HR.** Dry
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing w/ SPT	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/07/19	**COMP. DATE** 04/07/19	**SURFACE WATER DEPTH** N/A	

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT 0.5ft	0.5ft	0.5ft	BLOWS PER FOOT 0 25 50 75 100	SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION	ELEV. (ft)	DEPTH (ft)
510												
505										GROUND SURFACE	505.5	0.0
										ROADWAY EMBANKMENT Red-Orange, Sandy Silty CLAY		
	501.3	4.2	1	2	3	5		M			497.8	7.7
500										**RESIDUAL** Blue-Gray, Silty CLAY with Rock Fragments	496.3	9.2
	496.3	9.2	45	55/0.3		100/0.8				**WEATHERED ROCK** Blue-Gray (META-ARGILLITE)		
495										Boring Terminated with Casing Advancer Refusal at Elevation 492.3 ft on Non-Crystalline Rock (META-ARGILLITE)	492.3	13.2

WBS 45764.1.1	**TIP** B-5810	**COUNTY** CABARRUS	**GEOLOGIST** Stickney, J. K.	
SITE DESCRIPTION Bridge No. 22 on NC 24/27 EBL over Rocky River				**GROUND WTR (ft)**
BORING NO. EB2-B	**STATION** 25+75	**OFFSET** 23 ft RT	**ALIGNMENT** -L-	**0 HR.** Dry
COLLAR ELEV. 504.6 ft	**TOTAL DEPTH** 20.2 ft	**NORTHING** 550,838	**EASTING** 1,560,478	**24 HR.** Dry
DRILL RIG/HAMMER EFF./DATE HFO0072 CME-550X 92% 08/15/2018		**DRILL METHOD** NW Casing w/ SPT	**HAMMER TYPE** Automatic	
DRILLER Smith, C. L.	**START DATE** 04/07/19	**COMP. DATE** 04/07/19	**SURFACE WATER DEPTH** N/A	

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT 0.5ft	0.5ft	0.5ft	BLOWS PER FOOT 0 25 50 75 100	SAMP. NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION	ELEV. (ft)	DEPTH (ft)
505												
										GROUND SURFACE	504.6	0.0
										ROADWAY EMBANKMENT Red-Orange, Sandy Silty CLAY		
500	501.1	3.5	1	1	2	3		M				
	496.1	8.5	WOH	WOH	1	1		M				
495												
	491.1	13.5	WOH	WOH	WOH	0		M			487.3	17.3
490										**RESIDUAL** Blue-Gray, Silty CLAY with Rock Fragments	486.1	18.5
	486.1	18.5	100/0.2			100/0.2				**WEATHERED ROCK** Blue-Gray (META-ARGILLITE)	484.4	20.2
485										Boring Terminated with Casing Advancer Refusal at Elevation 484.4 ft on Non-Crystalline Rock (META-ARGILLITE)		

LABORATORY SUMMARY SHEET FOR ROCK CORE SAMPLES

PROJECT NC 45764.1.1
TIP: B-5810
COUNTY: CABARRUS
Bridge No. 22 on NC 24/27 EBL over Rocky River

Sample #	Boring #	Depth (ft)	Rock Type	Geologic Map Unit	Run RQD (%)	Length (in)	Diameter (in)	Unit Weight (PCF)	Unconfined Compressive Strength (PSI)	Remarks
RS-1	B1-A	29.2-29.9	Meta-Argillite	CZmd	57	0.7	1.86	166.7	8,030	Bridge No. 22
RS-2	B2-A	25.4-26.2	Meta-Argillite	CZmd	77	0.8	1.87	169.9	16,970	Bridge No. 22
RS-3	B3-B	33.2-33.6	Meta-Argillite	CZmd	55	0.4	1.87	165.9	16,410	Bridge No. 22
RS-4	B4-A	12.2-12.6	Meta-Argillite	CZmd	5	0.4	1.86	166.5	11,260	Bridge No. 22
RS-5	B5-A	10.1-10.8	Meta-Argillite	CZmd	74	0.7	1.86	172.8	12,980	Bridge No. 22

Bridge No. 22 on NC 24/27 EBL over Rocky River

SITE PHOTOGRAPH

View Looking Downstream