









PROJECT REFERENCE NO. A-0009CA	SHEET NO. EC-15/CONST.15
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
TGS ENGINEERS 201 W. MARION ST-STE 200 SHELBY, NC 28150 PH (704) 476-0003 CORP. LICENSE NO.: C-0275	

-L- CURVE DATA
 PI Sta 149+87.02
 $\Delta = 0^{\circ} 52' 26.7''$ (LT)
 $D = 0^{\circ} 28' 38.9''$
 $L = 183.07'$
 $T = 91.54'$
 $R = 12,000.00'$
 $SE = NC$
 $DS = 60$ MPH



MATCH LINE STA -L- 138+00.00
 MATCH TO SHEET NO. 14

MATCH LINE STA -L- 152+00.00
 MATCH TO SHEET NO. 16



ENVIRONMENTALLY SENSITIVE AREA
 SEE PROJECT SPECIAL PROVISIONS

NOTE:
 PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B
 AND TEMPORARY ROCK SILT CHECKS TYPE - A AT
 DRAINAGE OUTLETS.

INSTALL PIPE(S) IN JURISDICTIONAL AREAS WITHOUT IMPACTING STREAM UNTIL
 AREA STABILIZED AND ACCORDING TO NCDOT BEST MANAGEMENT
 PRACTICES FOR CONSTRUCTION AND MAINTENANCE ACTIVITIES MANUAL.

CLEARING AND GRUBBING
 EROSION CONTROL FOR
 CONSTRUCTION SHEET 15

