



6/2/2022

C:\p\2022\ts\NCDOT\Roadway\Proc\Roadway\Proc\R3830\_Rd\Typ.dgn  
User: mloveser



**TYPICAL SECTION NO. 4**

USE TYPICAL SECTION NO. 4:  
FROM -L- STA. 94+00.00 TO 96+00.00




**TYPICAL SECTION NO. 5B**

USE TYPICAL SECTION NO. 5B:  
FROM -L- STA. 96+00.00 TO 96+84.00


USE TYPICAL SECTION NO. 5:  
FROM -L- STA. 96+00.00 TO 110+50.00

NOTE:  
THE EXISTING SHOULDER AND TRENCH DRAIN SHALL NOT BE DISTURBED FROM -L- STA. 102+66.27 TO 104+64.73 (RT.) (SEE PLANS)



**TYPICAL SECTION NO. 5A**

USE TYPICAL SECTION NO. 5A:  
FROM -L- STA. 102+14.88 TO 105+03.34



**TYPICAL SECTION NO. 6**

USE TYPICAL SECTION NO. 6:  
FROM -L- STA. 110+50.00 TO 113+00.00

\*\*\* 5" MONOLITHIC CONC. ISLAND AT THIS LOCATION TO BE KEYED IN (SINCE LESS THAN 4' WIDE)

PROJECT REFERENCE NO. <b>R-3830</b>	SHEET NO. <b>2A-3</b>
ROADWAY DESIGN ENGINEER <b>MARCUS LOWERY</b> 027418	PAVEMENT DESIGN ENGINEER <b>S. MORRISON</b> 022896
6/30/2022 2:57 PM EDT	7/1/2022 8:10 AM PDT
<b>DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED</b>	
TGS ENGINEERS 706 HILLSBOROUGH ST. SUITE 200 RALEIGH, NC 27603 PH (919) 773-8887 CORP. LICENSE NO.: C-0275	

C1	1 1/2" S9.5C
C2	3" S9.5C
C3	VAR. S9.5C
C4	3" S9.5B
C5	VAR. S9.5B
D1	2 1/2" I19.0C
D2	4" I19.5C
D3	VAR. I19.0C
E1	4" B25.0C
E2	5 1/2" B25.0C
E3	VAR. B25.0C
J1	8" ABC
J2	6" ABC
L	CLASS IV STAB.
N	GEOTEXTILE
P	PRIME COAT
R1	2'-6" C & G
R2	1'-6" C & G
R3	5" CONC. ISLAND
R4	EXIST. C & G
R5	2'-9" C & G
R6	8"X18" CURB
R7	GRANITE CURB
S	4" SIDEWALK
T	EARTH MATERIAL
U	EXIST. PAVEMENT
V1	1 1/2" MILLING
V2	3" MILLING
V3	2 1/2" MILLING
W1	WEDGING
W2	WEDGING
W3	WEDGING