



-L-	-Y18-
PI Sta 249+46.76	PI Sta 10+55.00
$\Delta = 20' 02' 09.1''$ (LT)	$\Delta = 10' 17' 42.2''$ (LT)
D = 0' 59' 16.3"	D = 19' 05' 54.9"
L = 2,028.2'	L = 53.90'
T = 1,024.57'	T = 27.03'
R = 5,800.00'	R = 300.00'
SE = 0.02	SE = SEE PLANS
Lr = 66'	



MAD 83 / NSRS 2007






MATCHLINE -L- STA. 239+50.00  
SEE SHEET 20

MATCHLINE -L- STA. 253+00.00  
SEE SHEET 22

80 x 35 x 3  
1.5 inch Skimmer  
with 1.5 inch  
Orifice Diameter  
10 ft. weir  
ID 21.3

40 x 15 x 3  
1.5 inch Skimmer  
with 0.5 inch  
Orifice Diameter  
4 ft. weir  
ID 21.1

50 x 15 x 3  
1.5 inch Skimmer  
with 0.625 inch  
Orifice Diameter  
4 ft. weir  
ID 21.2



CLEARING AND GRUBBING  
EROSION CONTROL FOR  
CONSTRUCTION SHEET 21

NOTE:  
PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B  
AND TEMPORARY ROCK SILT CHECKS TYPE - A AT  
DRAINAGE OUTLETS.

SAFETY FENCE