


LAYOUT OF COMPUTING AREA OF REINFORCED CONCRETE DECK SLAB

(SQ. FT. = 36,107)

GROOVING BRIDGE FLOORS	
STAGE I	
APPROACH SLABS	1,604 SQ.FT.
BRIDGE DECK	10,569 SQ.FT.
TOTAL	12,174 SQ.FT.
STAGE II	
APPROACH SLABS	1,467 SQ.FT.
BRIDGE DECK	10,605 SQ.FT.
TOTAL	12,072 SQ.FT.
STAGE III	
APPROACH SLABS	2,471 SQ.FT.
BRIDGE DECK	11,649 SQ.FT.
TOTAL	14,121 SQ.FT.
TOTAL	
APPROACH SLABS	5,543 SQ.FT.
BRIDGE DECK	32,824 SQ.FT.
TOTAL	38,367 SQ.FT.



POURING SEQUENCE

FOR STAGE I, POUR #2 SHALL NOT BE POURED UNTIL BOTH ADJACENT POURS #1 REACH A MIN. OF 3,000 PSI. (STAGES II & III SIMILAR)

→ INDICATES POUR NUMBER AND DIRECTION

PROJECT NO. B-4442

BUNCOMBE COUNTY

STATION: 315+72.39 -L-

SHEET 1 OF 2

AECOM
AECOM TECHNICAL SERVICES OF NC, INC.
 5430 WADE PARK BOULEVARD, SUITE 200
 RALEIGH, NC 27607
 (919) 854-6200 www.aecom.com
 AECOM License No. F02842

8/17/2022

DocuSigned by:

 JOHN E. SLOAN
 PROFESSIONAL ENGINEER
 SEAL 035062

STATE OF NORTH CAROLINA
 DEPARTMENT OF TRANSPORTATION
 RALEIGH

SUPERSTRUCTURE

BILL OF MATERIAL

REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	TOTAL SHEETS
1			3			58
2			4			58

S-32

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

DRAWN BY : B.T. LEROY DATE : 05/2022
 CHECKED BY : D.S. TUTTLE DATE : 05/2022
 DESIGN ENGINEER OF RECORD : J.E. SLOAN DATE : 05/2022