

**This electronic collection of documents is provided
for the convenience of the user
and is Not a Certified Document –**

**The documents contained herein were originally issued
and sealed by the individuals whose names and license
numbers appear on each page, on the dates appearing
with their signature on that page.**

**This file or an individual page
shall not be considered a certified document.**

CONTRACT NO. C204740 TIP PROJECT: B-4442

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

SIGNING PLAN BUNCOMBE COUNTY

LOCATION: REPLACE US-19, US-23, US-25, US-70, FUTURE I-26 BRIDGES OVER REEMS CREEK- STRUCTURES NO. 370 AND 373

PROJECT NAME: B-4442 SHEET NO.: SIGN-1
APPROVED: Betsy L. Watson
DATE: 6/24/2022
SEAL: NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 29449 BETSY L. WATSON
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

ROADWAY STANDARD DRAWINGS

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2018 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

Table with 2 columns: STD. NO., TITLE. Lists drawing standards such as TYPE 'A' SIGNS, TYPE 'B' SIGNS, ARROWS AND SHIELDS, etc.

GENERAL NOTES

- SIGNS FURNISHED BY STATE.
• CONFIRM IN WRITING AT LEAST 4 MONTHS IN ADVANCE, THE ACTUAL DATE THE DEPARTMENT FURNISHED SIGNS WILL BE REQUIRED.
• IF REMOVAL OR RELOCATION OF SIGNS ON PRIVATE STREET (NON-STATE MAINTAINED) IS REQUIRED DUE TO CONSTRUCTION, THE CONTRACTOR SHALL INFORM THE ENGINEER. THE WORK WILL BE COMPLETED BY OTHERS.
• ALL EXISTING SIGNS ON "U" CHANNEL POST WITHIN THE PROJECT LIMITS SHALL BE REMOVED AND DISPOSED OF UNLESS OTHERWISE NOTED ON PLANS.
• WHEN EXISTING SIGNS ARE REMOVED AND INSTALLED ON NEW SUPPORTS, THE RE-ERECTION SHALL IMMEDIATELY FOLLOW THE REMOVAL.
• DO NOT BEGIN FABRICATION FOR TYPES A & B SIGNS MOUNTED ON OVERHEAD STRUCTURES OR STEEL SUPPORTS UNTIL 'S' DIMENSIONS HAVE BEEN FIELD VERIFIED.
• SEE ROADWAY PLANS FOR GUARD/GUIDE RAIL DETAILS.

SUMMARY OF QUANTITIES

Table with 5 columns: ITEM NO., DESC. NO., SECT. NO., ITEM DESCRIPTION, QUANTITY, UNIT. Lists quantities for items like REINFORCED CONCRETE SIGN FOUNDATIONS, OVERHEAD FOOTING, etc.

INDEX

Table with 2 columns: SHEET NO., DESCRIPTION. Lists sheet numbers and their corresponding descriptions like SIGN-1 TITLE SHEET, SIGN-2 SIGN SUPPORT DESIGN, etc.



PLAN PREPARED BY:

BETSY L. WATSON, P.E. SENIOR TRANSPORTATION ENGINEER
ROSI R. HENNEIN TRANSPORTATION DESIGNER



Stantec Consulting Services Inc.
801 Jones Franklin Road
Suite 300
Raleigh, NC 27606
Tel. (919) 851-6866
Fax. (919) 851-7024
www.stantec.com
License No. F-0672

\$\$\$\$\$SYTIME\$\$\$\$\$
\$\$\$\$\$DGN\$\$\$\$\$
\$\$\$\$\$USERNAME\$\$\$\$\$

PROJECT NAME	SHEET NO.
B-4442	SIGN-2
APPROVED: <i>Jessy L. Watson</i>	
DATE: 6/9/2022	
	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	
	

SUPPORT DESIGN FOR TYPE 'A' GROUND MOUNTED SIGNS


SUPPORT CHART

Version: 3.1 Posted: 6/2/2017

NUMBER	SIGN			ROADWAY STATION	NUMBER OF SUPPORTS	BEAM SECTION	SUPPORT TYPE BA or S	OMNI COUPLER	ATTACHMENT METHOD	MOUNTING METHOD	HORIZONTAL CLEARANCE* (ft.)	SUPPORT SPACING	LENGTH (ft)			LEFT SUPPORT (ft)			CENTER SUPPORT (ft)			RIGHT SUPPORT (ft)			SUPPORT WEIGHTS		FOOTINGS				FIELD VERIFIED SEE NOTE 2 (mm/dd/yy)	
	TYPE	SIZE (in.)											SNS HT "H"	MTG HT "C"	EMBED-MENT	S	L	LENGTH	S	L	LENGTH	S	L	LENGTH	B/A (lbs.)	SIMPLE (lbs.)	DIAMETER (ft.)	DEPTH (ft.)	REINFORCED (c.y.)	PLAIN (c.y.)		
		w	x																													h
901A 901B	A B	180 144	x x	120 24	-L- STA 305+00	2	W8x18	BA	N/A	N/A	N/A	30.00	8.79	12.00	7.00	4.0	1.99	20.99	24.99	0.00	0.00	0.00	3.45	22.45	26.45	1065.92	0	2.0	4.5	1.05	0.00	_____
902	A	180	x	72	-L- STA 305+00	2	W6x12	BA	N/A	N/A	30.00	8.79	6.00	7.00	3.5	1.99	14.99	18.49	0.00	0.00	0.00	3.45	16.45	19.95	539.28	0	1.5	4	0.52	0.00	_____	
903	A	180	x	120	-L- STA 299+00	2	W6x16	BA	N/A	N/A	25.00	8.79	10.00	7.00	4.5	1.83	18.83	23.33	0.00	0.00	0.00	3.30	20.30	24.80	864.08	0	1.5	5	0.65	0.00	_____	
904	A	180	x	138	-L- STA 332+00	2	W8x18	BA	N/A	N/A	31.00	8.79	11.50	7.39	4.0	3.03	21.92	25.92	0.00	0.00	0.00	-0.39	18.50	22.50	1011.56	0	2.0	4.5	1.05	0.00	_____	
																	TOTAL	TOTAL					TOTAL	TOTAL								
																	3480.84	0.00					3.27	0.00								
																	USE:	3481.00	0.00					4.00	0.00							


NOTES

1. DIMENSION "S" REPRESENTS AN INCREASE (+), OR A DECREASE (-) IN POLE LENGTH, RELATIVE TO THE ELEVATION OF THE EDGE OF TRAVEL LANE.
2. FIELD VERIFICATIONS SHALL BE REQUIRED FOR ALL SUPPORTS, SEE (*) ARTICLE 903-3. FABRICATORS SHALL BE AISC CERTIFIED IN CATEGORY 1, SEE (*) ARTICLE 1072-1. (*) = N.C.D.O.T. STANDARD SPECIFICATIONS FOR ROADS AND STRUCTURES
3. PLAN LOCATIONS FOR EXISTING UTILITIES ARE BASED ON THE BEST AVAILABLE INFORMATION AND, THEREFORE MAY NOT BE PRECISELY ACCURATE. THEREFORE, IT IS INCUMBENT UPON THE CONTRACTOR TO DETERMINE THE EXACT LOCATION OF UTILITIES BEFORE BEGINNING WORK IN A LOCATION.



\$\$\$SYTIME\$\$\$
 \$\$\$DGN\$\$\$
 \$\$\$USERNAME\$\$\$

TIP NO. B-4442	SHEET NO. SIGN-3
APPROVED: <u>Betsy L. Watson</u> <small>DocuSigned by: Betsy L. Watson</small>	
DATE: 6/9/2022	
SEAL	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	



NOTES:

1. IF CONTRACTOR BIDS ALUMINUM SIGN STRUCTURE, EACH SHALL BE PROVIDED WITH AN APPROVED HIGHWAY TRUSS DAMPER DEVICE IN ACCORDANCE WITH AASHTO SPECIFICATIONS.
2. MOUNT SIGNS VERTICALLY CENTERED ON HORIZONTAL MEMBER OF STRUCTURE.
3. FIELD VERIFICATION SHALL BE REQUIRED FOR ALL FOOTING ELEVATIONS, PER THE LATEST NCDOT STANDARD SPECIFICATIONS FOR ROADS AND STRUCTURES. PROVIDE FIELD VERIFICATION TO THE SIGNING SECTION.
4. THE TOP OF THE FOOTING SHALL EXTEND AT LEAST 4 INCHES AND NOT MORE THAN 24 INCHES ABOVE THE HIGHEST POINT OF THE GROUND SURFACE AT THE FOOTING.
5. SIGN HANGERS AND ATTACHMENT HARDWARE SHALL BE PROVIDED AND INSTALLED ON THE ASSEMBLY TO ACCOMMODATE ALL SIGNS SHOWN IN THIS PLAN SHEET.
6. DESIGN AND CONSTRUCTION REQUIREMENTS FOR SIGN STRUCTURES SHALL ACCOMMODATE WIND VELOCITY OF 90 M.P.H.

* THESE DIMENSIONS SHALL BE USED FOR WIND LOAD AND DEAD LOAD COMPUTATIONS IN DESIGN OF STRUCTURE AND FOOTINGS. DESIGN AND CONSTRUCTION REQUIREMENTS FOR SIGN STRUCTURES SHALL ACCOMMODATE WIND VELOCITY OF 90 M.P.H.

PROPOSED OVERHEAD SIGN STRUCTURE 'A'
 US 19,23,25,70 (FUTURE I-26)
 -L- STA 320+00

\$\$\$SYTIME\$\$\$
 \$\$\$SERIAL\$\$\$

SIGN NUMBER: 1
 TYPE: A
 QUANTITY: 1
 SIGN WIDTH: 204"
 HEIGHT: 114"
 TOTAL AREA: 161.5 Sq.Ft.
 BORDER TYPE: FLUSH
 RADII: 12"
 WIDTH: 2"
 RECESS: 0"
 NO. Z BARS: 3
 LENGTH: 196.0

BACKG COLOR: Green
 COPY COLOR: White

SYMBOL	X	Y	WID	HT
M1_4	46	40.7	36	36
M1_4	122	40.7	36	36

MAT'L: 0.125" (3.2MM) ALUMINUM

DESIGN BY: RRH CHECKED BY: BLW DATE: Jan 20, 2022
 PROJECT ID: B-4442 DIV: 13

Spacing Factor is 1 unless specified otherwise

USE NOTES

- Legend and border (except those that are colored black) shall be direct applied Grade A sheeting.
- Background shall be Grade C reflective sheeting.
- Shields; A, B, and C type arrows shall be on 0.032" (0.8mm) aluminum and demountable.

LETTER POSITIONS

Letter spacings are to start of next letter

	N	O	R	T	H													Series/Size Text Length
	34.1	12.2	3.1	12.8	11	11	9.7	110										E 2000
																		59.9
	110	12.2	3.1	12.8	11	11	9.7	34.1										E 2000
																		59.9
	J	o	h	n	s	o	n		C	i	t	y						EM 2000
	16.3	16.2	15.8	17	15.2	14.1	15.8	10.6	16	17.4	8	11.7	13.6	16.3				171.4

SIGN NUMBER: 2A
 TYPE: A
 QUANTITY: 1
 SIGN WIDTH: 168"
 HEIGHT: 30"
 TOTAL AREA: 35.0 Sq.Ft.
 BORDER TYPE: FLUSH
 RADII: 3"
 WIDTH: 2"
 RECESS: 0"
 NO. Z BARS: 2
 LENGTH: 160.0

BACKG COLOR: Green
 COPY COLOR: White

SYMBOL	X	Y	WID	HT

MAT'L: 0.125" (3.2MM) ALUMINUM

DESIGN BY: RRH CHECKED BY: BLW DATE: May 23, 2022
 PROJECT ID: B-4442 DIV: 13

Spacing Factor is 1 unless specified otherwise

USE NOTES

- Legend and border (except those that are colored black) shall be direct applied Grade A sheeting.
- Background shall be Grade C reflective sheeting.

LETTER POSITIONS

Letter spacings are to start of next letter

	E	X	I	T	S													Series/Size Text Length
	19.8	9.2	11.1	3.8	8.8	8.1	107.2											E 2000
																		41
	75.9	7.5	12.2	7.5	12.2	5	5.3	7.5	15.3	19.8								E 2000
																		72.4

SIGN NUMBER: 2B
 TYPE: A
 QUANTITY: 1
 SIGN WIDTH: 180"
 HEIGHT: 168"
 TOTAL AREA: 210.0 Sq.Ft.
 BORDER TYPE: FLUSH
 RADII: 12"
 WIDTH: 2"
 RECESS: 0"
 NO. Z BARS: 4
 LENGTH: 172.0

BACKG COLOR: Green
 COPY COLOR: White

SYMBOL	X	Y	WID	HT
M1_4	39.6	93.9	36	36
M1_4	110	93.9	36	36

MAT'L: 0.125" (3.2MM) ALUMINUM

DESIGN BY: RRH CHECKED BY: BLW DATE: Dec 29, 2021
 PROJECT ID: B-4442 DIV: 13

Spacing Factor is 1 unless specified otherwise

USE NOTES

- Legend and border (except those that are colored black) shall be direct applied Grade A sheeting.
- Background shall be Grade C reflective sheeting.
- Shields; A, B, and C type arrows shall be on 0.032" (0.8mm) aluminum and demountable.

LETTER POSITIONS

Letter spacings are to start of next letter

	N	O	R	T	H													Series/Size Text Length
	27.6	12.2	3.1	12.8	11	11	9.7	92.4										E 2000
																		59.9
	103.6	15.9	2.2	10.7	11	9	27.6											E 2000
																		48.8
	17.7	19.4	14.1	15.2	15.5	15.5	10.1	17	9.6	9.6	8.2	10.6	17.7					EM 2000
																		144.6
	36.6	18.9	17	10.1	15.5	15.5	17	9.6	3.2	36.6								EM 2000
																		106.7
	63.7	4.5	15	12	4.4	9.2	7.5	63.7										E 2000
																		52.6

SIGN NUMBER: 3A
 TYPE: B
 QUANTITY: 1
 SIGN WIDTH: 114"
 HEIGHT: 30"
 TOTAL AREA: 23.8 Sq.Ft.
 BORDER TYPE: FLUSH
 RADII: 3"
 WIDTH: 2"
 RECESS: 0"
 NO. Z BARS: 2
 LENGTH: 106.0

BACKG COLOR: Green
 COPY COLOR: White

SYMBOL	X	Y	WID	HT

MAT'L: 0.125" (3.2MM) ALUMINUM

DESIGN BY: RRH CHECKED BY: BLW DATE: Dec 29, 2021
 PROJECT ID: B-4442 DIV: 13

Spacing Factor is 1 unless specified otherwise

USE NOTES

- Legend and border (except those that are colored black) shall be direct applied Grade A sheeting.
- Background shall be Grade C reflective sheeting.

LETTER POSITIONS

Letter spacings are to start of next letter

	E	X	I	T	S													Series/Size Text Length
	24.1	9.2	11.1	3.8	7.5	58.3												E 2000
																		31.6
	70.7	14.7	4.5	24.1														E 2000
																		19.2

APPROVED: *Betsy L. Watson*
 DATE: 6/9/2022

SEAL

DOCUMENT NOT CONSIDERED FINAL
 UNLESS ALL SIGNATURES COMPLETED

TYPE 'A' & 'B' SIGNS MOUNTED OVERHEAD

\$\$\$\$SYTIME\$\$\$\$
 \$\$\$DGN\$\$\$\$
 \$\$\$USERNAME\$\$\$\$

SIGN NUMBER: 3B
 TYPE: A
 QUANTITY: 1
 SIGN WIDTH: 210"
 HEIGHT: 66"
 TOTAL AREA: 96.3 Sq.Ft.
 BORDER TYPE: FLUSH
 RADIUS: 9"
 WIDTH: 2"
 RECESS: 0"
 NO. Z BARS: 2
 LENGTH: 202.0

BACKG COLOR: Green
 COPY COLOR: White

SYMBOL	X	Y	WID	HT

MAT'L: 0.125" (3.2MM) ALUMINUM

DESIGN BY: RRH
 PROJECT ID: B-4442

CHECKED BY: BLW
 DIV: 13

DATE: Dec 29, 2021



USE NOTES

- Legend and border (except those that are colored black) shall be direct applied Grade A sheeting.
- Background shall be Grade C reflective sheeting.

Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

Letter spacings are to start of next letter

Letter spacings are to start of next letter														Series/Size Text Length	
	N	e	w		S	t	o	c	k		R	d			EM 2000
17.9	17	13.8	16.3	16	16.3	12	14.4	15.5	10.6	16	15.8	10.6	17.9		174.2
	1		M	I	L	E									E 2000
78.7	4.5	15	12	4.4	9.2	7.5	78.7								52.6

PROJECT NAME	SHEET NO.
B-4442	SIGN-4A
APPROVED: <i>Betsy L. Watson</i>	
DATE: 6/9/2022	
SEAL	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

\$\$\$\$\$SYTIME\$\$\$\$\$
 \$\$\$DDGN\$\$\$\$\$
 \$\$\$USERNAME\$\$\$\$\$

TYPE 'A' & 'B' SIGNS MOUNTED OVERHEAD

SIGN NUMBER: 301
 TYPE: D
 QUANTITY: 1
 SIGN WIDTH: 42"
 HEIGHT: 12"
 TOTAL AREA: 3.5 Sq.Ft.
 BORDER TYPE: FLUSH
 RADII: 1.5"
 WIDTH: 0.75"
 RECESS: 0"
 NO. Z BARS:
 LENGTH:

BACKG COLOR: Green
 COPY COLOR: White
 SYMBOL X Y WID HT
 MAT'L: 0.080" (2.0MM) ALUMINUM

DESIGN BY: RRH CHECKED BY: BLW DATE: Dec 29, 2021
 PROJECT ID: B-4442 DIV: 13



BORDER R=1.5" TH=0.75"
 MOUNT ON ONE "U" POST
 Spacing Factor is 1 unless specified otherwise

USE NOTES
 1. Legend and border (except those that are colored black) shall be direct applied Grade C sheeting.
 2. Background shall be Grade C reflective sheeting.

LETTER POSITIONS


Letter spacings are to start of next letter

S	R	1	7	2	0	Series/Size Text Length
4.8	5.1	4.1	6	2.6	5.1	D 2000
						32.5

SIGN NUMBER: 302,303
 TYPE: D
 QUANTITY: 2
 SIGN WIDTH: 60"
 HEIGHT: 36"
 TOTAL AREA: 15.0 Sq.Ft.
 BORDER TYPE: FLUSH
 RADII: 3"
 WIDTH: 1.5"
 RECESS: 0"
 NO. Z BARS:
 LENGTH:

BACKG COLOR: Green
 COPY COLOR: White
 SYMBOL X Y WID HT
 MAT'L: 0.125" (3.2MM) ALUMINUM

DESIGN BY: RRH CHECKED BY: BLW DATE: Jan 12, 2022
 PROJECT ID: B-4442 DIV: 13



BORDER R=3" TH=1.5"
 MOUNT ON TWO "U" POSTS
 Spacing Factor is 1 unless specified otherwise


USE NOTES
 1. Legend and border (except those that are colored black) shall be direct applied Grade C sheeting.
 2. Background shall be Grade C reflective sheeting.

LETTER POSITIONS

Letter spacings are to start of next letter

R	e	e	m	s	Series/Size Text Length
10.4	7.9	7	7.8	11.1	EM 2000
					39.1
C	r	e	e	k	Series/Size Text Length
13	8.7	5.2	7	7.8	EM 2000
					34

QUANTITY REQ'D 2



12 X 36

ONE "U" POST PER SIGN

PROJECT NAME SHEET NO.
 B-4442 SIGN-4B

APPROVED: *Betsy L. Watson*

DATE: 6/9/2022





DOCUMENT NOT CONSIDERED FINAL
 UNLESS ALL SIGNATURES COMPLETED




\$\$\$\$\$SYTIME\$\$\$\$\$
 \$\$\$DDGN\$\$\$\$\$
 \$\$\$USERNAME\$\$\$\$\$

TYPE 'D' SIGNS
 &
 MILEMARKERS

PROJECT NAME B-4442	SHEET NO. SIGN-5
APPROVED: <i>Betsy L. Watson</i>	
DATE: 6/9/2022	
SEAL	
	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	
	

BEGIN STATE SIGNING PLAN
B-4442 -L- STA. 295+00






MATCHLINE -L- STA 319+00 SEE SHEET SIGN-6



PROJECT NOTES

- 1 SIGN ERECTION, RELOCATE TYPE A (GROUND MOUNTED)
- 2 DISPOSAL OF SUPPORT, STEEL BEAM
- 3 DISPOSAL OF SIGN SYSTEM, STEEL BEAM
- 4 DISPOSAL OF SIGN SYSTEM, U-CHANNEL

EXISTING SIGNING
US 19,23,25,70 (FUTURE I-26)
-L- STA 291+00 TO 319+00

\$\$\$\$\$SYTIME\$\$\$\$\$DGN\$\$\$\$\$USERNAME\$\$\$\$\$

PROJECT NAME	SHEET NO.
B-4442	SIGN-6
APPROVED: 	
DATE: 6/9/2022	
SEAL	
	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	
	



MATCHLINE -L- STA 319 + 00 SEE SHEET SIGN-5

END STATE SIGNING PLAN
B-4442 -L- STA. 332 + 11

PROJECT NOTES


- 1 SIGN ERECTION, RELOCATE TYPE A (GROUND MOUNTED)
- 2 DISPOSAL OF SUPPORT, STEEL BEAM
- 3 DISPOSAL OF SIGN SYSTEM, STEEL BEAM
- 4 DISPOSAL OF SIGN SYSTEM, U-CHANNEL

EXISTING SIGNING
US 19,23,25,70 (FUTURE I-26)
-L- STA 319+00 TO 347+50

\$\$\$\$\$SYTIME\$\$\$\$\$
\$\$\$\$\$DGN\$\$\$\$\$
\$\$\$\$\$USERNAME\$\$\$\$\$

PROJECT NAME	SHEET NO.
B-4442	SIGN-7
APPROVED: <i>Betsy L. Watson</i>	
DATE: 6/9/2022	
SEAL	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	



BEGIN STATE SIGNING PLAN
B-4442 -L- STA. 295+00




MATCHLINE -L- STA 319+00 SEE SHEET SIGN-8


PROPOSED SIGNING
US 19,23,25,70 (FUTURE I-26)
-L- STA 291+00 TO 319+00

\$\$\$\$\$SYTIME\$\$\$\$\$
 \$\$\$\$\$\$DGN\$\$\$\$\$
 \$\$\$\$\$\$USERNAME\$\$\$\$\$

PROJECT NAME B-4442	SHEET NO. SIGN-8
APPROVED: <i>Betsy L. Watson</i> <small>202678394743F</small>	
DATE: 6/9/2022	
SEAL	
	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	
	



MATCHLINE -L- STA 319 + 00 SEE SHEET SIGN-7



END STATE SIGNING PLAN
B-4442 -L- STA. 332 + 11

PROPOSED SIGNING
US 19,23,25,70 (FUTURE I-26)
-L- STA 319+00 TO 347+50

\$\$\$\$\$SYTIME\$\$\$\$\$
\$\$\$\$\$DDGN\$\$\$\$\$
\$\$\$\$\$USERNAME\$\$\$\$\$