T.I.P.: 1-5973

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

PAVEMENT MARKING PLAN MECKLENBURG COUNTY

LOCATION: NC 16 (BROOKSHIRE BLVD) AND
NORTHERN 1–485 INTERCHANGE

PAVEMENT

TIP NO.	SHEET NO.
I-5973	PMP-1
APPROVED:	
DATE:	
SEAL CARO Considered by: 7D7DC1SEA4BE 050997 CARO 7D7DC1SEA4BE 10700000000000000000000000000000000	A CHARLES OF THE PARTY OF THE P

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

INDEX

SHEET NO.

DESCRIPTION

PMP-1

PAVEMENT MARKING PLAN TITLE AND

SCHEDULE SHEET

PMP-2 THRU PMP-3

OMITTED

PMP-4 THRU PMP-7 PAVEMENT MARKING DETAIL

ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2018 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	<u>TITLE</u>
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS - TWO-LANE AND MULTILANE ROADWAYS
1205.03	PAVEMENT MARKINGS - INTERCHANGES
1205.04	PAVEMENT MARKINGS - INTERSECTIONS
1205.05	PAVEMENT MARKINGS - TURN LANES
1205.06	PAVEMENT MARKINGS - LANE DROPS
1205.08	PAVEMENT MARKINGS - SYMBOLS AND WORD MESSAGES
1205.09	PAVEMENT MARKINGS - PAINTED ISLANDS
1205.14	PAVEMENT MARKINGS - ROUNDABOUTS
1250.01	RAISED PAVEMENT MARKERS - INSTALLATION SPACING
1251.01	RAISED PAVEMENT MARKERS - PERMANENT AND TEMPORARY
1261.01	GUARDRAIL AND BARRIER DELINEATOR SPACING
1261.02	GUARDRAIL AND BARRIER DELINEATOR TYPES
1262.01	GUARDRAIL END DELINEATION

MARKING SCHEDULE SYMBOL DESCRIPTION PAVEMENT MARKINGS THERMOPLASTIC (4", 90 MILS) WHITE EDGELINE WHITE SOLID LANE LINE WHITE 10' SKIP WHITE 3' - 9'/SP MINI-SKIP T5 WHITE 2' - 6'/SP MINI-SKIP YELLOW EDGELINE T10 THERMOPLASTIC (6", 90 MILS) WHITE EDGELINE T21 WHITE SOLID LANE LINE T22 WHITE 10' SKIP T23 WHITE 3' - 9'/SP MINI-SKIP T30 YELLOW EDGELINE THERMOPLASTIC (8", 90 MILS) T40 WHITE GORELINE T41 WHITE DIAGONAL T43 WHITE SOLID LANE LINE WHITE 3' - 9'/SP MINI-SKIP T44 THERMOPLASTIC (24", 90 MILS) T61 WHITE STOPBAR THERMOPLASTIC PAVEMENT MARKING SYMBOLS (90 MILS) LEFT TURN ARROW T71 RIGHT TURN ARROW T72 STRAIGHT ARROW T73 COMBO. LEFT/STRAIGHT ARROW T79 MERGE ARROW ALPHANUMERIC CHARACTER T100

PAVEMENT MARKER SYMBOLS

CRYSTAL & RED

GENERAL NOTES

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.

A) INSTALL PAVEMENT MARKINGS ON THE FINAL SURFACE AS FOLLOWS:

ROAD NAME

<u>MARKING</u> THERMOPLASTIC MARKER PERMANENT RAISED

B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.

- C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS AND MARKERS PER NCDOT STANDARD SPECIFICATIONS.
- D) STOP BAR LOCATION AT NON-SIGNALIZED INTERSECTIONS MAY BE ADJUSTED AS DIRECTED BY THE ENGINEER.
- E) UNLESS OTHERWISE SPECIFIED, HEATED-IN-PLACE THERMOPLASTIC MAY BE USED IN LIEU OF EXTRUDED THERMOPLASTIC FOR ARROWS, STOP BARS, SYMBOLS, CHARACTERS AND DIAGONALS. IF HEATED-IN-PLACE IS USED, IT SHALL BE PAID FOR USING THE EXTRUDED THERMOPLASTIC PAY ITEM.

PLAN REVIEWED BY: N.C.D.O.T. SIGNING AND DELINEATION UNIT

KELVIN L. JORDAN

SIGNING & DELINEATION REGIONAL ENGINEER

SIGNING & DELINEATION PROJECT DESIGN ENGINEER

ASHLEY K. MATTHEWS, P.E.

OF HIGH

MB

PLAN PREPARED BY: Kimley-Horn and Associates

EVERETT LOVING, P.E. PROJECT DESIGN ENGINEER

JACK CRINO, EIT

DESIGNER

Kimley Horr