


NAD 83/NA 2011



MATCHLINE -L- STA. 298 + 00 SEE SHEET 17

MATCHLINE -L- STA. 312 + 00 SEE SHEET 19

REVISIONS
 ROW REVISION - 10/22/2021 - CHANGED PARCEL NUMBER 92 TO 90. PARCEL NUMBER 92 IS REMOVED (NOT USED) - CDA

-YIARPA-	
PIs Sta 13+00.71	PI Sta 15+73.33
Δs = 1' 32" 05.0"	Δ = 9' 05" 30.6" (RT)
Ls = 150.00'	D = 2' 02" 46.6"
LT = 100.00'	L = 444.31'
ST = 50.00'	T = 222.62'
	R = 2,800.00'
	DS = 65 mph
	e = 06
	RO = 150.00'

-YIARPD-		
PIs Sta 10+83.33	PI Sta 13+17.21	PIs Sta 15+50.67
Δs = 1' 03" 00.5"	Δ = 6' 27" 07.8" (LT)	Δs = 1' 03" 00.5"
Ls = 125.00'	L = 384.01'	Ls = 125.00'
LT = 83.33'	T = 192.21'	LT = 83.33'
ST = 41.67'	R = 3,410.00'	ST = 41.67'
	DS = 65 mph	
	e = 05	
	RO = 125.00'	

- NOTE: PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B AND TEMPORARY ROCK SILT CHECKS TYPE - A AT DRAINAGE OUTLETS.
- NOTE: ALL EROSION CONTROL DEVICES SHOWN ARE LOCATED WITHIN EXISTING RW OR EASEMENT.
- NOTE: PERIMETER EROSION CONTROL MEASURES SHALL BE INSTALLED DURING CLEARING AND GRUBBING PHASE.
- NOTE: CONTRACTOR SHALL PROVIDE GROUND COVER ON EXPOSED SLOPES IN ACCORDANCE WITH THE "SOIL STABILIZATION TIMEFRAMES" SEE EC-3.
- NOTE: PRIOR TO INSTALLATION OF EROSION CONTROL DEVICES, CONTRACTOR SHALL VERIFY BOUNDARIES OF JURISDICTIONAL AREAS AND DELINEATE WITH SAFETY FENCE OR FLAGGING.

FOR -L- PROFILE SEE SHEET 57
 FOR -YIARPA- PROFILE SEE SHEET 84
 FOR -YIARPD- PROFILE SEE SHEET 87
 FOR DITCH DETAILS SEE SHEETS 2D-1 AND 2D-2
 FOR -NW8- ALIGNMENT DATA SEE SHEET 2N-1
 FOR NOISE WALL PLANS SEE W8-1 THRU W8-4
 FOR CULVERT PLANS SEE C11-1 THRU C11-14

8/17/2022
 R:\E\2022\Commentals\Design\15987A_EC_PSH_018.dgn
 sample.tbl