

FINAL EROSION CONTROL FOR CONSTRUCTION SHEET 23

BRENDA B. SMITH  
 DB 2146 PG 260


104

ROBERT A. RUSS  
 DB 959 PG 223

105

MATCHLINE -L- STA 367 + 00.00 SEE SHEET 22

MATCHLINE -L- STA 380 + 00.00 SEE SHEET 24



138 x 23 x 3  
 2 inch Skimmer  
 with 1.625 inch  
 Orifice Diameter  
 11 ft. weir  
 ID 23.1

120 x 24 x 3  
 ID 23.3

138 x 23 x 3  
 2 inch Skimmer  
 with 1.625 inch  
 Orifice Diameter  
 12 ft. weir  
 ID 23.2

120 x 24 x 3  
 ID 23.4

PATRICIA R. THOMPSON  
 AND SPOUSE  
 DAVID M. THOMPSON  
 DB 1979 PG 329

103

NEILL D. FOWLER  
 DB 784 PG 350  
 WB 15-E PG 228

107

NO CLAIM

- NOTE: ALL EROSION CONTROL DEVICES SHOWN ARE LOCATED WITHIN EXISTING RW OR EASEMENT.
- NOTE: CONTRACTOR SHALL PROVIDE GROUND COVER ON EXPOSED SLOPES IN ACCORDANCE WITH THE "SOIL STABILIZATION TIMEFRAMES", SEE EC-3.
- NOTE: CONTRACTOR SHALL PROVIDE INLET PROTECTION FOR PARTIALLY INSTALLED STORM DRAINS, THIS MEASURE SHOULD BE INSTALLED AT THE END OF EACH WORKING DAY.
- NOTE: CONTRACTOR SHALL MAINTAIN ALL DEVICES AS PROJECT IS BROUGHT UP TO GRADE.
- NOTE: INSTALL MATTING FOR EROSION CONTROL IN ALL PROPOSED DITCH LINES EXCEPT WHERE PERMANENT LINERS ARE SPECIFIED ON THE PLANS OR DIRECTED OTHERWISE BY THE ENGINEER.
- NOTE: UTILIZE FABRIC INSERT INLET PROTECTION DEVICES IN LIEU OF ROCK INLET SEDIMENT TRAPS TYPE-C, AS DIRECTED, TO AVOID IMPOUNDMENT OF RUNOFF IN ROADWAY OPEN TO TRAFFIC.

REVISIONS

8/17/99  
 4/7/2022  
 R:\Environmental\Design\15987A\_EC\_PSH\_059.dgn  
 samuel.skidmore