

NAD 83/NA 2011

NV5 NV5 ENGINEERS & CONSULTANTS, INC.
 7500 E. INDEPENDENCE BLVD, STE 100
 CHARLOTTE, NC 28227
 P: 704.537.7300 www.NV5.com
 NC License # F-1333


FINAL EROSION CONTROL FOR CONSTRUCTION SHEET 28

-L-
 PI Sta. 430+68.94
 $\Delta = 3^{\circ} 33' 35.7''$ (RT)
 $D = 0^{\circ} 12' 03.7''$
 $L = 1,770.78'$
 $T = 885.67'$
 $R = 28,500.00'$
 $DS = 75$ mph
 $e = NC$

PALMETTO PROPERTIES, INC
 DB 910 PG 351


JOSEPH G. RIDDLE AND WIFE
 GAIL A. RIDDLE
 DB 1590 PG 865

CLEAN WATER DIVERSION
 (Not to Scale)



MATCHLINE -L- STA 432 + 00.00 SEE SHEET 27

MATCHLINE -L- STA 445 + 00.00 SEE SHEET 29



REVISIONS

- NOTE: ALL EROSION CONTROL DEVICES SHOWN ARE LOCATED WITHIN EXISTING RW OR EASEMENT.
- NOTE: CONTRACTOR SHALL PROVIDE GROUND COVER ON EXPOSED SLOPES IN ACCORDANCE WITH THE SOIL STABILIZATION TIMEFRAMES, SEE EC-3.
- NOTE: CONTRACTOR SHALL PROVIDE INLET PROTECTION FOR PARTIALLY INSTALLED STORM DRAINS. THIS MEASURE SHOULD BE INSTALLED AT THE END OF EACH WORKING DAY.
- NOTE: CONTRACTOR SHALL MAINTAIN ALL DEVICES AS PROJECT IS BROUGHT UP TO GRADE.
- NOTE: INSTALL MATTING FOR EROSION CONTROL IN ALL PROPOSED DITCH LINES EXCEPT WHERE PERMANENT LINERS ARE SPECIFIED ON THE PLANS OR DIRECTED OTHERWISE BY THE ENGINEER.
- NOTE: UTILIZE FABRIC INSERT INLET PROTECTION DEVICES IN LIEU OF ROCK INLET SEDIMENT TRAPS TYPE-C AS DIRECTED TO AVOID IMPOUNDMENT OF RUNOFF IN ROADWAY OPEN TO TRAFFIC.

4/7/2022
 R:\E:\documental\Design\15987A_EC_PSH_064.dwg
 samuel.skalata