



NOTES

1. FIELD VERIFY ALL FOOTING ELEVATIONS AND GROUND SLOPES AT THE FOOTING USING THE LATEST NCDOT STANDARD SPECIFICATIONS FOR ROADS AND STRUCTURES. CONTRACTOR IS RESPONSIBLE FOR FURNISHING ELEVATION DRAWINGS FOR ENGINEER'S APPROVAL.
2. USE ACTUAL DIMENSIONS AND WEIGHT OF THE DMS TO COMPLETE THE DESIGN OF THE DMS STRUCTURE.
3. ENSURE THAT THE TOP OF THE FOOTING EXTENDS AT LEAST 6 INCHES AND NOT MORE THAN 24 INCHES ABOVE THE HIGHEST POINT OF THE GROUND SURFACE AT THE FOOTING.
4. DESIGN AND CONSTRUCT THE PEDESTAL STRUCTURE AND DMS ENCLOSURE TO WITHSTAND WIND VELOCITIES OF 110 MPH.
5. VERIFY ALL UNDERGROUND UTILITY LOCATIONS BEFORE BEGINNING ANY UNDERGROUND WORK. DO NOT DAMAGE ANY EXISTING UTILITIES OR NCDOT CABLES DURING CONSTRUCTION.

1/24/2022
 6:41:15 AM
 3:38:36 PM
 I:\Projects\5987A\ITS\psh_11.DMS at MM 22_xsc.dgn

DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED



| | | | | | |
|--|--|--|--|---|--|
| Prepared for the Offices of: | | I-95 Northbound DMS-1 Elevation (Mile-Marker 22) | | SEAL | |
| | | Division 6 Robeson County Lumberton | | PLAN DATE: April 2022 REVIEWED BY: S.G. Haynie | |
| | | PREPARED BY: O. Drobny REVIEWED BY: J.S. Cole | | REVISIONS INIT. DATE | |
| | | Steven G. Haynie 4/8/2022 | | DATE | |
| CADD File name: I-5987A ITS_psh_11.dgn | | | | | |