

8/17/99






PI Sta 21+28.22    PI Sta 23+10.84  
 $\Delta = 1^{\circ}02'19.3"$  (RT)     $\Delta = 3^{\circ}40'54.6"$  (RT)  
 $D = 0^{\circ}30'58.2"$      $D = 2^{\circ}14'43.6"$   
 $L = 201.23'$      $L = 163.97'$   
 $T = 100.62'$      $T = 82.01'$   
 $R = 11,000.00'$      $R = 2,551.64'$   
 $RO = 53'$      $RO = 128'$   
 $e = NC$      $e = 4.8\%$

**NOTE:** PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B AND TEMPORARY ROCK SILT CHECKS TYPE - A AT DRAINAGE OUTLETS.

ENVIRONMENTALLY SENSITIVE AREA  
SEE PROJECT SPECIAL PROVISIONS

CLEARING AND GRUBBING  
EROSION CONTROL FOR  
CONSTRUCTION SHEET 4

**NOTE:** UTILIZE TEMPORARY SEDIMENT BASIN OR SPECIAL STILLING BASIN(S) AS STILLING BASIN WHERE APPLICABLE.



REVISIONS

7/29/2018  
M:\2018\5180194\F.23 B-5670\Roadside\CADD\B-5670.ESC.psh\_4.dgn  
Elizabeth Sheldon

FOR -L- PROFILE SEE SHEET 5