


**This electronic collection of documents is provided
for the convenience of the user
and is Not a Certified Document –**

**The documents contained herein were originally issued
and sealed by the individuals whose names and license
numbers appear on each page, on the dates appearing
with their signature on that page.**

**This file or an individual page
shall not be considered a certified document.**

TIP NO.	SHEET NO.
B-5765	PMP-1
APPROVED: _____	
DATE: _____	
SEAL	
	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

**STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION**

PAVEMENT MARKING PLAN

DAVIDSON COUNTY

**LOCATION: GUMTREE RD. SR 1711 OVER
OVER WINSTON-SALEM SOUTHBOUND RAILROAD**

ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2018 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	TITLE
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS - TWO-LANE AND MULTILANE ROADWAYS
1205.04	PAVEMENT MARKINGS - INTERSECTIONS
1205.12	PAVEMENT MARKINGS - BRIDGES
1261.01	GUARDRAIL AND BARRIER DELINEATORS - INSTALLATION SPACING
1261.02	GUARDRAIL AND BARRIER DELINEATORS - TYPES AND MOUNTING
1262.01	GUARDRAIL END DELINEATION

GENERAL NOTES

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.

A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS:

ROAD NAME	MARKING	MARKER
GUMTREE RD	THERMOPLASTIC	NONE
HEBRON CHURCH RD	THERMOPLASTIC	NONE
BRIDGE	COLD APPLIED PLASTIC	NONE

B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.

C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS AND MARKERS.

D) UNLESS OTHERWISE SPECIFIED, HEATED-IN-PLACE THERMOPLASTIC MAY BE USED IN LIEU OF EXTRUDED THERMOPLASTIC FOR STOP BARS, SYMBOLS, CHARACTERS AND DIAGONALS. IF HEATED-IN-PLACE IS USED, IT SHALL BE PAID FOR USING THE EXTRUDED THERMOPLASTIC PAY ITEM.


D) TYPE III COLD APPLIED PLASTIC MAY BE USED IN LIEU OF TYPE II COLD APPLIED PLASTIC. IF TYPE III COLD APPLIED PLASTIC IS USED, IT SHALL BE PAID FOR USING THE TYPE II COLD APPLIED PLASTIC PAY ITEM.

INDEX

SHEET NO.	DESCRIPTION
PMP-1	PAVEMENT MARKING PLAN TITLE
PMP-2-4	PAVEMENT MARKING DETAIL

PLAN REVIEWED BY: N.C.D.O.T. SIGNING AND DELINEATION UNIT

KELVIN JORDAN _____ SIGNING & DELINEATION REGIONAL ENGINEER
ASHLEY MATTHEWS, PE _____ SIGNING & DELINEATION PROJECT DESIGN ENGINEER



PLAN PREPARED BY: PARRISH AND PARTNERS

CHAD ROGERS, PE _____ SIGNING & DELINEATION PROJECT ENGINEER
CURTIS HALL, PE _____ SIGNING & DELINEATION PROJECT DESIGN ENGINEER



3/31/2022 p:\parrish-pw\bentley.com\parrish-pw\Documents\Surface Transportation\NCDOT BR_280115 (B-5765)\Project Design\Pavement Markings\B-5765_PMP_1.dgn User:CHall

T.I.P.: B-5765


CONTRACT: C204385

APPROVED: _____
DATE: _____


SEAL

**DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED**

PARRISH & PARTNERS
11325 N COMMUNITY HOUSE RD
SUITE 260
CHARLOTTE, NC 28277



3/31/2022 1:54:00 PM User: chad.rogers



PAVEMENT MARKING SCHEDULE	
SYMBOL	DESCRIPTION
T1	WHITE EDGELINE (THERMO, 4", 90 MIL)
T13	YELLOW DOUBLE CENTER (THERMO, 4", 90 MIL)
C1	WHITE EDGELINE (CAP, 4")
C13	YELLOW DOUBLE CENTER (CAP, 4")

PAVEMENT MARKING DETAIL

