

8/17/99

INDEX OF SHEETS

SHEET NUMBER	SHEET
1	TITLE SHEET
1A	INDEX OF SHEETS, GENERAL NOTES, AND STANDARD DRAWINGS
1B	CONVENTIONAL SYMBOLS
2A-1 THRU 2A-3	PAVEMENT SCHEDULE AND TYPICAL SECTIONS
2B-1	ROADWAY DETAIL - LAYOUT OF MOND. CONC. ISLAND, 8" CONC. CURB AND MISC. DRIVES
2B-2	ROADWAY DETAIL - WOVEN WIRE FENCE ON RETAINING WALL
2C-1	SPECIAL DETAILS - GUARDRAIL INSTALLATION (W BEAM RAIL SECTION)
2C-2	SPECIAL DETAILS - 8" GUARDRAIL POST
2C-3	SPECIAL DETAILS - GUARDRAIL AT-1 END UNIT
2C-4	SPECIAL DETAILS - HANDRAIL ON WALL
2C-5	SPECIAL DETAILS - GUARDRAIL ANCHOR UNIT TYPE B-77SC
2D-1	DRAINAGE DETAIL - CONC GRATED DI TYPE 'A' MINIMUM DEPTH
2D-2	DRAINAGE DETAIL - TRAFFIC BEARING DROP INLET TYPE "A"
2D-3	DRAINAGE DETAIL - GUIDE FOR BERM DRAINAGE OUTLET - 36" PIPE
2D-4	DRAINAGE DETAIL - GUIDE FOR BERM DRAINAGE OUTLET - 42" PIPE
2D-5	DRAINAGE DETAIL - CONCRETE CATCH BASIN (3 OR 4 SIDE OPEN THROAT)
2G-1	GEOTECHNICAL DETAILS - ROCK EMBANKMENTS- WIDENED FILL DETAIL
2G-2	GEOTECHNICAL DETAILS - TOE SHEAR KEY
2G-3	GEOTECHNICAL DETAILS - HORIZONTAL DRAINS
3B-1	EARTHWORK SUMMARY & ASPHALT PAVEMENT REMOVAL & BREAKING SUMMARY
3B-2	GUARDRAIL SUMMARY
3D-1 THRU 3D-8	DRAINAGE SUMMARIES
3G-1	GEOTECHNICAL SUMMARIES
3P-1	PARCEL INDEX SHEET
35 THRU 44	PLAN SHEETS
69 THRU 74	PROFILE SHEETS
RW-01 THRU RW-44	SURVEY CONTROL SHEETS
TMP-1 THRU TMP-18	TRAFFIC MANAGEMENT PLANS
PMP-1 THRU PMP-7	PAVEMENT MARKING PLANS
EC-1 THRU EC-24	EROSION CONTROL PLANS
RF-1	REFORESTATION DETAIL SHEET
RF-2 & RF-3	STREAMBANK REFORESTATION DETAIL SHEETS
SIGN-1 THRU SIGN-11	SIGNING PLANS
UO-1 THRU UO-11	UTILITIES BY OTHERS PLANS
X-1A	CROSS-SECTION INDEX
X-1B THRU X-1C	CROSS-SECTION SUMMARY SHEET
X-1 THRU X-209	CROSS-SECTIONS
STRUCTURE TITLE SHEET	
STRUCTURE - INDEX OF SHEETS	
C1-1 THRU C1-7	CULVERT PLANS - SINGLE 6 FT X 6 FT CONC BOX CULVERT EXT.
STANDARD NOTES	
W21-1 THRU W21-5	RETAINING WALL #21
W22-1 THRU W22-3	RETAINING WALL #22
W23-1 THRU W23-3	RETAINING WALL #23
W24-1 THRU W24-3	RETAINING WALL #24
W25-1 THRU W25-3	RETAINING WALL #25
W26-1 THRU W26-3	RETAINING WALL #26
W27-1 THRU W27-8	RETAINING WALL #27
W30-1 THRU W30-7	RETAINING WALL #30
W32-1 THRU W32-7	RETAINING WALL #32
W33-1 THRU W33-3	RETAINING WALL #33
W34-1 THRU W34-2	RETAINING WALL #34
W35-1 THRU W35-4	RETAINING WALL #35
W39_40-1 THRU W39_40-3	RETAINING WALLS #39 & #40

GENERAL NOTES

GENERAL NOTES:

2018 SPECIFICATIONS
EFFECTIVE: 01-16-2018
REVISED:

**GRADE LINE:
GRADING AND SURFACING:**

THE GRADE LINES SHOWN DENOTE THE FINISHED ELEVATION OF THE PROPOSED SURFACING AT GRADE POINTS SHOWN ON THE TYPICAL SECTIONS. GRADE LINES MAY BE ADJUSTED AT THEIR BEGINNING AND ENDING AND AT STRUCTURES AS DIRECTED BY THE ENGINEER IN ORDER TO SECURE A PROPER TIE-IN.

CLEARING:

CLEARING ON THIS PROJECT SHALL BE PERFORMED TO THE LIMITS ESTABLISHED BY METHOD II.

SUPERELEVATION:

ALL CURVES ON THIS PROJECT SHALL BE SUPERELEVATED IN ACCORDANCE WITH STD. NO. 225.04 USING THE RATE OF SUPERELEVATION AND RUNOFF SHOWN ON THE PLANS. SUPERELEVATION IS TO BE REVOLVED ABOUT THE GRADE POINTS SHOWN ON THE TYPICAL SECTIONS.

SHOULDER CONSTRUCTION:

ASPHALT, EARTH, AND CONCRETE SHOULDER CONSTRUCTION ON THE HIGH SIDE OF SUPERELEVATED CURVES SHALL BE IN ACCORDANCE WITH STD. NO. 560.01 AND 560.02

SIDE ROADS:

THE CONTRACTOR WILL BE REQUIRED TO DO ALL NECESSARY WORK TO PROVIDE SUITABLE CONNECTIONS WITH ALL ROADS, STREETS, AND DRIVES ENTERING THIS PROJECT. THIS WORK WILL BE PAID FOR AT THE CONTRACT UNIT PRICE FOR THE PARTICULAR ITEMS INVOLVED.

BERM DITCHES:

BERM DITCHES SHALL BE CONSTRUCTED IN ACCORDANCE WITH STD. NO. 240.01 AT LOCATIONS SHOWN ON THE PLANS OR AS DIRECTED BY THE ENGINEER.

SUBSURFACE DRAINS:

SUBSURFACE DRAINS SHALL BE CONSTRUCTED IN ACCORDANCE WITH STD. NO. 815.02 AT LOCATIONS DIRECTED BY THE ENGINEER.

GUARDRAIL:

THE GUARDRAIL LOCATIONS SHOWN ON THE PLANS MAY BE ADJUSTED DURING CONSTRUCTION AS DIRECTED BY THE ENGINEER. THE CONTRACTOR SHOULD CONSULT WITH THE ENGINEER PRIOR TO ORDERING GUARDRAIL MATERIAL.

UTILITIES:

UTILITY OWNERS ON THIS PROJECT ARE DUKE ENERGY, FRONTIER, AND ZITO MEDIA. ANY RELOCATION OF EXISTING UTILITIES WILL BE ACCOMPLISHED BY OTHERS.



RIGHT-OF-WAY MARKERS:

ALL RIGHT-OF-WAY MARKERS ON THIS PROJECT SHALL BE PLACED BY OTHERS.

ROCK

ROCK IS ANTICIPATED BETWEEN -L- STA 430+75 TO 434+75, -L- STA 451+25 TO 451+75, -L- STA 472+75 TO 473+75, -Y2- STA 16+75 TO 18+25, -Y2- STA 21+75 TO 22+75, -Y2- STA 40+75 TO 41+25, -Y2- STA 64+75 TO 65+75. BLASTING MAY BE REQUIRED FOR EXCAVATION ON THE PROJECT. SEE SECTION 220 OF THE STANDARD SPECIFICATIONS AND IF APPLICABLE, ROCK BLASTING PROVISION.

THE CONTRACTOR SHOULD BE ADVISED THAT ANY CLEARING WITHIN THE PERMANENT EASEMENT (PE) ALONG USFS PROPERTY SHALL ADHERE TO THE AGREEMENT BETWEEN NCDOT AND THE USFS. THE CONTRACTOR IS TO COORDINATE WITH THE RESIDENT ENGINEER AND DIVISION ENVIRONMENTAL OFFICER PRIOR TO STARTING CLEARING OPERATIONS TO ENSURE COMPLIANCE.
SEE PLAN SHEETS 35 THRU 39.

 TGS ENGINEERS 201 W. MARION ST. STE 200 SHELBY, NC 28150 PH (704) 476-0003 CORP. LICENSE NO.: C-0275	DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	PROJECT REFERENCE NO. A-0009CC	SHEET NO. 1A
	STANDARD DRAWINGS EFF. 01-16-2018 REV.		

2018 ROADWAY ENGLISH STANDARD DRAWINGS

The following Roadway Standards as appear in "Roadway Standard Drawings" Highway Design Branch - N. C. Department of Transportation - Raleigh, N. C., Dated January, 2018 are applicable to this project and by reference hereby are considered a part of these plans:

STD.NO.	TITLE
DIVISION 2 - EARTHWORK	
200.02	Method of Clearing - Method II
225.02	Guide for Grading Subgrade - Secondary and Local
225.03	Deceleration and Acceleration Lanes
225.04	Method of Obtaining Superelevation - Two Lane Pavement
225.06	Method of Grading Sight Distance at Intersections
240.01	Guide for Berm Ditch Construction
DIVISION 3 - PIPE CULVERTS	
300.01	Method of Pipe Installation
310.10	Driveway Pipe Construction
DIVISION 5 - SUBGRADE, BASES AND SHOULDERS	
560.01	Method of Shoulder Construction - High Side of Superelevated Curve - Method I
560.02	Method of Shoulder Construction - High Side of Superelevated Curve - Method II
DIVISION 6 - ASPHALT BASES AND PAVEMENTS	
654.01	Pavement Repairs
DIVISION 8 - INCIDENTALS	
815.02	Subsurface Drain
838.01	Concrete Endwall for Single and Double Pipe Culverts - 15" thru 48" Pipe 90 Skew
838.11	Brick Endwall for Single and Double Pipe Culverts - 15" thru 48" Pipe 90 Skew
838.21	Reinforced Concrete Endwall - for Single 54" Pipe 90 Skew
838.22	Reinforced Concrete Endwall - for Double and Triple 54" Pipes 90 Skew
838.45	Notes for Reinforced Concrete Endwall - Std. Dwg 838.21 thru 838.40
838.51	Reinforced Brick Endwall - for Single 54" Pipe 90 Skew
838.52	Reinforced Brick Endwall - for Double and Triple 54" Pipes 90 Skew
838.75	Notes for Reinforced Brick Endwall - Std. Dwg 838.51 thru 838.70
838.80	Precast Endwalls - 12" thru 72" Pipe 90 Skew
840.00	Concrete Base Pad for Drainage Structures
840.14	Concrete Drop Inlet - 12" thru 30" Pipe
840.15	Brick Drop Inlet - 12" thru 30" Pipe
840.16	Drop Inlet Frame and Grates - for use with Std. Dwg 840.14 and 840.15
840.17	Concrete Grated Drop Inlet Type 'A' - 12" thru 72" Pipe
840.18	Concrete Grated Drop Inlet Type 'B' - 12" thru 36" Pipe
840.19	Concrete Grated Drop Inlet Type 'D' - 12" thru 36" Pipe
840.20	Frames and Wide Slot Flat Grates
840.22	Frames and Wide Slot Sag Grates
840.26	Brick Grated Drop Inlet Type 'A' - 12" thru 72" Pipe
840.27	Brick Grated Drop Inlet Type 'B' - 12" thru 36" Pipe
840.28	Brick Grated Drop Inlet Type 'D' - 12" thru 36" Pipe
840.31	Concrete Junction Box - 12" thru 66" Pipe
840.32	Brick Junction Box - 12" thru 66" Pipe
840.34	Traffic Bearing Junction Box - for Use with Pipes 42" and Under
840.35	Traffic Bearing Grated Drop Inlet - for Cast Iron Double Frame and Grates
840.41	Spring Box - Concrete or Brick
840.45	Precast Drainage Structure
840.46	Traffic Bearing Precast Drainage Structure
840.51	Brick Manhole - 12" thru 36" Pipe
840.52	Precast Manhole - 4', 5' and 6' Diameter
840.53	Precast Manhole with Masonry Base - 12" thru 42" Pipe
840.54	Manhole Frame and Cover
840.66	Drainage Structure Steps
840.72	Pipe Collar
846.01	Concrete Curb, Gutter and Curb & Gutter
846.02	Drop Inlet Installation in Expressway Gutter
846.04	Drop Inlet Installation in Shoulder Berm Gutter
850.01	Concrete Paved Ditches
850.10	Guide for Berm Drainage Outlet - 15" and 18" Pipe
850.11	Guide for Berm Drainage Outlet - 24" and 30" Pipe
852.01	Concrete Islands
852.06	Method for Placement of Drop Inlets in Concrete Islands
857.01	Precast Reinforced Concrete Barrier - 41" Single Faced
862.01	Guardrail Placement
862.02	Guardrail Installation
862.03	Structure Anchor Units
862.04	Anchoring End of Guardrail - B-77 and B-83 Anchor Units
866.02	Woven Wire Fence - with Wood Post
876.01	Rip Rap in Channels
876.02	Guide for Rip Rap at Pipe Outlets
876.04	Drainage Ditches with Class 'B' Rip Rap

I:\28\2022\X:\NCDOT\A-0009\Roadway\Proj\A-0009CC_Plan_Sheets\A-0009CC_Rdy_tsh.dgn