


6/2/2022

PAVEMENT SCHEDULE	
C1	1.5" S9.5C
C2	3" S9.5C
D2	2 1/2" I19.0C
E1	4" B25.0C
K	CL IV SUBGRADE STABILIZATION
J1	6" ABC
N	GEOTEXTILE FOR PAVEMENT STABILIZATION
T	EARTH MATERIAL
U	EXISTING PAVEMENT
W	WEDGING


PAVEMENT EDGE SLOPES ARE 1:1 UNLESS SHOWN OTHERWISE. SEE SHEET 2A-1 FOR DETAILED PAVEMENT SCHEDULE.

NOTE:  
 USE RETAINING WALL:  
 -Y2- STA 78+67.46 TO -Y2- STA 88+25±,LT  
 USE STANDARD DITCH:  
 -Y2- STA. 88+25± TO -Y2- STA. 89+80.00,LT




TYPICAL SECTION NO. 3

USE TYPICAL SECTION NO. 3  
 -Y2- STA. 78+67.46 TO -Y2- STA. 89+80.00



TYPICAL SECTION NO. 4

USE TYPICAL SECTION NO. 4  
 -DR3- STA. 10+20.00 TO -DR3- STA. 11+72.03



TYPICAL SECTION NO. 5

USE TYPICAL SECTION NO. 5  
 -DR4- STA. 10+12.13 TO -DR4- STA. 11+10.00

NOTE: ROCK EMBANKMENT  
 -DR4- STA 10+45 TO -DR4- STA. 11+25, LT  
 SEE XS-SECT AND DETAIL SHT 2G-2

**GEOTEXTILE FOR PAVEMENT STABILIZATION DETAIL**

\*2 11' WITH GUARDRAIL  
 GRADE TO THIS LINE  
 GRADE TO THIS LINE  
 VAR. (4:1 TO 2:1)  
 VAR. (4:1 TO 2:1)

STA TO STA	LOC
-Y2- STA. 23+50 TO -Y2- STA. 28+00	LT & RT
-Y2- STA. 32+50 TO -Y2- STA. 33+00	LT & RT
-Y2- STA. 35+75 TO -Y2- STA. 36+25	LT & RT
-Y2- STA. 47+50 TO -Y2- STA. 52+50	LT & RT
-Y2- STA. 55+00 TO -Y2- STA. 70+00	LT & RT
-Y2- STA. 85+00 TO -Y2- STA. 88+50	RT

AREAS WILL BE INVESTIGATED DURING CONSTRUCTION

PROJECT REFERENCE NO. A-0009CC	SHEET NO. 2A-2
ROADWAY DESIGN ENGINEER JIMMY L. TERRY 35018	PAVEMENT DESIGN ENGINEER MATTHEW BROWER 041986
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	
 TGS ENGINEERS 201 W. MARION ST SHELBY, NC 28150 PH (704) 476-0003 CORP. LICENSE NO.: C-0275	

I:\4\2022\A-0009\Roadway\Proj\A-0009CC\_Plan\_Sheets\A-0009CC\_Rdy\_tjy.dgn  
 User:smal