


<b>PROJECT REFERENCE NO.</b> A-0009CC		<b>SHEET NO.</b> 2G-1	
GEOTECHNICAL ENGINEER 		ENGINEER	
DocuSigned by: D. Matthew Brewer 10/17/22		DATE SIGNATURE DATE	
<b>DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED</b>			

FOR USE IN THE FOLLOWING LOCATIONS,  
OR AS DIRECTED BY THE ENGINEER.

STATIONS:  
-DR4- 10+45 TO 11+25, LT

**NOTES:**

FOR ROCK EMBANKMENTS, SEE ROCK EMBANKMENTS SPECIAL PROVISION

CONSTRUCT ROCK EMBANKMENTS AS SHOWN IN THE DETAIL AND IN ACCORDANCE WITH THE ROCK EMBANKMENTS SPECIAL PROVISION

USE SELECT MATERIAL, CLASS VII, RIP RAP CLASS A, RIP RAP CLASS B, AND SELECT MATERIAL, CLASS VI TO CONSTRUCT ROCK EMBANKMENTS AS SHOWN. RIP RAP CLASS A AND SHALL BE USED TO CHOKE OFF VOIDS IN SELECT MATERIAL, CLASS VII BEFORE PLACING SEPARATION GEOTEXTILES AND SELECT MATERIAL, CLASS IV.


SELECT MATERIAL, CLASS VII AND RIP RAP CLASS A AND B SHALL MEET THE REQUIREMENTS OF SECTION 1042 OF THE STANDARD SPECIFICATIONS

SELECT MATERIAL, CLASS VI SHALL MEET THE GRADATION REQUIREMENTS IN SECTION 1016 OF THE STANDARD SPECIFICATIONS

SELECT MATERIAL, CLASS IV SHALL MEET THE GRADATION REQUIREMENTS IN SECTION 1016 OF THE STANDARD SPECIFICATIONS

INSTALL SEPARATION GEOTEXTILE ON TOP OF ROCK EMBANKMENTS IN ACCORDANCE WITH THE ROCK EMBANKMENTS SPECIAL PROVISION AND ARTICLE 270-3 OF THE STANDARD SPECIFICATIONS

ESTIMATED QUANTITIES ROCK EMBANKMENTS	
SELECT MATERIAL, CLASS VII FOR ROCK EMBANKMENTS	2,130 TON
SELECT MATERIAL, CLASS VI FOR ROCK EMBANKMENTS	670 TON
SELECT MATERIAL, CLASS IV FOR ROCK EMBANKMENTS	650 TON
RIP RAP CLASS B	320 TON
RIP RAP CLASS A	320 TON
GEOTEXTILE FOR ROCK EMBANKMENTS	140 SY



PREPARED BY: D. MATTHEW BREWER, P.E.	DATE: 6/27/22
REVIEWED BY: ROBERT E. KRAL, P.E.	DATE: 6/27/22

Prepared in the Office of:



**CAROLINAS  
GEOTECHNICAL  
GROUP**  
2400 CROWNPOINT EXECUTIVE DRIVE  
SUITE 800  
CHARLOTTE, NC 28227  
(980) 339-8684

**GEOTECHNICAL  
CONSTRUCTION DETAILS -  
ROCK EMBANKMENTS -  
WIDENED FILL DETAIL**

REVISIONS					
NO.	BY	DATE	NO.	BY	DATE
1			3		
2			4		