

# **Revised Preliminary Site Assessment Report**

**Parcel 85**  
**US 17 North of NC 171 to Multi-lanes South of Williamston**  
**9985 U.S. Highway 17 North**  
**Beaufort County, North Carolina**  
**WBS Number 35494.1.1**  
**TIP Number R-2511**  
**NCDOT Parcel No. 85**  
**Beaufort County PIN 5771-02-1103**

*Prepared for*


**North Carolina Department of Transportation**  
**Geotechnical Engineering Unit**  
**GeoEnvironmental Section**  
**Raleigh, North Carolina**

*Prepared by*

**Dunklee & Dunham, P.C.**  
**Cary, North Carolina**

**June 14, 2019**





DUNCKLEE  
& DUNHAM

ENVIRONMENTAL GEOLOGISTS & ENGINEERS  
511 KEISLER DRIVE – SUITE 102  
CARY, NORTH CAROLINA 27518  
OFFICE: (919) 858-9898  
[WWW.DUNCKLEEDUNHAM.COM](http://WWW.DUNCKLEEDUNHAM.COM)

VIA EMAIL TO: [dgli@ncdot.gov](mailto:dgli@ncdot.gov)

June 14, 2019

Mr. Dennis Li, L.G., PhD  
North Carolina Department of Transportation  
Geotechnical Engineering Unit  
GeoEnvironmental Section  
1589 Mail Service Center  
Raleigh, North Carolina 27699-1589

Reference: **Revised Preliminary Site Assessment Report**  
**Parcel 85**  
**US 17 North of NC 171 to Multi-lanes South of Williamston**  
**9985 U.S. Highway 17 North**  
**Beaufort County, North Carolina**  
**TIP Number R-2511**  
**WBS Number 35494.1.1**  
**NCDOT Parcel No. 85**  
**Beaufort County PIN 5771-02-1103**

Dear Mr. Li:

Duncklee & Dunham, P.C. (Duncklee & Dunham) is pleased to submit this *Revised Preliminary Site Assessment Report* for the referenced site. The objective of our services was to assist the North Carolina Department of Transportation (NCDOT) – Geotechnical Engineering Unit with identifying potential environmental concerns within the rights-of-way and/or easements of the above-referenced site. This work is consistent with the NCDOT's Request for Technical and Cost Proposal dated March 5, 2019 and our *Revised Technical and Cost Proposal for Preliminary Site Assessment* dated May 14, 2019. Based on the findings from this work, Duncklee & Dunham recommends submitting this report to the Washington Regional Office of the North Carolina Department of Environmental Quality.


Please contact Rick Kolb at [rkolb@dunckleedunham.com](mailto:rkolb@dunckleedunham.com) or (919) 858-9898, ext. 111 if you have any questions or require additional information.

Sincerely,

**Duncklee & Dunham, P.C.**




Alec N. Dziwanowski, G.I.T.  
Staff Geologist II



Richard A. Kolb, L.G.  
Senior Geologist  
North Carolina License No. 1153



*Senior Peer Review*



Andrew M. Rodak, P.E.  
Senior Engineer/Director of Engineering  
North Carolina No. 24576

Attachment: Revised Preliminary Site Assessment Report



## Table of Contents

<b>1</b>	<b>Introduction</b> .....	<b>1</b>
<b>2</b>	<b>History</b> .....	<b>1</b>
<b>3</b>	<b>Methods</b> .....	<b>1</b>
3.1	Geophysics .....	2
3.2	Soil Borings .....	2
3.3	Groundwater .....	3
<b>4</b>	<b>Results</b> .....	<b>3</b>
4.1	Geophysics .....	3
4.2	Soil Borings .....	3
4.3	Groundwater .....	3
<b>5</b>	<b>Conclusions</b> .....	<b>4</b>
5.1	Geophysics .....	4
5.2	Soil Sampling .....	4
5.3	Groundwater Sampling.....	4
<b>6</b>	<b>Recommendations</b> .....	<b>4</b>

### Tables

1	Coordinates of Soil Borings
2	Summary of Soil Screening and Soil Test Results
3	Summary of Groundwater Test Results

### Figures

1	Site Topographic Map
2	Site Map
3	Site Map with Results
4	Legend for Plan Sheet Figures

### Appendices

A	Photographic Log
B	Boring Logs
C	Geophysical Survey Report
D	Laboratory Reports



**Revised Preliminary Site Assessment Report**  
**Parcel 85**  
**US 17 North of NC 171 to Multi-lanes South of Williamston**  
**9985 U.S. Highway 17 North**  
**Beaufort County, North Carolina**  
**TIP Number R-2511**  
**WBS Number 35494.1.1**  
**NCDOT Parcel No. 85**  
**Beaufort County PIN 5771-02-1103**  
**June 14, 2019**

## **1 Introduction**

Duncklee & Dunham, P.C. (Duncklee & Dunham) conducted a Preliminary Site Assessment (PSA) on the referenced site located on the western side of U.S. Highway 17 (US 17) north of Washington in Beaufort County, North Carolina (Figures 1 and 2). The North Carolina Department of Transportation (NCDOT) plans to widen the two-lane portion of US 17 between Washington and Williamston, North Carolina. Our work is consistent with the NCDOT's *Request for Technical and Cost Proposal* dated March 5, 2019 and our *Revised Technical and Cost Proposal* dated May 14, 2019. The objective of this work was to assist the NCDOT – Geotechnical Engineering Unit with identifying potential environmental concerns within the rights-of-way and/or easements of the above-referenced site. Our services included a geophysical survey to identify subsurface metallic features such as underground storage tank (UST) systems, and the advancement of six soil borings to test for the presence of contaminants in the areas where the new roadway will be constructed, along rights-of-way for NCDOT, and at new utility easements.

## **2 History**

The NCDOT prepared a Hazardous Materials Report dated November 14, 2011 that identified the site as a former gasoline station, which is now vacant. After review of the incident list of the UST Section of the North Carolina Department of Environment and Natural Resources (NCDENR, now the North Carolina Department of Environmental Quality – NCDEQ), the NCDOT determined that there were no known incidents associated with the site.

## **3 Methods**

Duncklee & Dunham called NC811 on March 26, 2019 and requested utilities to be marked in the areas of investigation. NC811 notified the Beaufort County Water Department, USIC Locating Services, CenturyLink, MCNC, Piedmont Natural Gas, Suddenlink Communications, and the City of Washington. The clearance was valid through April 16, 2019.

Duncklee & Dunham reviewed regulatory records on NCDEQ's Laserfiche website and did not find records for this parcel. However, ECS Southeast, LLP (ECS), under contract with NCDOT, prepared a PSA report on June 18, 2018 for 10052 US 17, a parcel that adjoins Parcel 85 to the east. ECS determined that a leak from the UST system at the site had likely occurred, based on a groundwater sample collected from a monitoring well installed near the former dispensing island on the western side of the property that exhibited volatile organic compounds (VOCs) at concentrations that exceeded the North Carolina groundwater quality standards promulgated in Title 15A, Subchapter 2L, Section .0202 of the North Carolina Administrative Code (15A NCAC 2L .0202; the "2L standards").



During site reconnaissance, Duncklee & Dunham interviewed Rusty Roberson, a relative of the owner of the subject site. Mr. Roberson stated that two USTs used to store high-test and regular gasoline were formerly located near the southeastern corner of the building. He was not aware of when the tanks were installed or closed out. Mr. Roberson also stated that the store was formerly located closer the intersection of West Bear Grass Road and US 17 prior to the 1950s. Duncklee & Dunham did not observe unusual features or features indicative of a UST at this intersection or on the northern portion of the parcel.

### **3.1 Geophysics**

ESP Associates (ESP), under contract to Duncklee & Dunham, conducted a geophysical survey at the site on April 1, 5, and 6, 2019. ESP used a Geonics EM61 MK2<sup>®</sup> metal detector equipment with a DGPS instrument to locate buried metal objects, and then used a Sensors and Software Noggin<sup>®</sup> GPR instrument with a 250 MHz antenna to image selected anomalies.

### **3.2 Soil Borings**

Troxler Geologic Services, Inc. (Troxler), under contract to Duncklee & Dunham, used a Geoprobe<sup>®</sup> equipped with direct-push technology to advance six soil borings, nos. B-10 through B-15 on April 8, 2019. The locations of these borings are shown on Figure 2. Troxler advanced B-10 through B-12 near the former pump islands on the eastern side of the building (Photograph No. 1 in Appendix A), and B-13 through B-15 at the former location of the UST pit near the southeastern corner of the building (Photograph No. 2). Troxler advanced B-10 to a depth of 8 feet below land surface (bls) and the remaining borings to a depth of 4 feet bls. We encountered the water table at a depth of 3.25 feet bls. Duncklee & Dunham used a Trimble Geo 7x<sup>®</sup> handheld data collector to determine the location of each boring. Approximate Northings, Eastings, and elevations above sea level for these borings are in Table 1.

Troxler collected soil samples in new acetate sleeves, each 4 feet long. A majority of the soil samples were comprised of dark gray to black, sandy, silty clay. Boring logs are provided in Appendix B. Duncklee & Dunham collected representative samples of native material at selected intervals in each soil boring and stored the samples in twin Ziploc<sup>®</sup> bags. After allowing one of the bags to sit untouched in the sun and the other in the shade for approximately 15 minutes, we used a photoionization detector (PID) to screen the headspace in each bag left in the sun for volatile organic compounds (VOCs). We recorded the soil-screening results in the field log. Table 2 summarizes the screening results. The soil samples collected above the water table were not stained and did not exhibit petroleum odors except for the sample collected from B-10 at 2.5 feet bls, which exhibited a petroleum odor and a PID reading of 2.9 parts per million (ppm). The PID readings of the other soil samples ranged from 0.2 to 5.2 ppm, indicative of background concentrations. The PID readings of the samples collected from 4 to 8 feet bls did not exceed 5.2 ppm, except the readings taken from B-14 and B-15 at 4 feet bls, which were 72.6 ppm and 563 ppm, respectively. These samples exhibited a petroleum odor.

Duncklee & Dunham collected a soil sample from B-15 at 2.5 feet bls to be tested in the laboratory because of all the samples above the water table, this sample exhibited the highest concentration of VOCs on the PID. We placed the soil sample in the other twin bag in a laboratory-supplied container, placed the container in a cooler with ice, and shipped the cooler under chain of custody to RED Lab, LLC (RED Lab) in Wilmington, North Carolina. The laboratory received the cooler and tested the samples for total petroleum hydrocarbons (TPH) – diesel range organics (DRO) and TPH – gasoline range organics (GRO) using Ultraviolet Fluorescence methodology.



### 3.3 Groundwater

The sample from boring B-15 collected below the water table exhibited the highest anomalous response on the PID. Therefore, Troxler constructed temporary monitoring well TW-2 in boring B-15 to a depth of 4 feet bls using Screen Point 16 groundwater sampling rods. Troxler screened the well from 0 to 4 feet bls. Duncklee & Dunham purged groundwater from the well using a peristaltic pump with a new length of low-density polyethylene tubing and silicon tubing for the pump head. Once the purge water appeared clear, Duncklee & Dunham sampled TW-2 with a peristaltic pump. We placed the groundwater sample in laboratory-supplied containers, placed the containers in a cooler with ice, and brought the cooler back to our office under chain of custody. A courier for Pace National Laboratory (Pace) shipped the cooler by overnight express mail to their laboratory in Mt. Juliet, Tennessee. The laboratory tested the groundwater samples for VOCs according to EPA Method 6200B, semivolatile organic compounds (SVOCs) according to EPA Method 625, and volatile petroleum hydrocarbons (VPH) according to the method of the Massachusetts Department of Environmental Protection (MADEP). In accordance with NCDEQ guidance, Duncklee & Dunham discharged the purge water on the ground around TW-2 once the groundwater sample was collected.

## 4 Results

### 4.1 Geophysics

ESP's *Geophysical Survey* report dated May 9, 2019 is provided in Appendix C. ESP identified six magnetic anomalies that they attributed to cultural features on the ground surface or buried, metallic debris and/or utilities. The ground penetrating radar (GPR) survey confirmed the electromagnetic (EM) anomalies were associated with unknown buried metallic features and not USTs.

### 4.2 Soil Borings

Table 2 and Figure 3 summarize the laboratory results for the soil sample collected from soil boring B-15. The laboratory report is in Appendix E. RED Lab did not detect TPH-GRO in the sample and detected TPH-DRO at a concentration of 1.8 milligrams per kilogram (mg/kg). This concentration does not exceed the action level of 100 mg/kg established by NCDEQ. RED Lab identified the hydrocarbon fingerprint of the TPH-DRO in B-6 as "very degraded petroleum hydrocarbons (PHC)," which is indicative of a petroleum product that had a substantial amount of time to degrade.

### 4.3 Groundwater

Table 3 and Figure 3 summarize the laboratory results for the sample collected from TW-2. Pace detected 18 petroleum constituents in this groundwater sample; the concentrations of 13 analytes exceeded the respective 2L Standards but did not the respective Gross Contamination Levels. The laboratory report is in Appendix D.



## **5 Conclusions**

### **5.1 Geophysics**

ESP identified six magnetic anomalies on Parcel 85 and attributed each to cultural features on the ground surface or buried, metallic debris and/or utilities. ESP did not identify anomalies indicative of abandoned USTs or buried metal drums. The GPR survey confirmed the remaining EM anomalies to be associated with suspected, buried, metallic debris, and/or utilities, and not USTs.

### **5.2 Soil Sampling**

The soil sample from B-15 did not exhibit TPH-DRO at a concentration that exceeded NCDEQ's action level. Duncklee & Dunham did not detect petroleum odors or observe stains in the other soil samples collected above the water table. These results suggest the fuel dispensers formerly used at the site were not a contaminant source. We do not have evidence that soil on the site exhibits petroleum constituents at concentrations that exceed the action levels established by NCDEQ.

### **5.3 Groundwater Sampling**

Most of the analytes detected in the groundwater sample were VOCs and VPH fractions, which suggests that a majority of the contaminants were derived from a low boiling point fuel such as gasoline. The estimated extent of contamination is shown on Figure 3. The shape of the plume reflects what we estimate is the direction of groundwater flow. These test results show the USTs formerly at the site were the probable source of the contamination.

The PSA conducted by ECS at 10052 US 17 reported similar analytes at similar concentrations to those detected in the groundwater sample collected from the subject site. Thus, the plumes at these two sites may be comingled. Additional assessment is required to determine if these two plumes have comingled, and to determine the extent of groundwater contamination.

## **6 Recommendations**

Duncklee & Dunham recommends submitting this report to the Washington Regional Office of the NCDEQ.





# Tables

**Table 1**  
**Coordinates of Soil Borings**  
**Parcel 85**  
**Beaufort County, North Carolina**  
**TIP No. R-2511; WBS No. 35494.1.1**

<b>Boring Identification</b>	<b>Northing (feet)</b>	<b>Easting (feet)</b>	<b>Elevation (feet asl)</b>
B-10	711903.004	2570149.754	61.467
B-11	711890.585	2570144.408	61.340
B-12	711893.902	2570154.213	61.909
B-13	711887.620	2570124.680	60.231
B-14	711890.506	2570115.267	61.287
B-15	711884.039	2570118.400	61.782

*Notes:*

*Coordinate system NAD83 NC State Plane - Survey Feet*

*GPS data collected using a Trimble Geo 7x handheld data collector*

*GPS data are approximate*

**Table 2**  
**Summary of Soil Screening and Soil Test Results**  
**Parcel 85**  
**Beaufort County, North Carolina**  
**TIP Number R-2511; WBS No. 35494.1.1**

<b>Soil Screening Results</b>		
<b>Boring Identification</b>	<b>Depth (feet bls)</b>	<b>PID Reading (ppm)</b>
B-10	1.5	0.3
	2.5	2.9
	6	0.6
B-11	1	1.1
	2	0.5
B-12	1.5	0.2
	2.5	0.5
B-13	1	0.6
	2.5	0.2
	4	5.2
B-14	1.5	0.2
	2.5	2.6
	4	72.6
B-15	1	1.1
	2.5*	5.2
	4	563

<b>Soil Test Results</b>		
<b>Sample Identification</b>	<b>TPH-GRO (mg/kg)</b>	<b>TPH-DRO (mg/kg)</b>
B-15	<0.63	<b>1.8</b>

**Notes:**

*Soil sample and PID data collected on April 8, 2019*

*\* - Sample selected from this interval for laboratory testing*

*TPH-GRO - Total Petroleum Hydrocarbons-Gasoline Range Organics*

*TPH-DRO - Total Petroleum Hydrocarbons-Diesel Range Organics*

*NCDEQ Action Level for TPH-GRO - 50 mg/kg*

*NCDEQ Action Level for TPH-DRO - 100 mg/kg*

*mg/kg - Milligrams per kilogram*

*bls - Feet below land surface*

*ppm - Parts per million*

*PID - Photoionization detector*

*Result in bold exceeds the report limit*

*Results shaded in blue were collected from below the water table*

*<# - Analyte not detected at a concentration that exceeds the reporting limit shown*

**Table 3**  
**Summary of Groundwater Test Results**  
**Parcel 85**  
**Beaufort County, North Carolina**  
**TIP No. R-2511; WBS No. 35494.1.1**

Sample Identification →			TW-2	
Analyte	2L Standard	GCL	Value	Q
<i>Volatile Organic Compounds by EPA Method 6200B</i>				
Benzene	1	5,000	<b>1,770</b>	
n-Butylbenzene	70	6,900	<b>36.2</b>	
sec-Butylbenzene	70	8,500	21.9	J
Ethylbenzene	600	84,500	<b>2,060</b>	
Isopropylbenzene	70	25,000	<b>106</b>	
p-Isopropyltoluene	NE	NE	9.76	J
Naphthalene	6	6,000	<b>446</b>	
n-Propylbenzene	70	30,000	<b>319</b>	
Toluene	600	260,000	<b>14,000</b>	
1,2,4-Trimethylbenzene	400	28,500	<b>2,260</b>	
1,3,5-Trimethylbenzene	400	25,000	<b>551</b>	
Xylenes-total	500	85,500	<b>9,490</b>	
<i>Semivolatile Organic Compounds by EPA Method 625.1</i>				
Naphthalene	6	6,000	<b>124</b>	
Diethyl phthalate	NE	NE	<b>14.6</b>	
Phenol	30	30,000	2.63	J
<i>Volatile Petroleum Hydrocarbons by MADEP Method</i>				
C5-C8 Aliphatics	400	NE	<b>42,200</b>	
C9-C12 Aliphatics	700	NE	<b>25,200</b>	
C9-C10 Aromatics	200	NE	<b>10,100</b>	

**Notes:**

Units are  $\mu$  g/L

Sample collected on April 8, 2019

2L Standard - North Carolina Groundwater Quality Standard (15A NCAC 2L .0202)

GCL - North Carolina Gross Contamination Levels for groundwater

Result in bold exceeds the reported detection limit

Result with shaded cell exceeds the 2L Standard


MADEP - Massachusetts Department of Environmental Protection

NE - Not Established

Q - Qualifier

J - Estimated concentration above the method detection limit and below the reported detection limit

# Figures



**DUNCKLEE & DUNHAM**  
 ENVIRONMENTAL GEOLOGISTS & ENGINEERS


511 Keisler Drive Suite 102 (919) 858-9898  
 Cary, North Carolina 27518 www.dunckleedunham.com  
 NC Eng. License No. C-3559 NC Geo. License No. C-261

**Site Topographic Map**  
 NCDOT Parcel 85  
 Beaufort County, North Carolina

Drawn By: SBM	Checked By: EDB	Project Number: R-2511	Date: 4/30/2019	References: USGS US TOPO 7.5 Minute Old Fort Quadrangle
Scale: (Original) 1" = 24,000'	Size: 8.5" x 11"	Layers: N/A	Filename: R:\Projects\017\040.300 (Duncklee and Dunham R-2511 NCDOT Geophysics)\CADD\R2511_Geo_TopoMap_85	

Figure

1



PARCEL 85  
 DONALD W. WYNNE, et ux  
 DB 1434 PG 732

Site Map			
9985 US 17 N Washington, Beaufort County, NC 27899			
Drawn By:	Checked By:	Project Number:	Date:
SBM	EDB	R-2511	5/3/19
Scale:	Size:	Layers:	Filename:
1" = 20'	11" x 17"	N/A	R:\Projects (H)\1040_300 (Duncklee and Dunham R2511 NCDOT Geophysics) CADD\R2511_Geo_SiteMap_85
References:	R2511_NCDOT_FS.dgn R2511_Top.dwg		

Figure  
 2

TW-2 (ug/L)	
Benzene	1,770
n-Butylbenzene	36.2
sec-Butylbenzene	21.9 J
Ethylbenzene	2,060
Isopropylbenzene	106
p-Isopropyltoluene	9.76 J
Naphthalene (6200B)	446
n-Propylbenzene	319
Toluene	14,000
1,2,4-Trimethylbenzene	2,260
1,3,5-Trimethylbenzene	551
Xylenes, total	9,490
Naphthalene (625.1)	124
Diethyl phthalate	14.6
Phenol	2.63 J
C5-C8 Aliphatics	42,200
C9-C12 Aliphatics	25,200
C9-C10 Aromatics	10,100


**Note:**

TPH-DRO - Total Petroleum Hydrocarbons-Diesel Range Organics

2L Standard - North Carolina Groundwater Quality Standard (15A NCAC 2L.0202)

Shaded Result - Exceeds the 2L Standard

J - Estimated concentration above the method detection limit and below the reported detection limit



**DUNCKLEE & DUNHAM**  
 ENVIRONMENTAL GEOLOGISTS & ENGINEERS

511 Keisler Drive Suite 102  
 Cary, North Carolina 27518  
 NC Eng. License No. C-3559

(919) 858-9898  
 www.dunckleedunham.com  
 NC Geo. License No. C-261

Site Map with Results			
9985 US 17 N Washington, Beaufort County, NC 27899			
Drawn By:	Checked By:	Project Number:	Date:
SBM	EDB	R-2511	5/3/19
Scale:	Size:	Layers:	Filename:
1" = 20'	11" x 17"	N/A	R:\Projects\H\11040_300\DWG\Map\K2511_Geo_SiteMapK2511.ncg

Figure  
**3**



# STATE OF NORTH CAROLINA, DIVISION OF HIGHWAYS CONVENTIONAL PLAN SHEET SYMBOLS

*Note: Not to Scale*      \*S.U.E. = *Subsurface Utility Engineering*

### BOUNDARIES AND PROPERTY:

State Line	-----
County Line	-----
Township Line	-----
City Line	-----
Reservation Line	-----
Property Line	-----
Existing Iron Pin	○
Computed Property Corner	⊗
Property Monument	⊠
Parcel/Sequence Number	②③
Existing Fence Line	-x-x-x-
Proposed Woven Wire Fence	○
Proposed Chain Link Fence	□
Proposed Barbed Wire Fence	◇
Existing Wetland Boundary	-----
Proposed Wetland Boundary	-----
Existing Endangered Animal Boundary	-----
Existing Endangered Plant Boundary	-----
Existing Historic Property Boundary	-----
Known Contamination Area: Soil	-S-S-
Potential Contamination Area: Soil	-S-S-
Known Contamination Area: Water	-W-W-
Potential Contamination Area: Water	-W-W-
Contaminated Site: Known or Potential	⊗

### BUILDINGS AND OTHER CULTURE:

Gas Pump Vent or U/G Tank Cap	○
Sign	○
Well	⊕
Small Mine	⊗
Foundation	⊠
Area Outline	⊠
Cemetery	⊠
Building	⊠
School	⊠
Church	⊠
Dam	⊠

### HYDROLOGY:

Stream or Body of Water	-----
Hydro, Pool or Reservoir	-----
Jurisdictional Stream	-----
Buffer Zone 1	-----
Buffer Zone 2	-----
Flow Arrow	-----
Disappearing Stream	-----
Spring	-----
Wetland	-----
Proposed Lateral, Tail, Head Ditch	-----
False Sump	-----

### RAILROADS:

Standard Gauge	-----
RR Signal Milepost	○
Switch	⊠
RR Abandoned	-----
RR Dismantled	-----

### RIGHT OF WAY & PROJECT CONTROL:

Secondary Horiz and Vert Control Point	◆
Primary Horiz Control Point	◇
Primary Horiz and Vert Control Point	⬢
Exist Permanent Easment Pin and Cap	◇
New Permanent Easement Pin and Cap	◆
Vertical Benchmark	⊠
Existing Right of Way Marker	△
Existing Right of Way Line	-----
New Right of Way Line	-----
New Right of Way Line with Pin and Cap	-----
New Right of Way Line with Concrete or Granite RW Marker	-----
New Control of Access Line with Concrete CA Marker	-----
Existing Control of Access	-----
New Control of Access	-----
Existing Easement Line	-----
New Temporary Construction Easement	-----
New Temporary Drainage Easement	-----
New Permanent Drainage Easement	-----
New Permanent Drainage / Utility Easement	-----
New Permanent Utility Easement	-----
New Temporary Utility Easement	-----
New Aerial Utility Easement	-----

### ROADS AND RELATED FEATURES:

Existing Edge of Pavement	-----
Existing Curb	-----
Proposed Slope Stakes Cut	-----
Proposed Slope Stakes Fill	-----
Proposed Curb Ramp	-----
Existing Metal Guardrail	-----
Proposed Guardrail	-----
Existing Cable Guiderail	-----
Proposed Cable Guiderail	-----
Equality Symbol	⊕
Pavement Removal	⊠

### VEGETATION:

Single Tree	⊗
Single Shrub	⊗

Hedge	-----
Woods Line	-----
Orchard	-----
Vineyard	-----

### EXISTING STRUCTURES:

MAJOR: Bridge, Tunnel or Box Culvert	-----
Bridge Wing Wall, Head Wall and End Wall	-----
MINOR: Head and End Wall	-----
Pipe Culvert	-----
Footbridge	-----
Drainage Box: Catch Basin, DI or JB	-----
Paved Ditch Gutter	-----
Storm Sewer Manhole	-----
Storm Sewer	-----

### UTILITIES:

POWER: Existing Power Pole	●
Proposed Power Pole	○
Existing Joint Use Pole	●
Proposed Joint Use Pole	○
Power Manhole	⊕
Power Line Tower	⊠
Power Transformer	⊠
U/G Power Cable Hand Hole	-----
H-Frame Pole	-----
U/G Power Line LOS B (S.U.E.*)	-----
U/G Power Line LOS C (S.U.E.*)	-----
U/G Power Line LOS D (S.U.E.*)	-----

### TELEPHONE:

Existing Telephone Pole	●
Proposed Telephone Pole	○
Telephone Manhole	⊕
Telephone Pedestal	⊠
Telephone Cell Tower	⊠
U/G Telephone Cable Hand Hole	-----
U/G Telephone Cable LOS B (S.U.E.*)	-----
U/G Telephone Cable LOS C (S.U.E.*)	-----
U/G Telephone Cable LOS D (S.U.E.*)	-----
U/G Telephone Conduit LOS B (S.U.E.*)	-----
U/G Telephone Conduit LOS C (S.U.E.*)	-----
U/G Telephone Conduit LOS D (S.U.E.*)	-----
U/G Fiber Optics Cable LOS B (S.U.E.*)	-----
U/G Fiber Optics Cable LOS C (S.U.E.*)	-----
U/G Fiber Optics Cable LOS D (S.U.E.*)	-----

### WATER:

Water Manhole	⊕
Water Meter	○
Water Valve	⊕
Water Hydrant	⊕
U/G Water Line LOS B (S.U.E.*)	-----
U/G Water Line LOS C (S.U.E.*)	-----
U/G Water Line LOS D (S.U.E.*)	-----
Above Ground Water Line	-----

### TV:

TV Pedestal	⊠
TV Tower	⊗
U/G TV Cable Hand Hole	-----
U/G TV Cable LOS B (S.U.E.*)	-----
U/G TV Cable LOS C (S.U.E.*)	-----
U/G TV Cable LOS D (S.U.E.*)	-----
U/G Fiber Optic Cable LOS B (S.U.E.*)	-----
U/G Fiber Optic Cable LOS C (S.U.E.*)	-----
U/G Fiber Optic Cable LOS D (S.U.E.*)	-----

### GAS:

Gas Valve	◇
Gas Meter	⊕
U/G Gas Line LOS B (S.U.E.*)	-----
U/G Gas Line LOS C (S.U.E.*)	-----
U/G Gas Line LOS D (S.U.E.*)	-----
Above Ground Gas Line	-----

### SANITARY SEWER:

Sanitary Sewer Manhole	⊕
Sanitary Sewer Cleanout	⊕
U/G Sanitary Sewer Line	-----
Above Ground Sanitary Sewer	-----
SS Forced Main Line LOS B (S.U.E.*)	-----
SS Forced Main Line LOS C (S.U.E.*)	-----
SS Forced Main Line LOS D (S.U.E.*)	-----

### MISCELLANEOUS:

Utility Pole	●
Utility Pole with Base	⊠
Utility Located Object	○
Utility Traffic Signal Box	⊠
Utility Unknown U/G Line LOS B (S.U.E.*)	-----
U/G Tank; Water, Gas, Oil	⊠
Underground Storage Tank, Approx. Loc.	⊠
A/G Tank; Water, Gas, Oil	⊠
Geoenvironmental Boring	⊕
U/G Test Hole LOS A (S.U.E.*)	⊕
Abandoned According to Utility Records	AATUR
End of Information	E.O.I.

**DUNCKLEE & DUNHAM**  
ENVIRONMENTAL GEOLOGISTS & ENGINEERS

511 Keisler Drive Suite 102  
Cary, North Carolina 27518  
www.dunckleedunham.com  
NC Eng. License No. C-3559  
(919) 858-9898

<b>Legend for Plan Sheet Figures</b>		References: NCDOT PLAN SHEET SYMBOLOLOGY, Revision Cell: 12/2/2016	
NCDOT Parcel 85 Beaufort County, North Carolina	Date: 5/3/2019	Project Number: R-2511	Filename: R:\Projects\9 (1)\1040300 (Duncklee and Dunham R-2511 NCDOT Geophysics)\ CADD\R2511_Geo_Legend_N5
Checked By: EDB	Date: 5/3/2019	Layers: N/A	Size: 11" x 17"
Drawn By: SBM	Date: 5/3/2019	Layers: N/A	Scale: N/A

# Appendix A

# PHOTOGRAPHIC LOG

**Client Name:**

NCDOT-GeoEnvironmental

**Site Location:**

R-2511 Parcel 85; Beaufort County, North Carolina

**Project No.**

201939

**Photo No.**

1

**Date:**


4/8/19

**Direction of Photo:**

Southwest

**Description:**

Soil borings B-10 through B-12 were advanced near the foundations of the former fuel dispensers. West Bear Grass Road is in the background.

**Photo No.**

2

**Date:**


4/8/19

**Direction of Photo:**

Southeast

**Description:**

Soil borings B-13 through B-15 were advanced near the former location of the UST pit. U.S Highway 17 is in the background, and Ben Troxler of Troxler Geologic is pictured.



# Appendix B

# Boring/Well Construction Log



**DUNCKLEE  
& DUNHAM**

I. D. Number	B-10	Purpose	Soil Boring
Project Name	Beaufort & Martin Co. - Site 8	Contractor	Troxler geologic
Project No.	201939	Registration No.	2511
Geologist	Alec Dziwanowski	Driller	Ben Troxler
Start Date	4/3/19	Complete Date	4/3/19
		Equipment	Geoprobe

Drilling Method: direct-push  
 Comments: WT at 3.25' b/s noted  
 Petroleum odor observed at 3.25'-8' b/s

Well Construction Information		Depth From - To (ft.)	Lithology	FID / PID (ppm) @ Depth (ft.)
Borehole Diameter	WT @ 3.25'	0-3.5	dark gray, sandy, silty CLAY ← bag 1	0.3 @ 1.5'
Riser Type		3.5-4	black, sandy, silty CLAY	NA
Diameter		4-7	dark gray, silty CLAY with sand	0.6 @ 6'
Screen Type		7-8	light gray, sandy CLAY	NA
Diameter				
Riser Interval				
Screen Interval				
Slot Size				
Grout Type				
Interval				
Bentonite Type				
Interval				
Filter Pack				
Interval				
Total Depth				
R.P. Elevation				
Datum				
Water Level Information				
Date	W.L. Below R.P.			

Petroleum odor?  
 bag 2:  
 2.4 @ 2.5'  
 no  
 yes

R.P. = Reference Point      W.L. = Water Level      TBM = Temporary Benchmark      MSL = Mean Sea Level

# Boring/Well Construction Log



**DUNCKLEE  
& DUNHAM**

I. D. Number	B-11	Purpose	Soil boring
Project Name	Beaufort & Martin Co. - Site 8	Contractor	Troxler Geologic
Project No.	201939	Registration No.	2511
Geologist	Alec DeWanowski	Driller	Ben Troxler
Start Date	4/8/19	Complete Date	4/8/19
		Equipment	Geoprobe

Drilling Method: direct - push  
 Comments: WT at 3.25  
 No petroleum odors/stains

Well Construction Information		Depth From - To (ft.)	Lithology	FID / PID (ppm) @ Depth (ft.)
Borehole Diameter		0-4	dark gray, sandy, silty CLAY	1.1 @ 1'
Riser Type				0.5 @ 2'
Diameter				
Screen Type				
Diameter				
Riser Interval				
Screen Interval				
Slot Size				
Grout Type				
Interval				
Bentonite Type				
Interval				
Filter Pack				
Interval				
Total Depth				
R.P. Elevation				
Datum				
Water Level Information				
Date	W.L. Below R.P.			

Petroleum odor?  
no  
no

R.P. = Reference Point      W.L. = Water Level      TBM = Temporary Benchmark      MSL = Mean Sea Level

# Boring/Well Construction Log



**DUNCKLEE  
& DUNHAM**

I. D. Number	B-12	Purpose	Soil boring
Project Name	Beaufort & Martin Co. - Site 8	Contractor	Troxler Geologic
Project No.	201939	Registration No.	2511
Geologist	Alec Dzwianowski	Driller	Ben Troxler
Start Date	4/8/19	Complete Date	4/8/19
		Equipment	Geoprobe

Drilling Method: direct-push  
 Comments: WT at 3.25'  
 No petroleum odors/stains

Well Construction Information	Depth From - To (ft.)	Lithology	FID / PID (ppm) @ Depth (ft.)
Borehole Diameter	0. - 4	dark gray, sandy, silty CLAY	0.2 @ 1.5'
Riser Type		bag1	0.5 @ 2.5'
Diameter		bag2	
Screen Type			
Diameter			
Riser Interval			
Screen Interval			
Slot Size			
Grout Type			
Interval			
Bentonite Type			
Interval			
Filter Pack			
Interval			
Total Depth			
R.P. Elevation			
Datum			
Water Level Information			
Date	W.L. Below R.P.		

Petroleum  
 odor?  
 no  
 no

R.P. = Reference Point      W.L. = Water Level      TBM = Temporary Benchmark      MSL = Mean Sea Level

# Boring/Well Construction Log



**DUNCKLEE  
& DUNHAM**

I. D. Number	B-13	Purpose	Soil boring
Project Name	Beaufort & Martin Co. - Site 8	Contractor	Troxler Geologic
Project No.	201939	Registration No.	2511
Geologist	Alec Dzwonawski	Driller	Ben Troxler
Start Date	4/8/19	Complete Date	4/8/19
		Equipment	Geoprobe

Drilling Method: direct-push  
 Comments: WT at 3.25' w/ perched WT near land surface  
 Petroleum odor/staining not observed

Well Construction Information	Depth From - To (ft.)	Lithology	FID / PID (ppm) @ Depth (ft.)
Borehole Diameter	0-3.5	dark gray, sandy, silty CLAY	0.6 @ 1'
Riser Type	3.5-4	black, sandy, silty CLAY	5.2 @ 4'
Diameter			
Screen Type			
Diameter			
Riser Interval			
Screen Interval			
Slot Size			
Grout Type			
Interval			
Bentonite Type			
Interval			
Filter Pack			
Interval			
Total Depth			
R.P. Elevation			
Datum			
Water Level Information			
Date	W.L. Below R.P.		

Petroleum odor?  
 bag 1: 0.6 @ 1'  
 bag 2: 0.2 @ 2.5'  
 no



# Boring/Well Construction Log



**DUNCKLEE  
& DUNHAM**

I. D. Number	B-14	Purpose	Soil boring
Project Name	Beaufort & Martin Co. - Site 8	Contractor	Ben Troxler
Project No.	201939	Registration No.	2511
Geologist	Alec Dziwanowski	Driller	Troxler Geologic
Start Date	4/8/19	Equipment	Geoprobe
Complete Date	4/8/19		

Drilling Method direct-push  
 Comments WT at 3.25' b/s  
Petroleum odor noted from 3.5 - 4' b/s

Well Construction Information	Depth From - To (ft.)	Lithology	FID / PID (ppm) @ Depth (ft.)
Borehole Diameter	0 - 3.5	dark gray, sandy, silty CLAY → bag 1:	0.2 @ 1.5'
Riser Type	3.5 - 4	black, sandy, silty CLAY	72.6 @ 4'
Diameter			
Screen Type			
Diameter			
Riser Interval			
Screen Interval			
Slot Size			
Grout Type			
Interval			
Bentonite Type			
Interval			
Filter Pack			
Interval			
Total Depth			
R.P. Elevation			
Datum			
Water Level Information			
Date	W.L. Below R.P.		

Petroleum odor?  
 bag 2:  
 2.6 @ 2.5'  
 no  
 yes

R.P. = Reference Point      W.L. = Water Level      TBM = Temporary Benchmark      MSL = Mean Sea Level

# Boring/Well Construction Log



**DUNCKLEE  
& DUNHAM**

I. D. Number	B-15 / TW-2	Purpose	Soil boring / GW sampling
Project Name	Beaufort & Martin Co. - Site 8	Contractor	Troxler Geologic
Project No.	201939	Registration No.	2511
Geologist	Alec Dziwanowski	Driller	Ben Troxler
Start Date	4/8/19	Complete Date	4/8/19
		Equipment	Geoprobe

**Drilling Method** direct push, well type - gw sampling rods (screen point 16)

**Comments** WT @ 3.25' b/s  
 petroleum odor noted from 3.5 - 4' b/s  
 Collected soil from 2.5' at 1800  
 Collected gw sample at -4' at 1800

Well Construction Information	Depth From - To (ft.)	Lithology	FID / PID (ppm) @ Depth (ft.)	Petroleum odor?
Borehole Diameter	2.75"	0-3.5	dark gray, sandy, silty CLAY → bag 1: 1.1 @ 1'	no
Riser Type	Sampling rod		↓ bag 2: 5.2 @ 2.5'	no
Diameter	1.25"	3.5-4	black, sandy, silty CLAY	yes
Screen Type	Sampling rod			
Diameter	1.25"			
Riser Interval	NA		*Water had odor during sampling	
Screen Interval	0-4' b/s			
Slot Size	0.0025			
Grout Type	↑			
Interval				
Bentonite Type	NA			
Interval	↓			
Filter Pack				
Interval				
Total Depth	4' b/s			
R.P. Elevation	0' b/s			
Datum	Land Surface			
Water Level Information				
Date	W.L. Below R.P.			
4/8/19	2.25'			

# Appendix C



May 9, 2019

Richard A. Kolb, L.G.  
Duncklee & Dunham, P.C.  
511 Keisler Drive, Suite 102  
Cary, North Carolina 27518

**Reference:**           **REPORT ON GEOPHYSICAL SERVICES  
FOR PARCEL 85, NORMA E. ROBERSON**  
8889 US 17 North, Washington, North Carolina  
ESP Project No. HO40.300

TIP Number:       R-2511  
WBS Number:     35494.1.1  
County:           Beaufort and Martin  
Description:      US 17 North of NC 171 to Multi-lanes South of Williamston in Beaufort  
                          and Martin Counties

Dear Mr. Kolb:

ESP Associates, Inc. (ESP) is pleased to present this report to Duncklee & Dunham, P.C. (Duncklee & Dunham) on the geophysical services we provided for the referenced project. This work was performed under our subcontractor agreement dated January 28, 2019, as authorized by the Work Authorization dated March 26, 2019, and in accordance with our cost proposal to you dated March 13, 2019. The purpose of the work was to help identify possible underground storage tanks (USTs).

## **1.0    GEOPHYSICAL DATA COLLECTION**

On April 3 and 5, 2019, ESP performed geophysical studies at Parcel 85, located on the west side of US 17, north of Washington, North Carolina. The work consisted of metal detection using a Geonics EM61 MK2 instrument, obtaining the approximate locations of relevant site features using a DGPS instrument and collecting ground-penetrating radar (GPR) data over selected EM61 anomalies.

The limits of the study area were based on NCDOT field staking and on the NCDOT MicroStation file provided by Duncklee & Dunham, and extended from the edge of the current roadway to the proposed right-of-way (ROW)/easement. Representative photographs of the geophysical study area are provided on Figure 1.

The EM61 data were collected over the accessible areas of the study area using a line spacing of approximately 3 feet. We used a Hemisphere XF101 differential GPS instrument (DGPS) connected to an Archer field computer to provide approximate locations of the EM61 data in real time. The DGPS instrument was also used to obtain the approximate location of site features that could affect the EM61 readings.

We compared the location of the EM61 responses to the location of site features and noted several anomalies that did not correspond to known features. We collected GPR data in four areas using a Sensors and Software Noggin GPR system with a 250 MHz antenna.

## **2.0 DATA ANALYSIS AND PRESENTATION**

The EM61 data were gridded and contoured in Surfer to produce plan view contour maps of the early time gate response (Figure 2) and the differential response (Figure 3). The differential response is calculated by subtracting the response of the bottom coil from the response of the top coil of the EM61. Typically, the differential response diminishes the response from smaller, near-surface metallic objects, thus emphasizing the response from deeper and larger metallic objects, such as USTs. The DGPS locations of observed site features were superimposed on the EM61 contour maps so that anomalies caused by site features such as metal objects on the ground surface could be recognized. Figures 2 and 3 show the EM61 data and the site features that we observed and mapped in the field with DGPS; these figures do not necessarily show all existing site features.

The GPR data were collected over four areas and were reviewed in the field. The metallic anomaly along the southern building wall was attributed to the metal siding and a buried metal pipe located parallel to the building. The GPR data did not indicate the presence of abandoned USTs on site.

The EM61 early time gate response and differential response were exported from Surfer as geo-referenced images and attached to the NCDOT plan sheet in MicroStation (Figures 4 and 5). The legend for the NCDOT line types and symbols is shown on Figure 6.

## **4.0 SUMMARY AND CONCLUSIONS**

Our review of the geophysical data collected for this project does not indicate the presence of USTs within the proposed ROW/easement of Parcel 85.

## 5.0 LIMITATIONS

These services have been provided to Duncklee & Dunham in accordance with generally accepted guidelines for performing geophysical surveys. It is recognized that the results of geophysical surveys are non-unique and subject to interpretation. Further, the locations of data and features included in this report are approximate and were collected using a DGPS instrument. ESP makes no guarantee as to the accuracy of these locations.

Thank you for the opportunity to be of service on this project. Please contact us if you have any questions or need further information.

Sincerely,

*ESP Associates, Inc.*



Edward D. Billington, PG  
Senior Geophysicist

SBM/EDB

Attachments: Figures 1 – 6




A. Photograph showing a portion of Parcel 85 survey area, looking north.





B. Front of former gas station building, photograph taken looking west. Note relic concrete pads on porch from former dispenser locations.



C. Close-up view of old dispenser pedestal locations on the front of the building.

PROJECT NO. HO40.300	<b>FIGURE 1 - PARCEL 85, NORMA E. ROBERTSON SITE PHOTOGRAPHS</b>	<b>NCDOT PROJECT R-2511, US 17 NORTH OF NC 171 TO MULTI-LANES SOUTH OF WILLIAMSTON BEAUFORT AND MARTIN COUNTIES, NORTH CAROLINA</b>	 ESP Associates, Inc. 7011 Albert Pick Rd., Suite E Greensboro, NC 27409 336.334.7724 www.espassociates.com
SCALE N/A			
DATE 4/11/19			
BY SBM/EDB			



EXPLANATION	
◇	Miscellaneous metal object (pipe, debris, etc.)
□	Utility Box (water meter, electrical outlet, etc.)
▣	Storm drain
●	Utility pole
+	Guy wire anchor
●	Sign pole, other pole
○	UST Valve Cover or Fill Port
- -	Buried utility line (marked by others)
▭ (orange outline)	Existing Building (per NCDOT file)
▭ (grey fill)	EM61 Data Collection Areas
▭ (dashed purple outline)	GPR Data Collection Areas
▭ (black outline)	Underground Storage Tank

Note: Locations of data and features are approximate and were collected using a DGPS instrument. ESP make no guarantees as to the accuracy of these locations. Coordinates on the axes of the maps are approximate and provided for general reference only.



PROJECT NO.	HO40.300
SCALE	AS SHOWN
DATE	4/11/19
BY	SBM/EDB

**FIGURE 2 - PARCEL 85, NORMA E. ROBERTSON**  
**EM61 EARLY TIME GATE DATA**  
**NCDOT PROJECT R-2511, US 17 NORTH OF NC 171 TO**  
**MULTI-LANES SOUTH OF WILLIAMSTON**  
**BEAUFORT AND MARTIN COUNTIES, NORTH CAROLINA**



ESP Associates, Inc.  
 7011 Albert Pick Rd.,  
 Suite E  
 Greensboro, NC 27409  
 336.334.7724  
 www.espassociates.com





EXPLANATION	
◇	Miscellaneous metal object (pipe, debris, etc.)
□	Utility Box (water meter, electrical outlet, etc.)
⊠	Storm drain
●	Utility pole
+	Guy wire anchor
●	Sign pole, other pole
○	UST Valve Cover or Fill Port
- -	Buried utility line (marked by others)
▭	Existing Building (per NCDOT file)
▭	EM61 Data Collection Areas
▭	GPR Data Collection Areas
▭	Underground Storage Tank




Note: Locations of data and features are approximate and were collected using a DGPS instrument. ESP make no guarantees as to the accuracy of these locations. Coordinates on the axes of the maps are approximate and provided for general reference only.

PROJECT NO.	HO40.300
SCALE	AS SHOWN
DATE	4/11/19
BY	SBM/EDB

**FIGURE 2 - PARCEL 85, NORMA E. ROBERTSON**  
**EM61 EARLY TIME GATE DATA**  
**NCDOT PROJECT R-2511, US 17 NORTH OF NC 171 TO**  
**MULTI-LANES SOUTH OF WILLIAMSTON**  
**BEAUFORT AND MARTIN COUNTIES, NORTH CAROLINA**




ESP Associates, Inc.  
 7011 Albert Pick Rd.,  
 Suite E  
 Greensboro, NC 27409  
 336.334.7724  
 www.espassociates.com



See Figure 6 for explanation of symbols and line types

List of NCDOT reference files

- R2511\_Geo\_Env.dgn
- R2511\_NCDOT\_FS.dgn
- R2511\_Rdy\_row.dgn






PROJECT NO.	HO40.300
SCALE	1" = 30'
DATE	4/11/19
BY	SBM/EDB

**FIGURE 4 – PARCEL 85, NORMA E. ROBERTSON  
EM61 EARLY TIME GATE DATA ON PLAN SHEET, SHOP**

**NCDOT PROJECT R-2511, US 17 NORTH OF NC 171 TO  
MULTI-LANES SOUTH OF WILLIAMSTON  
BEAUFORT AND MARTIN COUNTIES, NORTH CAROLINA**




ESP Associates, Inc.  
7011 Albert Pick Rd.,  
Suite E  
Greensboro, NC 27409  
336.334.7724  
www.espassociates.com



See Figure 6 for explanation of symbols and line types

List of NCDOT reference files

- R2511\_Geo\_Env.dgn
- R2511\_NCDOT\_FS.dgn
- R2511\_Rdy\_row.dgn



PROJECT NO.	HO40.300
SCALE	1" = 30'
DATE	4/11/19
BY	SBM/EDB

**FIGURE 5 – PARCEL 85, NORMA E. ROBERTSON  
EM61 DIFFERENTIAL DATA ON PLAN SHEET, SHOP**

**NCDOT PROJECT R-2511, US 17 NORTH OF NC 171 TO  
MULTI-LANES SOUTH OF WILLIAMSTON  
BEAUFORT AND MARTIN COUNTIES, NORTH CAROLINA**



ESP Associates, Inc.  
7011 Albert Pick Rd.,  
Suite E  
Greensboro, NC 27409  
336.334.7724  
www.espassociates.com

# STATE OF NORTH CAROLINA, DIVISION OF HIGHWAYS CONVENTIONAL PLAN SHEET SYMBOLS

*Note: Not to Scale      \*S.U.E. = Subsurface Utility Engineering*

## BOUNDARIES AND PROPERTY:

State Line	—————
County Line	—————
Township Line	—————
City Line	—————
Reservation Line	—————
Property Line	—————
Existing Iron Pin	○
Property Corner	⊕
Property Monument	⊕
Parcel/Sequence Number	⊕
Existing Fence Line	—x—x—x—
Proposed Woven Wire Fence	—o—o—o—
Proposed Chain Link Fence	—□—□—□—
Proposed Barbed Wire Fence	—◇—◇—◇—
Existing Wetland Boundary	—w—w—w—
Proposed Wetland Boundary	—w—w—w—
Existing Endangered Animal Boundary	—a—
Existing Endangered Plant Boundary	—p—
Existing Historic Property Boundary	—h—
Known Contamination Area: Soil	—s—
Potential Contamination Area: Soil	—s—
Known Contamination Area: Water	—w—
Potential Contamination Area: Water	—w—
Contaminated Site: Known or Potential	—c—

## BUILDINGS AND OTHER CULTURE:

Gas Pump Vent or U/G Tank Cap	○
Sign	⊕
Well	⊕
Small Mine	⊕
Foundation	⊕
Area Outline	⊕
Cemetery	⊕
Building	⊕
School	⊕
Church	⊕
Dam	⊕

## HYDROLOGY:

Stream or Body of Water	—————
Hydro, Pool or Reservoir	—————
Jurisdictional Stream	—JS—
Buffer Zone 1	—BZ 1—
Buffer Zone 2	—BZ 2—
Flow Arrow	—————
Disappearing Stream	—————
Spring	—————
Wetland	—————
Proposed Lateral, Tail, Head Ditch	—————
False Sump	—————

## RAILROADS:

Standard Gauge	—————
RR Signal Milepost	—————
Switch	—————
RR Abandoned	—————
RR Dismantled	—————

## RIGHT OF WAY:

Baseline Control Point	—————
Existing Right of Way Marker	—————
Existing Right of Way Line	—————
Proposed Right of Way Line	—————
Proposed Right of Way Line with Iron Pin and Cap Marker	—————
Proposed Right of Way Line with Concrete or Granite RW Marker	—————
Proposed Control of Access Line with Concrete CA Marker	—————
Existing Control of Access	—————
Proposed Control of Access	—————
Existing Easement Line	—————
Proposed Temporary Construction Easement	—————
Proposed Temporary Drainage Easement	—————
Proposed Permanent Drainage Easement	—————
Proposed Permanent Drainage / Utility Easement	—————
Proposed Permanent Utility Easement	—————
Proposed Temporary Utility Easement	—————
Proposed Aerial Utility Easement	—————
Proposed Permanent Easement with Iron Pin and Cap Marker	—————

## ROADS AND RELATED FEATURES:

Existing Edge of Pavement	—————
Existing Curb	—————
Proposed Slope Stakes Cut	—————
Proposed Slope Stakes Fill	—————
Proposed Curb Ramp	—————
Existing Metal Guardrail	—————
Proposed Guardrail	—————
Existing Cable Guiderail	—————
Proposed Cable Guiderail	—————
Equality Symbol	—————
Pavement Removal	—————

## VEGETATION:

Single Tree	—————
Single Shrub	—————
Hedge	—————
Woods Line	—————

Orchard	—————
Vineyard	—————

## EXISTING STRUCTURES:

MAJOR:	—————
Bridge, Tunnel or Box Culvert	—————
Bridge Wing Wall, Head Wall and End Wall	—————
MINOR:	—————
Head and End Wall	—————
Pipe Culvert	—————
Footbridge	—————
Drainage Box: Catch Basin, DI or JB	—————
Paved Ditch Gutter	—————
Storm Sewer Manhole	—————
Storm Sewer	—————

## UTILITIES:

POWER:	—————
Existing Power Pole	—————
Proposed Power Pole	—————
Existing Joint Use Pole	—————
Proposed Joint Use Pole	—————
Power Manhole	—————
Power Line Tower	—————
Power Transformer	—————
U/G Power Cable Hand Hole	—————
H-Frame Pole	—————
U/G Power Line LOS B (S.U.E.*)	—————
U/G Power Line LOS C (S.U.E.*)	—————
U/G Power Line LOS D (S.U.E.*)	—————

## TELEPHONE:

Existing Telephone Pole	—————
Proposed Telephone Pole	—————
Telephone Manhole	—————
Telephone Pedestal	—————
Telephone Cell Tower	—————
U/G Telephone Cable Hand Hole	—————
U/G Telephone Cable LOS B (S.U.E.*)	—————
U/G Telephone Cable LOS C (S.U.E.*)	—————
U/G Telephone Cable LOS D (S.U.E.*)	—————
U/G Telephone Conduit LOS B (S.U.E.*)	—————
U/G Telephone Conduit LOS C (S.U.E.*)	—————
U/G Telephone Conduit LOS D (S.U.E.*)	—————
U/G Fiber Optics Cable LOS B (S.U.E.*)	—————
U/G Fiber Optics Cable LOS C (S.U.E.*)	—————
U/G Fiber Optics Cable LOS D (S.U.E.*)	—————

## WATER:

Water Manhole	—————
Water Meter	—————
Water Valve	—————
Water Hydrant	—————
U/G Water Line LOS B (S.U.E.*)	—————
U/G Water Line LOS C (S.U.E.*)	—————
U/G Water Line LOS D (S.U.E.*)	—————
Above Ground Water Line	—————

## TV:

TV Pedestal	—————
TV Tower	—————
U/G TV Cable Hand Hole	—————
U/G TV Cable LOS B (S.U.E.*)	—————
U/G TV Cable LOS C (S.U.E.*)	—————
U/G TV Cable LOS D (S.U.E.*)	—————
U/G Fiber Optic Cable LOS B (S.U.E.*)	—————
U/G Fiber Optic Cable LOS C (S.U.E.*)	—————
U/G Fiber Optic Cable LOS D (S.U.E.*)	—————

## GAS:

Gas Valve	—————
Gas Meter	—————
U/G Gas Line LOS B (S.U.E.*)	—————
U/G Gas Line LOS C (S.U.E.*)	—————
U/G Gas Line LOS D (S.U.E.*)	—————
Above Ground Gas Line	—————

## SANITARY SEWER:

Sanitary Sewer Manhole	—————
Sanitary Sewer Cleanout	—————
U/G Sanitary Sewer Line	—————
Above Ground Sanitary Sewer	—————
SS Forced Main Line LOS B (S.U.E.*)	—————
SS Forced Main Line LOS C (S.U.E.*)	—————
SS Forced Main Line LOS D (S.U.E.*)	—————

## MISCELLANEOUS:

Utility Pole	—————
Utility Pole with Base	—————
Utility Located Object	—————
Utility Traffic Signal Box	—————
Utility Unknown U/G Line LOS B (S.U.E.*)	—————
U/G Tank; Water, Gas, Oil	—————
Underground Storage Tank, Approx. Loc.	—————
A/G Tank; Water, Gas, Oil	—————
Geoenvironmental Boring	—————
U/G Test Hole LOS A (S.U.E.*)	—————
Abandoned According to Utility Records	AATUR
End of Information	E.O.I.

PROJECT NO.	HO40.300
SCALE	N/A
DATE	4/11/19
BY	SBM/EDB

**FIGURE 6**  
**LEGEND FOR PLAN SHEET FIGURES**  
**NCDOT PROJECT R-2511, US 17 NORTH OF NC 171 TO**  
**MULTI-LANES SOUTH OF WILLIAMSTON**  
**BEAUFORT AND MARTIN COUNTIES, NORTH CAROLINA**



ESP Associates, Inc.  
7011 Albert Pick Rd.,  
Suite E  
Greensboro, NC 27409  
336.334.7724  
www.espassociates.com

# Appendix D



### Hydrocarbon Analysis Results

**Client:** DUNCKLEE AND DUNHAM  
**Address:** 511 KEISLER DR STE 102  
 CARY NC 27518

**Samples taken** Monday, April 08, 2019  
**Samples extracted** Monday, April 08, 2019  
**Samples analysed** Thursday, April 11, 2019

**Contact:** RICK KOLB

**Operator** JENN RYAN

**Project:** 201939

U04049

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	% Ratios			HC Fingerprint Match
										C5 - C10	C10 - C18	C18	
Soil	B - 15	25.0	<0.63	<0.63	1.8	1.8	0.91	0.04	0.001	0	79.7	20.3	V.Deg.PHC 75.1%,(FCM),(BO)

Initial Calibrator QC check **OK**

Final FCM QC Check **OK** 100.7%

Concentration values in mg/kg for soil samples and mg/L for water samples. Soil values uncorrected for moisture or stone content. Fingerprints provide a tentative hydrocarbon identification.  
 Abbreviations :- FCM = Results calculated using Fundamental Calibration Mode : % = confidence of hydrocarbon identification : (PFM) = Poor Fingerprint Match : (T) = Turbid : (P) = Particulate detected  
 B = Blank Drift : (SBS)/(LBS) = Site Specific or Library Background Subtraction applied to result : (BO) = Background Organics detected : (OCR) = Outside cal range : (M) = Modified Result.  
 % Ratios estimated aromatic carbon number proportions : HC = Hydrocarbon : PHC = Petroleum HC : FP = Fingerprint only. **Data generated by HC-1 Analyser**

Client Name: *Dunklee & Dunham*  
 Address: *511 Keister Drive, Suite 102  
 Cary, NC 27518*  
 Contact: *Pick Kolb*  
 Project Ref.: *201939*  
 Email: *rkolb@dunkleedunham.com*  
 Phone #: *(919) 744-6888 858-9898*  
 Collected by: *Alec Dziwanowski*



**RAPID ENVIRONMENTAL DIAGNOSTICS**  
**CHAIN OF CUSTODY AND ANALYTICAL**  
**REQUEST FORM**

RED Lab, LLC  
 5598 Marvin K Moss Lane  
 MARBIONC Bldg, Suite 2003  
 Wilmington, NC 28409

Each sample will be analyzed for  
 BTEX, GRO, DRO, TPH, PAH total  
 aromatics and BaP

Sample Collection Date/Time	TAT Requested		Initials	Sample ID	Total Wt.	Tare Wt.	Sample Wt.
	24 Hour	48 Hour					
<i>4/9/19 1800</i>		<i>✓</i>	<i>AD</i>	<i>B-15</i>	<i>55.54.5</i>	<i>44.1</i>	<i>10.4</i>

Comments:

Relinquished by <i>Alec Dziwanowski</i>	Date/Time <i>4/10/19 1640</i>	Accepted by <i>DM</i>	Date/Time <i>4/11</i>
Relinquished by	Date/Time	Accepted by	Date/Time

**RED Lab USE ONLY**

①

# Divider Page



April 25, 2019

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Duncklee and Dunham

Sample Delivery Group: L1088281  
Samples Received: 04/11/2019  
Project Number: 201939  
Description: NCDOT R-2511 Beaufort and Martin Counties-Parcel 85


Report To: Rick Kolb  
PO Box 639  
Cary, NC 27512

Entire Report Reviewed By:



Heather J Wagner  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.





<b>Cp: Cover Page</b>	<b>1</b>	<b><sup>1</sup>Cp</b>
<b>Tc: Table of Contents</b>	<b>2</b>	<b><sup>2</sup>Tc</b>
<b>Ss: Sample Summary</b>	<b>3</b>	<b><sup>3</sup>Ss</b>
<b>Cn: Case Narrative</b>	<b>4</b>	<b><sup>4</sup>Cn</b>
<b>Sr: Sample Results</b>	<b>5</b>	<b><sup>5</sup>Sr</b>
<b>TW-2 L1088281-02</b>	<b>5</b>	<b><sup>6</sup>Qc</b>
<b>Qc: Quality Control Summary</b>	<b>8</b>	<b><sup>7</sup>Gl</b>
<b>Volatile Organic Compounds (GC/MS) by Method 6200B-2011</b>	<b>8</b>	<b><sup>8</sup>Al</b>
<b>Semi Volatile Organic Compounds (GC/MS) by Method 625.1</b>	<b>13</b>	<b><sup>9</sup>Sc</b>
<b>Gl: Glossary of Terms</b>	<b>18</b>	
<b>Al: Accreditations &amp; Locations</b>	<b>19</b>	
<b>Sc: Sample Chain of Custody</b>	<b>20</b>	

# SAMPLE SUMMARY



TW-2 L1088281-02 GW

Collected by	Collected date/time	Received date/time
Alec Dziwanowski	04/08/19 18:00	04/11/19 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 6200B-2011	WG1265185	25	04/12/19 23:04	04/12/19 23:04	GLN	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 6200B-2011	WG1267331	200	04/17/19 12:27	04/17/19 12:27	GLN	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 625.1	WG1264757	1	04/12/19 16:46	04/13/19 13:12	LEA	Mt. Juliet, TN

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Heather J Wagner  
Project Manager

Project Narrative

---

Sample TW-2 is reported separately per client request. All samples listed on the attached COC have been reported individually under SDG number L1088281 based on their Parcel ID.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc



Collected date/time: 04/08/19 18:00

L1088281

## Volatile Organic Compounds (GC/MS) by Method 6200B-2011

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	U		250	1250	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Acrolein	U		222	1250	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Acrylonitrile	U		46.8	250	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Benzene	1770		8.28	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Bromobenzene	U		8.80	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Bromodichloromethane	U		9.50	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Bromoform	U		11.7	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Bromomethane	U		21.6	125	25	04/12/2019 23:04	<a href="#">WG1265185</a>
n-Butylbenzene	36.2		9.02	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
sec-Butylbenzene	21.9	J	9.12	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
tert-Butylbenzene	U		9.98	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Carbon tetrachloride	U		9.48	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Chlorobenzene	U		8.70	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Chlorodibromomethane	U		8.18	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Chloroethane	U		11.3	125	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Chloroform	U		8.10	125	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Chloromethane	U		6.90	62.5	25	04/12/2019 23:04	<a href="#">WG1265185</a>
2-Chlorotoluene	U		9.38	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
4-Chlorotoluene	U		8.78	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,2-Dibromo-3-Chloropropane	U		33.2	125	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,2-Dibromoethane	U		9.52	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Dibromomethane	U		8.65	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,2-Dichlorobenzene	U		8.72	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,3-Dichlorobenzene	U		5.50	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,4-Dichlorobenzene	U		6.85	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Dichlorodifluoromethane	U		13.8	125	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,1-Dichloroethane	U		6.48	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,2-Dichloroethane	U		9.02	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,1-Dichloroethene	U		9.95	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
cis-1,2-Dichloroethene	U		6.50	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
trans-1,2-Dichloroethene	U		9.90	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,2-Dichloropropane	U		7.65	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,1-Dichloropropene	U		8.80	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,3-Dichloropropane	U		9.15	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
2,2-Dichloropropane	U		8.02	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Di-isopropyl ether	U		8.00	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Ethylbenzene	2060		9.60	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Hexachloro-1,3-butadiene	U		6.40	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Isopropylbenzene	106		8.15	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
p-Isopropyltoluene	9.76	J	8.75	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
2-Butanone (MEK)	U		98.2	250	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Methylene Chloride	U		25.0	125	25	04/12/2019 23:04	<a href="#">WG1265185</a>
4-Methyl-2-pentanone (MIBK)	U		53.5	250	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Methyl tert-butyl ether	U		9.18	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Naphthalene	446		25.0	125	25	04/12/2019 23:04	<a href="#">WG1265185</a>
n-Propylbenzene	319		8.72	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Styrene	U		7.68	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,1,1,2-Tetrachloroethane	U		9.62	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,1,2,2-Tetrachloroethane	U		3.25	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Tetrachloroethene	U		9.30	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Toluene	14000		82.4	200	200	04/17/2019 12:27	<a href="#">WG1267331</a>
1,2,3-Trichlorobenzene	U		5.75	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,2,4-Trichlorobenzene	U		8.88	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,1,1-Trichloroethane	U		7.98	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,1,2-Trichloroethane	U		9.58	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Trichloroethene	U		9.95	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Collected date/time: 04/08/19 18:00

L1088281

## Volatile Organic Compounds (GC/MS) by Method 6200B-2011

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Trichlorofluoromethane	U		30.0	125	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,2,3-Trichloropropane	U		20.2	62.5	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,2,4-Trimethylbenzene	2260		9.32	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
1,3,5-Trimethylbenzene	551		9.68	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Vinyl chloride	U		6.48	25.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
Xylenes, Total	9490		26.5	75.0	25	04/12/2019 23:04	<a href="#">WG1265185</a>
(S) Toluene-d8	99.6			80.0-120		04/12/2019 23:04	<a href="#">WG1265185</a>
(S) Toluene-d8	98.2			80.0-120		04/17/2019 12:27	<a href="#">WG1267331</a>
(S) a,a,a-Trifluorotoluene	97.1			80.0-120		04/12/2019 23:04	<a href="#">WG1265185</a>
(S) a,a,a-Trifluorotoluene	96.1			80.0-120		04/17/2019 12:27	<a href="#">WG1267331</a>
(S) 4-Bromofluorobenzene	101			77.0-126		04/12/2019 23:04	<a href="#">WG1265185</a>
(S) 4-Bromofluorobenzene	97.4			77.0-126		04/17/2019 12:27	<a href="#">WG1267331</a>
(S) 1,2-Dichloroethane-d4	94.4			70.0-130		04/12/2019 23:04	<a href="#">WG1265185</a>
(S) 1,2-Dichloroethane-d4	94.0			70.0-130		04/17/2019 12:27	<a href="#">WG1267331</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Semi Volatile Organic Compounds (GC/MS) by Method 625.1

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acenaphthene	U		0.316	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Acenaphthylene	U		0.309	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Anthracene	U		0.291	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Benzidine	U		4.32	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Benzo(a)anthracene	U		0.0975	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Benzo(b)fluoranthene	U		0.0896	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Benzo(k)fluoranthene	U		0.355	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Benzo(g,h,i)perylene	U		0.161	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Benzo(a)pyrene	U		0.340	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Bis(2-chloroethoxy)methane	U		0.329	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Bis(2-chloroethyl)ether	U		1.62	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Bis(2-chloroisopropyl)ether	U		0.445	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
4-Bromophenyl-phenylether	U		0.335	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
2-Chloronaphthalene	U	J4	0.330	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
4-Chlorophenyl-phenylether	U		0.303	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Chrysene	U		0.332	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Dibenz(a,h)anthracene	U		0.279	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
3,3-Dichlorobenzidine	U		2.02	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
2,4-Dinitrotoluene	U		1.65	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
2,6-Dinitrotoluene	U		0.279	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Fluoranthene	U		0.310	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Fluorene	U		0.323	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Hexachlorobenzene	U		0.341	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Hexachloro-1,3-butadiene	U		0.329	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Hexachlorocyclopentadiene	U		2.33	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Hexachloroethane	U	J4	0.365	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Indeno(1,2,3-cd)pyrene	U		0.279	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Isophorone	U		0.272	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Naphthalene	124		0.372	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Nitrobenzene	U		0.367	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
n-Nitrosodimethylamine	U		1.26	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
n-Nitrosodiphenylamine	U		1.19	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
n-Nitrosodi-n-propylamine	U		0.403	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Phenanthrene	U		0.366	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Benzylbutyl phthalate	U		0.275	3.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Bis(2-ethylhexyl)phthalate	U		0.709	3.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Di-n-butyl phthalate	U		0.266	3.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Diethyl phthalate	14.6		0.282	3.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>



Collected date/time: 04/08/19 18:00

L1088281

Semi Volatile Organic Compounds (GC/MS) by Method 625.1

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Dimethyl phthalate	U		0.283	3.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Di-n-octyl phthalate	U		0.278	3.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Pyrene	U		0.330	1.00	1	04/13/2019 13:12	<a href="#">WG1264757</a>
1,2,4-Trichlorobenzene	U	J4	0.355	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
4-Chloro-3-methylphenol	U		0.263	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
2-Chlorophenol	U		0.283	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
2,4-Dichlorophenol	U		0.284	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
2,4-Dimethylphenol	U		0.624	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
4,6-Dinitro-2-methylphenol	U		2.62	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
2,4-Dinitrophenol	U		3.25	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
2-Nitrophenol	U		0.320	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
4-Nitrophenol	U		2.01	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Pentachlorophenol	U		0.313	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
Phenol	2.63	J	0.334	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
2,4,6-Trichlorophenol	U		0.297	10.0	1	04/13/2019 13:12	<a href="#">WG1264757</a>
(S) Nitrobenzene-d5	36.3			15.0-314		04/13/2019 13:12	<a href="#">WG1264757</a>
(S) 2-Fluorobiphenyl	34.9			22.0-127		04/13/2019 13:12	<a href="#">WG1264757</a>
(S) p-Terphenyl-d14	58.4			29.0-141		04/13/2019 13:12	<a href="#">WG1264757</a>
(S) Phenol-d5	20.7			8.00-424		04/13/2019 13:12	<a href="#">WG1264757</a>
(S) 2-Fluorophenol	22.6			10.0-120		04/13/2019 13:12	<a href="#">WG1264757</a>
(S) 2,4,6-Tribromophenol	63.7			10.0-153		04/13/2019 13:12	<a href="#">WG1264757</a>

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc



Method Blank (MB)

(MB) R3402078-3 04/12/19 15:56

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Acetone	U		10.0	50.0
Acrolein	U		8.87	50.0
Acrylonitrile	U		1.87	10.0
Benzene	U		0.331	1.00
Bromobenzene	U		0.352	1.00
Bromodichloromethane	U		0.380	1.00
Bromoform	U		0.469	1.00
Bromomethane	U		0.866	5.00
n-Butylbenzene	U		0.361	1.00
sec-Butylbenzene	U		0.365	1.00
tert-Butylbenzene	U		0.399	1.00
Carbon tetrachloride	U		0.379	1.00
Chlorobenzene	U		0.348	1.00
Chlorodibromomethane	U		0.327	1.00
Chloroethane	U		0.453	5.00
Chloroform	U		0.324	5.00
Chloromethane	U		0.276	2.50
2-Chlorotoluene	U		0.375	1.00
4-Chlorotoluene	U		0.351	1.00
1,2-Dibromo-3-Chloropropane	U		1.33	5.00
1,2-Dibromoethane	U		0.381	1.00
Dibromomethane	U		0.346	1.00
1,2-Dichlorobenzene	U		0.349	1.00
1,3-Dichlorobenzene	U		0.220	1.00
1,4-Dichlorobenzene	U		0.274	1.00
Dichlorodifluoromethane	U		0.551	5.00
1,1-Dichloroethane	U		0.259	1.00
1,2-Dichloroethane	U		0.361	1.00
1,1-Dichloroethene	U		0.398	1.00
cis-1,2-Dichloroethene	U		0.260	1.00
trans-1,2-Dichloroethene	U		0.396	1.00
1,2-Dichloropropane	U		0.306	1.00
1,1-Dichloropropene	U		0.352	1.00
1,3-Dichloropropane	U		0.366	1.00
2,2-Dichloropropane	U		0.321	1.00
Di-isopropyl ether	U		0.320	1.00
Ethylbenzene	U		0.384	1.00
Hexachloro-1,3-butadiene	U		0.256	1.00
Isopropylbenzene	U		0.326	1.00
p-Isopropyltoluene	U		0.350	1.00

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc





Method Blank (MB)

(MB) R3402078-3 04/12/19 15:56

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
2-Butanone (MEK)	U		3.93	10.0
Methylene Chloride	U		1.00	5.00
4-Methyl-2-pentanone (MIBK)	U		2.14	10.0
Methyl tert-butyl ether	U		0.367	1.00
Naphthalene	U		1.00	5.00
n-Propylbenzene	U		0.349	1.00
Styrene	U		0.307	1.00
1,1,1,2-Tetrachloroethane	U		0.385	1.00
1,1,2,2-Tetrachloroethane	U		0.130	1.00
Tetrachloroethene	U		0.372	1.00
1,2,3-Trichlorobenzene	U		0.230	1.00
1,2,4-Trichlorobenzene	U		0.355	1.00
1,1,1-Trichloroethane	U		0.319	1.00
1,1,2-Trichloroethane	U		0.383	1.00
Trichloroethene	U		0.398	1.00
Trichlorofluoromethane	U		1.20	5.00
1,2,3-Trichloropropane	U		0.807	2.50
1,2,4-Trimethylbenzene	U		0.373	1.00
1,3,5-Trimethylbenzene	U		0.387	1.00
Vinyl chloride	U		0.259	1.00
Xylenes, Total	U		1.06	3.00
(S) Toluene-d8	102			80.0-120
(S) a,a,a-Trifluorotoluene	98.5			80.0-120
(S) 4-Bromofluorobenzene	98.7			77.0-126
(S) 1,2-Dichloroethane-d4	94.4			70.0-130

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3402078-1 04/12/19 14:53 • (LCSD) R3402078-2 04/12/19 15:14

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
Acetone	125	134	142	107	114	19.0-160			5.73	27
Acrolein	125	126	131	101	105	10.0-160			3.94	26
Acrylonitrile	125	128	136	103	109	55.0-149			5.92	20
Benzene	25.0	24.7	25.6	98.7	102	70.0-123			3.67	20
Bromobenzene	25.0	23.0	24.0	92.0	96.0	73.0-121			4.31	20
Bromodichloromethane	25.0	25.2	26.1	101	104	75.0-120			3.49	20
Bromoform	25.0	24.9	26.0	99.5	104	68.0-132			4.55	20
Bromomethane	25.0	28.2	30.3	113	121	10.0-160			7.10	25



Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3402078-1 04/12/19 14:53 • (LCSD) R3402078-2 04/12/19 15:14

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
n-Butylbenzene	25.0	24.7	25.8	99.0	103	73.0-125			4.17	20
sec-Butylbenzene	25.0	25.5	26.2	102	105	75.0-125			3.00	20
tert-Butylbenzene	25.0	25.6	26.8	102	107	76.0-124			4.56	20
Carbon tetrachloride	25.0	26.2	27.4	105	109	68.0-126			4.27	20
Chlorobenzene	25.0	24.7	25.7	99.0	103	80.0-121			3.79	20
Chlorodibromomethane	25.0	25.2	25.9	101	104	77.0-125			2.85	20
Chloroethane	25.0	25.4	27.1	101	108	47.0-150			6.49	20
Chloroform	25.0	25.5	26.9	102	107	73.0-120			5.06	20
Chloromethane	25.0	24.9	27.6	99.4	111	41.0-142			10.6	20
2-Chlorotoluene	25.0	25.2	26.7	101	107	76.0-123			5.62	20
4-Chlorotoluene	25.0	24.9	26.0	99.7	104	75.0-122			4.00	20
1,2-Dibromo-3-Chloropropane	25.0	24.8	26.2	99.2	105	58.0-134			5.54	20
1,2-Dibromoethane	25.0	25.9	26.4	103	106	80.0-122			2.19	20
Dibromomethane	25.0	25.0	26.0	99.8	104	80.0-120			4.01	20
1,2-Dichlorobenzene	25.0	25.1	26.5	101	106	79.0-121			5.48	20
1,3-Dichlorobenzene	25.0	25.6	26.6	102	107	79.0-120			3.94	20
1,4-Dichlorobenzene	25.0	23.5	24.5	94.1	98.1	79.0-120			4.24	20
Dichlorodifluoromethane	25.0	22.4	23.5	89.8	94.1	51.0-149			4.75	20
1,1-Dichloroethane	25.0	24.3	26.1	97.0	104	70.0-126			7.21	20
1,2-Dichloroethane	25.0	22.7	23.8	90.8	95.0	70.0-128			4.53	20
1,1-Dichloroethene	25.0	24.9	26.3	99.4	105	71.0-124			5.72	20
cis-1,2-Dichloroethene	25.0	24.8	26.4	99.2	106	73.0-120			6.26	20
trans-1,2-Dichloroethene	25.0	27.8	28.7	111	115	73.0-120			3.33	20
1,2-Dichloropropane	25.0	25.1	25.6	101	102	77.0-125			1.73	20
1,1-Dichloropropene	25.0	25.9	26.8	104	107	74.0-126			3.40	20
1,3-Dichloropropane	25.0	26.5	26.8	106	107	80.0-120			0.930	20
2,2-Dichloropropane	25.0	19.0	19.4	76.1	77.7	58.0-130			2.04	20
Di-isopropyl ether	25.0	24.2	25.4	96.8	101	58.0-138			4.71	20
Ethylbenzene	25.0	26.7	26.9	107	108	79.0-123			1.07	20
Hexachloro-1,3-butadiene	25.0	24.2	25.0	96.9	99.8	54.0-138			2.92	20
Isopropylbenzene	25.0	25.4	26.4	102	106	76.0-127			3.98	20
p-Isopropyltoluene	25.0	24.8	26.2	99.2	105	76.0-125			5.50	20
2-Butanone (MEK)	125	119	124	95.6	99.0	44.0-160			3.57	20
Methylene Chloride	25.0	23.5	24.2	94.0	96.7	67.0-120			2.84	20
4-Methyl-2-pentanone (MIBK)	125	128	129	102	103	68.0-142			0.817	20
Methyl tert-butyl ether	25.0	25.0	25.4	100	102	68.0-125			1.46	20
Naphthalene	25.0	24.2	26.2	97.0	105	54.0-135			7.92	20
n-Propylbenzene	25.0	24.7	25.9	99.0	103	77.0-124			4.45	20
Styrene	25.0	27.4	28.3	110	113	73.0-130			3.30	20
1,1,1,2-Tetrachloroethane	25.0	25.0	25.7	100	103	75.0-125			2.52	20

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3402078-1 04/12/19 14:53 • (LCSD) R3402078-2 04/12/19 15:14

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
1,1,2-Tetrachloroethane	25.0	24.0	24.8	95.9	99.2	65.0-130			3.46	20
Tetrachloroethene	25.0	25.6	26.5	102	106	72.0-132			3.76	20
1,2,3-Trichlorobenzene	25.0	25.5	27.9	102	112	50.0-138			9.02	20
1,2,4-Trichlorobenzene	25.0	25.4	27.0	102	108	57.0-137			6.03	20
1,1,1-Trichloroethane	25.0	25.1	26.4	101	105	73.0-124			4.80	20
1,1,2-Trichloroethane	25.0	24.6	25.2	98.5	101	80.0-120			2.16	20
Trichloroethene	25.0	28.8	29.4	115	118	78.0-124			2.18	20
Trichlorofluoromethane	25.0	27.2	28.1	109	112	59.0-147			3.12	20
1,2,3-Trichloropropane	25.0	25.4	27.1	102	108	73.0-130			6.33	20
1,2,4-Trimethylbenzene	25.0	25.9	27.1	103	108	76.0-121			4.53	20
1,3,5-Trimethylbenzene	25.0	24.1	25.3	96.2	101	76.0-122			4.99	20
Vinyl chloride	25.0	25.8	27.7	103	111	67.0-131			7.31	20
Xylenes, Total	75.0	78.2	80.0	104	107	79.0-123			2.28	20
<i>(S) Toluene-d8</i>				98.1	98.7	80.0-120				
<i>(S) a,a,a-Trifluorotoluene</i>				97.1	101	80.0-120				
<i>(S) 4-Bromofluorobenzene</i>				101	103	77.0-126				
<i>(S) 1,2-Dichloroethane-d4</i>				107	106	70.0-130				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3402560-4 04/17/19 10:08

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Toluene	U		0.412	1.00
(S) Toluene-d8	97.7			80.0-120
(S) a,a,a-Trifluorotoluene	98.0			80.0-120
(S) 4-Bromofluorobenzene	95.9			77.0-126
(S) 1,2-Dichloroethane-d4	94.8			70.0-130

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3402560-1 04/17/19 08:50 • (LCSD) R3402560-2 04/17/19 09:09

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
Toluene	25.0	24.9	25.5	99.8	102	79.0-120			2.30	20
(S) Toluene-d8				94.9	96.1	80.0-120				
(S) a,a,a-Trifluorotoluene				97.7	98.6	80.0-120				
(S) 4-Bromofluorobenzene				101	96.5	77.0-126				
(S) 1,2-Dichloroethane-d4				93.9	92.4	70.0-130				

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



Method Blank (MB)

(MB) R3401482-3 04/13/19 12:08

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Acenaphthene	U		0.316	1.00
Acenaphthylene	U		0.309	1.00
Anthracene	U		0.291	1.00
Benzidine	U		4.32	10.0
Benzo(a)anthracene	U		0.0975	1.00
Benzo(b)fluoranthene	U		0.0896	1.00
Benzo(k)fluoranthene	U		0.355	1.00
Benzo(g,h,i)perylene	U		0.161	1.00
Benzo(a)pyrene	U		0.340	1.00
Bis(2-chlorethoxy)methane	U		0.329	10.0
Bis(2-chloroethyl)ether	U		1.62	10.0
Bis(2-chloroisopropyl)ether	U		0.445	10.0
4-Bromophenyl-phenylether	U		0.335	10.0
2-Chloronaphthalene	U		0.330	1.00
4-Chlorophenyl-phenylether	U		0.303	10.0
Chrysene	U		0.332	1.00
Dibenz(a,h)anthracene	U		0.279	1.00
3,3-Dichlorobenzidine	U		2.02	10.0
2,4-Dinitrotoluene	U		1.65	10.0
2,6-Dinitrotoluene	U		0.279	10.0
Fluoranthene	U		0.310	1.00
Fluorene	U		0.323	1.00
Hexachlorobenzene	U		0.341	1.00
Hexachloro-1,3-butadiene	U		0.329	10.0
Hexachlorocyclopentadiene	U		2.33	10.0
Hexachloroethane	U		0.365	10.0
Indeno(1,2,3-cd)pyrene	U		0.279	1.00
Isophorone	U		0.272	10.0
Naphthalene	U		0.372	1.00
Nitrobenzene	U		0.367	10.0
n-Nitrosodimethylamine	U		1.26	10.0
n-Nitrosodiphenylamine	U		1.19	10.0
n-Nitrosodi-n-propylamine	U		0.403	10.0
Phenanthrene	U		0.366	1.00
Benzylbutyl phthalate	U		0.275	3.00
Bis(2-ethylhexyl)phthalate	U		0.709	3.00
Di-n-butyl phthalate	U		0.266	3.00
Diethyl phthalate	U		0.282	3.00
Dimethyl phthalate	U		0.283	3.00
Di-n-octyl phthalate	U		0.278	3.00

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



Method Blank (MB)

(MB) R3401482-3 04/13/19 12:08

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Pyrene	U		0.330	1.00
1,2,4-Trichlorobenzene	U		0.355	10.0
4-Chloro-3-methylphenol	U		0.263	10.0
2-Chlorophenol	U		0.283	10.0
2,4-Dichlorophenol	U		0.284	10.0
2,4-Dimethylphenol	U		0.624	10.0
4,6-Dinitro-2-methylphenol	U		2.62	10.0
2,4-Dinitrophenol	U		3.25	10.0
2-Nitrophenol	U		0.320	10.0
4-Nitrophenol	U		2.01	10.0
Pentachlorophenol	U		0.313	10.0
Phenol	U		0.334	10.0
2,4,6-Trichlorophenol	U		0.297	10.0
(S) Nitrobenzene-d5	49.5			15.0-314
(S) 2-Fluorobiphenyl	48.0			22.0-127
(S) p-Terphenyl-d14	63.6			29.0-141
(S) Phenol-d5	24.1			8.00-424
(S) 2-Fluorophenol	37.8			10.0-120
(S) 2,4,6-Tribromophenol	51.0			10.0-153

1 Cp  
2 Tc  
3 Ss  
4 Cn  
5 Sr  
6 Qc  
7 Gl  
8 Al  
9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3401482-1 04/13/19 11:27 • (LCSD) R3401482-2 04/13/19 11:47

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
Acenaphthene	50.0	32.8	31.7	65.6	63.4	47.0-145			3.41	48
Acenaphthylene	50.0	31.5	30.7	63.0	61.4	33.0-145			2.57	74
Anthracene	50.0	36.0	35.5	72.0	71.0	27.0-133			1.40	66
Benzidine	100	34.7	40.5	34.7	40.5	1.00-120			15.4	36
Benzo(a)anthracene	50.0	37.0	36.6	74.0	73.2	33.0-143			1.09	53
Benzo(b)fluoranthene	50.0	36.0	35.9	72.0	71.8	24.0-159			0.278	71
Benzo(k)fluoranthene	50.0	36.9	35.9	73.8	71.8	11.0-162			2.75	63
Benzo(g,h,i)perylene	50.0	35.4	35.0	70.8	70.0	1.00-219			1.14	97
Benzo(a)pyrene	50.0	35.0	34.4	70.0	68.8	17.0-163			1.73	72
Bis(2-chlorethoxy)methane	50.0	30.1	29.2	60.2	58.4	1.00-219			3.04	54
Bis(2-chloroethyl)ether	50.0	30.0	28.5	60.0	57.0	33.0-185			5.13	108
Bis(2-chloroisopropyl)ether	50.0	29.9	28.7	59.8	57.4	36.0-166			4.10	76
4-Bromophenyl-phenylether	50.0	37.0	35.7	74.0	71.4	53.0-127			3.58	43
2-Chloronaphthalene	50.0	29.7	28.3	59.4	56.6	60.0-120	J4	J4	4.83	24



Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3401482-1 04/13/19 11:27 • (LCSD) R3401482-2 04/13/19 11:47

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
4-Chlorophenyl-phenylether	50.0	33.7	33.2	67.4	66.4	25.0-158			1.49	61
Chrysene	50.0	37.6	36.9	75.2	73.8	17.0-168			1.88	87
Dibenz(a,h)anthracene	50.0	35.7	35.2	71.4	70.4	1.00-227			1.41	126
3,3-Dichlorobenzidine	100	73.2	72.0	73.2	72.0	1.00-262			1.65	108
2,4-Dinitrotoluene	50.0	37.4	37.7	74.8	75.4	39.0-139			0.799	42
2,6-Dinitrotoluene	50.0	34.9	34.4	69.8	68.8	50.0-158			1.44	48
Fluoranthene	50.0	38.3	38.2	76.6	76.4	26.0-137			0.261	66
Fluorene	50.0	33.9	33.4	67.8	66.8	59.0-121			1.49	38
Hexachlorobenzene	50.0	36.4	35.3	72.8	70.6	1.00-152			3.07	55
Hexachloro-1,3-butadiene	50.0	21.0	18.9	42.0	37.8	24.0-120			10.5	62
Hexachlorocyclopentadiene	50.0	21.4	20.0	42.8	40.0	10.0-120			6.76	31
Hexachloroethane	50.0	19.0	17.4	38.0	34.8	40.0-120	J4	J4	8.79	52
Indeno(1,2,3-cd)pyrene	50.0	33.8	34.2	67.6	68.4	1.00-171			1.18	99
Isophorone	50.0	31.2	30.0	62.4	60.0	21.0-196			3.92	93
Naphthalene	50.0	26.0	24.4	52.0	48.8	21.0-133			6.35	65
Nitrobenzene	50.0	27.6	26.8	55.2	53.6	35.0-180			2.94	62
n-Nitrosodimethylamine	50.0	21.5	20.8	43.0	41.6	10.0-120			3.31	34
n-Nitrosodiphenylamine	50.0	35.0	35.0	70.0	70.0	44.0-120			0.000	21
n-Nitrosodi-n-propylamine	50.0	34.5	33.4	69.0	66.8	1.00-230			3.24	87
Phenanthrene	50.0	36.1	35.4	72.2	70.8	54.0-120			1.96	39
Benzylbutyl phthalate	50.0	37.6	37.4	75.2	74.8	1.00-152			0.533	60
Bis(2-ethylhexyl)phthalate	50.0	38.4	37.6	76.8	75.2	8.00-158			2.11	82
Di-n-butyl phthalate	50.0	39.2	39.3	78.4	78.6	1.00-120			0.255	47
Diethyl phthalate	50.0	35.5	35.3	71.0	70.6	1.00-120			0.565	100
Dimethyl phthalate	50.0	34.9	34.3	69.8	68.6	1.00-120			1.73	183
Di-n-octyl phthalate	50.0	38.9	38.9	77.8	77.8	4.00-146			0.000	69
Pyrene	50.0	37.2	36.7	74.4	73.4	52.0-120			1.35	49
1,2,4-Trichlorobenzene	50.0	23.0	21.2	46.0	42.4	44.0-142		J4	8.14	50
4-Chloro-3-methylphenol	50.0	33.5	33.6	67.0	67.2	22.0-147			0.298	73
2-Chlorophenol	50.0	29.1	28.0	58.2	56.0	23.0-134			3.85	61
2,4-Dichlorophenol	50.0	29.4	28.4	58.8	56.8	39.0-135			3.46	50
2,4-Dimethylphenol	50.0	29.4	28.6	58.8	57.2	32.0-120			2.76	58
4,6-Dinitro-2-methylphenol	50.0	39.7	40.2	79.4	80.4	1.00-181			1.25	203
2,4-Dinitrophenol	50.0	30.0	29.8	60.0	59.6	1.00-191			0.669	132
2-Nitrophenol	50.0	31.1	30.4	62.2	60.8	29.0-182			2.28	55
4-Nitrophenol	50.0	17.6	17.9	35.2	35.8	1.00-132			1.69	131
Pentachlorophenol	50.0	30.4	30.5	60.8	61.0	14.0-176			0.328	86
Phenol	50.0	15.4	15.2	30.8	30.4	5.00-120			1.31	64
2,4,6-Trichlorophenol	50.0	31.3	30.5	62.6	61.0	37.0-144			2.59	58
(S) Nitrobenzene-d5				56.3	53.7	15.0-314				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3401482-1 04/13/19 11:27 • (LCSD) R3401482-2 04/13/19 11:47

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
(S) 2-Fluorobiphenyl				60.1	58.1	22.0-127				
(S) p-Terphenyl-d14				72.1	70.2	29.0-141				
(S) Phenol-d5				28.4	27.8	8.00-424				
(S) 2-Fluorophenol				43.3	41.7	10.0-120				
(S) 2,4,6-Tribromophenol				66.0	66.0	10.0-153				

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

L1087068-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1087068-01 04/13/19 14:47 • (MS) R3401475-1 04/13/19 15:11 • (MSD) R3401475-2 04/13/19 15:34

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Acenaphthene	50.0	U	26.4	30.2	52.8	60.4	1	47.0-145			13.4	48
Acenaphthylene	50.0	U	24.8	28.6	49.6	57.2	1	33.0-145			14.2	74
Anthracene	50.0	U	31.2	35.7	62.4	71.4	1	27.0-133			13.5	66
Benzo(a)anthracene	50.0	U	33.9	37.0	67.8	74.0	1	33.0-143			8.74	53
Benzo(b)fluoranthene	50.0	0.0164	31.3	33.8	62.6	67.6	1	24.0-159			7.68	71
Benzo(k)fluoranthene	50.0	U	32.5	34.3	65.0	68.6	1	11.0-162			5.39	63
Benzo(g,h,i)perylene	50.0	U	33.3	36.1	66.6	72.2	1	1.00-219			8.07	97
Benzo(a)pyrene	50.0	U	31.0	33.2	62.0	66.4	1	17.0-163			6.85	72
Bis(2-chlorethoxy)methane	50.0	U	21.2	23.8	42.4	47.6	1	33.0-184			11.6	54
Bis(2-chloroethyl)ether	50.0	U	18.9	22.7	37.8	45.4	1	12.0-158			18.3	108
Bis(2-chloroisopropyl)ether	50.0	U	22.7	27.5	45.4	55.0	1	36.0-166			19.1	76
4-Bromophenyl-phenylether	50.0	U	30.4	33.3	60.8	66.6	1	53.0-127			9.11	43
2-Chloronaphthalene	50.0	U	22.9	26.6	45.8	53.2	1	60.0-120	J6	J6	14.9	24
4-Chlorophenyl-phenylether	50.0	U	27.6	31.1	55.2	62.2	1	25.0-158			11.9	61
Chrysene	50.0	U	31.4	34.1	62.8	68.2	1	17.0-168			8.24	87
Dibenz(a,h)anthracene	50.0	U	32.7	35.2	65.4	70.4	1	1.00-227			7.36	126
3,3-Dichlorobenzidine	100	U	38.9	50.5	38.9	50.5	1	1.00-262			26.0	108
2,4-Dinitrotoluene	50.0	U	33.7	38.7	67.4	77.4	1	39.0-139			13.8	42
2,6-Dinitrotoluene	50.0	U	29.2	33.2	58.4	66.4	1	50.0-158			12.8	48
Benzdine	100	U	ND	4.71	0.000	4.71	1	1.00-120	J6	J3	200	40
Fluoranthene	50.0	U	36.0	39.4	72.0	78.8	1	26.0-137			9.02	66
Fluorene	50.0	U	28.6	32.7	57.2	65.4	1	59.0-121	J6		13.4	38
Hexachlorobenzene	50.0	U	29.5	32.9	59.0	65.8	1	1.00-152			10.9	55
Hexachloro-1,3-butadiene	50.0	U	18.2	21.3	36.4	42.6	1	24.0-120			15.7	62
Hexachlorocyclopentadiene	50.0	U	17.1	20.3	34.2	40.6	1	10.0-146			17.1	34
Hexachloroethane	50.0	U	15.7	18.4	31.4	36.8	1	40.0-120	J6	J6	15.8	52
Indeno(1,2,3-cd)pyrene	50.0	U	32.0	34.8	64.0	69.6	1	1.00-171			8.38	99
Isophorone	50.0	U	22.0	24.6	44.0	49.2	1	21.0-196			11.2	93

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc





L1087068-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1087068-01 04/13/19 14:47 • (MS) R3401475-1 04/13/19 15:11 • (MSD) R3401475-2 04/13/19 15:34

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Naphthalene	50.0	U	20.9	24.0	41.8	48.0	1	21.0-133			13.8	65
Nitrobenzene	50.0	0.827	21.3	25.2	40.9	48.7	1	35.0-180			16.8	62
n-Nitrosodimethylamine	50.0	U	19.6	24.1	39.2	48.2	1	10.0-120			20.6	40
n-Nitrosodiphenylamine	50.0	U	31.1	35.5	62.2	71.0	1	16.0-160			13.2	28
n-Nitrosodi-n-propylamine	50.0	U	23.1	27.2	46.2	54.4	1	1.00-230			16.3	87
Phenanthrene	50.0	U	31.9	34.9	63.8	69.8	1	54.0-120			8.98	39
Benzylbutyl phthalate	50.0	U	37.4	40.2	74.8	80.4	1	1.00-152			7.22	60
Bis(2-ethylhexyl)phthalate	50.0	0.772	38.4	41.5	75.3	81.5	1	8.00-158			7.76	82
Di-n-butyl phthalate	50.0	U	38.9	43.0	77.8	86.0	1	1.00-120			10.0	47
Diethyl phthalate	50.0	U	33.2	36.8	66.4	73.6	1	1.00-120			10.3	100
Dimethyl phthalate	50.0	U	30.0	33.5	60.0	67.0	1	1.00-120			11.0	183
Di-n-octyl phthalate	50.0	0.420	40.9	44.6	81.0	88.4	1	4.00-146			8.65	69
Pyrene	50.0	U	31.1	34.2	62.2	68.4	1	52.0-120			9.49	49
1,2,4-Trichlorobenzene	50.0	U	18.7	21.3	37.4	42.6	1	44.0-142	J6	J6	13.0	50
4-Chloro-3-methylphenol	50.0	U	30.1	34.3	60.2	68.6	1	22.0-147			13.0	73
2-Chlorophenol	50.0	U	22.0	25.8	44.0	51.6	1	23.0-134			15.9	61
2,4-Dichlorophenol	50.0	U	26.9	31.8	53.8	63.6	1	39.0-135			16.7	50
2,4-Dimethylphenol	50.0	U	26.1	29.3	52.2	58.6	1	32.0-120			11.6	58
4,6-Dinitro-2-methylphenol	50.0	U	42.7	49.2	85.4	98.4	1	1.00-181			14.1	203
2,4-Dinitrophenol	50.0	U	28.9	33.6	57.8	67.2	1	1.00-191			15.0	132
2-Nitrophenol	50.0	U	28.7	33.1	57.4	66.2	1	29.0-182			14.2	55
4-Nitrophenol	50.0	U	16.2	18.4	32.4	36.8	1	1.00-132			12.7	131
Pentachlorophenol	50.0	U	29.8	32.8	59.6	65.6	1	14.0-176			9.58	86
Phenol	50.0	U	11.1	13.7	22.2	27.4	1	5.00-120			21.0	64
2,4,6-Trichlorophenol	50.0	U	27.5	32.2	55.0	64.4	1	37.0-144			15.7	58
(S) Nitrobenzene-d5					44.0	50.0		15.0-314				
(S) 2-Fluorobiphenyl					47.6	54.3		22.0-127				
(S) p-Terphenyl-d14					60.3	65.4		29.0-141				
(S) Phenol-d5					19.9	22.0		8.00-424				
(S) 2-Fluorophenol					32.5	38.3		10.0-120				
(S) 2,4,6-Tribromophenol					65.0	72.0		10.0-153				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

## Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

## Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.  
 \* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico <sup>1</sup>	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1,6</sup>	90010	South Carolina	84004
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1,4</sup>	2006
Louisiana <sup>1</sup>	LA180010	Texas	T104704245-18-15
Maine	TN0002	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA


## Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

## Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



**Dunckle and Dunham**  
 PO Box 639  
 Cary, NC 27512

Billing Information:  
**Project Manager**  
 511 Keisler Drive, Suite 102  
 Cary, NC 27518

Report to:  
**Rick Kolb**

Email To: rkolb@dunckleedunham.com

Project Description: **NCDOT R-2511 Beaufort and Martin Countie**

City/State Collected: **Washington and Williamston / NC**

Lab Project #: **DUNDUNNC-NCDOT R2511**

Client Project #: **201939**

Site/Facility ID #: **D&D standard**

Lab Project #: **DUNDUNNC-NCDOT R2511**

Phone: **919-858-9898**  
 Fax: **919-858-9899**

Collected by (print): **Alec Dziwanowski**

Collected by (signature): *Alec Dziwanowski*

Immediately Packed on Ice N  Y

**Rush?** (Lab MUST Be Notified)  
 Same Day  Five Day  
 Next Day  5 Day (Rad Only)  
 Two Day  10 Day (Rad Only)  
 Three Day

Date Results Needed

No. of Cntrs

Analysis / Container / Preservative

Chain of Custody Page \_\_\_ of \_\_\_

**Pace Analytical®**  
 National Center for Testing & Innovation

12065 Lebanon Rd  
 Mount Juliet, TN 37122  
 Phone: 615-758-5858  
 Phone: 800-767-5859  
 Fax: 615-758-5859

L# **L1088281**  
**F078**

Acctnum: **DUNDUNNC**  
 Template: **T147651**  
 Prelogin: **P699279**  
 TSR: **873 - Heather J Wagner**  
 PB:

Shipped Via: **FedEX Ground**

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	Pres	Chk	Analysis / Container / Preservative	Chain of Custody
TW-1	Grab	GW	NA	4/8/19	1450	5	X	X		
TW-2	↓	GW	↓	4/8/19	1800	5	X	X		
TW-3	↓	GW	↓	4/9/19	1655	5	X	X		
TW-4	↓	GW	↓	4/10/19	1120	5	X	X		
TW-5	↓	GW	↓	4/10/19	1215	5	X	X		
		GW				5	X	X		

Vertical text on table: **100ml Amb NoPres**, **40ml Amb-HCl**

Remarks: **RAD SCREEN: <0.5 mR/hr**

\* Matrix:  
 SS - Soil AIR - Air F - Filter  
 GW - Groundwater B - Bioassay  
 WW - WasteWater  
 DW - Drinking Water  
 OT - Other

Remarks: **HOLD TW-5 → we will contact the lab when we know if we need it tested**

Samples returned via:  
 UPS  FedEx  Courier

Tracking # **487 1088281 6390**

Relinquished by: (Signature) *Alec Dziwanowski* Date: **4/10/19** Time: **1541**

Received by: (Signature) *[Signature]* Trip Blank Received: Yes/No  HCL/MeOH TBR

Relinquished by: (Signature) *[Signature]* Date: **4/22/19** Time: **1559**

Received by: (Signature) *[Signature]* Temp: **2.5-0.1=2.4°C** Bottles Received: **25**

Relinquished by: (Signature) *[Signature]* Date: **4/11/19** Time: **0900**

Received for lab by: (Signature) *[Signature]* Date: **4/11/19** Time: **0900**

Sample Receipt Checklist:  
 COC Seal Present/Intact:  NP  Y  N  
 COC Signed/Accurate:  Y  N  
 Bottles arrive intact:  Y  N  
 Correct bottles used:  Y  N  
 Sufficient volume sent:  Y  N  
 If Applicable  
 VOA Zero Headspace:  Y  N  
 Preservation Correct/Checked:  Y  N

If preservation required by Login: Date/Time

Condition: **03-0237** NCF / OK

# Divider Page

April 26, 2019

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Duncklee and Dunham

Sample Delivery Group: L1091336  
Samples Received: 04/11/2019  
Project Number: 201939  
Description: NCDOT R-2511 Beaufort and Martin Counties-Parcel 85

Report To: Rick Kolb  
PO Box 639  
Cary, NC 27512








Entire Report Reviewed By:



Heather J Wagner  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



<b>Cp: Cover Page</b>	<b>1</b>	
<b>Tc: Table of Contents</b>	<b>2</b>	
<b>Ss: Sample Summary</b>	<b>3</b>	
<b>Cn: Case Narrative</b>	<b>4</b>	
<b>Sr: Sample Results</b>	<b>5</b>	
<b>TW-2 L1091336-02</b>	<b>5</b>	
<b>Qc: Quality Control Summary</b>	<b>6</b>	
<b>Volatile Petroleum Hydrocarbons by Method MADEPV</b>	<b>6</b>	
<b>Gl: Glossary of Terms</b>	<b>7</b>	
<b>Al: Accreditations &amp; Locations</b>	<b>8</b>	
<b>Sc: Sample Chain of Custody</b>	<b>9</b>	
		
		

# SAMPLE SUMMARY



TW-2 L1091336-02 GW

Collected by Alec Dziwanowski  
 Collected date/time 04/08/19 18:00  
 Received date/time 04/11/19 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Petroleum Hydrocarbons by Method MADEPV	WG1270096	20	04/22/19 19:16	04/22/19 19:16	ACG	Mt. Juliet, TN

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc





All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Heather J Wagner  
Project Manager

### Project Narrative

---

Sample TW-2 is reported separately per client request. All samples listed on the attached COC have been reported individually under SDG number L1091336 based on their Parcel ID.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc



Volatile Petroleum Hydrocarbons by Method MADEPV

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Unadjusted C5-C8 Aliphatics	42200		666	2000	20	04/22/2019 19:16	<a href="#">WG1270096</a>
Unadjusted C9-C12 Aliphatics	25200		666	2000	20	04/22/2019 19:16	<a href="#">WG1270096</a>
Unadjusted C9-C10 Aromatics	10100		666	2000	20	04/22/2019 19:16	<a href="#">WG1270096</a>
Total VPH	77500		666	2000	20	04/22/2019 19:16	<a href="#">WG1270096</a>
(S) 2,5-Dibromotoluene(FID)	100			70.0-130		04/22/2019 19:16	<a href="#">WG1270096</a>
(S) 2,5-Dibromotoluene(PID)	93.1			70.0-130		04/22/2019 19:16	<a href="#">WG1270096</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3404446-3 04/22/19 17:38

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Unadjusted C5-C8 Aliphatics	U		33.3	100
Unadjusted C9-C12 Aliphatics	U		33.3	100
Unadjusted C9-C10 Aromatics	U		33.3	100
Total VPH	U		33.3	100
(S) 2,5-Dibromotoluene(FID)	96.7			70.0-130
(S) 2,5-Dibromotoluene(PID)	91.2			70.0-130

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3404446-1 04/22/19 15:28 • (LCSD) R3404446-2 04/22/19 15:59

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Unadjusted C5-C8 Aliphatics	1200	1030	1030	86.0	86.2	70.0-130			0.289	25
Unadjusted C9-C12 Aliphatics	1400	1280	1290	91.5	92.1	70.0-130			0.700	25
Unadjusted C9-C10 Aromatics	200	159	160	79.5	79.9	70.0-130			0.510	25
Total VPH	2800	2470	2480	88.2	88.6	70.0-130			0.445	25
(S) 2,5-Dibromotoluene(FID)				95.5	99.0	70.0-130				
(S) 2,5-Dibromotoluene(PID)				90.8	92.8	70.0-130				

6 Qc

7 Gl

8 Al

9 Sc



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Qualifier Description

The remainder of this page intentionally left blank, there are no qualifiers applied to this SDG.



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.  
 \* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

## State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico <sup>1</sup>	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1,6</sup>	90010	South Carolina	84004
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1,4</sup>	2006
Louisiana <sup>1</sup>	LA180010	Texas	T104704245-18-15
Maine	TN0002	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA

## Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

## Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

**Dunckle and Dunham**

PO Box 639  
Cary, NC 27512

Billing Information:  
Project Manager  
511 Keisler Drive, Suite 102  
Cary, NC 27518

Pres. Chl.

Analysis / Container / Preservative

Chain of Custody Page 1 of 1



12065 Lebanon Rd  
Mount Juliet, TN 37122  
Phone: 615-758-5858  
Phone: 800-767-5859  
Fax: 615-758-5859



Report to:  
Rick Kolb

Email To: rkolb@dunckleandunham.com

Project Description: NCDOT R-2511 Beaufort and Martin Counties

City/State Collected: Washington and Williamston / NC

Phone: 919-858-9898  
Fax: 919-858-9899

Client Project #  
201939

Lab Project #  
DUNDUNNC-NCDOT R2511

Collected by (print):  
Alec Dawanowski

Site/Facility ID #  
D&D standard

P.O. #

Collected by (signature):  
Alec Dawanowski  
Immediately  
Packed on Ice: N Y

Rush? (Lab MUST Be Notified)  
 Same Day  Five Day  
 Next Day  5 Day (Rad Only)  
 Two Day  10 Day (Rad Only)  
 Three Day

Quote #  
Date Results Needed

No. of Cntrs

100ml Amb NoPres  
 40ml Amb-HCl  
 625  
 620

L# L1094281  
**F078**  
L1091336

NJ 4/2/19

Acctnum: DUNDUNNC  
Template: T147651  
Prelogin: P699279  
TSR: 873 - Heather J Wagner  
PB:  
Shipped Via: **FedEX Ground**

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs												
TW-1	Grab	GW	NA	4/8/19	1450	5	X	X										
TW-2	↓	GW	↓	4/8/19	1800	5	X	X										
TW-3	↓	GW	↓	4/9/19	1655	5	X	X										
TW-4	↓	GW	↓	4/10/19	1120	5	X	X										
TW-5	↓	GW	↓	4/10/19	1215	5	X	X										
		GW				5	X	X										

Remarks Sample # (lab only)

01  
02  
03  
04

RAD SCREEN: <0.5 mR/hr

\* Matrix:  
SS - Soil AIR - Air F - Filter  
GW - Groundwater B - Bioassay  
WW - Waste Water  
DW - Drinking Water  
OT - Other

Remarks: HOLD TW-5 → we will contact the lab when we know if we need it tested

pH \_\_\_\_\_ Temp \_\_\_\_\_  
Flow \_\_\_\_\_ Other \_\_\_\_\_

Samples returned via:  
 UPS  FedEx  Courier

Tracking # 487 1094281 6390

Sample Receipt Checklist	
COC Seal Present/Intact:	NP <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/>
COC Signed/Accurate:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/>
Bottles arrive intact:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/>
Correct bottles used:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/>
Sufficient volume sent:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/>
If Applicable	
VOA Zero Headspace:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/>
Preservation Correct/Checked:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/>

Relinquished by: (Signature)  
Alec Dawanowski

Date: 4/10/19  
Time: 1541

Date: \_\_\_\_\_  
Time: \_\_\_\_\_

Received by: (Signature)  
[Signature]

Trip Blank Received: Yes/No  
 HCL/MeOH  
 TBR

Relinquished by: (Signature)  
[Signature]

Date: 4/10/19  
Time: 1555

Date: \_\_\_\_\_  
Time: \_\_\_\_\_

Received by: (Signature)  
[Signature]

Temp: 2.5-0.1 = 2.4°C  
Bottles Received: 25

If preservation required by Login: Date/Time

Relinquished by: (Signature)  
[Signature]

Date: \_\_\_\_\_  
Time: \_\_\_\_\_

Date: \_\_\_\_\_  
Time: \_\_\_\_\_

Received for lab by: (Signature)  
[Signature]

Date: 4/11/19  
Time: 0900

Field # 03-0237 Condition: NCF / OK

**Andy Vann**

---

**From:** Heather Wagner  
**Sent:** Monday, April 22, 2019 9:09 AM  
**To:** Login  
**Subject:** L1088281 - relog for VPH - expires today

Please relog L1088281-01, -02, -03 and -04 for VPHNC. -01 and -02 go out of hold today. R5 due 4/29

Thanks,

Heather Wagner  
*Project Manager*

**Pace Analytical National Center for Testing & Innovation**  
12065 Lebanon Road | Mt. Juliet, TN 37122  
Office 615.773.9686 | Cell 615.289.9801  
[hwagner@pacenational.com](mailto:hwagner@pacenational.com) | [pacenational.com](http://pacenational.com)

***ESC Lab Sciences is now Pace Analytical National Center for Testing & Innovation! Please make note of my new email address and website.***