






p:\gfn\p-w\ben\p-w-01\Documents\Projects\67945\5-Work\King\Task 010 - I-5955 Greensboro Rehab\Structures\CAD\2.0 100% Plans\409\_011.I-5955\_SMU\_JT\_006\_400348  
 11/17/2022 9:57:29 AM pdf\_color\_gfclt\_FS.plt I-5955.tbl



**NOTES**

ALL HORIZONTAL DIMENSIONS ARE MEASURED PERPENDICULAR TO THE JOINT UNLESS NOTED OTHERWISE.

CLEAN AND REMOVE DEBRIS FROM THE TOP OF THE BENT CAP AND APPLY EPOXY PROTECTIVE COATING. EPOXY COATING SHALL BE APPLIED TO THE TOP SURFACE OF THE CAP. THE CONTRACTOR SHALL NOT COAT THE AREA OF THE CAPS BENEATH THE ELASTOMERIC BEARINGS AND MASONRY PLATES. FOR EPOXY COATING, SEE SPECIAL PROVISIONS.

FOR ADDITIONAL NOTES, SEE SHEET 1 OF 2.

SUMMARY OF QUANTITIES				
LOCATION	FOAM JOINT SEALS FOR PRESERVATION		EPOXY COATING	
	ESTIMATED (LIN. FT)	ACTUAL (LIN. FT)	ESTIMATED (SQ. FT)	ACTUAL (SQ. FT)
BENT 2	111.5		347	


SECTION D-D  
(BENT 2)

PROJECT NO. I-5955  
GUILFORD COUNTY  
 BRIDGE NO. 400348

SHEET 2 OF 2

STATE OF NORTH CAROLINA  
 DEPARTMENT OF TRANSPORTATION  
 RALEIGH

**FOAM JOINT SEALS**



11/17/2022

DRAWN BY: J. MYA DATE: 10/2022  
 CHECKED BY: J. YANNACCONE DATE: 10/2022



DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	
1			3			S9-6
2			4			TOTAL SHEETS 127