

6/2/2019

PAVEMENT SCHEDULE	
C1	PROP. APPROX. 1.5", TYPE S9.5B
C2	PROP. APPROX. 2.5", TYPE S9.5B
C3	PROP. APPROX. 3.0", TYPE S9.5B
C4	PROP. VAR. DEPTH, TYPE S9.5B
C5	PROP. APPROX. 3.0", TYPE S9.5C
C6	PROP. VAR. DEPTH, TYPE S9.5C
C7	PROP. APPROX. 1.5", TYPE S9.5C
D1	PROP. APPROX. 2.5", I19.0C
D2	PROP. APPROX. 4", I19.0C
D3	PROP. VAR. DEPTH, TYPE I19.0C
E1	PROP. APPROX. 4.0", TYPE B25.0C
E2	PROP. APPROX. 4.5", TYPE B25.0C
E3	PROP. APPROX. 5.0", TYPE B25.0C
E4	PROP. APPROX. 5.0", TYPE B25.0C
E5	PROP. VAR. DEPTH, TYPE B25.0C
J1	PROP. 8" DEPTH AGGREGATE BASE COURSE.
J2	VARIABLE AGGREGATE BASE COURSE
K1	SUBGRADE STABILIZATION
K2	PROP CLASS IV SUBGRADE STABILIZATION
N1	GEOTEXTILE FOR SUBGRADE STABILIZATION
P1	PRIME COAT
R1	2'-6" CONCRETE CURB AND GUTTER
R2	CONCRETE EXPRESSWAY GUTTER
R3	STANDARD CONCRETE MEDIAN BARRIER (T SERIES)
R4	SINGLE FACED CONCRETE BARRIER
R5	SHOULDER BERM GUTTER.
T	EARTH MATERIAL
U	EXISTING PAVEMENT
V	1.5" MILLING
W2	VARIABLE DEPTH ASPHALT PAVEMENT (SEE STANDARD WEDGING DETAIL SHEET No. 2A-1)
W3	VARIABLE DEPTH ASPHALT PAVEMENT (SEE STANDARD WEDGING DETAIL SHEET No. 2A-1)


NOTE: PAVEMENT EDGE SLOPES ARE 1:1 UNLESS SHOWN OTHERWISE.

NOTES:  
1. DISTANCE WILL VARY TO REACH THE DESIRED ELEVATION AS ESTABLISHED BY THE DITCH GRADE. (SEE PROFILES AND CROSS SECTIONS)


**Stantec**  
 Stantec Consulting Services Inc.  
 801 Jones Franklin Road  
 Suite 300  
 Raleigh, NC 27606  
 Tel. (919) 851-6866  
 Fax. (919) 851-7024

PROJECT REFERENCE NO. <i>R-2707D</i>	SHEET NO. <i>2A-4</i>
ROADWAY DESIGN ENGINEER <i>Matthew B. Ferguson</i> 044480 4/24/2023	PAVEMENT DESIGN ENGINEER <i>Joseph T. Holland</i> 024964 4/25/2023


DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED



USE ON:  
 -LOOPA- STA. 18+60.19 TO STA. 20+10.19  
 -RAMP\_A- STA. 28+03.13 TO STA. 35+63.63 (BEGIN BRIDGE)  
 -RAMP\_A- STA. 37+95.88 (END BRIDGE) TO STA. 39+98.69



USE ON:  
 -2LOOPA- STA. 30+15.28 TO STA. 34+08.21  
 -RAMP\_A- STA. 39+98.69 TO STA. 43+77.89



USE ON:  
 -2LOOPA- STA. 34+08.21 TO STA. 35+13.01  
 -RAMP\_A- STA. 43+77.89 TO STA. 44+77.18  
 -RAMP\_C- STA. 22+17.68 TO STA. 23+14.98

4/24/2023  
c:\users\mferguson\documents\paveworking\dms42562\R2707D\_R01\_TYP.dgn  
mferguson