-TEMPORARY SLOPE DRAIN 4'-0" —ELBOW TOE OF FILL CLASS "B"STONE —/
FOR EROSION CONTROL SECTION R-R -3"EROSION RESISTANT MATERIAL OVER PIPE 12" MINIMUM — — EARTH DITCH BLOCK 4'-0" MIN. ∠ FILL SLOPE SECTION S-S

## TEMPORARY BERM AND SLOPE DRAIN DETAILS


(TO BE USED WHEN SHOULDER BERM GUTTER IS REQUIRED)

CLASS "B"STONE — FOR EROSION CONTROL

TEMP. SLOPE DRAIN -

\_\_\_\_\_

**-----**



NOTE: IF THE APPROACH SLAB IS NOT CONSTRUCTED IMMEDIATELY AFTER THE BACKFILLING OF THE END BENT EXCAVATION, GRADE TO DRAIN TO THE BOTTOM OF THE SLOPE AND PROVIDE EROSION RESISTANT MATERIAL, SUCH AS FIBERGLASS ROVING OR AS DIRECTED BY THE ENGINEER TO PREVENT SOIL EROSION AND TO PROTECT THE AREA ADJACENT TO THE STRUCTURE. THE CONTRACTOR WILL BE REQUIRED TO REMOVE THESE MATERIALS PRIOR TO CONSTRUCTION OF THE APPROACH SLAB.

TEMPORARY DRAINAGE DETAIL

PROJECT NO. R-2707D

CLEVELAND COUNTY

849+00.00 -L-STATION:\_

SHEET 2 OF 3

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH

> BRIDGE APPROACH SLAB DETAILS

> > (LEFT LANE)

SHEET NO. 5<del>9/</del>2623470764646B... REVISIONS S5-55 NO. BY: DATE: BY: DATE: DOCUMENT NOT CONSIDERED TOTAL SHEETS FINAL UNLESS ALL SIGNATURES COMPLETED 56

Stantec

DRAWN BY: TLA 10/05

CHECKED BY : GM 5/06

Tel. (919) 851-6866 Fax. (919) 851-7024 www.stantec.com License No. F-0672

ASSEMBLED BY: J.B. GEILE DATE: 01/09/23 CHECKED BY: J.T. KELVINGTON DATE: 05/03/23

S.S. POOLE DATE: 05/09/23