

## LOAD AND RESISTANCE FACTOR RATING (LRFR) SUMMARY FOR PRESTRESSED CONCRETE GIRDERS

LEVEL	VEHICLE	WEIGHT (W) (TONS)	CONTROLLING LOAD RATING #	MINIMUM RATING FACTORS (RF)	TONS = W x RF	STRENGTH I LIMIT STATE										SERVICE III LIMIT STATE					COMMENT NUMBER			
						MOMENT					SHEAR					MOMENT								
						LIVE-LOAD FACTORS (γ <sub>LL</sub> )	DISTRIBUTION FACTORS (DF)	RATING FACTOR	SPAN	GIRDER LOCATION	DISTANCE FROM LEFT END OF SPAN (ft)	DISTRIBUTION FACTORS (DF)	RATING FACTOR	SPAN	GIRDER LOCATION	DISTANCE FROM LEFT END OF SPAN (ft)	LIVE-LOAD FACTORS (γ <sub>LL</sub> )	DISTRIBUTION FACTORS (DF)	RATING FACTOR	SPAN		GIRDER LOCATION	DISTANCE FROM LEFT END OF SPAN (ft)	
DESIGN LOAD RATING	HL-93 (INVENTORY)	N/A	①	1.07	-	1.75	0.880	1.12	A	EL	53.50	0.880	2.03	B	EL	12.20	0.80	0.880	1.07	B	EL	63.90		
	HL-93 (OPERATING)	N/A		1.45	-	1.35	0.880	1.45	A	EL	53.50	0.880	2.68	B	EL	12.20	N/A	--	--	-	-	--		
	HS-20 (INVENTORY)	36.000	②	1.60	57.6	1.75	0.880	1.60	A	EL	53.50	0.880	3.01	B	EL	12.20	0.80	0.880	1.60	B	EL	63.90		
	HS-20 (OPERATING)	36.000		2.08	74.9	1.35	0.880	2.08	A	EL	53.50	0.880	3.96	B	EL	12.20	N/A	--	--	-	-	--		
LEGAL LOAD RATING	SINGLE VEHICLE (SV)	SNSH	13.500		1.57	21.2	1.40	0.880	1.95	A	EL	53.50	0.880	3.77	B	EL	12.20	0.80	0.880	1.57	B	EL	63.90	
		SNGARBS2	20.000		2.58	51.6	1.40	0.880	3.21	A	EL	53.50	0.880	6.56	B	EL	12.20	0.80	0.880	2.58	B	EL	63.90	
		SNAGRIS2	22.000		1.94	42.7	1.40	0.880	2.39	A	EL	53.50	0.880	4.90	B	EL	12.20	0.80	0.880	1.94	B	EL	63.90	
		SNCOTTS3	27.250		2.77	75.5	1.40	0.880	3.46	A	EL	53.50	0.880	7.14	B	EL	12.20	0.80	0.880	2.77	B	EL	63.90	
		SNAGGRS4	34.925		1.54	53.8	1.40	0.880	1.91	A	EL	53.50	0.880	3.62	B	EL	12.20	0.80	0.880	1.54	B	EL	63.90	
		SNS5A	35.550		1.39	49.4	1.40	0.880	1.73	A	EL	53.50	0.880	3.25	B	EL	12.20	0.80	0.880	1.39	B	EL	63.90	
		SNS6A	39.950		1.32	52.7	1.40	0.880	1.65	A	EL	53.50	0.880	3.14	B	EL	12.20	0.80	0.880	1.32	B	EL	63.90	
		SNS7B	42.000		3.90	163.8	1.40	0.880	4.82	A	EL	53.50	0.880	10.34	B	EL	12.20	0.80	0.880	3.90	B	EL	63.90	
	TRUCK TRACTOR SEMI-TRAILER (TTST)	TNAGRIT3	33.000		1.38	45.5	1.40	0.880	1.74	A	EL	53.50	0.880	3.10	B	EL	12.20	0.80	0.880	1.38	B	EL	63.90	
		TNT4A	33.075		1.36	45.0	1.40	0.880	1.70	A	EL	53.50	0.880	3.21	B	EL	12.20	0.80	0.880	1.36	B	EL	63.90	
		TNT6A	41.600		1.36	56.6	1.40	0.880	1.70	A	EL	53.50	0.880	3.40	B	EL	12.20	0.80	0.880	1.36	B	EL	63.90	
		TNT7A	42.000		1.69	71.0	1.40	0.880	2.11	A	EL	53.50	0.880	3.99	B	EL	12.20	0.80	0.880	1.69	B	EL	63.90	
		TNT7B	42.000		1.27	53.3	1.40	0.880	1.58	A	EL	53.50	0.880	3.02	B	EL	12.20	0.80	0.880	1.27	B	EL	63.90	
		TNAGRIT4	43.000		1.28	55.0	1.40	0.880	1.59	A	EL	53.50	0.880	3.05	B	EL	12.20	0.80	0.880	1.28	B	EL	63.90	
		TNAGT5A	45.000		1.69	76.1	1.40	0.880	2.11	A	EL	53.50	0.880	4.05	B	EL	12.20	0.80	0.880	1.69	B	EL	63.90	
TNAGT5B	45.000	③	1.26	56.7	1.40	0.880	1.57	A	EL	53.50	0.880	3.10	B	EL	12.20	0.80	0.880	1.26	B	EL	63.90			

### LOAD FACTORS:

DESIGN LOAD RATING FACTORS	LIMIT STATE	γ <sub>DC</sub>	γ <sub>DW</sub>
	STRENGTH I	1.25	1.50
	SERVICE III	1.00	1.00

### NOTES:

MINIMUM RATING FACTORS ARE BASED ON THE STRENGTH I AND SERVICE III LIMIT STATES.

ALLOWABLE STRESSES FOR SERVICE III LIMIT STATE ARE AS REQUIRED FOR DESIGN.

SPAN LENGTH AND SUPPORT CONDITIONS SHOWN IN THE LRFR SKETCH CONFORMS TO THE ANALYSIS MODEL USED FOR ALL LOAD CONDITIONS.

# CONTROLLING LOAD RATING

① DESIGN LOAD RATING (HL-93)


② DESIGN LOAD RATING (HS-20)

③ LEGAL LOAD RATING \*\*

\*\* SEE CHART FOR VEHICLE TYPE

GIRDER LOCATION

I - INTERIOR GIRDER  
EL - EXTERIOR LEFT GIRDER  
ER - EXTERIOR RIGHT GIRDER



PROJECT NO. R-2707D

CLEVELAND COUNTY

STATION: 849+00.00 -L-

### LRFR SUMMARY

Stantec Consulting Services Inc.  
801 Jones Franklin Road  
Suite 300  
Raleigh, NC 27606  
Tel. (919) 851-6866  
Fax. (919) 851-7024  
www.stantec.com  
License No. F-0672

ASSEMBLED BY: J.E. HAGENBUSH	DATE: 9/26/18
CHECKED BY: S.S. POOLE	DATE: 12/10/22
DRAWN BY: MAA	1/08
CHECKED BY: GM/DI	2/08
REV. 11/2/08RR	MAA/GM
REV. 10/1/11	MAA/GM
REV. 12/17	MAA/THC
DESIGN ENGINEER OF RECORD: S.S. POOLE	DATE: 05/10/23



STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION  
RALEIGH

STANDARD  
LRFR SUMMARY FOR  
PRESTRESSED  
CONCRETE GIRDERS  
(NON-INTERSTATE TRAFFIC)  
(RIGHT LANE)

REVISIONS					SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:
1			3		
2			4		
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED					TOTAL SHEETS: 56