



PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION



PLAN

FOAM INJECTION



DRAWN BY : JASON M. DEBONE DATE : 01/2023
 CHECKED BY : ALLEN J. MCSWAIN DATE : 01/2023
 DESIGN ENGINEER OF RECORD: JACOB H. DUKE DATE : 01/2023

4/17/2023
640059.16039.SMU.SLP01.dgn
jduke

AS-BUILT REPAIR QUANTITY TABLE

SLOPE PROTECTION REPAIRS	640059	
	ESTIMATE	ACTUAL
SLOPE PROTECTION VOID FILLING	3000 LBS	


NOTES:

USE THIS SHEET IN CONJUNCTION WITH THE SHEET S-10.

FOR SLOPE PROTECTION VOID FILLING, SEE SPECIAL PROVISIONS.

AFTER COMPLETION OF VOID FILLING, SEAL CRACKS IDENTIFIED WITH POURABLE SILICONE JOINT SEALANT AS DESCRIBED IN THE SPECIAL PROVISION FOR "SILICONE JOINT SEALANT FOR SLOPE REPAIRS" (BACKER RODS MAY BE OMITTED AS APPROVED BY THE ENGINEER.

PROJECT NO. I-6039
NEW HANOVER COUNTY
 BRIDGE NO. 640059



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
RALEIGH

SLOPE PROTECTION REPAIRS

REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	TOTAL SHEETS
1			3			13
2			4			

DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED

301 FAYETTEVILLE ST., SUITE 1500
RALEIGH, NC 27601 (919) 892-7839
NC FIRM LICENSE: C-1506