



PROJECT REFERENCE NO.	SHEET NO.
U-5312	EC-15/CONST.06
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

Place Matting for Erosion Control on Slope as Work Allows. Sta. 51+50 to Sta. 53+50 -L- RT

NOTE:
UTILIZE FABRIC INSERT INLET PROTECTION DEVICES IN LIEU OF ROCK INLET SEDIMENT TRAPS, TYPE-C AS DIRECTED TO AVOID IMPOUNDMENT OF RUNOFF IN ROADWAY OPEN TO TRAFFIC.



DETAIL 23 FALSE SLUMP (Not to Scale)

Ditch Grade	L	Ditch Grade	L
0.0% To 2.0%	20'	Over 4.0% To 6.0%	40'
Over 2.0% To 4.0%	30'	Over 6.0%	50'

S=Ditch Slope
L=Ditch Length
G=Proposed Ditch

NAD 83/NSRS 2007

FINAL GRADING EROSION CONTROL FOR CONSTRUCTION SHEET 06

BEGIN TIP PROJECT U-5312
-L- STA. 50+50.00
GRADE LINES MAY BE ADJUSTED AT THEIR BEGINNING AS DIRECTED BY THE ENGINEER IN ORDER TO SECURE A PROPER TIE-IN.

