5/14/99

PROJECT REFERENCE NO.	SHEET NO.
U-5824	U0-2
THIS SHEET CORRESPONDS TO RDY-4	

UTILITIES BY OTHERS

ALL PROPOSED UTILITY WORK SHOWN ON THIS SHEET WILL BE DONE BY OTHERS. NO PAYMENT WILL BE MADE TO THE CONTRACTOR FOR PROPOSED UTILITY WORK SHOWN ON THIS SHEET.

NAD 83/2011

MATCHLINE -L- STA 24+00.00 (SEE SHEET U0-3)

DETAIL 4-1
LATERAL RIP-RAP LINED BASE DITCH
(Not to Scale)



Min. D= 1 Ft.
Max. d= 1 Ft.
B= 2 Ft.
b= 5 Ft.

*When B is < 6.0'
Type of Liner= 40 TON CL B Rip-Rap, 80 SY GEOTEXTILE

FROM STA. 18+00 TO STA. 19+30 -L- LT

DETAIL 4-2
LATERAL RIP-RAP LINED BASE DITCH
(Not to Scale)



Min. D= 1 Ft.
Max. d= 1 Ft.
B= 5 Ft.
b= 5 Ft.

*When B is < 6.0'
Type of Liner= 42 TON CL B Rip-Rap, 90 SY GEOTEXTILE

FROM STA. 19+53 TO STA. 20+50 -L- LT


NORFOLK AND WESTERN RAILROAD
JOHN T VLAHOS DB 2853 PG 1741
ELIOSE J HALL DB 1884 PG 1704
DAVID H BATTEN DB 2813 PG 3290
JOHN CHONG PEEL DB 1914 PG 380
WILLIAM E RUSSELL DB 1994 PG 3252
DUKE POWER CO DB 875 PG 125
DUKE POWER CO DB 889 PG 68
PELAGIC PARTNERS, LLC. DB 3312 PG 1691
A D D VENTURES,LLC. DB 3272 PG 4145
WALKERTOWN LUBE-N-WASH, INC DB 2111 PG 3660
PRITCHARD, RALPH L. DB 1664 PG 2256
DUKE POWER CO DB 1167 PG 564
TNP HOLDINGS LLC DB 2995 PG 4135
TNP HOLDINGS LLC DB 2996 PG 4135
WALKERTOWN PENT HOLINESS CHURCH NDF
DUKE ENERGY POLE
AERIAL DUKE ENERGY
DUKE ENERGY POLE & GUY
AERIAL DUKE, CENTURYLINK & SPECTRUM
DUKE ENERGY POLE & GUYS
AERIAL DUKE, & SPECTRUM
DUKE ENERGY POLE REMOVED
DUKE ENERGY POLES REMOVED
DUKE ENERGY POLE & GUY REMOVED
DUKE POLE & GUYS REMOVED
DUKE ENERGY POLE & GUY
BURIED CENTURYLINK
CENTURYLINK UG ABANDONED
CENTURYLINK POLE REMOVED
RETAIN SYSTEM
TOE PROTECTION SEE DETAIL 4-5
SPECIAL CUT DITCH SEE DETAIL 4-4
TIE TO EXISTING DITCH
2 TON GEOTEXTILE 7 SY
PROP D/W POW & CATV LINES
PROP D/W POW LINES
REMOVE
RETAIN SYSTEM
-EL-
-EYL-
-DUE-
-DUE-
-PDE-
-TDE-
-L-
-Y2-
-Y1-
-Y3-
-Y4-
-BL-1
-BL-2
-BL-3
-BL-4
-SS-
-SS-
-SS-