

ITEM NO.			ITEM DESCRIPTION	QUANTITY	UNIT
GRP CODE	DESC. NO.	SEC NO.			
PM	4685000000-E	1205	THERMOPLASTIC (4", 90 MILS)	27089	LF
PM	4695000000-E	1205	THERMOPLASTIC (8", 90 MILS)	3396	LF
PM	4700000000-E	1205	THERMOPLASTIC (12", 90 MILS)	190	LF
PM	4709000000-E	1205	THERMOPLASTIC (24", 90 MILS)	487	LF
PM	4720000000-E	1205	THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)	14	EA
PM	4725000000-E	1205	THERMOPLASTIC PAVEMENT MARKING SYMBOLS (90 MILS)	62	EA
PM	4726110000-E	1205	HEATED-IN-PLACE THERMOPLASTIC SYMBOL (90 MILS)	20	EA
PM	4905000000-N	1253	SNOWPLOWABLE RAISED PAVEMENT MARKERS	322	EA

Estimates Summary for TIP Project # U-6003

NCPProject #:
FA-Project#:
WBS Number

Date of Estimate: 9/8/2023
Prepared By: C. HARNDEN

County: FORSYTH
Description: MACY GROVE RD EXT. KERNERSVILLE LOOP FROM SR 1969 (PINEY GROVE RD)
TO NC 150 (N. MAIN ST)

THERMOPLASTIC (4", 90 MILS)

T10	(4") YELLOW EDGELINE	4867	LF
T13	(4") YELLOW DOUBLE CENTER	4712	LF
T1	(4") WHITE EDGELINE	13080	LF
T2	WHITE SOLID LANE LINE	3564	LF
T3	(4") 10 FT. WHITE SKIP	136	LF
T4	(4") 3 FT. - 9 FT./SP WHITE MINISKIP	550	LF
T5	(4") 2 FT. - 6 FT./SP WHITE MINISKIP	180	LF

TOTAL (4", 90 MILS) 27089 LF

THERMOPLASTIC (8", 90 MILS)

T40	(8") WHITE GORELINE	2350	LF
T41	(8") WHITE DIAGONAL	428	LF
T42	(8") YELLOW DIAGONAL	203	LF
T43	(8") WHITE SOLID LANE LINE	250	LF
T44	(8") 3 FT. - 9 FT./SP WHITE MINISKIP	78	LF
T46	(8") WHITE CROSSWALK LINE	87	LF

TOTAL (8", 90 MILS) 3396 LF

THERMOPLASTIC (12", 90 MILS)

T51	(12") WHITE DIAGONAL	190	LF
-----	----------------------	-----	----

THERMOPLASTIC PAVEMENT MARKING CHARACTER (90 MILS)

T100	ALPHANUMERIC CHAR. (90 MIL)	14	EA
------	-----------------------------	----	----

Estimates Summary for TIP Project # U-6003

NCPProject #:
FA-Project#:
WBS Number

Date of Estimate: 9/8/2023
Prepared By: C. HARNDEN

County: FORSYTH
Description: MACY GROVE RD EXT. KERNERSVILLE LOOP FROM SR 1969 (PINEY GROVE RD)
TO NC 150 (N. MAIN ST)

THERMOPLASTIC PAVEMENT MARKING SYMBOLS (90 MILS)		
T70	LEFT TURN ARROW	22 EA
T71	RIGHT TURN ARROW	23 EA
T72	STRAIGHT ARROW	17 EA
TOTAL PAVEMENT MARKING SYMBOLS (90 MILS)		62 EA
THERMOPLASTIC HEATED-IN-PLACE (90 MILS)		
T90	BICYCLE SYMBOL	10 EA
T91	BICYCLE STRAIGHT ARROW	10 EA
TOTAL HEATED-IN-PLACE (90 MILS)		20 EA
THERMOPLASTIC (24", 90 MILS)		
T61	WHITE STOPBAR (24", 90 MIL)	487 LF
SNOWPLOWABLE RAISED PAVEMENT MARKERS		
ME - YELLOW & YELLOW	T13, (@ 80 FT spacing)	14 EA
ME - YELLOW & YELLOW	T13 - ISLANDS, (@ 40 FT spacing)	32 EA
MF - CRYSTAL & RED	T2, (@ 20 FT spacing)	93 EA
MF - CRYSTAL & RED	T2 - NC150, (@ 20 FT spacing)	33 EA
MF - CRYSTAL & RED	T3 - NC150, (@ 80 FT spacing)	7 EA
MF - CRYSTAL & RED	T40, (@ 20 FT spacing)	70 EA
MF - CRYSTAL & RED	T40 - NC150, (@ 20 FT spacing)	47 EA
MF - CRYSTAL & RED	T43 - NC150, (@ 20 FT spacing)	13 EA
MF - CRYSTAL & RED	T44 - NC 150, (@ 24 FT spacing)	13 EA
TOTAL SNOWPLOWABLE RAISED PAVEMENT MARKERS		322 EA