DocuSign Envelope ID: A77F627A-D704-4394-94F9-D7668E059C27

5/14/99

NOTES:
1. PROVIDE MINIMUM 12" VERTICAL SEPARATION BETWEEN PROPOSED 4" PVC CASING AND PROPOSED WET UTILITY PIPE.




## -W1- PROFILE

SEE SHEET UC-4 FOR PLAN




## -W2- PROFILE

SEE SHEET UC-4 AND UC-5 FOR PLAN




Kimley»Horn ©2024
300 MORRIS STREET, SUITE 200
DURHAM, NC 27701

| PROJECT REFERENCE NO. | SHEET NO. |
|---|---|
| R-5963D | UC-6 |

DESIGNED BY: NLH
DRAWN BY: JNB
CHECKED BY: NDR
APPROVED BY: NLH
REVISED:

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

UTILITIES ENGINEERING SEC.
PHONE:(919)707-6690
FAX:(919)250-4151

NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 045249 NATHANIEL L. HARVEY
3/4/2024

UTILITY CONSTRUCTION PLANS ONLY

# UTILITY CONSTRUCTION




## -W2- PROFILE

SEE SHEET UC-5 FOR PLAN




## -W3- PROFILE

SEE SHEET UC-4 FOR PLAN




## -RW1- PROFILE

SEE SHEET UC-4 FOR PLAN

3/4/2024