




CLEARING & GRUBBING PHASE



-LNB-
 PI Sta 18+14.60
 $\Delta = 10^{\circ} 05' 07.9''$ (RT)
 $D = 1^{\circ} 30' 28.0''$
 $L = 668.90'$
 $T = 335.31'$
 $R = 3,800.00'$
 $e = 5.0\%$
 $Ro = 180'$

**BEGIN TIP PROJECT B-5527
 BEGIN CONSTRUCTION
 -LSB- STA. 13+21.00**

LESLIE G. BENNETT
 WENDI G. BENNETT
 DB 1066 PG 233
 PB 20 PG 64



MATCHLINE
 -LSB- STA. 22+25
 SEE SHEET EC-5

MATCHLINE
 -LNB- STA. 22+25
 SEE SHEET EC-5

NOTE:
 PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B
 AND TEMPORARY ROCK SILT CHECKS TYPE - A AT
 DRAINAGE OUTLETS.

CLEARING AND GRUBBING
 EROSION CONTROL FOR
 CONSTRUCTION SHEET 4

PROPOSED SHOULDER BERM GUTTER LIMITS:
 -LNB- STA. 21+69.00 TO BEGIN APPROACH SLAB - LT
 -LNB- STA. 21+69.00 TO BEGIN APPROACH SLAB - RT

3/5/2024 X:\Raleigh\114-783\050 - B-5527 CE Update\05-CAD\B5527\Hydro\pics\CADD\PSH\B5527-EC.psh.04.dgn
 AMT