




**PLAN VIEW**



**SECTION C-C**



**SECTION A-A**





**SECTION B-B**

**GENERAL NOTES:**  
 USE CLASS "B" CONCRETE THROUGHOUT.  
 USE FORMS FOR THE CONSTRUCTION OF THE BOTTOM SLAB.  
 CHAMFER ALL EXPOSED CORNERS 1".  
 BOX DIMENSIONS MAY BE FIELD ADJUSTED AS DIRECTED BY THE ENGINEER.  
 DRAWING NOT TO SCALE.  
 2" MINIMUM CONCRETE COVERAGE ON ALL REBAR.

BILL OF MATERIAL				
BAR	NO.	SIZE	LENGTH	WEIGHT
A	28	#5	4'-6"	131
C	14	#5	9'-4"	136
E	44	#5	4'-6"	207
G	60	#5	7'-4"	459
J	44	#5	9'-4"	428
Z	4	#4	11'-9"	31
DOWEL	40	#5	5'-0"	209
TOTAL REINF. STEEL			(LBS.)	1,601
TOTAL CLASS "B" CONCRETE *			(CU. YDS.)	7.5

\* NO DEDUCTIONS HAVE BEEN MADE FOR PIPES.



**WETHERILL ENGINEERING**  
 1223 Jones Franklin Rd.  
 Raleigh, N.C. 27606  
 License No. F-0377  
 Bus: 919 851 8077  
 Fax: 919 851 8107

TRANSPORTATION PLANNING/DESIGN - BRIDGE/STRUCTURE DESIGN  
 CIVIL/SITE DESIGN - GIS/GPS - CONSTRUCTION OBSERVATION

**DOCUMENT NOT CONSIDERED FINAL  
 UNLESS ALL SIGNATURES COMPLETED**

**SPECIAL JUNCTION BOX  
 W/ SLAB LID**

DRAWN BY: D. HODGE DATE: 4/24  
 CHECKED BY: J. DILWORTH DATE: 4/24