




TYPICAL SECTION 4
 MAP 3 FRYE BRIDGE RD SR1493
 MAP 4 WALLBURG-HIGHPOINT RD SR1741
 MAP 5 SCENIC WAY SR3056
 MAP 7 HASTY SCHOOL RD SR1772
 MAP 9 MIDWAY SCHOOL RD SR1800



TYPICAL SECTION 5
 MAP 8 WILL JOHNSON RD SR1781



TYPICAL SECTION 6
 MAP 6 N ALBERTSON RD SR1770

PAVEMENT SCHEDULE	
C1	PROP. APPROX. 1½" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, TO BE APPLIED AT AN AVERAGE RATE OF 165 LBS PER SQ YD.
C2	PROP. APPROX. 1½" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, TO BE APPLIED AT AN AVERAGE RATE OF 168 LBS PER SQ YD.
C3	PROP. APPROX. 2" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, TO BE APPLIED AT AN AVERAGE RATE OF 220 LBS PER SQ YD.
M1	MILL ASPHALT PAVEMENT, 1½" DEPTH
M2	10" WIDE SINUSOIDAL MILLED RUMBLE STRIP ALONG EDGELINE
M3	18" WIDE SINUSOIDAL MILLED RUMBLE STRIP ALONG CENTERLINE
S	SHOULDER RECONSTRUCTION (SEE DETAIL)
U	EXISTING PAVEMENT
U2	EXISTING STONE BASE