MAXTIME OVERLAP PROGRAMMING DETAIL
FOR DEFAULT PHASING

Front Panel
Main Menu >Controller >Overlap >Overlap Parameters/Overlap Timings

Web Interface
Home >Controller >Overlap Configuration >Overlaps

Overlap Plan 1

Overlap	1	2	3	4	
Type	FYA 4 - Section	Off	FYA 4 - Section	Off	
Included Phases	2	-	6	-	← NOTICE INCLUDED PHASE
Modifier Phases	-	-	5	-	← NOTICE MODIFIER PHASE
Modifier Overlaps	-	-	-	-	
Trail Green	0	0	0	0	
Trail Yellow	0.0	0.0	0.0	0.0	
Trail Red	0.0	0.0	0.0	0.0	

MAXTIME DETECTOR PROGRAMMING DETAIL
FOR ALTERNATE PHASING LOOP 5A

Front Panel
Main Menu >Controller >Detector >Veh Det Plans

Web Interface
Home >Controller >Detector Configuration >Vehicle Detectors

In the table view of web interface right click on "Detector" in
the top left corner of the table. Copy the entire contents of
Detector Plan 1. Paste Detector Plan 1 into Detector Plan 2.
Modify Detector Plan 2 as shown below and save changes.

Plan 2

5A

Detector	Call Phase	Delay
15	5	-
31	0	-

MAXTIME ALTERNATE PHASING PATTERN
PROGRAMMING DETAIL

Front Panel
Main Menu >Controller >Coordination >Patterns

Web Interface
Home >Controller >Coordination >Patterns

Pattern Parameters

Pattern	Veh Det Plan	Overlap Plan
*	2	2

*The Pattern number(s) are to be determined by
the Division and/or City Traffic Engineer.

MAXTIME OVERLAP PROGRAMMING DETAIL
FOR ALTERNATE PHASING

Front Panel
Main Menu >Controller >Overlap >Overlap Parameters/Overlap Timings

Web Interface
Home >Controller >Overlap Configuration >Overlaps

In the table view of the web interface, right click on
"Overlap" in the top left corner of the table. Copy the
entire contents of Overlap Plan 1. Paste Overlap Plan 1
into Overlap Plan 2. Modify Overlap Plan 2 as shown
below and save changes.

Overlap Plan 2

Overlap	1	2	3	4	
Type	FYA 4 - Section	Off	FYA 4 - Section	Off	
Included Phases	2	-	-	-	← NOTICE INCLUDED PHASE
Modifier Phases	-	-	5	-	← NOTICE MODIFIER PHASE
Modifier Overlaps	-	-	-	-	
Trail Green	0	0	0	0	
Trail Yellow	0.0	0.0	0.0	0.0	
Trail Red	0.0	0.0	0.0	0.0	

MAXTIME ALTERNATE PHASING ACTIVATION DETAIL

To run alternate phasing, select a Pattern that is programmed to run Overlap Plan 2 and Detector Plan 2.
A Pattern can be selected through the scheduler or manually by changing the Operational Mode.

PHASING	OVERLAP PLAN	VEH DET PLAN
ACTIVE PLAN REQUIRED TO RUN DEFAULT PHASING	1	1
ACTIVE PLAN REQUIRED TO RUN ALTERNATE PHASING	2	2

ALTERNATE PHASING CHANGE SUMMARY

THE FOLLOWING IS A SUMMARY OF WHAT TAKES PLACE WHEN
OVERLAP PLAN 2 AND VEHICLE DETECTOR PLAN 2 ACTIVATE
TO CALL THE "ALTERNATE PHASING":

OVERLAP PLAN 2: Modifies overlap included phases
for head 51 to run protected turns only.

VEH DET PLAN 2: Disables phase 2 call on loop 5A
and reduces delay time for phase 5
call on loop 5A to 0 seconds.

THIS ELECTRICAL DETAIL IS FOR
THE SIGNAL DESIGN: 08-0098T3
DESIGNED: June 2024
SEALED: 7/11/2024
REVISED: