



*Prepared for*

**North Carolina Department of Transportation**  
Century Center Complex, Building B  
1020 Birch Ridge Drive  
Raleigh, North Carolina 27610

**PRELIMINARY SITE ASSESSMENT  
PARCEL 78  
NC 211 IN WEST END  
4219 NC HIGHWAY 211,  
MOORE COUNTY  
WEST END, NORTH CAROLINA**

**WBS #: 50218.1.1  
TIP#: R-5726**

*Prepared by*

Geosyntec Consultants of NC, PC  
2501 Blue Ridge Road, Suite 430  
Raleigh, North Carolina 27607

Project Number GN7039

October 2019

**Date:** October 21, 2019  
**WBS Number:** 50218.1.1  
**TIP Number:** R-5726  
**County:** Moore County  
**Description:** Preliminary Site Assessment  
**Address:** 4219 NC 211, West End, North Carolina 27376  
**Parcel ID:** Parcel 78; C.S. Davis, Jr and J.B. Davis, Moore County, LLC  
**Author:** R. Matthew Jenny, P.E.

I, R. Matthew Jenny, a Professional Engineer for Geosyntec Consultants of NC, PC do certify that the information in this report is correct and accurate to the best of my knowledge.



Not considered final until all signatures are completed

Geosyntec Consultants of NC, PC is licensed to practice engineering in North Carolina. The certification number (Firm's License Number) is C-3500.

Geosyntec Consultants of NC, PC is licensed to practice geology in North Carolina. The certification number (Firm's License Number) is C-295.

## TABLE OF CONTENTS

1.	INTRODUCTION .....	1
1.1	Description.....	1
1.2	Site Background .....	1
1.3	Scope of Work .....	1
2.	HISTORY .....	3
2.1	Historical Aerial Photographs .....	3
2.2	Subject Site Findings .....	3
3.	METHODS .....	4
3.1	Geophysical Investigation .....	4
3.2	Sub-Surface Soil Investigation .....	4
4.	RESULTS .....	6
4.1	Site Observations.....	6
4.2	Geophysical Investigation Results.....	6
4.3	Sub-Surface Investigation Results.....	6
4.3.1	Field Sampling Observations and PID Results .....	6
4.3.2	Soil and Groundwater Sampling Analytical Results .....	7
5.	SUMMARY.....	8

## LIST OF TABLES

- Table 1: Soil Boring Coordinates  
Table 2: Soil Analytical Results – TPH by UVF  
Table 3: Soil Analytical Results – VOCs

## **LIST OF FIGURES**

- Figure 1: Site Location
- Figure 2: Site Layout
- Figure 3: Soil Boring Locations (Roadway Design Base Map)

## **LIST OF APPENDICES**

- Appendix A: Geophysical Investigation Report
- Appendix B: Photographic Log
- Appendix C: Soil Boring Logs
- Appendix D: Red Lab UVF Report
- Appendix E: Prism Laboratories Analytical Report

## 1. INTRODUCTION

### 1.1 Description

Geosyntec Consultants of NC, PC (Geosyntec) presents this technical report (Report) to the North Carolina Department of Transportation (NCDOT) for the Preliminary Site Assessment (PSA) of 4219 NC 211 in West End, North Carolina (the Site). The Site is associated with NCDOT TIP number R-5726, Parcel 78, and owned by C.S. Davis, Jr and J.B. Davis, Moore County, LLC. A Site location map is presented in **Figure 1**.

Geosyntec understands NCDOT would like to acquire right-of-way (ROW) and Public Utility Easements (PUEs) for road improvements along NC 211 in West End, North Carolina. The principal purpose of this PSA is to assess the possible presence of underground storage tanks (USTs) and/or above-ground storage tanks (ASTs), determine the likelihood of environmental impacts (i.e., soil and/or groundwater contamination), and make recommendations for regulatory compliance within the project study area.

This report discusses the Site history, investigative methodology, observations, sampling results, conclusions, and recommendations.

### 1.2 Site Background

NCDOT Parcel number 78 (Moore County Parcel number 00017283 [C.S. Davis, Jr and J.B. Davis, Moore County, LLC]) is located on 4219 NC HWY 211 in West End. **Figure 2** shows the general Site layout, including the locations of the soil borings advanced to investigate the subsurface of the Site. The property is approximately 0.34 acres and is bounded to the immediate southwest by NC 211 and to the north and east by commercial and grass land. The Site is currently a gas station and convenience store and is associated with UST facility ID 0-023256. According to the UST Section Registry, there are currently five USTs in use (three 10,000-gallon USTs; one 10,000-gallon diesel UST; and one 4,000-gallon kerosene UST). It should be noted, however, that the geophysical survey only identified four USTs on the property; the geophysical results are explained in the Results section of the report. There are no known UST incidents associated with the Site.

### 1.3 Scope of Work

The scope of work consisted of a historical Site desktop review, geophysical survey, and sub-surface soil investigation. The geophysical survey was performed to locate potential

*Preliminary Site Assessment (Parcel 78 – C.S. Davis, Jr And J.B. Davis Moore County, LLC)*

*TIP Number R-5726*

*4219 NC 211, West End, North Carolina*

*October 2019*



Geosyntec Consultants of NC, P.C.

metallic USTs, UST-associated product lines, non-UST metallic anomalies, and private underground utility lines within the immediate vicinity of the proposed soil boring locations. Following the geophysical survey, soil borings were advanced and soil samples were collected from each location to determine if, and to what extent, contaminated soils are present within the study area.

## **2. HISTORY**

Geosyntec reviewed publicly accessible online environmental databases (i.e., the North Carolina Department of Environmental Quality [NCDEQ] Laserfiche database, the NCDEQ Division of Waste Management Site Locator Tool, and the NCDEQ UST Section database) to research the Site history.

### **2.1 Historical Aerial Photographs**

The following reviews the findings from the historical aerial photographs, as provided by Google Earth® imagery:

- The earliest aerial photographs date back to 1993. The existing refueling station can be identified in the historical photos. No significant deviations at the Site were identified between 1993 and 2018.
- The Site surroundings (residential and commercial land) appear generally consistent from 1993 to 2018. Some minor land development can be identified between 1999 and present day.

### **2.2 Subject Site Findings**

There are no known UST incidents associated with the property identified in the initial Site historical review. Further, other (i.e., non-UST) environmental incidents were not identified as part of a cursory desktop review.

Based upon the limited environmental history information, Geosyntec conducted a Site investigation inclusive of a geophysical survey and intrusive activities to screen soil and evaluate if there is contamination within the Site study area.

### 3. METHODS

#### 3.1 Geophysical Investigation

The geophysical investigation was performed at the Site by Pyramid Environmental and Engineering P.C. (Pyramid) from July 29 to July 31, 2019 to locate and mark buried USTs, buried metallic drums, and/or buried utility lines within the accessible portions of the ROW/PUE extent. Generally, the tasks consisted of an electromagnetic induction-metal (EM) detection followed by ground penetrating radar (GPR) surveys.

The EM data was digitally collected at approximately 1-foot intervals along survey lines spaced approximately five feet apart. The EM unit can detect a metal drum down to a depth of approximately eight (8) to ten (10) feet. GPR scanning was conducted across selected EM metal detection anomalies, around the proposed boring locations, and across the entire ROW/PUE area along with a DitchWitch utility locator for buried utility line clearance. Additional details of the geophysical investigation methodology are provided in **Appendix A** of the report.

#### 3.2 Sub-Surface Soil Investigation

The sub-surface investigation was conducted on August 12-15, 2019 using a direct push technology (DPT) drill rig. SAEDACCO provided the drilling services. North Carolina 811 was notified to mark utility lines within the existing ROW prior to drilling. A hand auger was used for the top three (3) to five (5) feet of each boring as an additional safety precaution.

Four (4) soil borings were completed during this investigation, each extending 10 feet below ground surface (ft bgs). Soil sampling locations were selected in areas likely to be encountered during roadway construction. Specific priority was placed at locations proximal to the existing USTs and gasoline dispensers. The soil lithology was recorded, and the soil was screened using a photo-ionization detector (PID) with a 10.6 electron-Volt lamp at approximately 6-inch intervals. Soil samples were collected from each boring at an elevation corresponding to the highest PID reading. In instances where PID readings were null, field personnel used professional judgement (e.g., odors, staining, historical Site-use information) to determine the appropriate sampling depth.

Upon DPT completion, the soil cuttings were dispersed over the Site's natural areas and/or backfilled within the boring. Boring surface completions matched pre-existing

conditions to the extent practical. Boring locations were surveyed with a global position system (GPS) unit. DPT rods were decontaminated with a Liquinox® cleaning solution between borings. Free product was not encountered during soil sampling, nor was other investigative derived waste (IDW) accumulated. As such, IDW drums were unnecessary.

Samples were sent off-site to Red Lab, LLC (Red Lab) and Prism Laboratories, Inc. (Prism). The samples sent to Red Lab were analyzed for Total Petroleum Hydrocarbon (TPH), gasoline-range organics (GRO), and diesel-range organics (DRO) by Ultra-Violet Fluorescence (UVF). Soil samples submitted to Prism were analyzed for volatile organic compounds (VOCs) by USEPA Method 8260B, reporting only benzene, toluene, ethylbenzene, and xylenes (BTEX). The analytical approaches are consistent with the UST Section Guidance. Samples were sent on ice under chain of custody procedures to the applicable laboratory.

## 4. RESULTS

### 4.1 Site Observations

On July 29, 2019 Geosyntec performed an initial Site walk with Pyramid prior to conducting work. The Site is an operating gas station with significant vehicular traffic. Soil boring locations were selected in locations that met project objectives while simultaneously accounting for health and safety. **Appendix B** provides a photographic log of the field observations.

### 4.2 Geophysical Investigation Results

The geophysical survey was performed to locate and mark buried USTs, buried metallic drums, and/or buried utility lines within the ROW/PUE extent using both EM and GPR approaches.

Pyramid identified four active USTs at the property, beyond the proposed PUE/ROW extent. GPR was performed across the four known USTs to verify their properties. The dimensions of the USTs are approximated as follows (UST IDs are arbitrarily labeled per Pyramid):

- UST #1 is approximately 32 feet long and 9.5 feet wide;
- UST #2 is approximately 31.5 feet long and 9.5 feet wide;
- UST #3 is approximately 31.5 feet long and 9.5 feet wide;
- UST #4 is approximately 31 feet long and 8.5 feet wide.

GPR results did not identify additional buried structures within the survey area. Collectively, the geophysical data showed four existing metallic USTs within the property (outside the ROW/PUE extent). Pyramid's geophysical report is provided in **Appendix A**.

### 4.3 Sub-Surface Investigation Results

#### 4.3.1 Field Sampling Observations and PID Results

Following the geophysical survey, the sub-surface investigation was performed to determine if, and to what extent, contaminated soils are present within the study area. Four (4) soil borings were completed during this investigation, each extending 10 ft bgs.

PID soil screening values were minimal (less than 1 part per million [ppm]) throughout the entirety of each soil boring. The soil lithology generally consisted of top soil in the first three (3) ft bgs followed by sandy clay with some gravel. Groundwater was not encountered. Soil sampling locations are shown on **Figure 2** and GPS coordinates are recorded on **Table 1**. The boring logs are provided in **Appendix C**.

#### 4.3.2 Soil and Groundwater Sampling Analytical Results

Four (4) soil samples were collected as part of the intrusive investigation and analyzed for TPH by UVF and VOCs by EPA Method 8260B. The TPH analytical data was screened against the TPH DRO and TPH GRO values established in the UST Section Guidance. The benzo(a)pyrene and BTEX analytical data were compared to the NCDEQ UST Section Maximum Soil Contaminant Concentrations (MSCCs).

The UVF fingerprinting data do not indicate soil screening level exceedances for the constituents analyzed. DRO was detected in the SB78-04 soil sample. No results exceeded the screening values. **Table 2** shows the TPH analytical results.

VOC analytical data was screened against the NCDEQ UST Section MSCCs. No detections were reported. The VOC analytical results are shown in **Table 3**.

The UVF analytical report, including the fingerprint matching data, is provided in **Appendix D**; the Prism analytical report is provided in **Appendix E**<sup>1</sup>. **Figure 3** displays the soil boring locations using a preliminary roadway design drawing base map.

---

<sup>1</sup>The Prism Laboratory report includes analytical results for samples collected from other parcels associated with NCDOT project R-5726

## 5. SUMMARY

From August 12-15, 2019 Geosyntec completed an environmental PSA to determine the likelihood of contamination within the proposed acquisition area on the property located at 4219 NC 211 in West End (NCDOT Parcel 78). The property is owned by C.S. Davis, Jr and J.B. Davis Moore County, LLC. The following summarizes the findings of this PSA.

Following a cursory desktop Site review, no environmental incidents associated with the Site were identified. A geophysical survey and intrusive soil investigation were performed as part of this scope of work. Pyramid identified four existing USTs on the northern side of the property. The USTs are approximately 31-32 feet long and 8.5-9.5 feet wide. The NCDEQ UST Section Registry indicates a fifth UST registered to the property, presumably a 4,000-gallon kerosene UST. A fifth UST was not identified as part of this scope of work. Nonetheless, the USTs identified are located outside of the proposed PUE and are buried approximately 2 ft bgs. Four (4) soil borings were advanced within the PUE boundary to investigate the environmental impacts on the property, including one soil boring at the immediate south of the four USTs. Petroleum impacts to Site soils were not identified during field screening or as part of analytical testing. Groundwater was not encountered.

The work performed herein did not identify petroleum impacts in shallow soils within the Site study area. Geosyntec anticipates a low likelihood of encountering shallow soil impacts within the proposed PUE extent. Geosyntec recommends excavating and properly disposing of the four USTs and their contents to facilitate roadway completion.

*Preliminary Site Assessment (Parcel 78 – C.S. Davis, Jr And J.B. Davis Moore County, LLC)*

*TIP Number R-5726*

*4219 NC 211, West End, North Carolina*

*October 2019*

**Geosyntec** ▶

consultants

Geosyntec Consultants of NC, P.C.

## TABLES

**Table 1**  
**Soil Boring Coordinates**  
**4219 NC 211, West End, North Carolina 27376**  
**NCDOT Parcel 78**  
**TIP: R-5726**  
**WBS: 50218.1.1**

<b>Soil Boring ID</b>	<b>Longitude</b>	<b>Latitude</b>
SB78-01-7.0-7.5	-79.587486	35.265459
SB78-02-5.5-6.0	-79.587427	35.265377
SB78-03-6.0-6.5	-79.587335	35.265286
SB78-04-6.5-7.0	-79.587232	35.265236

Note:

- 1) Coordinate datum reference: WGS 1984.

**Table 2**  
**Soil Analytical Results - TPH by UVF**  
**4219 NC 211, West End, North Carolina 27376**  
**NCDOT Parcel 78**  
**TIP: R-5726**  
**WBS: 50218.1.1**

Analyte		BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	Benzo[a]pyrene	
Units		mg/kg							
<b>UST TPH Guidance</b>		---	<b>50</b>	<b>100</b>	---	---	---	---	
<b>Soil-to-Water MSCCs</b>		---	---	---	---	---	---	<b>0.096</b>	
<b>Residential Soil MSCCs</b>		---	---	---	---	---	---	<b>0.088</b>	
<b>Commercial / Industrial MSCCs</b>		---	---	---	---	---	---	<b>0.78</b>	
Sample ID	Sample Depth (ft bgs)	Sample Date							
SB78-01-7.0-7.5	7.0-7.5	8/14/2019	<0.29	<0.29	<0.29	<0.29	<0.06	<0.09	<0.012
SB78-02-5.5-6.0	5.5-6.0	8/14/2019	<0.55	<0.55	<0.55	<0.55	<0.11	<0.17	<0.022
SB78-03-6.0-6.5	6.0-6.5	8/14/2019	<0.69	<0.69	<0.69	<0.69	<0.14	<0.22	<0.028
SB78-04-6.5-7.0	6.5-7.0	8/14/2019	<0.33	<0.33	<b>1.9</b>	<b>1.9</b>	<0.07	<0.1	<0.013

Notes:

(1) mg/kg indicates milligrams per kilogram.

(2) NCDEQ UST Guidance references the 26 July 2016 Guidelines for North Carolina Action Limits for Total Petroleum Hydrocarbons (TPH).

(3) MSCC indicates North Carolina Department of Environmental Quality (NCDEQ) Underground Storage Tank (UST) Section Maximum Contaminant Concentration Levels, updated November 2016.

(4) < indicates analyte was not detected above the laboratory method detection limit (MDL).

(5) Detections are identified in bold.

(6) --- indicates screening criteria not established.

(7) UVF indicates ultraviolet fluorescence.

(8) TPH indicates total petroleum hydrocarbons.

(9) GRO indicates gasoline range organics.

(10) DRO indicates diesel range organics.

(11) PAH indicates polycyclic aromatic hydrocarbon.

(12) BTEX indicates benzene, toluene, ethylbenzene, and xylenes.

(13) ft. bgs indicates feet below ground surface.

**Table 3**  
**Soil Sampling Analytical Summary - VOCs**  
**4219 NC 211, West End, North Carolina 27376**  
**NCDOT Parcel 78**  
**TIP: R-5726**  
**WBS: 50218.1.1**

Analyte	NCDEQ Residential Soil Cleanup Levels MSCC	NCDEQ Industrial/ Commercial Soil Cleanup Levels MSCC	NCDEQ Soil- to-Water Maximum Contaminant MSCC	Sample ID	SB78-01	SB78-02	SB78-03	SB78-04			
				Sample Date	8/13/2019	8/14/2019	8/14/2019	8/14/2019			
				Sample Depth (ft. bgs)	7.0-7.5	5.5-6.0	6.0-6.5	6.5-7.0			
				Sample Type	Grab						
				Units	mg/kg						
<i>Volatile Organic Compounds (VOCs) by EPA Method 8260B</i>											
Benzene	18	164	0.0056	mg/kg	< 0.0053	< 0.0043	< 0.0068	< 0.0062			
Ethylbenzene	1,560	40,000	4.9	mg/kg	< 0.0053	< 0.0043	< 0.0068	< 0.0062			
m,p-Xylenes	3,129	81,760	4.6	mg/kg	< 0.011	< 0.0086	< 0.014	< 0.012			
o-Xylene	3,129	81,760	4.6	mg/kg	< 0.0053	< 0.0043	< 0.0068	< 0.0062			
Toluene	1,200	32,000	4.3	mg/kg	< 0.0053	< 0.0043	< 0.0068	< 0.0062			
Xylene (total)	3,129	81,760	4.6	mg/kg	< 0.016	< 0.013	< 0.020	< 0.019			

Notes:

(1) North Carolina Department of Environmental Quality (NCDEQ) Underground Storage Tank (UST) Section Maximum Soil Contaminant Concentrations (MSCCs) as indicated in the NCDEQ UST Section *Guidelines for Site Checks, Tank Closure, and Initial Response and Abatement for UST Releases*, amended April 2012.

(2) VOC indicates volatile organic compound.

(3) mg/kg indicates milligrams per kilogram.

(4) Concentrations exceeding MSCCs are highlighted as shown:

Residential	Industrial	Soil-to-Water
-------------	------------	---------------

(5) ft bgs indicated feet below ground surface.

(6) < indicates analyte was not detected above the laboratory reporting limit (RL).

(7) Only benzene, toluene, ethylbenzene, xylenes (BTEX) were reported.

*Preliminary Site Assessment (Parcel 78 – C.S. Davis, Jr And J.B. Davis Moore County, LLC)*

*TIP Number R-5726*

*4219 NC 211, West End, North Carolina*


*October 2019*

**Geosyntec** ▶

consultants

Geosyntec Consultants of NC, P.C.

# FIGURES



## Legend



Site Location



NCDOT Moore County Parcel

### Notes:

- Aerial imagery provided by ArcMap10.5, ESRI

## Site Location

4219 NC-211 (NCDOT Parcel 78)  
West End, Moore County, North Carolina  
WBS: 50218.1.1  
TIP: R-5726

**Geosyntec**  
Consultants of NC, PC  
NC License No.: C-3500

Figure

1

Raleigh, NC

October 2019



### Legend

● Soil Boring Locations

- - - Approximate PUE Extent

■ Existing USTs

■ NCDOT Moore County Parcel

0 25 50 100 150 Feet

**Site Layout**  
 C. S. Davis, Jr, Moore County, LLC and J. B. Davis, Moore County, LLC  
 4219 NC-211 (NCDOT Parcel 78)  
 West End, Moore County, North Carolina  
 TIP: R-5726  
 WBS: 50218.1.1

**Notes:**

1. Property boundary provided by Moore County, North Carolina GIS.
2. Aerial imagery provided by ArcMap10.5, ESRI
3. PUE indicates Public Utility Easement.
4. Soil boring locations are approximated by GPS; locations were not surveyed by a licensed surveyor.


**Geosyntec**

Consultants of NC, PC  
 NC License No.: C-3500

Raleigh, NC

October 2019

**Figure**  
**2**



*Preliminary Site Assessment (Parcel 78 – C.S. Davis, Jr And J.B. Davis Moore County, LLC)*

*TIP Number R-5726*

*4219 NC 211, West End, North Carolina*

*October 2019*

**Geosyntec** ▶

consultants

Geosyntec Consultants of NC, P.C.

# APPENDIX A

## Geophysical Investigation Report



P Y R A M I D   G E O P H Y S I C A L   S E R V I C E S  
( P R O J E C T   2 0 1 9 - 2 3 3 )

# GEOPHYSICAL SURVEY

---

## METALLIC UST INVESTIGATION: PARCEL 78 NCDOT PROJECT R-5726 (50218.1.1)

4219 N.C. 211, WEST END, NC

August 23, 2019

Report prepared for: Mr. Matt Jenny, P.E.  
Geosyntec Consultants of NC, PC  
2501 Blue Ridge Road, Suite 430  
Raleigh, NC 27607

Prepared by:

A handwritten signature in black ink, appearing to read "Eric C. Cross".

Eric C. Cross, P.G.  
NC License #2181

Reviewed by:

A handwritten signature in black ink, appearing to read "Douglas A. Canavello".

Douglas A. Canavello, P.G.  
NC License #1066

5 0 3   I N D U S T R I A L   A V E N U E ,   G R E E N S B O R O ,   N C   2 7 4 0 6

P :   3 3 6 . 3 3 5 . 3 1 7 4      F :   3 3 6 . 6 9 1 . 0 6 4 8

C 2 5 7 :   G E O L O G Y      C 1 2 5 1 :   E N G I N E E R I N G

**GEOPHYSICAL INVESTIGATION REPORT**  
Parcel 78 - 4219 N.C. 211  
West End, Moore County, North Carolina

**Table of Contents**

Executive Summary .....	1
Introduction.....	2
Field Methodology.....	2
Discussion of Results.....	3
<i>Discussion of EM Results.....</i>	3
<i>Discussion of GPR Results.....</i>	4
Summary & Conclusions .....	5
Limitations .....	6

**Figures**

- Figure 1 – Parcel 78 - Geophysical Survey Boundaries and Site Photographs
- Figure 2 – Parcel 78 - EM61 Results Contour Map
- Figure 3 – Parcel 78 - GPR Transect Locations and Images
- Figure 4 – Parcel 78 - Locations and Sizes of Four Known USTs
- Figure 5 – Overlay of Metal Detection Results and Four Known USTs onto NCDOT Engineering Plans

## **LIST OF ACRONYMS**

CADD .....	Computer Assisted Drafting and Design
DF .....	Dual Frequency
EM.....	Electromagnetic
GPR.....	Ground Penetrating Radar
GPS .....	Global Positioning System
NCDOT.....	North Carolina Department of Transportation
ROW .....	Right-of-Way
UST .....	Underground Storage Tank

## EXECUTIVE SUMMARY

---

**Project Description:** Pyramid Environmental conducted a geophysical investigation for Geosyntec Consultants of NC, PC at Parcel 78, located at 4219 N.C. 211 in West End, NC. The survey was part of an NCDOT Right-of-Way (ROW) investigation (NCDOT Project R-5726). The survey was designed to extend from the existing edge of pavement into the proposed ROW and/or easements, whichever distance was greater. Conducted from July 29-31, 2019, the geophysical investigation was performed to determine if unknown, metallic underground storage tanks (USTs) were present beneath the survey area.

**Geophysical Results:** The geophysical investigation consisted of electromagnetic (EM) induction-metal detection and ground penetrating radar (GPR) surveys. Four known USTs were observed at the property, evidenced by visible fill ports and concrete adjacent to a pump island. A total of four EM anomalies were identified. The majority of the EM anomalies were directly attributed to visible cultural features at the ground surface. GPR was performed across the four known USTs to verify their sizes and orientations. From southwest to northeast:

- UST #1 was approximately 32 feet long and 9.5 feet wide
- UST #2 was approximately 31.5 feet long and 9.5 feet wide
- UST #3 was approximately 31.5 feet long and 9.5 feet wide
- UST #4 was approximately 31 feet long and 8.5 feet wide.

The remaining GPR transects verified the presence of metal reinforcement within the suspected areas of concrete. No evidence of additional buried structures such as USTs was observed. Collectively, the geophysical data recorded evidence of four known metallic USTs at Parcel 78.

## INTRODUCTION

---

Pyramid Environmental conducted a geophysical investigation for Geosyntec Consultants of NC, PC at Parcel 78, located at 4219 N.C. 211 in West End, NC. The survey was part of an NCDOT Right-of-Way (ROW) investigation (NCDOT Project R-5726). The survey was designed to extend from the existing edge of pavement into the proposed ROW and/or easements, whichever distance was greater. Conducted from July 29-31, 2019, the geophysical investigation was performed to determine if unknown, metallic underground storage tanks (USTs) were present beneath the survey area.

The site included an active service station surrounded by grass and concrete surfaces. Four known USTs were evidenced by visible fill ports and concrete to the northwest of the pump island. An aerial photograph showing the survey area boundaries and ground-level photographs are shown in **Figure 1**.

## FIELD METHODOLOGY

---

The geophysical investigation consisted of electromagnetic (EM) induction-metal detection and ground penetrating radar (GPR) surveys. Pyramid collected the EM data using a Geonics EM61-MK2 (EM61) metal detector integrated with a Geode External GPS/GLONASS receiver. The integrated GPS system allows the location of the instrument to be recorded in real-time during data collection, resulting in an EM data set that is geo-referenced and can be overlain on aerial photographs and CADD drawings. A boundary grid was established around the perimeter of the site with marks every 10 feet to maintain orientation of the instrument throughout the survey and assure complete coverage of the area.

According to the instrument specifications, the EM61 can detect a metal drum down to a maximum depth of approximately 8 feet. Smaller objects (1-foot or less in size) can be detected to a maximum depth of 4 to 5 feet. The EM61 data were digitally collected at approximately 0.8-foot intervals along north-south trending or east-west trending,

generally parallel survey lines, spaced five feet apart. The data were downloaded to a computer and reviewed in the field and office using the Geonics NAV61 and Surfer for Windows Version 15.0 software programs.

GPR data were acquired across select EM anomalies on July 31, 2019, using a Geophysical Survey Systems, Inc. (GSSI) SIR 4000 controller coupled to a 350 MHz HS antenna. Data were collected both in reconnaissance fashion as well as along formal transect lines across EM features. The GPR data were viewed in real-time using a vertical scan of 512 samples, at a rate of 48 scans per second. GPR data were viewed down to a maximum depth of approximately 6 feet, based on dielectric constants calculated by the DF unit in the field during the reconnaissance scans. GPR transects across specific anomalies were saved to the hard drive of the DF unit for post-processing and figure generation.

Pyramid's classifications of USTs for the purposes of this report are based directly on the geophysical UST ratings provided by the NCDOT. These ratings are as follows:

### Geophysical Surveys for Underground Storage Tanks on NCDOT Projects

High Confidence	Intermediate Confidence	Low Confidence	No Confidence
<b>Known UST</b> Active tank - spatial location, orientation, and approximate depth determined by geophysics.	<b>Probable UST</b> Sufficient geophysical data from both magnetic and radar surveys that is characteristic of a tank. Interpretation may be supported by physical evidence such as fill vent pipe, metal cover plate, asphalt/concrete patch, etc.	<b>Possible UST</b> Sufficient geophysical data from either magnetic or radar surveys that is characteristic of a tank. Additional data is not sufficient enough to confirm or deny the presence of a UST.	Anomaly noted but not characteristic of a UST. Should be noted in the text and may be called out in the figures at the geophysicist's discretion.

## DISCUSSION OF RESULTS

### *Discussion of EM Results*

A contour plot of the EM61 results obtained across the survey area at the property is presented in **Figure 2**. Each EM anomaly is numbered for reference in the figure. The following table presents the list of EM anomalies and the cause of the metallic response, if known:

### **LIST OF METALLIC ANOMALIES IDENTIFIED BY EM SURVEY**

Metallic Anomaly #	Cause of Anomaly	Investigated with GPR
1	Sign	
2	<b>Four Known USTs</b>	✓
3	Reinforced Concrete	✓
4	Lights/Surface Metal	

The majority of the EM anomalies were directly attributed to visible cultural features at the ground surface, including signs, suspected reinforced concrete, lights and surface metal. EM Anomaly 2 was associated with the four known USTs and was investigated further with GPR to verify their sizes and orientations. GPR was also performed across the suspected reinforced concrete to verify the presence of metal reinforcement and confirm that no significant structures such as USTs were present beneath the reinforcement.

#### *Discussion of GPR Results*

**Figure 3** presents the locations of the formal GPR transects performed at the property as well as select transect images. All of the GPR transects are included in **Appendix A**. A total of twenty-one GPR transects were performed at the property. GPR Transect 1 was performed across the widths of the four known USTs, and reconnaissance radar verified their lengths. From southwest to northeast: UST #1 was approximately 32 feet long and 9.5 feet wide, UST #2 was approximately 31.5 feet long and 9.5 feet wide, UST #3 was approximately 31.5 feet long and 9.5 feet wide, and UST #4 was approximately 31 feet long and 8.5 feet wide. Based on the combination of geophysical evidence and field observations, these four tanks are classified as four known USTs. **Figure 4** provides the locations and sizes of the four known USTs overlain on an aerial photograph as well as a ground-level photograph.

The remaining GPR transects verified the presence of metal reinforcement within the suspected areas of concrete. No evidence of additional buried structures such as USTs was observed.

**Figure 5** provides an overlay of the metal detection results and the four known USTs onto the NCDOT Engineering plans.

Collectively, the geophysical data recorded evidence of four known metallic USTs at Parcel 78.

## SUMMARY & CONCLUSIONS

---

Pyramid's evaluation of the EM61 and GPR data collected at Parcel 78 in West End, North Carolina, provides the following summary and conclusions:

- The EM61 and GPR surveys provided reliable results for the detection of metallic USTs within the accessible portions of the geophysical survey area.
- Four known USTs were observed at the property, evidenced by visible fill ports and concrete adjacent to a pump island.
- The majority of the EM anomalies were directly attributed to visible cultural features at the ground surface.
- GPR was performed across the four known USTs to verify their sizes and orientations. From southwest to northeast:
  - UST #1 was approximately 32 feet long and 9.5 feet wide
  - UST #2 was approximately 31.5 feet long and 9.5 feet wide
  - UST #3 was approximately 31.5 feet long and 9.5 feet wide
  - UST #4 was approximately 31 feet long and 8.5 feet wide.
- The remaining GPR transects verified the presence of metal reinforcement within the suspected areas of concrete. No evidence of additional buried structures such as USTs was observed.
- Collectively, the geophysical data recorded evidence of four known metallic USTs at Parcel 78.

## **LIMITATIONS**

---

Geophysical surveys have been performed and this report was prepared for Geosyntec Consultants of NC, PC in accordance with generally accepted guidelines for EM61 and GPR surveys. It is generally recognized that the results of the EM61 and GPR surveys are non-unique and may not represent actual subsurface conditions. The EM61 and GPR results obtained for this project have not conclusively determined the definitive presence or absence of metallic USTs, but the evidence collected is sufficient to result in the conclusions made in this report. Additionally, it should be understood that areas containing extensive vegetation, reinforced concrete, or other restrictions to the accessibility of the geophysical instruments could not be fully investigated.

## APPROXIMATE BOUNDARIES OF GEOPHYSICAL SURVEY AREA



View of Survey Area  
(Facing Approximately North)



View of Survey Area  
(Facing Approximately South)

N ↑


## EM61 METAL DETECTION RESULTS






**EVIDENCE OF FOUR KNOWN  
USTs WAS OBSERVED.  
NO EVIDENCE OF UNKNOWN METALLIC  
USTs WAS OBSERVED**

The contour plot shows the differential results of the EM61 instrument in millivolts (mV). The differential results focus on larger metallic objects such as USTs and drums. The EM data were collected on July 29, 2019, using a Geonics EM61-MK2 instrument. Verification GPR data were collected using a GSSI SIR 4000 controller with a 350 MHz HS antenna on July 31, 2019.



EM61 Metal Detection Response  
(millivolts)




## LOCATIONS OF GPR TRANSECTS



## LOCATIONS OF FOUR KNOWN USTs




View of Four Known USTs  
Facing Approximately South




View of Four Known USTs  
Facing Approximately North






OVERLAY OF METAL DETECTION RESULTS AND FOUR KNOWN USTs ON NCDOT ENGINEERING PLANS	
PROJECT	PARCEL 78 WEST END, NORTH CAROLINA NCDOT PROJECT R-5726
PYRAMID GEOPHYSICS	
503 INDUSTRIAL AVENUE GREENSBORO, NC 27406 336.335.3174 (p) 336.691.0648 (f) License # C1251 Eng. / #C257 Geology	
DATE: 08-20-2019	REVISION NO. 0
PYRAMID PROJECT NO. 2019-233	FIGURE NO. 5


## **Appendix A – GPR Transect Images**




GPR TRANSECT 1




GPR TRANSECT 7




GPR TRANSECT 2




GPR TRANSECT 3




GPR TRANSECT 4




GPR TRANSECT 5










GPR TRANSECT 8




GPR TRANSECT 6




GPR TRANSECT 9







GPR TRANSECT 17




GPR TRANSECT 18



GPR TRANSECT 19



GPR TRANSECT 21



GPR TRANSECT 20

*Preliminary Site Assessment (Parcel 78 – C.S. Davis, Jr And J.B. Davis Moore County, LLC)*

*TIP Number R-5726*

*4219 NC 211, West End, North Carolina*

*October 2019*

**Geosyntec** ▶

consultants

Geosyntec Consultants of NC, P.C.

## APPENDIX B

### Photographic Log

**GEOSYNTEC CONSULTANTS**  
**Photographic Record**

**Geosyntec**  
Consultants of NC, PC

**Client: NCDOT**

**Project Number: GN7039**

**Site Name: R-5726 - Parcel 78**

**Site Location: 4219 NC 211, West End, NC**

**Photograph 1**

**Date: 29 July 2019**

**Direction: N-NE**

**Comments:** View of the southern side of the convenience store building and southeastern side of the fuel island.



**Photograph 2**

**Date: 29 July 2019**

**Direction: NW**

**Comments:** View of the southwestern side of the fuel island.



**GEOSYNTEC CONSULTANTS**  
**Photographic Record**

**Geosyntec**  
Consultants of NC, PC

**Client: NCDOT**

**Project Number: GN7039**

**Site Name: R-5726 - Parcel 78**

**Site Location: 4219 NC 211, West End, NC**

**Photograph 3**

**Date: 29 July 2019**

**Direction: NE**

**Comments:** View of the northwestern side of the Site.



**Photograph 4**

**Date: 29 July 2019**

**Direction: E**

**Comments:** View of the western side of the fuel island.



*Preliminary Site Assessment (Parcel 78 – C.S. Davis, Jr And J.B. Davis Moore County, LLC)*

*TIP Number R-5726*

*4219 NC 211, West End, North Carolina*

*October 2019*

**Geosyntec** ▶

consultants

Geosyntec Consultants of NC, P.C.

## APPENDIX C

### Soil Boring Logs

# BORING LOG

BORING NO. SB78-01

SHEET 1 OF 1

DRILLING CO.:	Saedacco	Status: <input type="checkbox"/> Well Installed <input type="checkbox"/> Plugged & Abnd.	SITE: <u>West End</u>	Borehole Location Sketch Map					
METHOD & TOOLS:	DPT	PROJECT NO.: <u>BN 7039</u>							
RIG:	<u>geoprobe 7822DT</u>	N: <u>E:</u>							
BIT DIAMETER:	<u>2 1/4"</u>	DRILLER: <u>Brian T</u>	SUPERVISOR: <u>M Wang</u>						
GROUND ELEV.:	<input type="checkbox"/> Surveyed <input type="checkbox"/> Estimated	DATE: <u>8/13/19</u>							
Top (Depth)	<input type="checkbox"/> Feet <input type="checkbox"/> Meters	Lithology Log	Graphic Log	Depth Scale	Well	SPT Blows/6*	Run (No.)	Rec. (%)	Drilling Log
0-4 ft		0-1 ft concrete							100 Hand Auger PZD=0
		1-3 ft mostly silt with some sand, brown, dry - moist, <del>too</del> loose - compact							Location renamed to SB78-01, was SB78-03
		3-4 to, brown sand with some silt, poorly sorted, dry-moist							
		loose - compact							
4-5 ft		same as above interval							100 PZD=0
5-10		5-6 ft. no recovery							80
		6-7 ft brown sand, fine-medium, dry - moist, loose.							PZD= 0.6 ppm @ 7 to
		7-10 ft, sandy clay, brown							PZD= 0.4 ppm @ 7.5 to
		<del>8 reddish color, dry-moist, low - medium plastic</del>							PZD= 0.2 ppm from 7.5 - 10 ft
		samples are collected from							
		7-7.5 ft @ 1550							
		SB78-01-7-7.5							

MW

# BORING LOG

BORING NO. SB78-02

SHEET 1 OF 1

DRILLING CO.: Saedaco

METHOD & TOOLS: DPT

RIG: Geoprobe 7822 DT

BIT DIAMETER: 2 1/4"

DRILLER: Brian T

GROUND ELEV.: □ Surveyed □ Estimated

Status:  
 Well Installed  
 Plugged & Abnded.

N/C007  
West End

PROJECT NO.: GMV7039

N: E:

SUPERVISOR: M. Allong  
DATE: 8/14/19

Borehole Location Sketch Map

Top (Depth)	□ Feet □ Meters	Lithology Log	Graphic Log	Depth Scale	Well	SPT Blows/6*	Run (No.)	Rec. (%)	Drilling Log
0-4 ft		0-1 ft, concrete  1-2.5 ft, silt with brown color, some sand, some plastic loose-compact, dry-moist  2.5-4 ft, brown sand with some silt, less plastic, loose, moist, fine-medium, poorly sorted					100		Hard Auger PVD=0
4-5 ft		Same as interval 2.5-4 ft above.					100		PVD=0
5-10 ft		5-5.5 ft, no recovery  5.5-6.5 ft, same as 4-5 ft interval  6.5-8 ft, brown sand, medium, moist, loose, poorly sorted  8-10 ft, saprolite, brown sand, mixed with some reddish clay & gravels, dry-moist, low plastic.					90		PVD=0
		Samples are collected from 5.5-6 ft @ 0825  SB78-02-5.5-6							

MM

# BORING LOG

BORING NO. SB78-03

SHEET 1 OF 1

DRILLING CO.: Sedlacek

METHOD & TOOLS: DPT

RIG: Geoprobe 7822 DT

BIT DIAMETER: 2 1/4" DRILLER: Brian T

GROUND ELEV.:  Surveyed  Estimated

Status:  
 Well Installed  
 Plugged & Abdnd.

SITE: NCDOT West End

PROJECT NO.: GN7039

N: \_\_\_\_\_ E: \_\_\_\_\_

SUPERVISOR: M Wang

DATE: 8/14/19

Borehole Location Sketch Map

Top (Depth)	Feet Meters	Lithology Log	Graphic Log	Depth Scale	Well	SPT Blows/6*	Run (No.)	Rec. (%)	Drilling Log
0-4 ft		0-1 ft, concrete.						100	Hand Auger $PZD = \emptyset$
		1-2.5 ft, moist silt with some sand, brown color, loose-compat, dry-moist							
		2.5-4 ft, moist sand with some silt, brown color, loose, moist - poorly sorted, fine-medium							
4.5 ft		same as 2.5-4 ft interval above, color is ranging from dark - light brown.					100	$PZD = \emptyset$	
5-10		5-6 ft, no recovery					80	$PZD = \emptyset$	
		6-7.5 ft, light brown sand, fine to medium, moist, loose.							
the-		7.5-8 ft, dark brown sand, fine-medium, moist, loose-compat, harder than previous interval							
		8-10, saprolite, brown sand, fine-medium, mixed with reddish clay & gravel, samples are collected from							
		6-6.5 ft @ 0900							
		SB78-03-6-6.5							



# BORING LOG

BORING NO. SB78-04

SHEET 1 OF 1

DRILLING CO.: Saredacco

METHOD & TOOLS: DPT

RIG: Geoprobe 7822 DT

BIT DIAMETER: 2 1/4" DRILLER: Boran T

GROUND ELEV.:  Surveyed  Estimated

Status:  
 Well Installed  
 Plugged & Abdnd.

SITE: NCDOJ West End

PROJECT NO.: BN7039

N: \_\_\_\_\_

E: \_\_\_\_\_

SUPERVISOR: M. Murray

DATE: 8/14/19

Borehole Location Sketch Map

Top (Depth)	Feet Meters	Lithology Log	Graphic Log	Depth Scale	Well	SPT Blows/6*	Run (No.)	Rec. (%)	Drilling Log
0-4 ft		0-1 ft concrete 1-1.5 ft gray silt / concrete gravel, dry, loose 3 1.5-4 ft, mostly silt with some sand, brown, poorly sorted, dry-moist, loose-compact. 3-4 ft, mostly sand with some silt, loose, moist, poorly sorted, Fine - Medium.						100%	Hand Auger PZD=0
4.5 ft		Light brown sand, fine-medium, moist, loose-compact.						100	PZD=0
5-10 ft		5-5.5 ft, no recovery 5.5-7 ft. same as 4-5 ft interval 7-8 ft, dark brown sand, fine-medium, loose-compact, moist.						90	PZD=0
		8-10 ft saprolite, brown sand, mixed with reddish clay & gravel, hard, moist.							
		Samples were collected from 6.5-7 ft @ 0930							MW

SB 78-04-6.5-7

*Preliminary Site Assessment (Parcel 78 – C.S. Davis, Jr And J.B. Davis Moore County, LLC)*

*TIP Number R-5726*

*4219 NC 211, West End, North Carolina*

*October 2019*

**Geosyntec** ▶

consultants

Geosyntec Consultants of NC, P.C.

## APPENDIX D

### Red Lab UVF Report



## Hydrocarbon Analysis Results

**Client:** Geosytec **Samples taken:** Tuesday, August 13, 2019  
**Address:** 2501 Blue Ridge Rd **Samples extracted:** Tuesday, August 13, 2019  
Suite 430 **Samples analysed:** Friday, August 16, 2019  
Raleigh, NC 27606

**Contact:** Michael Wang **Operator:** Harry Wooten

**Project:** 9795515334

											U00904		
Matrix	Sample ID	Dilution used	BTEX	GRO	DRO	TPH	Total Aromatics	16 EPA PAHs	BaP	% Ratios			HC Fingerprint Match
			(C6 - C9)	(C5 - C10)	(C10 - C35)	(C5 - C35)	(C10-C35)	C5 - C10	C10 - C18	C18			
S	SB78-02-5.5-6	21.8	<0.55	<0.55	<0.55	<0.55	<0.11	<0.17	<0.022	0	0	0	PHC not detected
S	SB78-01-7-7.5	11.8	<0.29	<0.29	<0.29	<0.29	<0.06	<0.09	<0.012	0	100	0	Residual HC,(P)
S	SB78-03-6-6.5	27.7	<0.69	<0.69	<0.69	<0.69	<0.14	<0.22	<0.028	0	0	0	PHC not detected
S	SB78-04-6.5-7	13.1	<0.33	<0.33	1.9	1.9	<0.07	<0.1	<0.013	97.8	2.2	0	Waste Oil 73.7%,(FCM)

	Initial Calibrator QC check			OK									
	Final FCM QC Check			OK									103.7 %

Concentration values in mg/kg for soil samples and mg/L for water samples. Soil values uncorrected for moisture or stone content. Fingerprints provide a tentative hydrocarbon identification.

Abbreviations :- FCM = Results calculated using Fundamental Calibration Mode : % = confidence of hydrocarbon identification : (PFM) = Poor Fingerprint Match : (T) = Turbid : (P) = Particulate detected





B = Blank Drift : (SBS)/(LBS) = Site Specific or Library Background Subtraction applied to result : (BO) = Background Organics detected : (OCR) = Outside cal range : (M) = Modified Result.

% Ratios estimated aromatic carbon number proportions : HC = Hydrocarbon : PHC = Petroleum HC : FP = Fingerprint only. Data generated by HC-1 Analyser

# QED Hydrocarbon Fingerprints

Project: R5726

8/16/19



*Preliminary Site Assessment (Parcel 78 – C.S. Davis, Jr And J.B. Davis Moore County, LLC)*

*TIP Number R-5726*

*4219 NC 211, West End, North Carolina*

*October 2019*



Geosyntec Consultants of NC, P.C.

## APPENDIX E

# Prism Laboratories Analytical Report



Full-Service Analytical &  
Environmental Solutions

NC Certification No. 402  
NC Drinking Water Cert No. 37735  
SC Certification No. 99012

## Case Narrative

8/28/19 11:20

Geosyntec Consultants of NC, PC - Raleigh  
Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project: NCDOT R-5726 West End  
Project No.: GN7039  
Lab Submittal Date: 08/16/2019  
Prism Work Order: 9080260

This data package contains the analytical results for the project identified above and includes a Case Narrative, Sample Results and Chain of Custody. Unless otherwise noted, all samples were received in acceptable condition and processed according to the referenced methods.

Data qualifiers are flagged individually on each sample. A key reference for the data qualifiers appears at the end of this case narrative.

Please call if you have any questions relating to this analytical report.

Respectfully,

**PRISM LABORATORIES, INC.**

Robbi A. Jones  
President/Project Manager

Reviewed By Robbi A. Jones  
President/Project Manager

### Data Qualifiers Key Reference:

SR	Surrogate recovery outside the QC limits.
BRL	Below Reporting Limit
MDL	Method Detection Limit
RPD	Relative Percent Difference
*	Results reported to the reporting limit. All other results are reported to the MDL with values between MDL and reporting limit indicated with a J.

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



Client Sample ID	Lab Sample ID	Matrix	Date/Time Sampled	Date/Time Received
SB13-01-7.5-8.0	9080260-01	Solid	08/12/19 10:30	08/16/19 9:15
SB13-02-7-7.5	9080260-02	Solid	08/12/19 11:00	08/16/19 9:15
SB13-03-6.5-7.0	9080260-03	Solid	08/12/19 11:30	08/16/19 9:15
SB43-01-4.5-5.0	9080260-04	Solid	08/13/19 13:40	08/16/19 9:15
SB43-02-6.5-7.0	9080260-05	Solid	08/13/19 14:00	08/16/19 9:15
SB43-03-7.0-7.5	9080260-06	Solid	08/13/19 14:30	08/16/19 9:15
SB43-04-7.5-8.0	9080260-07	Solid	08/13/19 14:45	08/16/19 9:15
SB66867-01-5-5.5	9080260-08	Solid	08/13/19 8:40	08/16/19 9:15
SB66867-02-4.0-4.5	9080260-09	Solid	08/13/19 9:10	08/16/19 9:15
SB66867-03-6.5-7	9080260-10	Solid	08/13/19 10:20	08/16/19 9:15
SB66867-04-5.5-6.0	9080260-11	Solid	08/13/19 9:45	08/16/19 9:15
SB66867-05-7-7.5	9080260-12	Solid	08/13/19 11:10	08/16/19 9:15
SB66867-06-7.5-8	9080260-13	Solid	08/13/19 12:20	08/16/19 9:15
SB69-01-6.0-6.5	9080260-14	Solid	08/12/19 13:00	08/16/19 9:15
SB69-02-4.0-4.5	9080260-15	Solid	08/12/19 13:30	08/16/19 9:15
SB69-03-5.0-5.5	9080260-16	Solid	08/12/19 14:00	08/16/19 9:15
SB69-04-5.0-5.5	9080260-17	Solid	08/12/19 14:45	08/16/19 9:15
SB69-05-9.5-10	9080260-18	Solid	08/12/19 15:25	08/16/19 9:15
SB69-06-9-9.5	9080260-19	Solid	08/12/19 16:15	08/16/19 9:15
SB69-07-5.0-5.5	9080260-20	Solid	08/12/19 16:45	08/16/19 9:15
SB69-08-6.0-6.5	9080260-21	Solid	08/13/19 13:00	08/16/19 9:15
SB78-01-7-7.5	9080260-22	Solid	08/13/19 15:50	08/16/19 9:15
SB78-02-5.5-6	9080260-23	Solid	08/14/19 8:25	08/16/19 9:15
SB78-03-6-6.5	9080260-24	Solid	08/14/19 9:00	08/16/19 9:15
SB78-04-6.5-7	9080260-25	Solid	08/14/19 9:30	08/16/19 9:15
SB89-01-5-5.5	9080260-26	Solid	08/15/19 9:00	08/16/19 9:15
SB89-02-5.5-6	9080260-27	Solid	08/15/19 9:40	08/16/19 9:15
SB89-03-6.5-7	9080260-28	Solid	08/15/19 10:30	08/16/19 9:15
SB89-04-7-7.5	9080260-29	Solid	08/15/19 11:30	08/16/19 9:15
SB102-01-2.5-3	9080260-30	Solid	08/14/19 10:50	08/16/19 9:15
SB102-02-5.5-6	9080260-31	Solid	08/14/19 11:35	08/16/19 9:15
SB102-03-7-7.5	9080260-32	Solid	08/14/19 13:00	08/16/19 9:15
SB102-04-7.5-8	9080260-33	Solid	08/14/19 13:30	08/16/19 9:15

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

SB102-05-4.5-5	9080260-34	Solid	08/14/19 14:00	08/16/19 9:15
SB102-06-0.5-1	9080260-35	Solid	08/14/19 14:50	08/16/19 9:15
SB102-07-7.5-8	9080260-36	Solid	08/14/19 15:35	08/16/19 9:15
SB102-08-8-8.5	9080260-37	Solid	08/14/19 16:05	08/16/19 9:15
SB102-09-8.5-9	9080260-38	Solid	08/14/19 16:45	08/16/19 9:15
SB102-10-9-9.5	9080260-39	Solid	08/14/19 17:20	08/16/19 9:15

Samples were received in good condition at 3.3 degrees C unless otherwise noted.

Prism ID	Client ID	Parameter	Method	Result	Units
----------	-----------	-----------	--------	--------	-------

**There were no detections reported.**

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB13-01-7.5-8.0  
Prism Sample ID: 9080260-01  
Prism Work Order: 9080260  
Time Collected: 08/12/19 10:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	91.0	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0071	0.0011	1	8260D	8/20/19 17:51	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0071	0.0011	1	8260D	8/20/19 17:51	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.014	0.0018	1	8260D	8/20/19 17:51	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0071	0.00075	1	8260D	8/20/19 17:51	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0071	0.0011	1	8260D	8/20/19 17:51	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.021	0.0025	1	8260D	8/20/19 17:51	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	99 %	70-130
Dibromofluoromethane	112 %	84-123
Toluene-d8	95 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB13-02-7-7.5  
Prism Sample ID: 9080260-02  
Prism Work Order: 9080260  
Time Collected: 08/12/19 11:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	86.2	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0069	0.0011	1	8260D	8/20/19 18:21	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0069	0.0010	1	8260D	8/20/19 18:21	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.014	0.0018	1	8260D	8/20/19 18:21	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0069	0.00074	1	8260D	8/20/19 18:21	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0069	0.0011	1	8260D	8/20/19 18:21	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.021	0.0025	1	8260D	8/20/19 18:21	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	98 %	70-130
Dibromofluoromethane	114 %	84-123
Toluene-d8	94 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB13-03-6.5-7.0  
Prism Sample ID: 9080260-03  
Prism Work Order: 9080260  
Time Collected: 08/12/19 11:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	95.0	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0051	0.00079	1	8260D	8/20/19 18:51	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0051	0.00077	1	8260D	8/20/19 18:51	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.010	0.0013	1	8260D	8/20/19 18:51	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0051	0.00054	1	8260D	8/20/19 18:51	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0051	0.00081	1	8260D	8/20/19 18:51	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.015	0.0018	1	8260D	8/20/19 18:51	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	116 %	84-123
Toluene-d8	95 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB43-01-4.5-5.0  
Prism Sample ID: 9080260-04  
Prism Work Order: 9080260  
Time Collected: 08/13/19 13:40  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	97.8	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0053	0.00083	1	8260D	8/20/19 19:21	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0053	0.00080	1	8260D	8/20/19 19:21	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0014	1	8260D	8/20/19 19:21	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0053	0.00056	1	8260D	8/20/19 19:21	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0053	0.00084	1	8260D	8/20/19 19:21	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.016	0.0019	1	8260D	8/20/19 19:21	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	113 %	84-123
Toluene-d8	95 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB43-02-6.5-7.0  
Prism Sample ID: 9080260-05  
Prism Work Order: 9080260  
Time Collected: 08/13/19 14:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	91.4	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0073	0.0011	1	8260D	8/22/19 15:18	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0073	0.0011	1	8260D	8/22/19 15:18	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.015	0.0019	1	8260D	8/22/19 15:18	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0073	0.00077	1	8260D	8/22/19 15:18	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0073	0.0012	1	8260D	8/22/19 15:18	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.022	0.0026	1	8260D	8/22/19 15:18	JLB	P9H0389

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	103 %	70-130
Dibromofluoromethane	127 %	84-123
Toluene-d8	93 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB43-03-7.0-7.5  
Prism Sample ID: 9080260-06  
Prism Work Order: 9080260  
Time Collected: 08/13/19 14:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	75.6	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0061	0.00095	1	8260D	8/20/19 20:21	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0061	0.00091	1	8260D	8/20/19 20:21	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0016	1	8260D	8/20/19 20:21	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0061	0.00065	1	8260D	8/20/19 20:21	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0061	0.00097	1	8260D	8/20/19 20:21	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.018	0.0022	1	8260D	8/20/19 20:21	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	120 %	84-123
Toluene-d8	96 %	76-129

Geosyntec Consultants of NC, PC - Raleigh      Project: NCDOT R-5726 West End  
 Attn: Michael Wang  
 2501 Blue Ridge Road, Ste 430  
 Raleigh, NC 27607

Project No.: GN7039  
 Sample Matrix: Solid

Client Sample ID: SB43-04-7.5-8.0  
 Prism Sample ID: 9080260-07  
 Prism Work Order: 9080260  
 Time Collected: 08/13/19 14:45  
 Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
<b>General Chemistry Parameters</b>									
% Solids	84.1	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
<b>Volatile Organic Compounds by GC/MS</b>									
Benzene	BRL	mg/kg dry	0.0054	0.00085	1	8260D	8/20/19 20:51	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0054	0.00082	1	8260D	8/20/19 20:51	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0014	1	8260D	8/20/19 20:51	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0054	0.00058	1	8260D	8/20/19 20:51	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0054	0.00086	1	8260D	8/20/19 20:51	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.016	0.0020	1	8260D	8/20/19 20:51	JLB	P9H0347
Surrogate						Recovery		Control Limits	
4-Bromofluorobenzene						101 %		70-130	
Dibromofluoromethane						119 %		84-123	
Toluene-d8						95 %		76-129	

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB66867-01-5-5.5  
Prism Sample ID: 9080260-08  
Prism Work Order: 9080260  
Time Collected: 08/13/19 08:40  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	90.8	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0050	0.00078	1	8260D	8/20/19 21:21	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0050	0.00075	1	8260D	8/20/19 21:21	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.010	0.0013	1	8260D	8/20/19 21:21	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0050	0.00053	1	8260D	8/20/19 21:21	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0050	0.00080	1	8260D	8/20/19 21:21	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.015	0.0018	1	8260D	8/20/19 21:21	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	99 %	70-130
Dibromofluoromethane	122 %	84-123
Toluene-d8	95 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB66867-02-4.0-4.5  
Prism Sample ID: 9080260-09  
Prism Work Order: 9080260  
Time Collected: 08/13/19 09:10  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	86.8	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0061	0.00096	1	8260D	8/20/19 21:51	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0061	0.00092	1	8260D	8/20/19 21:51	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0016	1	8260D	8/20/19 21:51	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0061	0.00065	1	8260D	8/20/19 21:51	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0061	0.00098	1	8260D	8/20/19 21:51	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.018	0.0022	1	8260D	8/20/19 21:51	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	100 %	70-130
Dibromofluoromethane	118 %	84-123
Toluene-d8	97 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB66867-03-6.5-7  
Prism Sample ID: 9080260-10  
Prism Work Order: 9080260  
Time Collected: 08/13/19 10:20  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	90.8	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0059	0.00092	1	8260D	8/20/19 22:20	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0059	0.00088	1	8260D	8/20/19 22:20	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0015	1	8260D	8/20/19 22:20	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0059	0.00063	1	8260D	8/20/19 22:20	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0059	0.00094	1	8260D	8/20/19 22:20	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.018	0.0021	1	8260D	8/20/19 22:20	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	99 %	70-130
Dibromofluoromethane	120 %	84-123
Toluene-d8	95 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB66867-04-5.5-6.0  
Prism Sample ID: 9080260-11  
Prism Work Order: 9080260  
Time Collected: 08/13/19 09:45  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	94.1	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0056	0.00088	1	8260D	8/20/19 22:50	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0056	0.00085	1	8260D	8/20/19 22:50	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0014	1	8260D	8/20/19 22:50	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0056	0.00060	1	8260D	8/20/19 22:50	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0056	0.00090	1	8260D	8/20/19 22:50	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.017	0.0020	1	8260D	8/20/19 22:50	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	97 %	70-130
Dibromofluoromethane	118 %	84-123
Toluene-d8	96 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB66867-05-7-7.5  
Prism Sample ID: 9080260-12  
Prism Work Order: 9080260  
Time Collected: 08/13/19 11:10  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	89.3	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0060	0.00094	1	8260D	8/20/19 23:20	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0060	0.00091	1	8260D	8/20/19 23:20	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0015	1	8260D	8/20/19 23:20	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0060	0.00064	1	8260D	8/20/19 23:20	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0060	0.00096	1	8260D	8/20/19 23:20	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.018	0.0022	1	8260D	8/20/19 23:20	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	119 %	84-123
Toluene-d8	94 %	76-129



Geosyntec Consultants of NC, PC - Raleigh   Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB66867-06-7.5-8  
Prism Sample ID: 9080260-13  
Prism Work Order: 9080260  
Time Collected: 08/13/19 12:20  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	89.0	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0049	0.00076	1	8260D	8/19/19 16:12	JLB	P9H0310
Ethylbenzene	BRL	mg/kg dry	0.0049	0.00074	1	8260D	8/19/19 16:12	JLB	P9H0310
m,p-Xylenes	BRL	mg/kg dry	0.0098	0.0013	1	8260D	8/19/19 16:12	JLB	P9H0310
o-Xylene	BRL	mg/kg dry	0.0049	0.00052	1	8260D	8/19/19 16:12	JLB	P9H0310
Toluene	BRL	mg/kg dry	0.0049	0.00078	1	8260D	8/19/19 16:12	JLB	P9H0310
Xylenes, total	BRL	mg/kg dry	0.015	0.0018	1	8260D	8/19/19 16:12	JLB	P9H0310

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	100 %	70-130
Dibromofluoromethane	110 %	84-123
Toluene-d8	97 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB69-01-6.0-6.5  
Prism Sample ID: 9080260-14  
Prism Work Order: 9080260  
Time Collected: 08/12/19 13:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	90.5	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0052	0.00081	1	8260D	8/21/19 19:41	JLB	P9H0366
Ethylbenzene	BRL	mg/kg dry	0.0052	0.00078	1	8260D	8/21/19 19:41	JLB	P9H0366
m,p-Xylenes	BRL	mg/kg dry	0.010	0.0013	1	8260D	8/21/19 19:41	JLB	P9H0366
o-Xylene	BRL	mg/kg dry	0.0052	0.00055	1	8260D	8/21/19 19:41	JLB	P9H0366
Toluene	BRL	mg/kg dry	0.0052	0.00082	1	8260D	8/21/19 19:41	JLB	P9H0366
Xylenes, total	BRL	mg/kg dry	0.016	0.0019	1	8260D	8/21/19 19:41	JLB	P9H0366

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	103 %	70-130
Dibromofluoromethane	123 %	84-123
Toluene-d8	92 %	76-129



Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB69-02-4.0-4.5  
Prism Sample ID: 9080260-15  
Prism Work Order: 9080260  
Time Collected: 08/12/19 13:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
<b>General Chemistry Parameters</b>									
% Solids	95.0	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
<b>Volatile Organic Compounds by GC/MS</b>									
Benzene	BRL	mg/kg dry	0.0080	0.0012	1	8260D	8/21/19 0:20	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0080	0.0012	1	8260D	8/21/19 0:20	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.016	0.0020	1	8260D	8/21/19 0:20	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0080	0.00085	1	8260D	8/21/19 0:20	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0080	0.0013	1	8260D	8/21/19 0:20	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.024	0.0029	1	8260D	8/21/19 0:20	JLB	P9H0347
Surrogate									
4-Bromofluorobenzene									
103 %									
Dibromofluoromethane									
122 %									
Toluene-d8									
95 %									
Control Limits									
70-130									
84-123									
76-129									

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB69-03-5.0-5.5  
Prism Sample ID: 9080260-16  
Prism Work Order: 9080260  
Time Collected: 08/12/19 14:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	93.2	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0043	0.00067	1	8260D	8/21/19 0:49	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0043	0.00064	1	8260D	8/21/19 0:49	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.0086	0.0011	1	8260D	8/21/19 0:49	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0043	0.00046	1	8260D	8/21/19 0:49	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0043	0.00068	1	8260D	8/21/19 0:49	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.013	0.0015	1	8260D	8/21/19 0:49	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	121 %	84-123
Toluene-d8	96 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB69-04-5.0-5.5  
Prism Sample ID: 9080260-17  
Prism Work Order: 9080260  
Time Collected: 08/12/19 14:45  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	92.2	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0049	0.00076	1	8260D	8/21/19 1:19	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0049	0.00074	1	8260D	8/21/19 1:19	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.0098	0.0013	1	8260D	8/21/19 1:19	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0049	0.00052	1	8260D	8/21/19 1:19	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0049	0.00078	1	8260D	8/21/19 1:19	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.015	0.0018	1	8260D	8/21/19 1:19	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	100 %	70-130
Dibromofluoromethane	123 %	84-123
Toluene-d8	94 %	76-129

Geosyntec Consultants of NC, PC - Raleigh  
 Attn: Michael Wang  
 2501 Blue Ridge Road, Ste 430  
 Raleigh, NC 27607

Project: NCDOT R-5726 West End  
 Project No.: GN7039  
 Sample Matrix: Solid

Client Sample ID: SB69-05-9.5-10  
 Prism Sample ID: 9080260-18  
 Prism Work Order: 9080260  
 Time Collected: 08/12/19 15:25  
 Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
<b>General Chemistry Parameters</b>									
% Solids	91.0	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
<b>Volatile Organic Compounds by GC/MS</b>									
Benzene	BRL	mg/kg dry	0.0056	0.00088	1	8260D	8/21/19 1:50	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0056	0.00084	1	8260D	8/21/19 1:50	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0014	1	8260D	8/21/19 1:50	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0056	0.00060	1	8260D	8/21/19 1:50	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0056	0.00089	1	8260D	8/21/19 1:50	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.017	0.0020	1	8260D	8/21/19 1:50	JLB	P9H0347
Surrogate						Recovery	Control Limits		
4-Bromofluorobenzene						99 %	70-130		
Dibromofluoromethane						119 %	84-123		
Toluene-d8						94 %	76-129		

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB69-06-9-9.5  
Prism Sample ID: 9080260-19  
Prism Work Order: 9080260  
Time Collected: 08/12/19 16:15  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	87.3	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0046	0.00072	1	8260D	8/22/19 15:47	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0046	0.00069	1	8260D	8/22/19 15:47	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.0092	0.0012	1	8260D	8/22/19 15:47	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0046	0.00049	1	8260D	8/22/19 15:47	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0046	0.00073	1	8260D	8/22/19 15:47	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.014	0.0017	1	8260D	8/22/19 15:47	JLB	P9H0389

Surrogate	Recovery	Control Limits	
4-Bromofluorobenzene	99 %	70-130	
Dibromofluoromethane	125 %	84-123	SR
Toluene-d8	92 %	76-129	



Geosyntec Consultants of NC, PC - Raleigh  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project: NCDOT R-5726 West End  
Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB69-07-5.0-5.5  
Prism Sample ID: 9080260-20  
Prism Work Order: 9080260  
Time Collected: 08/12/19 16:45  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	93.3	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0051	0.00080	1	8260D	8/22/19 16:17	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0051	0.00077	1	8260D	8/22/19 16:17	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.010	0.0013	1	8260D	8/22/19 16:17	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0051	0.00055	1	8260D	8/22/19 16:17	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0051	0.00082	1	8260D	8/22/19 16:17	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.015	0.0019	1	8260D	8/22/19 16:17	JLB	P9H0389

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	127 %	84-123
Toluene-d8	94 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
 Attn: Michael Wang  
 2501 Blue Ridge Road, Ste 430  
 Raleigh, NC 27607

Project No.: GN7039  
 Sample Matrix: Solid

Client Sample ID: SB69-08-6.0-6.5  
 Prism Sample ID: 9080260-21  
 Prism Work Order: 9080260  
 Time Collected: 08/13/19 13:00  
 Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

### General Chemistry Parameters

% Solids	85.7	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

### Volatile Organic Compounds by GC/MS

Benzene	BRL	mg/kg dry	0.0060	0.00094	1	8260D	8/26/19 19:27	JLB	P9H0434
Ethylbenzene	BRL	mg/kg dry	0.0060	0.00091	1	8260D	8/26/19 19:27	JLB	P9H0434
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0015	1	8260D	8/26/19 19:27	JLB	P9H0434
o-Xylene	BRL	mg/kg dry	0.0060	0.00064	1	8260D	8/26/19 19:27	JLB	P9H0434
Toluene	BRL	mg/kg dry	0.0060	0.00096	1	8260D	8/26/19 19:27	JLB	P9H0434
Xylenes, total	BRL	mg/kg dry	0.018	0.0022	1	8260D	8/26/19 19:27	JLB	P9H0434

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	112 %	70-130
Dibromofluoromethane	96 %	84-123
Toluene-d8	101 %	76-129

Geosyntec Consultants of NC, PC - Raleigh      Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB78-01-7-7.5  
Prism Sample ID: 9080260-22  
Prism Work Order: 9080260  
Time Collected: 08/13/19 15:50  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
<b>General Chemistry Parameters</b>									
% Solids	83.4	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
<b>Volatile Organic Compounds by GC/MS</b>									
Benzene	BRL	mg/kg dry	0.0053	0.00082	1	8260D	8/22/19 17:34	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0053	0.00079	1	8260D	8/22/19 17:34	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0013	1	8260D	8/22/19 17:34	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0053	0.00056	1	8260D	8/22/19 17:34	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0053	0.00084	1	8260D	8/22/19 17:34	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.016	0.0019	1	8260D	8/22/19 17:34	JLB	P9H0389
Surrogate						Recovery	Control Limits		
4-Bromofluorobenzene						100 %	70-130		
Dibromofluoromethane						132 %	84-123		
Toluene-d8						96 %	76-129		

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB78-02-5.5-6  
Prism Sample ID: 9080260-23  
Prism Work Order: 9080260  
Time Collected: 08/14/19 08:25  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	97.8	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0043	0.00067	1	8260D	8/19/19 16:42	JLB	P9H0310
Ethylbenzene	BRL	mg/kg dry	0.0043	0.00065	1	8260D	8/19/19 16:42	JLB	P9H0310
Isopropylbenzene (Cumene)	BRL	mg/kg dry	0.0043	0.00050	1	8260D	8/19/19 16:42	JLB	P9H0310
m,p-Xylenes	BRL	mg/kg dry	0.0086	0.0011	1	8260D	8/19/19 16:42	JLB	P9H0310
o-Xylene	BRL	mg/kg dry	0.0043	0.00046	1	8260D	8/19/19 16:42	JLB	P9H0310
Toluene	BRL	mg/kg dry	0.0043	0.00068	1	8260D	8/19/19 16:42	JLB	P9H0310
Xylenes, total	BRL	mg/kg dry	0.013	0.0015	1	8260D	8/19/19 16:42	JLB	P9H0310

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	109 %	84-123
Toluene-d8	96 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB78-03-6-6.5  
Prism Sample ID: 9080260-24  
Prism Work Order: 9080260  
Time Collected: 08/14/19 09:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	85.2	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0068	0.0011	1	8260D	8/19/19 17:12	JLB	P9H0310
Ethylbenzene	BRL	mg/kg dry	0.0068	0.0010	1	8260D	8/19/19 17:12	JLB	P9H0310
m,p-Xylenes	BRL	mg/kg dry	0.014	0.0017	1	8260D	8/19/19 17:12	JLB	P9H0310
o-Xylene	BRL	mg/kg dry	0.0068	0.00072	1	8260D	8/19/19 17:12	JLB	P9H0310
Toluene	BRL	mg/kg dry	0.0068	0.0011	1	8260D	8/19/19 17:12	JLB	P9H0310
Xylenes, total	BRL	mg/kg dry	0.020	0.0024	1	8260D	8/19/19 17:12	JLB	P9H0310

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	103 %	70-130
Dibromofluoromethane	110 %	84-123
Toluene-d8	96 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB78-04-6.5-7  
Prism Sample ID: 9080260-25  
Prism Work Order: 9080260  
Time Collected: 08/14/19 09:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	85.1	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0062	0.00097	1	8260D	8/22/19 18:04	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0062	0.00093	1	8260D	8/22/19 18:04	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0016	1	8260D	8/22/19 18:04	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0062	0.00066	1	8260D	8/22/19 18:04	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0062	0.00099	1	8260D	8/22/19 18:04	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.019	0.0022	1	8260D	8/22/19 18:04	JLB	P9H0389

Surrogate	Recovery	Control Limits	
4-Bromofluorobenzene	98 %	70-130	
Dibromofluoromethane	130 %	84-123	SR
Toluene-d8	93 %	76-129	

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB89-01-5-5.5  
Prism Sample ID: 9080260-26  
Prism Work Order: 9080260  
Time Collected: 08/15/19 09:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	96.3	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0056	0.00088	1	8260D	8/22/19 18:34	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0056	0.00085	1	8260D	8/22/19 18:34	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0014	1	8260D	8/22/19 18:34	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0056	0.00060	1	8260D	8/22/19 18:34	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0056	0.00090	1	8260D	8/22/19 18:34	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.017	0.0020	1	8260D	8/22/19 18:34	JLB	P9H0389

Surrogate	Recovery	Control Limits	
4-Bromofluorobenzene	98 %	70-130	
Dibromofluoromethane	127 %	84-123	SR
Toluene-d8	94 %	76-129	

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No.: GN7039  
Raleigh, NC 27607 Sample Matrix: Solid

Client Sample ID: SB89-02-5.5-6  
Prism Sample ID: 9080260-27  
Prism Work Order: 9080260  
Time Collected: 08/15/19 09:40  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	96.6	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0066	0.0010	1	8260D	8/22/19 19:04	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0066	0.0010	1	8260D	8/22/19 19:04	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.013	0.0017	1	8260D	8/22/19 19:04	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0066	0.00070	1	8260D	8/22/19 19:04	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0066	0.0011	1	8260D	8/22/19 19:04	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.020	0.0024	1	8260D	8/22/19 19:04	JLB	P9H0389

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	100 %	70-130
Dibromofluoromethane	135 %	84-123
Toluene-d8	93 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB89-03-6.5-7  
Prism Sample ID: 9080260-28  
Prism Work Order: 9080260  
Time Collected: 08/15/19 10:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	92.2	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0065	0.0010	1	8260D	8/22/19 19:34	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0065	0.00098	1	8260D	8/22/19 19:34	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.013	0.0017	1	8260D	8/22/19 19:34	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0065	0.00069	1	8260D	8/22/19 19:34	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0065	0.0010	1	8260D	8/22/19 19:34	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.019	0.0023	1	8260D	8/22/19 19:34	JLB	P9H0389

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	128 %	84-123
Toluene-d8	90 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB89-04-7-7.5  
Prism Sample ID: 9080260-29  
Prism Work Order: 9080260  
Time Collected: 08/15/19 11:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	93.9	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0062	0.00097	1	8260D	8/22/19 20:03	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0062	0.00094	1	8260D	8/22/19 20:03	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0016	1	8260D	8/22/19 20:03	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0062	0.00066	1	8260D	8/22/19 20:03	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0062	0.00099	1	8260D	8/22/19 20:03	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.019	0.0022	1	8260D	8/22/19 20:03	JLB	P9H0389

Surrogate	Recovery	Control Limits	
4-Bromofluorobenzene	98 %	70-130	
Dibromofluoromethane	136 %	84-123	SR
Toluene-d8	91 %	76-129	

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-01-2.5-3  
Prism Sample ID: 9080260-30  
Prism Work Order: 9080260  
Time Collected: 08/14/19 10:50  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	89.8	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0069	0.0011	1	8260D	8/22/19 20:33	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0069	0.0010	1	8260D	8/22/19 20:33	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.014	0.0018	1	8260D	8/22/19 20:33	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0069	0.00073	1	8260D	8/22/19 20:33	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0069	0.0011	1	8260D	8/22/19 20:33	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.021	0.0025	1	8260D	8/22/19 20:33	JLB	P9H0389

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	101 %	70-130
Dibromofluoromethane	134 %	84-123
Toluene-d8	92 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
 Attn: Michael Wang  
 2501 Blue Ridge Road, Ste 430  
 Raleigh, NC 27607

Project No.: GN7039  
 Sample Matrix: Solid

Client Sample ID: SB102-02-5.5-6  
 Prism Sample ID: 9080260-31  
 Prism Work Order: 9080260  
 Time Collected: 08/14/19 11:35  
 Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	96.4	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0059	0.00093	1	8260D	8/22/19 21:03	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0059	0.00089	1	8260D	8/22/19 21:03	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0015	1	8260D	8/22/19 21:03	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0059	0.00063	1	8260D	8/22/19 21:03	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0059	0.00095	1	8260D	8/22/19 21:03	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.018	0.0021	1	8260D	8/22/19 21:03	JLB	P9H0389

Surrogate	Recovery	Control Limits	
4-Bromofluorobenzene	100 %	70-130	
Dibromofluoromethane	133 %	84-123	SR
Toluene-d8	91 %	76-129	

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-03-7-7.5  
Prism Sample ID: 9080260-32  
Prism Work Order: 9080260  
Time Collected: 08/14/19 13:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	94.4	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0053	0.00082	1	8260D	8/22/19 21:33	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0053	0.00079	1	8260D	8/22/19 21:33	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0014	1	8260D	8/22/19 21:33	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0053	0.00056	1	8260D	8/22/19 21:33	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0053	0.00084	1	8260D	8/22/19 21:33	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.016	0.0019	1	8260D	8/22/19 21:33	JLB	P9H0389

Surrogate	Recovery	Control Limits	
4-Bromofluorobenzene	99 %	70-130	
Dibromofluoromethane	132 %	84-123	SR
Toluene-d8	91 %	76-129	

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-04-7.5-8  
Prism Sample ID: 9080260-33  
Prism Work Order: 9080260  
Time Collected: 08/14/19 13:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	80.6	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0060	0.00094	1	8260D	8/22/19 22:03	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0060	0.00091	1	8260D	8/22/19 22:03	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0015	1	8260D	8/22/19 22:03	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0060	0.00064	1	8260D	8/22/19 22:03	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0060	0.00096	1	8260D	8/22/19 22:03	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.018	0.0022	1	8260D	8/22/19 22:03	JLB	P9H0389

Surrogate	Recovery	Control Limits	
4-Bromofluorobenzene	97 %	70-130	
Dibromofluoromethane	131 %	84-123	SR
Toluene-d8	92 %	76-129	

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-05-4.5-5  
Prism Sample ID: 9080260-34  
Prism Work Order: 9080260  
Time Collected: 08/14/19 14:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	97.4	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0070	0.0011	1	8260D	8/22/19 22:33	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0070	0.0011	1	8260D	8/22/19 22:33	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.014	0.0018	1	8260D	8/22/19 22:33	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0070	0.00075	1	8260D	8/22/19 22:33	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0070	0.0011	1	8260D	8/22/19 22:33	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.021	0.0025	1	8260D	8/22/19 22:33	JLB	P9H0389

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	103 %	70-130
Dibromofluoromethane	138 %	84-123
Toluene-d8	96 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-06-0.5-1  
Prism Sample ID: 9080260-35  
Prism Work Order: 9080260  
Time Collected: 08/14/19 14:50  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	88.1	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0075	0.0012	1	8260D	8/22/19 23:02	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0075	0.0011	1	8260D	8/22/19 23:02	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.015	0.0019	1	8260D	8/22/19 23:02	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0075	0.00080	1	8260D	8/22/19 23:02	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0075	0.0012	1	8260D	8/22/19 23:02	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.022	0.0027	1	8260D	8/22/19 23:02	JLB	P9H0389

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	103 %	70-130
Dibromofluoromethane	143 %	84-123
Toluene-d8	89 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-07-7.5-8  
Prism Sample ID: 9080260-36  
Prism Work Order: 9080260  
Time Collected: 08/14/19 15:35  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	83.5	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0043	0.00067	1	8260D	8/22/19 23:33	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0043	0.00065	1	8260D	8/22/19 23:33	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.0086	0.0011	1	8260D	8/22/19 23:33	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0043	0.00046	1	8260D	8/22/19 23:33	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0043	0.00069	1	8260D	8/22/19 23:33	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.013	0.0016	1	8260D	8/22/19 23:33	JLB	P9H0389

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	135 %	84-123
Toluene-d8	91 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-08-8-8.5  
Prism Sample ID: 9080260-37  
Prism Work Order: 9080260  
Time Collected: 08/14/19 16:05  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
<b>General Chemistry Parameters</b>									
% Solids	87.9	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
<b>Volatile Organic Compounds by GC/MS</b>									
Benzene	BRL	mg/kg dry	0.0058	0.00090	1	8260D	8/26/19 18:57	JLB	P9H0434
Ethylbenzene	BRL	mg/kg dry	0.0058	0.00087	1	8260D	8/26/19 18:57	JLB	P9H0434
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0015	1	8260D	8/26/19 18:57	JLB	P9H0434
o-Xylene	BRL	mg/kg dry	0.0058	0.00061	1	8260D	8/26/19 18:57	JLB	P9H0434
Toluene	BRL	mg/kg dry	0.0058	0.00092	1	8260D	8/26/19 18:57	JLB	P9H0434
Xylenes, total	BRL	mg/kg dry	0.017	0.0021	1	8260D	8/26/19 18:57	JLB	P9H0434
Surrogate									
4-Bromofluorobenzene									
Recovery									
103 %									
Dibromofluoromethane									
Control Limits									
93 %									
Toluene-d8									
99 %									
76-129									

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

Geosyntec Consultants of NC, PC - Raleigh  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project: NCDOT R-5726 West End  
Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-09-8.5-9  
Prism Sample ID: 9080260-38  
Prism Work Order: 9080260  
Time Collected: 08/14/19 16:45  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
<b>General Chemistry Parameters</b>									
% Solids	87.0	% by Weight	0.100	0.100	1	*SM2540 G	8/26/19 8:25	EDV	P9H0406
<b>Volatile Organic Compounds by GC/MS</b>									
Benzene	BRL	mg/kg dry	0.0053	0.00082	1	8260D	8/23/19 0:32	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0053	0.00079	1	8260D	8/23/19 0:32	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0014	1	8260D	8/23/19 0:32	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0053	0.00056	1	8260D	8/23/19 0:32	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0053	0.00084	1	8260D	8/23/19 0:32	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.016	0.0019	1	8260D	8/23/19 0:32	JLB	P9H0389
Surrogate						Recovery	Control Limits		
4-Bromofluorobenzene						98 %	70-130		
Dibromofluoromethane						140 %	84-123		
Toluene-d8						95 %	76-129		

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-10-9-9.5  
Prism Sample ID: 9080260-39  
Prism Work Order: 9080260  
Time Collected: 08/14/19 17:20  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	89.4	% by Weight	0.100	0.100	1	*SM2540 G	8/26/19 8:25	EDV	P9H0406
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0048	0.00075	1	8260D	8/26/19 18:27	JLB	P9H0434
Ethylbenzene	BRL	mg/kg dry	0.0048	0.00072	1	8260D	8/26/19 18:27	JLB	P9H0434
m,p-Xylenes	BRL	mg/kg dry	0.0096	0.0012	1	8260D	8/26/19 18:27	JLB	P9H0434
o-Xylene	BRL	mg/kg dry	0.0048	0.00051	1	8260D	8/26/19 18:27	JLB	P9H0434
Toluene	BRL	mg/kg dry	0.0048	0.00077	1	8260D	8/26/19 18:27	JLB	P9H0434
Xylenes, total	BRL	mg/kg dry	0.014	0.0017	1	8260D	8/26/19 18:27	JLB	P9H0434

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	104 %	70-130
Dibromofluoromethane	95 %	84-123
Toluene-d8	98 %	76-129

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

#### Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch P9H0310 - 5035</b>										
<b>Blank (P9H0310-BLK1)</b>										
					Prepared & Analyzed: 08/19/19					
1,1,1,2-Tetrachloroethane	BRL	0.0050	mg/kg wet							
1,1,1-Trichloroethane	BRL	0.0050	mg/kg wet							
1,1,2,2-Tetrachloroethane	BRL	0.0050	mg/kg wet							
1,1,2-Trichloroethane	BRL	0.0050	mg/kg wet							
1,1-Dichloroethane	BRL	0.0050	mg/kg wet							
1,1-Dichloroethylene	BRL	0.0050	mg/kg wet							
1,1-Dichloropropylene	BRL	0.0050	mg/kg wet							
1,2,3-Trichlorobenzene	BRL	0.010	mg/kg wet							
1,2,3-Trichloropropane	BRL	0.0050	mg/kg wet							
1,2,4-Trichlorobenzene	BRL	0.010	mg/kg wet							
1,2,4-Trimethylbenzene	BRL	0.0050	mg/kg wet							
1,2-Dibromoethane	BRL	0.0050	mg/kg wet							
1,2-Dichlorobenzene	BRL	0.0050	mg/kg wet							
1,2-Dichloroethane	BRL	0.0050	mg/kg wet							
1,2-Dichloropropane	BRL	0.0050	mg/kg wet							
1,3,5-Trimethylbenzene	BRL	0.0050	mg/kg wet							
1,3-Dichlorobenzene	BRL	0.0050	mg/kg wet							
1,3-Dichloropropane	BRL	0.0050	mg/kg wet							
1,4-Dichlorobenzene	BRL	0.0050	mg/kg wet							
2,2-Dichloropropane	BRL	0.0050	mg/kg wet							
2-Chlorotoluene	BRL	0.0050	mg/kg wet							
4-Chlorotoluene	BRL	0.0050	mg/kg wet							
4-Isopropyltoluene	BRL	0.0050	mg/kg wet							
Acetone	BRL	0.020	mg/kg wet							
Benzene	BRL	0.0050	mg/kg wet							
Bromobenzene	BRL	0.0050	mg/kg wet							
Bromochloromethane	BRL	0.0050	mg/kg wet							
Bromodichloromethane	BRL	0.0050	mg/kg wet							
Bromoform	BRL	0.0050	mg/kg wet							
Bromomethane	BRL	0.010	mg/kg wet							
Carbon Tetrachloride	BRL	0.0050	mg/kg wet							
Chlorobenzene	BRL	0.0050	mg/kg wet							
Chloroethane	BRL	0.010	mg/kg wet							
Chloroform	BRL	0.0050	mg/kg wet							
Chlormethane	BRL	0.010	mg/kg wet							
cis-1,2-Dichloroethylene	BRL	0.0050	mg/kg wet							
cis-1,3-Dichloropropylene	BRL	0.0050	mg/kg wet							
Dibromochloromethane	BRL	0.0050	mg/kg wet							
Dichlorodifluoromethane	BRL	0.010	mg/kg wet							
Ethylbenzene	BRL	0.0050	mg/kg wet							
Isopropyl Ether	BRL	0.0050	mg/kg wet							
Isopropylbenzene (Cumene)	BRL	0.0050	mg/kg wet							
m,p-Xylenes	BRL	0.010	mg/kg wet							
Methyl Butyl Ketone (2-Hexanone)	BRL	0.020	mg/kg wet							
Methyl Ethyl Ketone (2-Butanone)	BRL	0.020	mg/kg wet							
Methyl Isobutyl Ketone	BRL	0.020	mg/kg wet							

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

#### Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch P9H0310 - 5035</b>										
<b>Blank (P9H0310-BLK1)</b>										
Prepared & Analyzed: 08/19/19										
Methylene Chloride	BRL	0.0050	mg/kg wet							
Methyl-tert-Butyl Ether	BRL	0.0050	mg/kg wet							
Naphthalene	BRL	0.010	mg/kg wet							
n-Butylbenzene	BRL	0.0050	mg/kg wet							
n-Propylbenzene	BRL	0.0050	mg/kg wet							
o-Xylene	BRL	0.0050	mg/kg wet							
sec-Butylbenzene	BRL	0.0050	mg/kg wet							
Styrene	BRL	0.0050	mg/kg wet							
tert-Butylbenzene	BRL	0.0050	mg/kg wet							
Tetrachloroethylene	BRL	0.0050	mg/kg wet							
Toluene	BRL	0.0050	mg/kg wet							
trans-1,2-Dichloroethylene	BRL	0.0050	mg/kg wet							
trans-1,3-Dichloropropylene	BRL	0.0050	mg/kg wet							
Trichloroethylene	BRL	0.0050	mg/kg wet							
Trichlorofluoromethane	BRL	0.010	mg/kg wet							
Vinyl acetate	BRL	0.010	mg/kg wet							
Vinyl chloride	BRL	0.010	mg/kg wet							
Xylenes, total	BRL	0.015	mg/kg wet							
<i>Surrogate: 4-Bromofluorobenzene</i>	50.9		ug/L	50.00		102	70-130			
<i>Surrogate: Dibromofluoromethane</i>	53.9		ug/L	50.00		108	84-123			
<i>Surrogate: Toluene-d8</i>	49.2		ug/L	50.00		98	76-129			
<b>LCS (P9H0310-BS1)</b>										
Prepared & Analyzed: 08/19/19										
1,1,1,2-Tetrachloroethane	0.0442	0.0050	mg/kg wet	0.05000		88	72-115			
1,1,1-Trichloroethane	0.0460	0.0050	mg/kg wet	0.05000		92	67-131			
1,1,2,2-Tetrachloroethane	0.0421	0.0050	mg/kg wet	0.05000		84	56-126			
1,1,2-Trichloroethane	0.0421	0.0050	mg/kg wet	0.05000		84	70-133			
1,1-Dichloroethane	0.0432	0.0050	mg/kg wet	0.05000		86	74-127			
1,1-Dichloroethylene	0.0394	0.0050	mg/kg wet	0.05000		79	67-149			
1,1-Dichloropropylene	0.0453	0.0050	mg/kg wet	0.05000		91	71-130			
1,2,3-Trichlorobenzene	0.0432	0.010	mg/kg wet	0.05000		86	68-130			
1,2,3-Trichloropropane	0.0419	0.0050	mg/kg wet	0.05000		84	60-137			
1,2,4-Trichlorobenzene	0.0450	0.010	mg/kg wet	0.05000		90	66-125			
1,2,4-Trimethylbenzene	0.0442	0.0050	mg/kg wet	0.05000		88	69-129			
1,2-Dibromoethane	0.0426	0.0050	mg/kg wet	0.05000		85	70-132			
1,2-Dichlorobenzene	0.0425	0.0050	mg/kg wet	0.05000		85	72-123			
1,2-Dichloroethane	0.0446	0.0050	mg/kg wet	0.05000		89	68-128			
1,2-Dichloropropane	0.0437	0.0050	mg/kg wet	0.05000		87	73-130			
1,3,5-Trimethylbenzene	0.0440	0.0050	mg/kg wet	0.05000		88	69-128			
1,3-Dichlorobenzene	0.0429	0.0050	mg/kg wet	0.05000		86	71-120			
1,3-Dichloropropane	0.0428	0.0050	mg/kg wet	0.05000		86	75-124			
1,4-Dichlorobenzene	0.0428	0.0050	mg/kg wet	0.05000		86	71-123			
2,2-Dichloropropane	0.0463	0.0050	mg/kg wet	0.05000		93	50-142			
2-Chlorotoluene	0.0437	0.0050	mg/kg wet	0.05000		87	67-124			
4-Chlorotoluene	0.0438	0.0050	mg/kg wet	0.05000		88	71-126			
4-Isopropyltoluene	0.0451	0.0050	mg/kg wet	0.05000		90	68-129			
Acetone	0.120	0.020	mg/kg wet	0.1000		120	29-198			

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

**Volatile Organic Compounds by GC/MS - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch P9H0310 - 5035</b>										
<b>LCS (P9H0310-BS1)</b>										
Prepared & Analyzed: 08/19/19										
Benzene	0.0433	0.0050	mg/kg wet	0.05000	87	74-127				
Bromobenzene	0.0429	0.0050	mg/kg wet	0.05000	86	73-125				
Bromochloromethane	0.0422	0.0050	mg/kg wet	0.05000	84	72-134				
Bromodichloromethane	0.0456	0.0050	mg/kg wet	0.05000	91	75-122				
Bromoform	0.0467	0.0050	mg/kg wet	0.05000	93	66-135				
Bromomethane	0.0437	0.010	mg/kg wet	0.05000	87	20-180				
Carbon Tetrachloride	0.0464	0.0050	mg/kg wet	0.05000	93	64-143				
Chlorobenzene	0.0429	0.0050	mg/kg wet	0.05000	86	74-118				
Chloroethane	0.0420	0.010	mg/kg wet	0.05000	84	33-149				
Chloroform	0.0442	0.0050	mg/kg wet	0.05000	88	73-127				
Chloromethane	0.0382	0.010	mg/kg wet	0.05000	76	45-143				
cis-1,2-Dichloroethylene	0.0432	0.0050	mg/kg wet	0.05000	86	76-134				
cis-1,3-Dichloropropylene	0.0444	0.0050	mg/kg wet	0.05000	89	71-125				
Dibromochloromethane	0.0446	0.0050	mg/kg wet	0.05000	89	73-122				
Dichlorodifluoromethane	0.0405	0.010	mg/kg wet	0.05000	81	26-146				
Ethylbenzene	0.0435	0.0050	mg/kg wet	0.05000	87	74-128				
Isopropyl Ether	0.0443	0.0050	mg/kg wet	0.05000	89	59-159				
Isopropylbenzene (Cumene)	0.0440	0.0050	mg/kg wet	0.05000	88	68-126				
m,p-Xylenes	0.0886	0.010	mg/kg wet	0.1000	89	75-124				
Methyl Butyl Ketone (2-Hexanone)	0.0480	0.020	mg/kg wet	0.05000	96	61-157				
Methyl Ethyl Ketone (2-Butanone)	0.0510	0.020	mg/kg wet	0.05000	102	63-149				
Methyl Isobutyl Ketone	0.0451	0.020	mg/kg wet	0.05000	90	57-162				
Methylene Chloride	0.0414	0.0050	mg/kg wet	0.05000	83	74-129				
Methyl-tert-Butyl Ether	0.0432	0.0050	mg/kg wet	0.05000	86	70-130				
Naphthalene	0.0428	0.010	mg/kg wet	0.05000	86	57-157				
n-Butylbenzene	0.0460	0.0050	mg/kg wet	0.05000	92	65-135				
n-Propylbenzene	0.0443	0.0050	mg/kg wet	0.05000	89	67-130				
o-Xylene	0.0442	0.0050	mg/kg wet	0.05000	88	74-126				
sec-Butylbenzene	0.0446	0.0050	mg/kg wet	0.05000	89	66-131				
Styrene	0.0438	0.0050	mg/kg wet	0.05000	88	77-121				
tert-Butylbenzene	0.0445	0.0050	mg/kg wet	0.05000	89	67-132				
Tetrachloroethylene	0.0449	0.0050	mg/kg wet	0.05000	90	68-130				
Toluene	0.0435	0.0050	mg/kg wet	0.05000	87	71-129				
trans-1,2-Dichloroethylene	0.0444	0.0050	mg/kg wet	0.05000	89	73-132				
trans-1,3-Dichloropropylene	0.0448	0.0050	mg/kg wet	0.05000	90	68-123				
Trichloroethylene	0.0453	0.0050	mg/kg wet	0.05000	91	75-133				
Trichlorofluoromethane	0.0452	0.010	mg/kg wet	0.05000	90	44-146				
Vinyl acetate	0.0456	0.010	mg/kg wet	0.05000	91	85-161				
Vinyl chloride	0.0430	0.010	mg/kg wet	0.05000	86	48-147				
Xylenes, total	0.133	0.015	mg/kg wet	0.1500	89	74-126				
Surrogate: 4-Bromofluorobenzene	49.3		ug/L	50.00	99	70-130				
Surrogate: Dibromofluoromethane	50.5		ug/L	50.00	101	84-123				
Surrogate: Toluene-d8	49.4		ug/L	50.00	99	76-129				

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

## Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch P9H0310 - 5035</b>										
<b>LCS Dup (P9H0310-BSD1)</b>										
Prepared & Analyzed: 08/19/19										
1,1,1,2-Tetrachloroethane	0.0447	0.0050	mg/kg wet	0.05000	89	72-115	1	20		
1,1,1-Trichloroethane	0.0444	0.0050	mg/kg wet	0.05000	89	67-131	4	20		
1,1,2,2-Tetrachloroethane	0.0413	0.0050	mg/kg wet	0.05000	83	56-126	2	20		
1,1,2-Trichloroethane	0.0422	0.0050	mg/kg wet	0.05000	84	70-133	0.4	20		
1,1-Dichloroethane	0.0423	0.0050	mg/kg wet	0.05000	85	74-127	2	20		
1,1-Dichloroethylene	0.0402	0.0050	mg/kg wet	0.05000	80	67-149	2	20		
1,1-Dichloropropylene	0.0441	0.0050	mg/kg wet	0.05000	88	71-130	3	20		
1,2,3-Trichlorobenzene	0.0433	0.010	mg/kg wet	0.05000	87	68-130	0.1	20		
1,2,3-Trichloropropane	0.0413	0.0050	mg/kg wet	0.05000	83	60-137	2	20		
1,2,4-Trichlorobenzene	0.0438	0.010	mg/kg wet	0.05000	88	66-125	3	20		
1,2,4-Trimethylbenzene	0.0436	0.0050	mg/kg wet	0.05000	87	69-129	1	20		
1,2-Dibromoethane	0.0434	0.0050	mg/kg wet	0.05000	87	70-132	2	20		
1,2-Dichlorobenzene	0.0426	0.0050	mg/kg wet	0.05000	85	72-123	0.1	20		
1,2-Dichloroethane	0.0446	0.0050	mg/kg wet	0.05000	89	68-128	0.1	20		
1,2-Dichloropropane	0.0435	0.0050	mg/kg wet	0.05000	87	73-130	0.4	20		
1,3,5-Trimethylbenzene	0.0430	0.0050	mg/kg wet	0.05000	86	69-128	2	20		
1,3-Dichlorobenzene	0.0428	0.0050	mg/kg wet	0.05000	86	71-120	0.1	20		
1,3-Dichloropropane	0.0437	0.0050	mg/kg wet	0.05000	87	75-124	2	20		
1,4-Dichlorobenzene	0.0424	0.0050	mg/kg wet	0.05000	85	71-123	0.8	20		
2,2-Dichloropropane	0.0445	0.0050	mg/kg wet	0.05000	89	50-142	4	20		
2-Chlorotoluene	0.0426	0.0050	mg/kg wet	0.05000	85	67-124	3	20		
4-Chlorotoluene	0.0434	0.0050	mg/kg wet	0.05000	87	71-126	1	20		
4-Isopropyltoluene	0.0442	0.0050	mg/kg wet	0.05000	88	68-129	2	20		
Acetone	0.126	0.020	mg/kg wet	0.1000	126	29-198	5	20		
Benzene	0.0421	0.0050	mg/kg wet	0.05000	84	74-127	3	20		
Bromobenzene	0.0431	0.0050	mg/kg wet	0.05000	86	73-125	0.4	20		
Bromochloromethane	0.0425	0.0050	mg/kg wet	0.05000	85	72-134	0.8	20		
Bromodichloromethane	0.0450	0.0050	mg/kg wet	0.05000	90	75-122	1	20		
Bromoform	0.0463	0.0050	mg/kg wet	0.05000	93	66-135	1	20		
Bromomethane	0.0415	0.010	mg/kg wet	0.05000	83	20-180	5	20		
Carbon Tetrachloride	0.0452	0.0050	mg/kg wet	0.05000	90	64-143	3	20		
Chlorobenzene	0.0424	0.0050	mg/kg wet	0.05000	85	74-118	1	20		
Chloroethane	0.0404	0.010	mg/kg wet	0.05000	81	33-149	4	20		
Chloroform	0.0438	0.0050	mg/kg wet	0.05000	88	73-127	1	20		
Chloromethane	0.0366	0.010	mg/kg wet	0.05000	73	45-143	4	20		
cis-1,2-Dichloroethylene	0.0429	0.0050	mg/kg wet	0.05000	86	76-134	0.7	20		
cis-1,3-Dichloropropylene	0.0441	0.0050	mg/kg wet	0.05000	88	71-125	0.6	20		
Dibromochloromethane	0.0444	0.0050	mg/kg wet	0.05000	89	73-122	0.5	20		
Dichlorodifluoromethane	0.0389	0.010	mg/kg wet	0.05000	78	26-146	4	20		
Ethylbenzene	0.0430	0.0050	mg/kg wet	0.05000	86	74-128	1	20		
Isopropyl Ether	0.0437	0.0050	mg/kg wet	0.05000	87	59-159	1	20		
Isopropylbenzene (Cumene)	0.0430	0.0050	mg/kg wet	0.05000	86	68-126	2	20		
m,p-Xylenes	0.0871	0.010	mg/kg wet	0.1000	87	75-124	2	20		
Methyl Butyl Ketone (2-Hexanone)	0.0482	0.020	mg/kg wet	0.05000	96	61-157	0.4	20		
Methyl Ethyl Ketone (2-Butanone)	0.0512	0.020	mg/kg wet	0.05000	102	63-149	0.3	20		
Methyl Isobutyl Ketone	0.0442	0.020	mg/kg wet	0.05000	88	57-162	2	20		

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

#### Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

#### Batch P9H0310 - 5035

LCS Dup (P9H0310-BSD1)	Prepared & Analyzed: 08/19/19								
Methylene Chloride	0.0412	0.0050	mg/kg wet	0.05000	82	74-129	0.2	20	
Methyl-tert-Butyl Ether	0.0434	0.0050	mg/kg wet	0.05000	87	70-130	0.6	20	
Naphthalene	0.0426	0.010	mg/kg wet	0.05000	85	57-157	0.4	20	
n-Butylbenzene	0.0448	0.0050	mg/kg wet	0.05000	90	65-135	3	20	
n-Propylbenzene	0.0432	0.0050	mg/kg wet	0.05000	86	67-130	2	20	
o-Xylene	0.0441	0.0050	mg/kg wet	0.05000	88	74-126	0.3	20	
sec-Butylbenzene	0.0439	0.0050	mg/kg wet	0.05000	88	66-131	2	20	
Styrene	0.0445	0.0050	mg/kg wet	0.05000	89	77-121	2	20	
tert-Butylbenzene	0.0432	0.0050	mg/kg wet	0.05000	86	67-132	3	20	
Tetrachloroethylene	0.0425	0.0050	mg/kg wet	0.05000	85	68-130	6	20	
Toluene	0.0426	0.0050	mg/kg wet	0.05000	85	71-129	2	20	
trans-1,2-Dichloroethylene	0.0430	0.0050	mg/kg wet	0.05000	86	73-132	3	20	
trans-1,3-Dichloropropylene	0.0444	0.0050	mg/kg wet	0.05000	89	68-123	0.9	20	
Trichloroethylene	0.0435	0.0050	mg/kg wet	0.05000	87	75-133	4	20	
Trichlorofluoromethane	0.0419	0.010	mg/kg wet	0.05000	84	44-146	8	20	
Vinyl acetate	0.0467	0.010	mg/kg wet	0.05000	93	85-161	2	20	
Vinyl chloride	0.0404	0.010	mg/kg wet	0.05000	81	48-147	6	20	
Xylenes, total	0.131	0.015	mg/kg wet	0.1500	87	74-126	1	20	
Surrogate: 4-Bromofluorobenzene	50.0		ug/L	50.00	100	70-130			
Surrogate: Dibromofluoromethane	50.3		ug/L	50.00	101	84-123			
Surrogate: Toluene-d8	49.6		ug/L	50.00	99	76-129			

#### Batch P9H0347 - 5035

Blank (P9H0347-BLK1)	Prepared & Analyzed: 08/20/19				
Benzene	BRL	0.0050	mg/kg wet		
Ethylbenzene	BRL	0.0050	mg/kg wet		
m,p-Xylenes	BRL	0.010	mg/kg wet		
o-Xylene	BRL	0.0050	mg/kg wet		
Toluene	BRL	0.0050	mg/kg wet		
Xylenes, total	BRL	0.015	mg/kg wet		
Surrogate: 4-Bromofluorobenzene	50.2		ug/L	50.00	100
Surrogate: Dibromofluoromethane	53.2		ug/L	50.00	106
Surrogate: Toluene-d8	48.9		ug/L	50.00	98
					76-129

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

**Volatile Organic Compounds by GC/MS - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch P9H0347 - 5035</b>										
<b>LCS (P9H0347-BS1)</b>										
Prepared & Analyzed: 08/20/19										
Benzene	0.0533	0.0050	mg/kg wet	0.05000		107	74-127			
Ethylbenzene	0.0547	0.0050	mg/kg wet	0.05000		109	74-128			
m,p-Xylenes	0.111	0.010	mg/kg wet	0.1000		111	75-124			
o-Xylene	0.0558	0.0050	mg/kg wet	0.05000		112	74-126			
Toluene	0.0546	0.0050	mg/kg wet	0.05000		109	71-129			
Xylenes, total	0.167	0.015	mg/kg wet	0.1500		111	74-126			
Surrogate: 4-Bromofluorobenzene	48.7		ug/L	50.00		97	70-130			
Surrogate: Dibromofluoromethane	51.6		ug/L	50.00		103	84-123			
Surrogate: Toluene-d8	48.6		ug/L	50.00		97	76-129			
<b>LCS Dup (P9H0347-BSD1)</b>										
Prepared & Analyzed: 08/20/19										
Benzene	0.0520	0.0050	mg/kg wet	0.05000		104	74-127	2	20	
Ethylbenzene	0.0536	0.0050	mg/kg wet	0.05000		107	74-128	2	20	
m,p-Xylenes	0.109	0.010	mg/kg wet	0.1000		109	75-124	2	20	
o-Xylene	0.0549	0.0050	mg/kg wet	0.05000		110	74-126	2	20	
Toluene	0.0532	0.0050	mg/kg wet	0.05000		106	71-129	2	20	
Xylenes, total	0.164	0.015	mg/kg wet	0.1500		109	74-126	2	20	
Surrogate: 4-Bromofluorobenzene	48.3		ug/L	50.00		97	70-130			
Surrogate: Dibromofluoromethane	51.5		ug/L	50.00		103	84-123			
Surrogate: Toluene-d8	49.0		ug/L	50.00		98	76-129			
<b>Matrix Spike (P9H0347-MS1)</b>										
Source: 9080260-01 Prepared: 08/20/19 Analyzed: 08/21/19										
Benzene	0.0524	0.0055	mg/kg dry	0.05504	BRL	95	60-135			
Ethylbenzene	0.0536	0.0055	mg/kg dry	0.05504	BRL	97	44-144			
m,p-Xylenes	0.110	0.011	mg/kg dry	0.1101	BRL	100	36-148			
o-Xylene	0.0546	0.0055	mg/kg dry	0.05504	BRL	99	43-143			
Toluene	0.0528	0.0055	mg/kg dry	0.05504	BRL	96	57-135			
Xylenes, total	0.165	0.017	mg/kg dry	0.1651	BRL	100	36-148			
Surrogate: 4-Bromofluorobenzene	45.8		ug/L	50.00		92	70-130			
Surrogate: Dibromofluoromethane	51.8		ug/L	50.00		104	84-123			
Surrogate: Toluene-d8	47.2		ug/L	50.00		94	76-129			

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.



Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

**Volatile Organic Compounds by GC/MS - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch P9H0347 - 5035**

Matrix Spike Dup (P9H0347-MSD1)	Source: 9080260-01			Prepared: 08/20/19 Analyzed: 08/21/19						
Benzene	0.0486	0.0054	mg/kg dry	0.05417	BRL	90	60-135	8	20	
Ethylbenzene	0.0499	0.0054	mg/kg dry	0.05417	BRL	92	44-144	7	19	
m,p-Xylenes	0.103	0.011	mg/kg dry	0.1083	BRL	95	36-148	7	20	
o-Xylene	0.0519	0.0054	mg/kg dry	0.05417	BRL	96	43-143	5	17	
Toluene	0.0495	0.0054	mg/kg dry	0.05417	BRL	91	57-135	7	22	
Xylenes, total	0.154	0.016	mg/kg dry	0.1625	BRL	95	36-148	6	20	
Surrogate: 4-Bromofluorobenzene	48.3		ug/L	50.00		97	70-130			
Surrogate: Dibromofluoromethane	55.3		ug/L	50.00		111	84-123			
Surrogate: Toluene-d8	47.2		ug/L	50.00		94	76-129			

**Batch P9H0366 - 5035**

Blank (P9H0366-BLK1)	Prepared & Analyzed: 08/21/19						
Benzene	BRL	0.0050	mg/kg wet				
Ethylbenzene	BRL	0.0050	mg/kg wet				
m,p-Xylenes	BRL	0.010	mg/kg wet				
o-Xylene	BRL	0.0050	mg/kg wet				
Toluene	BRL	0.0050	mg/kg wet				
Xylenes, total	BRL	0.015	mg/kg wet				
Surrogate: 4-Bromofluorobenzene	51.2		ug/L	50.00		102	70-130
Surrogate: Dibromofluoromethane	60.3		ug/L	50.00		121	84-123
Surrogate: Toluene-d8	47.1		ug/L	50.00		94	76-129

LCS (P9H0366-BS1)	Prepared & Analyzed: 08/21/19						
Benzene	0.0531	0.0050	mg/kg wet	0.05000		106	74-127
Ethylbenzene	0.0562	0.0050	mg/kg wet	0.05000		112	74-128
m,p-Xylenes	0.115	0.010	mg/kg wet	0.1000		115	75-124
o-Xylene	0.0575	0.0050	mg/kg wet	0.05000		115	74-126
Toluene	0.0550	0.0050	mg/kg wet	0.05000		110	71-129
Xylenes, total	0.173	0.015	mg/kg wet	0.1500		115	74-126
Surrogate: 4-Bromofluorobenzene	48.7		ug/L	50.00		97	70-130
Surrogate: Dibromofluoromethane	54.0		ug/L	50.00		108	84-123
Surrogate: Toluene-d8	48.9		ug/L	50.00		98	76-129

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
 Attn: Michael Wang  
 2501 Blue Ridge Road, Ste 430 Project No: GN7039  
 Raleigh, NC 27607

Prism Work Order: 9080260  
 Time Submitted: 8/16/2019 9:15:00AM

**Volatile Organic Compounds by GC/MS - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch P9H0366 - 5035**

LCS Dup (P9H0366-BSD1)									
Prepared & Analyzed: 08/21/19									
Benzene	0.0494	0.0050	mg/kg wet	0.05000	99	74-127	7	20	
Ethylbenzene	0.0523	0.0050	mg/kg wet	0.05000	105	74-128	7	20	
m,p-Xylenes	0.107	0.010	mg/kg wet	0.1000	107	75-124	7	20	
o-Xylene	0.0540	0.0050	mg/kg wet	0.05000	108	74-126	6	20	
Toluene	0.0511	0.0050	mg/kg wet	0.05000	102	71-129	7	20	
Xylenes, total	0.161	0.015	mg/kg wet	0.1500	107	74-126	7	20	
Surrogate: 4-Bromofluorobenzene	48.8		ug/L	50.00	98	70-130			
Surrogate: Dibromofluoromethane	53.0		ug/L	50.00	106	84-123			
Surrogate: Toluene-d8	48.5		ug/L	50.00	97	76-129			

**Batch P9H0389 - 5035**

Blank (P9H0389-BLK1)									
Prepared & Analyzed: 08/22/19									
Benzene	BRL	0.0050	mg/kg wet						
Ethylbenzene	BRL	0.0050	mg/kg wet						
m,p-Xylenes	BRL	0.010	mg/kg wet						
o-Xylene	BRL	0.0050	mg/kg wet						
Toluene	BRL	0.0050	mg/kg wet						
Xylenes, total	BRL	0.015	mg/kg wet						
Surrogate: 4-Bromofluorobenzene	50.8		ug/L	50.00	102	70-130			
Surrogate: Dibromofluoromethane	61.1		ug/L	50.00	122	84-123			
Surrogate: Toluene-d8	47.1		ug/L	50.00	94	76-129			

LCS (P9H0389-BS1)									
Prepared & Analyzed: 08/22/19									
Benzene	0.0502	0.0050	mg/kg wet	0.05000	100	74-127			
Ethylbenzene	0.0535	0.0050	mg/kg wet	0.05000	107	74-128			
m,p-Xylenes	0.111	0.010	mg/kg wet	0.1000	111	75-124			
o-Xylene	0.0542	0.0050	mg/kg wet	0.05000	108	74-126			
Toluene	0.0520	0.0050	mg/kg wet	0.05000	104	71-129			
Xylenes, total	0.165	0.015	mg/kg wet	0.1500	110	74-126			
Surrogate: 4-Bromofluorobenzene	47.1		ug/L	50.00	94	70-130			
Surrogate: Dibromofluoromethane	55.3		ug/L	50.00	111	84-123			
Surrogate: Toluene-d8	44.9		ug/L	50.00	90	76-129			

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

#### Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch P9H0389 - 5035</b>										
<b>LCS Dup (P9H0389-BSD1)</b>										
Prepared & Analyzed: 08/22/19										
Benzene	0.0473	0.0050	mg/kg wet	0.05000	95	74-127	6	20		
Ethylbenzene	0.0501	0.0050	mg/kg wet	0.05000	100	74-128	7	20		
m,p-Xylenes	0.104	0.010	mg/kg wet	0.1000	104	75-124	6	20		
o-Xylene	0.0514	0.0050	mg/kg wet	0.05000	103	74-126	5	20		
Toluene	0.0489	0.0050	mg/kg wet	0.05000	98	71-129	6	20		
Xylenes, total	0.155	0.015	mg/kg wet	0.1500	104	74-126	6	20		
Surrogate: 4-Bromofluorobenzene	47.0		ug/L	50.00	94	70-130				
Surrogate: Dibromofluoromethane	53.8		ug/L	50.00	108	84-123				
Surrogate: Toluene-d8	48.6		ug/L	50.00	97	76-129				
<b>Matrix Spike (P9H0389-MS1)</b>										
Source: 9080260-19 Prepared: 08/22/19 Analyzed: 08/23/19										
Benzene	0.0476	0.0057	mg/kg dry	0.05685	BRL	84	60-135			
Ethylbenzene	0.0509	0.0057	mg/kg dry	0.05685	BRL	90	44-144			
m,p-Xylenes	0.107	0.011	mg/kg dry	0.1137	BRL	94	36-148			
o-Xylene	0.0492	0.0057	mg/kg dry	0.05685	BRL	87	43-143			
Toluene	0.0487	0.0057	mg/kg dry	0.05685	BRL	86	57-135			
Xylenes, total	0.156	0.017	mg/kg dry	0.1705	BRL	91	36-148			
Surrogate: 4-Bromofluorobenzene	46.8		ug/L	50.00	94	70-130				
Surrogate: Dibromofluoromethane	60.8		ug/L	50.00	122	84-123				
Surrogate: Toluene-d8	46.1		ug/L	50.00	92	76-129				
<b>Matrix Spike Dup (P9H0389-MSD1)</b>										
Source: 9080260-19 Prepared: 08/22/19 Analyzed: 08/23/19										
Benzene	0.0501	0.0057	mg/kg dry	0.05696	BRL	88	60-135	5	20	
Ethylbenzene	0.0491	0.0057	mg/kg dry	0.05696	BRL	86	44-144	4	19	
m,p-Xylenes	0.104	0.011	mg/kg dry	0.1139	BRL	91	36-148	3	20	
o-Xylene	0.0490	0.0057	mg/kg dry	0.05696	BRL	86	43-143	0.5	17	
Toluene	0.0511	0.0057	mg/kg dry	0.05696	BRL	90	57-135	5	22	
Xylenes, total	0.153	0.017	mg/kg dry	0.1709	BRL	89	36-148	2	20	
Surrogate: 4-Bromofluorobenzene	45.0		ug/L	50.00	90	70-130				
Surrogate: Dibromofluoromethane	61.7		ug/L	50.00	123	84-123				
Surrogate: Toluene-d8	46.6		ug/L	50.00	93	76-129				

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
 Attn: Michael Wang  
 2501 Blue Ridge Road, Ste 430 Project No: GN7039  
 Raleigh, NC 27607

Prism Work Order: 9080260  
 Time Submitted: 8/16/2019 9:15:00AM

**Volatile Organic Compounds by GC/MS - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch P9H0434 - 5035</b>										
<b>Blank (P9H0434-BLK1)</b>										
Prepared & Analyzed: 08/26/19										
Benzene	BRL	0.0050	mg/kg wet							
Ethylbenzene	BRL	0.0050	mg/kg wet							
m,p-Xylenes	BRL	0.010	mg/kg wet							
o-Xylene	BRL	0.0050	mg/kg wet							
Toluene	BRL	0.0050	mg/kg wet							
Xylenes, total	BRL	0.015	mg/kg wet							
Surrogate: 4-Bromofluorobenzene	51.0		ug/L	50.00		102	70-130			
Surrogate: Dibromofluoromethane	46.7		ug/L	50.00		93	84-123			
Surrogate: Toluene-d8	49.6		ug/L	50.00		99	76-129			
<b>LCS (P9H0434-BS1)</b>										
Prepared & Analyzed: 08/26/19										
Benzene	0.0513	0.0050	mg/kg wet	0.05000		103	74-127			
Ethylbenzene	0.0516	0.0050	mg/kg wet	0.05000		103	74-128			
m,p-Xylenes	0.100	0.010	mg/kg wet	0.1000		100	75-124			
o-Xylene	0.0501	0.0050	mg/kg wet	0.05000		100	74-126			
Toluene	0.0516	0.0050	mg/kg wet	0.05000		103	71-129			
Xylenes, total	0.150	0.015	mg/kg wet	0.1500		100	74-126			
Surrogate: 4-Bromofluorobenzene	52.0		ug/L	50.00		104	70-130			
Surrogate: Dibromofluoromethane	44.7		ug/L	50.00		89	84-123			
Surrogate: Toluene-d8	51.0		ug/L	50.00		102	76-129			
<b>LCS Dup (P9H0434-BSD1)</b>										
Prepared & Analyzed: 08/26/19										
Benzene	0.0480	0.0050	mg/kg wet	0.05000		96	74-127	7	20	
Ethylbenzene	0.0479	0.0050	mg/kg wet	0.05000		96	74-128	7	20	
m,p-Xylenes	0.0930	0.010	mg/kg wet	0.1000		93	75-124	7	20	
o-Xylene	0.0468	0.0050	mg/kg wet	0.05000		94	74-126	7	20	
Toluene	0.0481	0.0050	mg/kg wet	0.05000		96	71-129	7	20	
Xylenes, total	0.140	0.015	mg/kg wet	0.1500		93	74-126	7	20	
Surrogate: 4-Bromofluorobenzene	52.6		ug/L	50.00		105	70-130			
Surrogate: Dibromofluoromethane	43.7		ug/L	50.00		87	84-123			
Surrogate: Toluene-d8	50.0		ug/L	50.00		100	76-129			

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
 Attn: Michael Wang  
 2501 Blue Ridge Road, Ste 430 Project No: GN7039  
 Raleigh, NC 27607

Prism Work Order: 9080260  
 Time Submitted: 8/16/2019 9:15:00AM

**General Chemistry Parameters - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch P9H0353 - Solids, Dry Weight**

Duplicate (P9H0353-DUP1)	<b>Source: 9080260-04</b>			Prepared: 08/21/19 Analyzed: 08/22/19					
% Solids	91.4	0.100	% by Weight		97.8			7	20

Duplicate (P9H0353-DUP2)	<b>Source: 9080260-14</b>			Prepared: 08/21/19 Analyzed: 08/22/19					
% Solids	96.6	0.100	% by Weight		90.5			7	20

**Batch P9H0369 - Solids, Dry Weight**

Duplicate (P9H0369-DUP1)	<b>Source: 9080260-20</b>			Prepared: 08/22/19 Analyzed: 08/23/19					
% Solids	93.3	0.100	% by Weight		93.3			0.02	20

Duplicate (P9H0369-DUP2)	<b>Source: 9080260-23</b>			Prepared: 08/22/19 Analyzed: 08/23/19					
% Solids	97.6	0.100	% by Weight		97.8			0.1	20

**Batch P9H0406 - Solids, Dry Weight**

Duplicate (P9H0406-DUP1)	<b>Source: 9080260-39</b>			Prepared: 08/23/19 Analyzed: 08/26/19					
% Solids	88.6	0.100	% by Weight		89.4			0.9	20

### Sample Extraction Data

**Prep Method: Solids, Dry Weight**

Lab Number	Batch	Initial	Final	Date/Time
9080260-01	P9H0353	30 g	30 g	08/21/19 10:40
9080260-02	P9H0353	30 g	30 g	08/21/19 10:40
9080260-03	P9H0353	30 g	30 g	08/21/19 10:40
9080260-04	P9H0353	30 g	30 g	08/21/19 10:40
9080260-05	P9H0353	30 g	30 g	08/21/19 10:40
9080260-06	P9H0353	30 g	30 g	08/21/19 10:40
9080260-07	P9H0353	30 g	30 g	08/21/19 10:40
9080260-08	P9H0353	30 g	30 g	08/21/19 10:40
9080260-09	P9H0353	30 g	30 g	08/21/19 10:40
9080260-10	P9H0353	30 g	30 g	08/21/19 10:40
9080260-11	P9H0353	30 g	30 g	08/21/19 10:40
9080260-12	P9H0353	30 g	30 g	08/21/19 10:40
9080260-13	P9H0353	30 g	30 g	08/21/19 10:40
9080260-14	P9H0353	30 g	30 g	08/21/19 10:40
9080260-15	P9H0353	30 g	30 g	08/21/19 10:40
9080260-16	P9H0353	30 g	30 g	08/21/19 10:40
9080260-17	P9H0353	30 g	30 g	08/21/19 10:40
9080260-18	P9H0369	30 g	30 g	08/22/19 11:13
9080260-19	P9H0369	30 g	30 g	08/22/19 11:13
9080260-20	P9H0369	30 g	30 g	08/22/19 11:13
9080260-21	P9H0369	30 g	30 g	08/22/19 11:13
9080260-22	P9H0369	30 g	30 g	08/22/19 11:13
9080260-23	P9H0369	30 g	30 g	08/22/19 11:13
9080260-24	P9H0369	30 g	30 g	08/22/19 11:13
9080260-25	P9H0369	30 g	30 g	08/22/19 11:13
9080260-26	P9H0369	30 g	30 g	08/22/19 11:13
9080260-27	P9H0369	30 g	30 g	08/22/19 11:13
9080260-28	P9H0369	30 g	30 g	08/22/19 11:13
9080260-29	P9H0369	30 g	30 g	08/22/19 11:13
9080260-30	P9H0369	30 g	30 g	08/22/19 11:13
9080260-31	P9H0369	30 g	30 g	08/22/19 11:13
9080260-32	P9H0369	30 g	30 g	08/22/19 11:13
9080260-33	P9H0369	30 g	30 g	08/22/19 11:13
9080260-34	P9H0369	30 g	30 g	08/22/19 11:13
9080260-35	P9H0369	30 g	30 g	08/22/19 11:13
9080260-36	P9H0369	30 g	30 g	08/22/19 11:13
9080260-37	P9H0369	30 g	30 g	08/22/19 11:13
9080260-38	P9H0406	30 g	30 g	08/23/19 12:00
9080260-39	P9H0406	30 g	30 g	08/23/19 12:00

**Prep Method: 5035**

Lab Number	Batch	Initial	Final	Date/Time
9080260-01	P9H0347	3.89 g	5 mL	08/20/19 10:00
9080260-02	P9H0347	4.18 g	5 mL	08/20/19 10:00
9080260-03	P9H0347	5.17 g	5 mL	08/20/19 10:00
9080260-04	P9H0347	4.83 g	5 mL	08/20/19 10:00
9080260-05	P9H0389	3.77 g	5 mL	08/22/19 10:00
9080260-06	P9H0347	5.45 g	5 mL	08/20/19 10:00
9080260-07	P9H0347	5.48 g	5 mL	08/20/19 10:00
9080260-08	P9H0347	5.5 g	5 mL	08/20/19 10:00
9080260-09	P9H0347	4.69 g	5 mL	08/20/19 10:00
9080260-10	P9H0347	4.68 g	5 mL	08/20/19 10:00
9080260-11	P9H0347	4.72 g	5 mL	08/20/19 10:00
9080260-12	P9H0347	4.64 g	5 mL	08/20/19 10:00
9080260-13	P9H0310	5.74 g	5 mL	08/19/19 10:00
9080260-14	P9H0366	5.34 g	5 mL	08/21/19 10:00

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

### Sample Extraction Data

Prep Method: 5035

Lab Number	Batch	Initial	Final	Date/Time
9080260-15	P9H0347	3.3 g	5 mL	08/20/19 10:00
9080260-16	P9H0347	6.27 g	5 mL	08/20/19 10:00
9080260-17	P9H0347	5.54 g	5 mL	08/20/19 10:00
9080260-18	P9H0347	4.89 g	5 mL	08/20/19 10:00
9080260-19	P9H0389	6.23 g	5 mL	08/22/19 10:00
9080260-20	P9H0389	5.21 g	5 mL	08/22/19 10:00
9080260-21	P9H0434	4.84 g	5 mL	08/26/19 11:00
9080260-22	P9H0389	5.69 g	5 mL	08/22/19 10:00
9080260-23	P9H0310	5.96 g	5 mL	08/19/19 10:00
9080260-24	P9H0310	4.34 g	5 mL	08/19/19 10:00
9080260-25	P9H0389	4.74 g	5 mL	08/22/19 10:00
9080260-26	P9H0389	4.6 g	5 mL	08/22/19 10:00
9080260-27	P9H0389	3.91 g	5 mL	08/22/19 10:00
9080260-28	P9H0389	4.18 g	5 mL	08/22/19 10:00
9080260-29	P9H0389	4.28 g	5 mL	08/22/19 10:00
9080260-30	P9H0389	4.06 g	5 mL	08/22/19 10:00
9080260-31	P9H0389	4.36 g	5 mL	08/22/19 10:00
9080260-32	P9H0389	5.01 g	5 mL	08/22/19 10:00
9080260-33	P9H0389	5.13 g	5 mL	08/22/19 10:00
9080260-34	P9H0389	3.66 g	5 mL	08/22/19 10:00
9080260-35	P9H0389	3.79 g	5 mL	08/22/19 10:00
9080260-36	P9H0389	6.93 g	5 mL	08/22/19 10:00
9080260-37	P9H0434	4.94 g	5 mL	08/26/19 11:00
9080260-38	P9H0389	5.45 g	5 mL	08/22/19 10:00
9080260-39	P9H0434	5.81 g	5 mL	08/26/19 11:00

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409

# CHAIN OF CUSTODY RECORD

 PAGE 1 OF 4 QUOTE # TO ENSURE PROPER BILLING: BN 7039

 Project Name: MDOT, West End

 Client Company Name: Gorsinter

 Report To/Contact Name: Michael Wang

 Reporting Address: Ste 430, Raleigh, NC, 27607

 Phone: 919-551-5334 Fax (Yes) (No): No

 Email Address: mwang@geosyntec.com

 EDD Type: PDF  Excel  Other

 Site Location Name: NC DOT, West End, NC

 Site Location Physical Address: 14 Miles East, NC

 Purchase Order No./Billing Reference: BN 2039

 Requested Due Date:  1 Day  2 Days  3 Days  4 Days  5 Days

 "Working Days"  6-9 Days  Standard 10 days  Rush Work Must Be Pre-Approved

Samples received after 14:00 will be processed next business day.

Turnaround time is based on business days, excluding weekends and holidays.

(SEE REVERSE FOR TERMS &amp; CONDITIONS REGARDING SERVICES)

RENDERED BY PRISM LABORATORIES, INC. TO CLIENT

Samples INTACT upon arrival?

Received ON WET ICE?

PROPER PRESERVATIVES indicated?

RECEIVED WITHIN HOLDING TIMES?

CUSTODY SEALS INTACT?

VOLATILES recd w/out HEADSPACE?

PROPER CONTAINERS used?

 TEMP: Item ID: 1114 Observed 3.2 °C Cont. 3.3 °C

 Sample Iced Upon Collection: YES  NO 

TO BE FILLED IN BY CLIENT/SAMPLING PERSONNEL

 Certification: NELAC DoD FL NC 

 SC OTHER N/A

 Water Chlorinated: YES  NO 

 Sample Iced Upon Collection: YES  NO 

SAMPLE DESCRIPTION	DATE COLLECTED	TIME COLLECTED MILITARY HOURS	MATRIX (SOIL, WATER OR SLUDGE)	*TYPE SEE BELOW	NO.	SIZE	PRESERVE- TIVES	ANALYSIS REQUESTED	REMARKS	PRISM LAB ID NO.
							VOA			
SB13-01-75-80	8/12/19	1030	Soil	VOA	4		multiple	✓	BTX ONLY	01
SB13-02-7-7.5	8/12/19	1100	Soil	VOA	4		multiple	✓		02
SB13-03-6.5-7.0	8/12/19	1130	Soil	VOA	4		multiple	✓		03
SB43-01-4-5.5	8/13/19	1240		VOA	4		multiple	✓		04
SB43-02-6-5.5	8/13/19	1400		VOA	4		multiple	✓		05
SB43-03-7-7.5	8/13/19	1430		VOA	4		multiple	✓		06
SB43-04-7.5-8	8/13/19	1445		VOA	4		multiple	✓		07
SB6667-01-5-5.5	8/13/19	0840		VOA	4		multiple	✓		08
SB6667-02-40-45	8/13/19	0910		VOA	4		multiple	✓		09
SB6667-03-6.5-7	8/13/19	1020	Soil	VOA	4		multiple	✓		

 Sampler's Signature: Michael Wang Sampled By (Print Name): Michael Wang Affiliation: \_\_\_\_\_

Upon relinquishing, this Chain of Custody is your authorization for Prism to proceed with the analyses as requested above. Any changes must be submitted in writing to the Prism Project Manager. There will be charges for any changes after analyses have been initialized.

Relinquished By: (Signature)

Received By: (Signature)

Additional Comments:

PRISM USE ONLY

Site Arrival Time:

Site Departure Time:

Field Tech Fee:

Mileage:

Method of Shipment: NOTE: ALL SAMPLE COOLERS SHOULD BE TAPED SHUT WITH CUSTODY SEALS FOR TRANSPORTATION TO THE LABORATORY.

SAMPLES ARE NOT ACCEPTED AND VERIFIED AGAINST COC UNTIL RECEIVED AT THE LABORATORY.

 NPDES:  UST:  Hand-delivered  Prism Field Service  Other

 N/C  SC  NC  SC  NC  SC

 N/C  SC  NC  SC  NC  SC

 N/C  SC  NC  SC  NC  SC

 COC Group No.: 1060160

 SEE REVERSE FOR  
TERMS & CONDITIONS

449 Springbrook Road • Charlotte, NC 28217  
Phone 704/529-6364 • Fax: 704/525-0409

 Client Company Name: Greenvet  
Report To/Contact Name: Michael Chang

 Reporting Address: 2501 Blue Ridge Rd.  
Site 430, Raleigh, NC, 27607

 Phone: 919-551-5334 Fax (Yes) (No): No  
Email Address: mchang@greenvet.com

 EDD Type:  Excel  Other

 Site Location Name: NCDOT West End

 Site Location Physical Address: West End, NC

# CHAIN OF CUSTODY RECORD

PAGE 2 OF 4 QUOTE # TO ENSURE PROPER BILLING: BIN 7039

 Project Name: NCDOT West End UST Project:  (Yes)  (No)

 Short Hold Analysis:  (Yes)  (No)  
\*Please ATTACH any project specific reporting (QC LEVEL I II III IV)

provisions and/or QC Requirements

 Invoice To: Greenvet

Address: \_\_\_\_\_

 Purchase Order No./Billing Reference: BIN 7039

 Requested Due Date  1 Day  2 Days  3 Days  4 Days  5 Days

 "Working Days"  6-9 Days  Standard 10 days  Rush Work Must Be Pre-Approved

Samples received after 14:00 will be processed next business day. Turnaround time is based on business days, excluding weekends and holidays.

(SEE REVERSE FOR TERMS &amp; CONDITIONS REGARDING SERVICES RENDERED BY PRISM LABORATORIES, INC. TO CLIENT)

TO BE FILLED IN BY CLIENT/SAMPLING PERSONNEL						
Certification:			SC _____ OTHER _____ N/A _____			
Water Chlorinated: YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/>						
Sample Iced Upon Collection: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>						

ANALYSIS REQUESTED

REMARKS

 PRISM  
LAB  
ID NO.

SAMPLE DESCRIPTION	DATE COLLECTED	TIME COLLECTED MILITARY HOURS	MATRIX (SOIL, WATER OR SLUDGE)	*TYPE SEE BELOW	NO.	SIZE	PRESERVE- TIVES	REMARKS	Date 8/12/19
							8/12/19		
SB66667-04-55-60	8/13/19	0945	Soil	VOA	4	multiple	X		
SB66667-05-7-7-2-5	8/13/19	1110	Soil				X		
SB66667-06-7-7-5-8	8/13/19	1220	Soil				X		
SB669-01-6-0-6-5	8/12/19	1300					X		
SB669-02-4-0-4-5	8/12/19	1330					X		
SB669-03-5-5-5	8/12/19	1400					X		
SB669-04-5-5-5	8/12/19	1445					X		
SB669-05-9-5-10	8/12/19	1525					X		
SB669-06-9-9-5	8/12/19	1615					X		
SB669-07-5-0-5-5	8/12/19	1645	Soil	VOA	4	multiple	X		

 Sampler's Signature: Michael Chang Sampled By (Print Name): Michael Chang Affiliation: \_\_\_\_\_

Upon relinquishing, this Chain of Custody is your authorization for Prism to proceed with the analyses as requested above. Any changes must be submitted in writing to the Prism Project Manager. There will be charges for any changes after analyses have been initialized.

 Relinquished By: (Signature): Michael Chang Received By: (Signature): \_\_\_\_\_

 Relinquished By: (Signature): Michael Chang Received By: (Signature): \_\_\_\_\_

 Relinquished By: (Signature): Michael Chang Received For Prism Laboratories By: \_\_\_\_\_

 Method of Shipment: NOTE: ALL SAMPLE COOLERS SHOULD BE TAPE SHUT WITH CUSTODY SEALS FOR TRANSPORTATION TO THE LABORATORY.  
SAMPLES ARE NOT ACCEPTED AND VERIFIED AGAINST COC UNTIL RECEIVED AT THE LABORATORY.

□ Fed Ex □ UPS □ Hand-delivered □ Prism Field Service □ Other

 NPDES:  US:  GROUNDWATER:  DRINKING WATER:  SOLID WASTE:  RCRA:  CERCLA:  LANDFILL:  OTHER:   
 NC  SC  DNC  SC  NC  SC  NC  SC  NC  SC  NC  SC  NC  SC  NC  SC

 □  CONTAINER TYPE CODES: A = Amber C = Clear G = Glass P = Plastic TL = Teflon-Lined Cap VOA = Volatile Organics Analysis (Zero Head Space)

## PRESS DOWN FIRMLY - 3 COPIES

### PRISM USE ONLY

Site Arrival Time: \_\_\_\_\_

Site Departure Time: \_\_\_\_\_

Field Tech Fee: \_\_\_\_\_

Mileage: \_\_\_\_\_

 COC Group No: 10 80700

### PRISM USE ONLY

 SEE REVERSE FOR  
TERMS & CONDITIONS

Samples INTACT upon arrival?  YES  NO  N/A  
Received ON WET ICE?  YES  NO  
PROPER PRESERVATIVES indicated?  YES  NO  
Received WITHIN HOLDING TIMES?  YES  NO  
CUSTODY SEALS INTACT?  YES  NO  
VOLATILEs rec'd W/O HEADSPACE?  YES  NO  
PROPER CONTAINERS used?  YES  NO  
TEMP: Therm ID: 10114 Observed: 32 °C / Com. 33 °C

Page 58 of 60

449 Springbrook Road • Charlotte, NC 28217  
Phone 704/529-6564 • Fax: 704/525-0409

 Client Company Name: Geosyntec  
Report To/Contact Name: Michael Wang

 Reporting Address: 3 Ste 430, Raleigh, NC 27607  
2501 Blue Ridge Rd

 Phone: 919-551-5334 Fax (Yes) (No): No  
Email Address: mwang@geosyntec.com

 EDD Type: PDF  Excel  Other

 Site Location Name: NC DOT West End  
Site Location Physical Address: West End, NC

PAGE 3 OF 4 QUOTE # TO ENSURE PROPER BILLING: 6W7039

Project Name: <u>NCOT West End</u>	Short Hold Analysis: <input checked="" type="checkbox"/> (Yes) <input type="checkbox"/> (No)	UST Project: <input checked="" type="checkbox"/> (Yes) <input type="checkbox"/> (No)
*Please ATTACH any project specific reporting (QC LEVEL I II III IV) provisions and/or QC Requirements		
Invoice To: <u>Geosyntec</u>	Address: <u>3 Ste 430, Raleigh, NC 27607</u>	

TO BE FILLED IN BY CLIENT/SAMPLING PERSONNEL

Samples INTACT upon arrival?	YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>	N/A <input type="checkbox"/>
Received ON WET ICE?	<input checked="" type="checkbox"/>		
PROPER PRESERVATIVES Indicated?	<input checked="" type="checkbox"/>		
Received WITHIN HOLDING TIMES?	<input checked="" type="checkbox"/>		
VOLATILES rec'd W/OUT HEADSPACE?	<input checked="" type="checkbox"/>		
PROPER CONTAINERS used?	<input checked="" type="checkbox"/>		
TEMP: Them ID: <u>101-109</u>	Observed: <u>31.2 °C / corr: 33.3 °C</u>		

Page 59 of 60

LAB USE ONLY

Samples INTACT upon arrival?	YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>	N/A <input type="checkbox"/>
Received ON WET ICE?	<input checked="" type="checkbox"/>		
PROPER PRESERVATIVES Indicated?	<input checked="" type="checkbox"/>		
Received WITHIN HOLDING TIMES?	<input checked="" type="checkbox"/>		
VOLATILES rec'd W/OUT HEADSPACE?	<input checked="" type="checkbox"/>		
PROPER CONTAINERS used?	<input checked="" type="checkbox"/>		
TEMP: Them ID: <u>101-109</u>	Observed: <u>31.2 °C / corr: 33.3 °C</u>		

Page 59 of 60

## CHAIN OF CUSTODY RECORD

SAMPLE DESCRIPTION	DATE COLLECTED	TIME COLLECTED MILITARY HOURS	MATRIX (SOIL, WATER OR SLUDGE)	SAMPLE CONTAINER	PRESERVA- TIVES SEE BELOW	NO.	SIZE	ANALYSIS REQUESTED			REMARKS	PRISM LAB ID NO.
								*	TYPE	TESTS		
SB69-08-6-6.5	8/13/19	1300	Soil	VOA	4			X		4260	BTEx ONLY	A1
SB78-01-7-7.5	8/13/19	1550						X				B3
SB78-02-5-5.6	8/14/19	0825						X				24
SB78-03-6-6.5	8/14/19	0900						X				25
SB78-04-6-5.7	8/14/19	0930						X				26
SB89-01-5-5.5	8/15/19	0940						X				27
SB89-02-5-5.6	8/15/19	1030						X				28
SB89-03-6-5.7	8/15/19	1030						X				29
SB89-04-7-7.5	8/15/19	1130						X				30
SB102-01-2-5.3	8/14/19	1050	Soil	VOA	4			X			BTEx ONLY	

 Sampler's Signature: Michael Wang

 Sampled By (Print Name): Michael Wang

Affiliation: \_\_\_\_\_

Upon relinquishing, this Chain of Custody is your authorization for Prism to proceed with the analyses as requested above. Any changes must be submitted in writing to the Prism Project Manager. There will be charges for any changes after analyses have been initialized.

 Relinquished By: (Signature): Michael Wang

Received By: (Signature)

 Date: 8/14/19 Military/Hours: 1550

Additional Comments: \_\_\_\_\_

Site Arrival Time: \_\_\_\_\_

Site Departure Time: \_\_\_\_\_

Field Tech Fee: \_\_\_\_\_

Mileage: \_\_\_\_\_

 COC Group No: 9080160

PRESS DOWN FIRMLY - 3 COPIES

PRISM USE ONLY

NPDES:	UST:	GROUNDWATER:	DRINKING WATER:	SOLID WASTE:	RCRA:	CERCLA	LANDFILL	OTHER:
<input type="checkbox"/> NC	<input type="checkbox"/> SC	<input type="checkbox"/> DNC	<input type="checkbox"/> SC	<input type="checkbox"/> NC	<input type="checkbox"/> SC	<input type="checkbox"/> NC	<input type="checkbox"/> SC	<input type="checkbox"/> NC
<input type="checkbox"/> NC	<input type="checkbox"/> SC	<input type="checkbox"/> NC	<input type="checkbox"/> SC	<input type="checkbox"/> NC	<input type="checkbox"/> SC	<input type="checkbox"/> NC	<input type="checkbox"/> SC	<input type="checkbox"/> NC

Method of Shipment: NOTE: ALL SAMPLE COOLERS SHOULD BE TAPED SHUT WITH CUSTODY SEALS FOR TRANSPORTATION TO THE LABORATORY.  
SAMPLES ARE NOT ACCEPTED AND VERIFIED AGAINST COC UNTIL RECEIVED AT THE LABORATORY.

□ FedEx □ UPS □ Hand-delivered □ Prism Field Service □ Other

\*CONTAINER TYPE CODES: A = Amber C = Clear G= Glass P = Plastic; TL = Teflon-Lined Cap VOA = Volatile Organics Analysis (Zero Head Space)



Full-Service Analytical &  
Environmental Solutions

449 Springbrook Road • Charlotte, NC 28217  
Phone 704/529-6364 • Fax 704/525-0409

Client Company Name: Cresyntec  
Report To/Contact Name: Michael Wang

Reporting Address: 2501 Blue Ridge Rd.  
Ste 400, Raleigh, NC 27607

Phone: 919-551-5333 Fax (Yes) (No): NO  
Email Address: mwang@cresyntec.com

EDD Type: PDF  Excel  Other  
Site Location Name: Root West End

Site Location Physical Address: West End, NC

## CHAIN OF CUSTODY RECORD

PAGE 4 OF 4 QUOTE # TO ENSURE PROPER BILLING:

Project Name: 611223 NCOT West End  
Short Hold Analysis:  (Yes)  (No)

\*Please ATTACH any project specific reporting (QC LEVEL I II III IV)  
provisions and/or QC Requirements

Invoice To: Cresyntec  
Address: 2501 Blue Ridge Rd.

Purchase Order No./Billing Reference

Requested Due Date  1 Day  2 Days  3 Days  4 Days  5 Days

"Working Days"  6-9 Days  Standard 10 days  Rush Work Must Be Pre-Approved

Samples received after 14:00 will be processed next business day.

Turnaround time is based on business days, excluding weekends and holidays.  
(SEE REVERSE FOR TERMS & CONDITIONS REGARDING SERVICES RENDERED BY PRISM LABORATORIES, INC. TO CLIENT)

RENDERED BY PRISM LABORATORIES, INC. TO CLIENT)

Sample Iced Upon Collection: YES  NO

### ANALYSIS REQUESTED

REMARKS

PRISM LAB ID NO.

CLIENT SAMPLE DESCRIPTION	DATE COLLECTED	TIME COLLECTED	MILITARY HOURS	MATRIX (SOIL, WATER OR SLUDGE)	SAMPLE CONTAINER			PRESERVATIVES	ANALYSIS REQUESTED
					*TYPE SEE BELOW	NO.	SIZE		
SB102-02-515-6	8/14/19	1135	1300	Soil	VOA	4		Multiple X	BTEX ONLY
SB102-03-775	8/14/19	1300	1330					X	
SB102-04-758	8/14/19	1400						X	
SB102-05-455	8/14/19	1450						X	
SB102-06-055-1	8/14/19	1505						X	
SB102-07-758	8/14/19	1535						X	
SB102-08-855	8/14/19	1605						X	
SB102-09-855-9	8/14/19	1645						X	
SB102-10-9-95	8/14/19	1720		Soil	VOA	4		Multiple X	BTEX ONLY

Sampler's Signature: Michael Cleary Sampled By (Print Name): Michael Cleary Affiliation \_\_\_\_\_

Upon relinquishing, this Chain of Custody is your authorization for Prism to proceed with the analyses as requested above. Any changes must be submitted in writing to the Prism Project Manager. There will be charges for any changes after analyses have been initialized.

Relinquished By: (Signature)

Received By: (Signature)

Date 8/14/19 Military/Hrs 1600 Additional Comments:

Relinquished By: (Signature)

Received For Prism Laboratories By: (Signature)

Date 8/16/19 COC Group No. 0915

Method of Shipment: NOTE: ALL SAMPLE COOLERS SHOULD BE TAPE SHUT WITH CUSTODY SEALS FOR TRANSPORTATION TO THE LABORATORY.

SAMPLES ARE NOT ACCEPTED AND VERIFIED AGAINST COC UNTIL RECEIVED AT THE LABORATORY.

### PRESS DOWN FIRMLY - 3 COPIES

#### PRISM USE ONLY

Site Arrival Time:

Site Departure Time:

Field Tech Fee:

Mileage:

COC Group No. 0915

SEE REVERSE FOR TERMS & CONDITIONS

Samples INTACT upon arrival?

Received ON WET ICE?

PROPER PRESERVATIVES indicated?

Received WITHIN HOLDING TIMES?

CUSTODY SEALS INTACT?

VOLATILES rec'd W/O HEADSPACE?

PROPER CONTAINERS used?

TEMP: Them ID: 101-14

Observed: 3.2 °C / Cont. 3.3 °C

Page 60 of 60

NPDES:	UST:	GROUNDWATER:	DRINKING WATER:	SOLID WASTE:	RCRA:	CERCLA	LANDFILL	OTHER:
<input type="checkbox"/>								
<input type="checkbox"/>								

N = Amber C = Clear G = Glass P = Plastic; TL = Teflon-Lined Cap VOA = Volatile Organics Analysis (Zero Head Space)

ORIGINAL



*Prepared for*

**North Carolina Department of Transportation**  
Century Center Complex, Building B  
1020 Birch Ridge Drive  
Raleigh, North Carolina 27610

**PRELIMINARY SITE ASSESSMENT  
PARCEL 102  
NC 211 IN WEST END  
3525 NC HIGHWAY 211  
MOORE COUNTY,  
WEST END, NORTH CAROLINA**

**WBS #: 50218.1.1  
TIP#: R-5726**

*Prepared by*

Geosyntec Consultants of NC, PC  
2501 Blue Ridge Road, Suite 430  
Raleigh, North Carolina 27607

Project Number GN7039

October 2019

**Date:** October 21, 2019  
**WBS Number:** 50218.1.1  
**TIP Number:** R-5726  
**County:** Moore County  
**Description:** Preliminary Site Assessment  
**Address:** 3525 NC 211, West End, North Carolina 27376  
**Parcel ID:** Parcel 102; John William Carter III and Lee Paisley  
**Author:** R. Matthew Jenny, P.E.

I, R. Matthew Jenny, a Professional Engineer for Geosyntec Consultants of NC, PC do certify that the information in this report is correct and accurate to the best of my knowledge.



Not considered final until all signatures are completed

Geosyntec Consultants of NC, PC is licensed to practice engineering in North Carolina. The certification number (Firm's License Number) is C-3500.

Geosyntec Consultants of NC, PC is licensed to practice geology in North Carolina. The certification number (Firm's License Number) is C-295.

## TABLE OF CONTENTS

1.	INTRODUCTION .....	1
1.1	Description.....	1
1.2	Site Background .....	1
1.3	Scope of Work .....	1
2.	HISTORY .....	3
2.1	Historical Aerial Photographs .....	3
2.2	Subject Site Findings .....	3
3.	METHODS .....	4
3.1	Geophysical Investigation .....	4
3.2	Sub-Surface Soil Investigation .....	4
4.	RESULTS .....	6
4.1	Site Observations.....	6
4.2	Geophysical Investigation Results.....	6
4.3	Sub-Surface Investigation Results.....	6
4.3.1	Field Sampling Observations and PID Results .....	6
4.3.2	Soil Sampling Analytical Results.....	6
5.	SUMMARY.....	8

## LIST OF TABLES

- Table 1: Soil Boring Coordinates
- Table 2: Soil Analytical Results – TPH by UVF
- Table 3: Soil Analytical Results – VOCs

## **LIST OF FIGURES**

- Figure 1: Site Location
- Figure 2: Site Layout
- Figure 3: Soil Boring Locations (Roadway Design Base Map)

## **LIST OF APPENDICES**

- Appendix A: Geophysical Investigation Report
- Appendix B: Photographic Log
- Appendix C: Soil Boring Logs
- Appendix D: Red Lab UVF Report
- Appendix E: Prism Laboratories Analytical Report

## 1. INTRODUCTION

### 1.1 Description

Geosyntec Consultants of NC, PC (Geosyntec) presents this technical report (Report) to the North Carolina Department of Transportation (NCDOT) for the Preliminary Site Assessment (PSA) of 3525 NC 211 in West End, North Carolina (the Site). The Site is associated with NCDOT TIP number R-5726, Parcel 102, and owned by John William Carter III and Lee Paisley. A Site location map is presented in **Figure 1**.

Geosyntec understands NCDOT would like to acquire right-of-way (ROW) and Public Utility Easements (PUEs) for road improvements along NC 211 in West End, North Carolina. The principal purpose of this PSA is to assess the possible presence of underground storage tanks (USTs) and/or above-ground storage tanks (ASTs), determine the likelihood of environmental impacts (i.e., soil and/or groundwater contamination), and make recommendations for regulatory compliance within the project study area.

This report discusses the Site history, investigative methodology, observations, sampling results, conclusions, and recommendations.

### 1.2 Site Background

NCDOT Parcel 102 (Moore County Parcel number 00015090 [John William Carter III and Lee Paisley]) is located on 3525 NC HWY 211 in West End. **Figure 2** shows the general Site layout, including the locations of the soil borings advanced to investigate the subsurface of the Site. The property is approximately 63 acres and is bounded to the immediate south by NC 211 and to the north, west and east by farm land and grass land. An abandoned building in the northwest corner of the property appears to be a former gas station. There are no known UST incidents associated with the Site.

### 1.3 Scope of Work

The scope of work consisted of a historical Site desktop review, geophysical survey, and sub-surface soil investigation. The geophysical survey was performed to locate potential metallic USTs, UST-associated product lines, non-UST metallic anomalies, and private underground utility lines within the immediate vicinity of the proposed soil boring locations. Following the geophysical survey, soil borings were advanced and soil samples

*Preliminary Site Assessment (Parcel 102 – John William Carter III and Lee Paisley)*

*TIP Number R-5726*

*3525 NC 211, West End, North Carolina*

*October 2019*



were collected from each location to determine if, and to what extent, contaminated soils are present within the study area.

## 2. HISTORY

Geosyntec reviewed publicly accessible online environmental databases (i.e., the North Carolina Department of Environmental Quality [NCDEQ] Laserfiche database, the NCDEQ Division of Waste Management Site Locator Tool, and the NCDEQ UST Section database) to research the Site history.

### 2.1 Historical Aerial Photographs

The following reviews the findings from the historical aerial photographs, as provided by Google Earth® imagery:

- The earliest aerial photographs date back to 1993. The two existing above-grade structures can be identified in the historical photos. The western-most building is presumably an abandoned gas station and the eastern-most building is a barn/storage facility. No significant deviations at the Site were identified between 1993 and 2018.
- The Site surroundings (residential and commercial land) appear generally consistent from 1993 to 2018.

### 2.2 Subject Site Findings

There are no known UST incidents associated with the property identified in the initial Site historical review. Further, other (i.e., non-UST) environmental incidents were not identified as part of a cursory desktop review.

Based upon the limited environmental history information, Geosyntec conducted a Site investigation inclusive of a geophysical survey and intrusive activities to screen soil and evaluate if there is contamination within the Site study area.

### 3. METHODS

#### 3.1 Geophysical Investigation

The geophysical investigation was performed at the Site by Pyramid Environmental and Engineering P.C. (Pyramid) from July 29 to July 31, 2019 to locate and mark buried USTs, buried metallic drums, and/or buried utility lines within the accessible portions of the ROW/PUE extent. Generally, the tasks consisted of an electromagnetic induction-metal (EM) detection followed by ground penetrating radar (GPR) surveys.

The EM data was digitally collected at approximately 1-foot intervals along survey lines spaced approximately five feet apart. The EM unit can detect a metal drum down to a depth of approximately eight (8) to ten (10) feet. GPR scanning was conducted across selected EM metal detection anomalies, around the proposed boring locations, and across the entire ROW/PUE area along with a DitchWitch utility locator for buried utility line clearance. Additional details of the geophysical investigation methodology are provided in **Appendix A** of the report.

#### 3.2 Sub-Surface Soil Investigation

The sub-surface investigation was conducted on August 12-15, 2019 using a direct push technology (DPT) drill rig. SAEDACCO provided the drilling services. North Carolina 811 was notified to mark utility lines within the existing ROW prior to drilling. A hand auger was used for the top three (3) to five (5) feet of each boring as an additional safety precaution.

Ten (10) soil borings were completed during this investigation, each extending 10 feet below ground surface (ft bgs). Soil sampling locations were selected in areas likely to be encountered during roadway construction. Specific priority was placed at locations proximal to the abandoned gas station fuel island and building. The soil lithology was recorded, and the soil was screened using a photo-ionization detector (PID) with a 10.6 electron-Volt lamp at approximately 6-inch intervals. Soil samples were collected from each boring at an elevation corresponding to the highest PID reading. In instances where PID readings were null, field personnel used professional judgement (e.g., odors, staining, historical Site-use information) to determine the appropriate sampling depth.

Upon DPT completion, the soil cuttings were dispersed over the Site's natural areas and/or backfilled within the boring. Boring surface completions matched pre-existing

conditions to the extent practical. Boring locations were surveyed with a global position system (GPS) unit. DPT rods were decontaminated with a Liquinox® cleaning solution between borings. Free product was not encountered during soil sampling, nor was other investigative derived waste (IDW) accumulated. As such, IDW drums were unnecessary.

Samples were sent off-site to Red Lab, LLC (Red Lab) and Prism Laboratories, Inc. (Prism). The samples sent to Red Lab were analyzed for Total Petroleum Hydrocarbon (TPH), gasoline-range organics (GRO), and diesel-range organics (DRO) by Ultra-Violet Fluorescence (UVF). Soil samples submitted to Prism were analyzed for volatile organic compounds (VOCs) by USEPA Method 8260B, reporting only benzene, toluene, ethylbenzene, and xylenes (BTEX). The analytical approaches are consistent with the UST Section Guidance. Samples were sent on ice under chain of custody procedures to the applicable laboratory.

## 4. RESULTS

### 4.1 Site Observations

On July 29, 2019 Geosyntec performed an initial Site walk with Pyramid prior to conducting work. The Site has an abandoned gas station and is mostly covered by farm land and forest. **Appendix B** provides a photographic log of the field observations.

### 4.2 Geophysical Investigation Results

The geophysical survey was performed to locate and mark buried USTs, buried metallic drums, and/or buried utility lines within the ROW/PUE extent using both EM and GPR approaches.

Pyramid identified five EM anomalies, which were directly attributed to visible features at the ground surface. GPR was performed around the former fuel pump island and adjacent building to verify the metallic interference are not buried structures such as USTs. Collectively, the geophysical data did not record evidence of metallic USTs at the Subject Site properties. Pyramid's geophysical report is provided in **Appendix A**.

### 4.3 Sub-Surface Investigation Results

#### 4.3.1 Field Sampling Observations and PID Results

Following the geophysical survey, the sub-surface investigation was performed to determine if, and to what extent, contaminated soils are present within the study area. Ten (10) soil borings were completed during this investigation, each extending 10 ft bgs. The most elevated PID readings were identified at SB102-1 and SB102-6 (10.1 parts per million [ppm] and 50.8 ppm, respectively); the corresponding readings were identified from less than 3 ft bgs. The soil lithology generally consisted of top soil in the first three (3) ft bgs followed by sandy clay with some gravel. Groundwater was not encountered. Soil sampling locations are shown on **Figure 2** and GPS coordinates are recorded on **Table 1**. The boring logs are provided in **Appendix C**.

#### 4.3.2 Soil Sampling Analytical Results

Ten (10) soil samples were collected as part of the intrusive investigation and analyzed for TPH by UVF and VOCs by EPA Method 8260B. The TPH analytical data was

screened against the TPH DRO and TPH GRO values established in the UST Section Guidance. The benzo(a)pyrene and BTEX analytical data were compared to the NCDEQ UST Section Maximum Soil Contaminant Concentrations (MSCCs).

The UVF fingerprinting data do not indicate soil screening level exceedances for the constituents analyzed. DRO was detected in the SB102-03 soil sample and low concentrations of aromatic hydrocarbons were detected in the SB102-02 sample. No results exceeded the screening values. **Table 2** shows the TPH analytical results.

VOC analytical data was screened against the NCDEQ UST Section MSCCs. No detections were reported. The VOC analytical results are shown in **Table 3**.

The UVF analytical report, including the fingerprint matching data, is provided in **Appendix D**; the Prism analytical report is provided in **Appendix E**<sup>1</sup>. **Figure 3** displays the soil boring locations using a preliminary roadway design drawing base map.

---

<sup>1</sup>The Prism Laboratory report includes analytical results for samples collected from other parcels associated with NCDOT project R-5726

## **5. SUMMARY**

From August 12-15, 2019 Geosyntec completed an environmental PSA to determine the likelihood of contamination within the proposed acquisition area on the property located at 3525 NC 211 in West End (NCDOT Parcel 102). The property is owned by John William Carter III and Lee Paisley. The following summarizes the findings of this PSA.

Following a cursory desktop Site review, no known environmental incidents associated with the Site were identified. A geophysical survey and intrusive soil investigation were performed as part of this scope of work. Pyramid identified potential utility structures (e.g., pump lines) associated with the former refueling island, though no subsurface anomalies, including USTs, were identified within the study area as part of this scope of work. Ten (10) soil borings were advanced within the PUE boundary to investigate the environmental impacts on the property, including five soil borings surrounding the former gas station. Petroleum impacts to Site soils were not identified during field screening or as part of analytical testing. Groundwater was not encountered.

The work performed herein did not identify petroleum impacts in shallow soils within the Site study area. Geosyntec anticipates a low likelihood of encountering shallow soil impacts within the proposed PUE extent. Geosyntec recommends removing the fuel island and subsurface utilities (e.g., fuel lines) associated with the former refueling station.

*Preliminary Site Assessment (Parcel 102 – John William Carter III and Lee Paisley)  
TIP Number R-5726  
3525 NC 211, West End, North Carolina  
October 2019*



## TABLES

**Table 1**  
**Soil Boring Coordinates**  
**3525 NC 211, West End, North Carolina 27376**  
**NCDOT Parcel 102**  
**TIP: R-5726**  
**WBS: 50218.1.1**

<b>Soil Boring ID</b>	<b>Longitude</b>	<b>Latitude</b>
SB102-01-2.5-3.0	-79.607672	35.275542
SB102-02-5.5-6.0	-79.607497	35.275077
SB102-03-7.0-7.5	-79.607356	35.274886
SB102-04-7.5-8.0	-79.607255	35.275015
SB102-05-4.5-5.0	-79.607187	35.274856
SB102-06-0.5-1.0	-79.607114	35.274897
SB102-07-7.5-8.0	-79.606627	35.274402
SB102-08-8.0-8.5	-79.606291	35.274225
SB102-09-8.5-9.0	-79.605542	35.273712
SB102-10-9.0-9.5	-79.604613	35.273132

Note:

1) Coordinate datum reference: WGS 1984.

**Table 2**  
**Soil Analytical Results - TPH by UVF**  
**3525 NC 211, West End, North Carolina 27376**  
**NCDOT Parcel 102**  
**TIP: R-5726**  
**WBS: 50218.1.1**

Analyte		BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	Benzo[a]pyrene
Units		mg/kg						
<b>UST TPH Guidance</b>		---	<b>50</b>	<b>100</b>	---	---	---	---
<b>Soil-to-Water MSCCs</b>		---	---	---	---	---	---	<b>0.096</b>
<b>Residential Soil MSCCs</b>		---	---	---	---	---	---	<b>0.088</b>
<b>Commercial / Industrial MSCCs</b>		---	---	---	---	---	---	<b>0.78</b>
Sample ID	Sample Depth (ft bgs)	Sample Date						
SB102-01-2.5-3.0	2.5-3.0	8/14/2019	<0.38	<0.38	<0.38	<0.38	<0.08	<0.12
SB102-02-5.5-6.0	5.5-6.0	8/14/2019	<0.31	<0.31	<0.31	<b>0.19</b>	<b>0.19</b>	<0.1
SB102-03-7.0-7.5	7.0-7.5	8/14/2019	<0.32	<0.32	<b>0.47</b>	<b>0.47</b>	<b>0.46</b>	<0.1
SB102-04-7.5-8.0	7.5-8.0	8/14/2019	<0.35	<0.35	<0.35	<0.35	<0.07	<0.11
SB102-05-4.5-5.0	4.5-5.0	8/14/2019	<0.32	<0.32	<0.32	<0.32	<0.06	<0.1
SB102-06-0.5-1.0	0.5-1.0	8/14/2019	<0.28	<0.28	<0.28	<0.28	<0.06	<0.09
SB102-07-7.5-8.0	7.5-8.0	8/14/2019	<0.21	<0.21	<0.21	<0.21	<0.04	<0.07
SB102-08-8.0-8.5	8.0-8.5	8/14/2019	<0.24	<0.24	<0.24	<0.24	<0.05	<0.08
SB102-09-8.5-9.0	8.5-9.0	8/14/2019	<0.21	<0.21	<0.21	<0.21	<0.04	<0.07
SB102-10-9.0-9.5	9.0-9.5	8/14/2019	<0.23	<0.23	<0.23	<0.23	<0.05	<0.07

Notes:

- (1) mg/kg indicates milligrams per kilogram.
- (2) NCDEQ UST Guidance references the 26 July 2016 Guidelines for North Carolina Action Limits for Total Petroleum Hydrocarbons (TPH).
- (3) MSCC indicates North Carolina Department of Environmental Quality (NCDEQ) Underground Storage Tank (UST) Section Maximum Contaminant Concentration Levels, updated November 2016.
- (4) < indicates analyte was not detected above the laboratory method detection limit (MDL).
- (5) Detections are identified in bold.
- (6) --- indicates screening criteria not established.
- (7) UVF indicates ultraviolet fluorescence.
- (8) TPH indicates total petroleum hydrocarbons.
- (9) GRO indicates gasoline range organics.
- (10) DRO indicates diesel range organics.
- (11) PAH indicates polycyclic aromatic hydrocarbon.
- (12) BTEX indicates benzene, toluene, ethylbenzene, and xylenes.
- (13) ft. bgs indicates feet below ground surface.

**Table 3**  
**Soil Sampling Analytical Summary - VOCs**  
**3525 NC 211, West End, North Carolina 27376**  
**NCDOT Parcel 102**  
**TIP: R-5726**  
**WBS: 50218.1.1**

Analyte	NCDEQ Residential Soil Cleanup Levels MSCC	NCDEQ Industrial/ Commercial Soil Cleanup Levels MSCC	NCDEQ Soil- to-Water Maximum Contaminant MSCC	Sample ID	SB102-1	SB102-2	SB102-3	SB102-4	SB102-5	SB102-6	SB102-7	SB102-8	SB102-9	SB102-10
				Sample Date	8/14/2019	8/14/2019	8/14/2019	8/14/2019	8/14/2019	8/14/2019	8/14/2019	8/14/2019	8/14/2019	
				Sample Depth (ft. bgs)	2.5-3.0	5.5-6.0	7.0-7.5	7.5-8.0	4.5-5.0	0.5-1.0	7.5-8.0	8.0-8.5	8.5-9.0	9.0-9.5
				Sample Type	Grab									
				Units	mg/kg									
<i>Volatile Organic Compounds (VOCs) by EPA Method 8260B</i>														
Benzene	18	164	0.0056	mg/kg	< 0.0069	< 0.0059	< 0.0053	< 0.0060	< 0.0070	< 0.0075	< 0.0043	< 0.0058	< 0.0053	< 0.0048
Ethylbenzene	1,560	40,000	4.9	mg/kg	< 0.0069	< 0.0059	< 0.0053	< 0.0060	< 0.0070	< 0.0075	< 0.0043	< 0.0058	< 0.0053	< 0.0048
m,p-Xylenes	3,129	81,760	4.6	mg/kg	< 0.014	< 0.012	< 0.011	< 0.012	< 0.014	< 0.015	< 0.0086	< 0.012	< 0.011	< 0.0096
o-Xylene	3,129	81,760	4.6	mg/kg	< 0.0069	< 0.0059	< 0.0053	< 0.0060	< 0.0070	< 0.0075	< 0.0043	< 0.0058	< 0.0053	< 0.0048
Toluene	1,200	32,000	4.3	mg/kg	< 0.0069	< 0.0059	< 0.0053	< 0.0060	< 0.0070	< 0.0075	< 0.0043	< 0.0058	< 0.0053	< 0.0048
Xylene (total)	3,129	81,760	4.6	mg/kg	< 0.021	< 0.018	< 0.016	< 0.018	< 0.021	< 0.022	< 0.013	< 0.017	< 0.016	< 0.014

Notes:

(1) North Carolina Department of Environmental Quality (NCDEQ) Underground Storage Tank (UST) Section Maximum Soil Contaminant Concentrations (MSCCs) as indicated in the NCDEQ UST Section *Guidelines for Site Checks, Tank Closure, and Initial Response and Abatement for UST Releases*, amended April 2012.

(2) VOC indicates volatile organic compound.

(3) mg/kg indicates milligrams per kilogram.

(4) Concentrations exceeding MSCCs are highlighted as shown:

Residential

Industrial

Soil-to-Water

(5) ft bgs indicated feet below ground surface.


(6) < indicates analyte was not detected above the laboratory reporting limit (RL).


(7) Only benzene, toluene, ethylbenzene, and xylenes (BTEX) were reported.

*Preliminary Site Assessment (Parcel 102 – John William Carter III and Lee Paisley)  
TIP Number R-5726  
3525 NC 211, West End, North Carolina  
October 2019*



## FIGURES





### Legend

- Soil Boring Locations
- - - Approximate PUE Extent
- NCDOT Moore County Parcel

0 155 310 620  
Feet

### Site Layout (John William Carter III and Lee Paisley)

3525 NC-211 (NCDOT Parcel 102)  
West End, Moore County, North Carolina  
TIP: R-5726  
WBS: 50218.1.1

#### Notes:

1. Property boundary provided by Moore County, North Carolina GIS.
2. Aerial imagery provided by ArcMap10.5, ESRI
3. PUE indicates Public Utility Easement.
4. Soil boring locations are approximated by GPS; locations were not surveyed by a licensed surveyor.

**Geosyntec**

Consultants of NC, PC  
NC License No.: C-3500

Raleigh, NC

October 2019

Figure

2

### LEGEND

- EXISTING RIGHT-OF-WAY
- EXISTING PROPERTY BOUNDARY
- PROPOSED RIGHT-OF-WAY LINE
- PUE — PROPOSED PERMANENT DRAINAGE
- PROPOSED SS CUT LINE
- PROPOSED SS FILL LINE
- TEMPORARY CONSTRUCTION EASEMENT
-  SBI02-XX GEOENVIRONMENTAL BORING

### NOTES:

1. PSA PERFORMED IN THE PROPOSED ROW/PUE ONLY.
2. CONSTITUENTS ANALYZED WERE NOT DETECTED ABOVE APPLICABLE NCDEQ UST SECTION SCREENING CRITERION.



0 120' 240'


NCDOT PARCEL 102 SOIL BORING LOCATIONS  
3525 HIGHWAY NC-211  
WEST END, MOORE COUNTY,  
NORTH CAROLINA  
WBS: 50218.1.1 TIP: R-5726

**Geosyntec**  
consultants of NC, PC  
NC License No: C-3500

FIGURE

3

PROJECT NO: GN7039 OCTOBER 2019



*Preliminary Site Assessment (Parcel 102 – John William Carter III and Lee Paisley)  
TIP Number R-5726  
3525 NC 211, West End, North Carolina  
October 2019*



# APPENDIX A

## Geophysical Investigation Report



P Y R A M I D   G E O P H Y S I C A L   S E R V I C E S  
( P R O J E C T   2 0 1 9 - 2 3 3 )

# GEOPHYSICAL SURVEY

---

## METALLIC UST INVESTIGATION: PARCEL 102 NCDOT PROJECT R-5726 (50218.1.1)

3525 N.C. 211, WEST END, NC

August 23, 2019

Report prepared for: Mr. Matt Jenny, P.E.  
Geosyntec Consultants of NC, PC  
2501 Blue Ridge Road, Suite 430  
Raleigh, NC 27607

Prepared by:

A handwritten signature in black ink, appearing to read "Eric C. Cross".

Eric C. Cross, P.G.  
NC License #2181

Reviewed by:

A handwritten signature in black ink, appearing to read "Douglas A. Canavello".

Douglas A. Canavello, P.G.  
NC License #1066

5 0 3   I N D U S T R I A L   A V E N U E ,   G R E E N S B O R O ,   N C   2 7 4 0 6

P :   3 3 6 . 3 3 5 . 3 1 7 4      F :   3 3 6 . 6 9 1 . 0 6 4 8

C 2 5 7 :   G E O L O G Y      C 1 2 5 1 :   E N G I N E E R I N G

**GEOPHYSICAL INVESTIGATION REPORT**  
Parcel 102 - 3525 N.C. 211  
West End, Moore County, North Carolina

**Table of Contents**

Executive Summary .....	1
Introduction.....	2
Field Methodology.....	2
Discussion of Results.....	3
<i>Discussion of EM Results</i> .....	3
<i>Discussion of GPR Results</i> .....	4
Summary & Conclusions .....	5
Limitations .....	5

**Figures**

- Figure 1 – Parcel 102 - Geophysical Survey Boundaries and Site Photographs
- Figure 2A – Parcel 102 (Northwest) - EM61 Results Contour Map
- Figure 2B – Parcel 102 (Southeast) - EM61 Results Contour Map
- Figure 3 – Parcel 102 - GPR Transect Location and Select Images
- Figure 4 – Overlay of Metal Detection Results onto NCDOT Engineering Plans

**Appendices**

- Appendix A – GPR Transect Images

## **LIST OF ACRONYMS**

CADD .....	Computer Assisted Drafting and Design
DF .....	Dual Frequency
EM.....	Electromagnetic
GPR.....	Ground Penetrating Radar
GPS .....	Global Positioning System
NCDOT.....	North Carolina Department of Transportation
ROW .....	Right-of-Way
UST .....	Underground Storage Tank

## **EXECUTIVE SUMMARY**

---

**Project Description:** Pyramid Environmental conducted a geophysical investigation for Geosyntec Consultants of NC, PC at Parcel 102, located approximately at 3525 N.C. 211 in West End, NC. The survey was part of an NCDOT Right-of-Way (ROW) investigation (NCDOT Project R-5726). The survey was designed to extend from the existing edge of pavement into the proposed ROW and/or easements, whichever distance was greater. Conducted from July 30-31, 2019, the geophysical investigation was performed to determine if unknown, metallic underground storage tanks (USTs) were present beneath the survey area.

**Geophysical Results:** The geophysical investigation consisted of electromagnetic (EM) induction-metal detection and ground penetrating radar (GPR) surveys. A total of five EM anomalies were identified. All of the EM anomalies were directly attributed to visible cultural features at the ground surface. GPR was performed around the former pump island and adjacent to the building to verify that the metallic interference associated with these features did not obscure any buried structures such as USTs. GPR recorded evidence of suspected utilities adjacent to the pump island that are likely either former power or product lines. No evidence of any other significant buried structures was observed at the property. Collectively, the geophysical data did not record any evidence of metallic USTs at Parcel 102.

## INTRODUCTION

---

Pyramid Environmental conducted a geophysical investigation for Geosyntec Consultants of NC, PC at Parcel 102, located approximately at 3525 N.C. 211 in West End, NC. The survey was part of an NCDOT Right-of-Way (ROW) investigation (NCDOT Project R-5726). The survey was designed to extend from the existing edge of pavement into the proposed ROW and/or easements, whichever distance was greater. Conducted from July 30-31, 2019, the geophysical investigation was performed to determine if unknown, metallic underground storage tanks (USTs) were present beneath the survey area.

The site included agricultural outbuildings surrounded by grass and dirt surfaces. A suspected former pump island was observed to the southeast of the southeast building. An aerial photograph showing the survey area boundaries and ground-level photographs are shown in **Figure 1**.

## FIELD METHODOLOGY

---

The geophysical investigation consisted of electromagnetic (EM) induction-metal detection and ground penetrating radar (GPR) surveys. Pyramid collected the EM data using a Geonics EM61-MK2 (EM61) metal detector integrated with a Geode External GPS/GLONASS receiver. The integrated GPS system allows the location of the instrument to be recorded in real-time during data collection, resulting in an EM data set that is geo-referenced and can be overlain on aerial photographs and CADD drawings. A boundary grid was established around the perimeter of the site with marks every 10 feet to maintain orientation of the instrument throughout the survey and assure complete coverage of the area.

According to the instrument specifications, the EM61 can detect a metal drum down to a maximum depth of approximately 8 feet. Smaller objects (1-foot or less in size) can be detected to a maximum depth of 4 to 5 feet. The EM61 data were digitally collected at approximately 0.8-foot intervals along north-south trending or east-west trending,

generally parallel survey lines, spaced five feet apart. The data were downloaded to a computer and reviewed in the field and office using the Geonics NAV61 and Surfer for Windows Version 15.0 software programs.

GPR data were acquired across select EM anomalies on July 31, 2019, using a Geophysical Survey Systems, Inc. (GSSI) SIR 4000 controller coupled to a 350 MHz HS antenna. Data were collected both in reconnaissance fashion as well as along formal transect lines across EM features. The GPR data were viewed in real-time using a vertical scan of 512 samples, at a rate of 48 scans per second. GPR data were viewed down to a maximum depth of approximately 6 feet, based on dielectric constants calculated by the DF unit in the field during the reconnaissance scans. GPR transects across specific anomalies were saved to the hard drive of the DF unit for post-processing and figure generation.

Pyramid's classifications of USTs for the purposes of this report are based directly on the geophysical UST ratings provided by the NCDOT. These ratings are as follows:

### Geophysical Surveys for Underground Storage Tanks on NCDOT Projects

High Confidence	Intermediate Confidence	Low Confidence	No Confidence
<b>Known UST</b> Active tank - spatial location, orientation, and approximate depth determined by geophysics.	<b>Probable UST</b> Sufficient geophysical data from both magnetic and radar surveys that is characteristic of a tank. Interpretation may be supported by physical evidence such as fill/vent pipe, metal cover plate, asphalt/concrete patch, etc.	<b>Possible UST</b> Sufficient geophysical data from either magnetic or radar surveys that is characteristic of a tank. Additional data is not sufficient enough to confirm or deny the presence of a UST.	Anomaly noted but not characteristic of a UST. Should be noted in the text and may be called out in the figures at the geophysicist's discretion.

## DISCUSSION OF RESULTS

### *Discussion of EM Results*

Due to the size of the parcel, the results of the metal detection survey have been separated into two figures. A contour plot of the EM61 results obtained across the northwest portion of the survey area is presented in **Figure 2A**. A contour plot of the EM61 results obtained across the southeast portion of the survey area is presented in **Figure 2B**. Each EM anomaly

is numbered for reference in the figure. The following table presents the list of EM anomalies and the cause of the metallic response, if known:

#### **LIST OF METALLIC ANOMALIES IDENTIFIED BY EM SURVEY**

Metallic Anomaly #	Cause of Anomaly	Investigated with GPR
1	Sign	
2	Former Pump Island	✓
3	Building/Tractor	✓
4	Building	
5	Utility	

All of the EM anomalies were directly attributed to visible cultural features at the ground surface, including a sign, the former pump island, the building, a tractor, and a marked utility. GPR was performed around the former pump island and adjacent to the building to verify that the metallic interference associated with these features did not obscure any buried structures such as USTs.

#### *Discussion of GPR Results*

**Figure 3** presents the locations of the formal GPR transects performed at the property as well as select transect images. All of the GPR images are included in **Appendix A**. A total of 6 formal GPR transects were performed. GPR recorded evidence of suspected utilities adjacent to the pump island that are likely either former power or product lines. No evidence of any other significant buried structures was observed at the property. **Figure 4** provides an overlay of the metal detection results onto the NCDOT Engineering plans.

Collectively, the geophysical data did not record any evidence of metallic USTs at Parcel 102.

## SUMMARY & CONCLUSIONS

---

Pyramid's evaluation of the EM61 and GPR data collected at Parcel 102 in West End, North Carolina, provides the following summary and conclusions:

- The EM61 and GPR surveys provided reliable results for the detection of metallic USTs within the accessible portions of the geophysical survey area.
- All of the EM anomalies were directly attributed to visible cultural features at the ground surface.
- GPR was performed around the former pump island and adjacent to the building to verify that the metallic interference associated with these features did not obscure any buried structures such as USTs.
- GPR recorded evidence of suspected utilities adjacent to the pump island that are likely either former power or product lines. No evidence of any other significant buried structures was observed at the property.
- Collectively, the geophysical data did not record any evidence of metallic USTs at Parcel 102.

## LIMITATIONS

---

Geophysical surveys have been performed and this report was prepared for Geosyntec Consultants of NC, PC in accordance with generally accepted guidelines for EM61 and GPR surveys. It is generally recognized that the results of the EM61 and GPR surveys are non-unique and may not represent actual subsurface conditions. The EM61 and GPR results obtained for this project have not conclusively determined the definitive presence or absence of metallic USTs, but the evidence collected is sufficient to result in the conclusions made in this report. Additionally, it should be understood that areas containing extensive vegetation, reinforced concrete, or other restrictions to the accessibility of the geophysical instruments could not be fully investigated.

## APPROXIMATE BOUNDARIES OF GEOPHYSICAL SURVEY AREA



View of Survey Area  
(Facing Approximately West)



View of Survey Area  
(Facing Approximately East)




## EM61 METAL DETECTION RESULTS



**NO EVIDENCE OF METALLIC USTs WAS OBSERVED.**

The contour plot shows the differential results of the EM61 instrument in millivolts (mV). The differential results focus on larger metallic objects such as USTs and drums. The EM data were collected on July 30, 2019, using a Geonics EM61-MK2 instrument. Verification GPR data were collected using a GSSI SIR 4000 controller with a 350 MHz HS antenna on July 31, 2019.

EM61 Metal Detection Response (millivolts)




## EM61 METAL DETECTION RESULTS






**NO EVIDENCE OF METALLIC USTs WAS OBSERVED**

The contour plot shows the differential results of the EM61 instrument in millivolts (mV). The differential results focus on larger metallic objects such as USTs and drums. The EM data were collected on July 30, 2019, using a Geonics EM61-MK2 instrument. Verification GPR data were collected using a GSSI SIR 4000 controller with a 350 MHz HS antenna on July 31, 2019.


EM61 Metal Detection Response (millivolts)



## LOCATIONS OF GPR TRANSECTS




**EM61 METAL DETECTION  
CONTOURS (SEE FIGURE 2  
FOR ANOMALY LABELS)**




<b>TITLE</b>	
OVERLAY OF METAL DETECTION RESULTS ON NCDOT ENGINEERING PLANS	
<b>PROJECT</b>	PARCEL 102 WEST END, NORTH CAROLINA NCDOT PROJECT R-5726
<b>PYRAMID GEOPHYSICS</b>	
503 INDUSTRIAL AVENUE GREENSBORO, NC 27406 336.335.3174 (p) 336.691.0648 (f) License # C1251 Eng. / #C257 Geology	
DATE: 08-20-2019	REVISION NO. 0
PYRAMID PROJECT NO. 2019-233	FIGURE NO. 4


## **Appendix A – GPR Transect Images**




GPR TRANSECT 1




GPR TRANSECT 4




GPR TRANSECT 2



GPR TRANSECT 5



GPR TRANSECT 3



GPR TRANSECT 6

*Preliminary Site Assessment (Parcel 102 – John William Carter III and Lee Paisley)  
TIP Number R-5726  
3525 NC 211, West End, North Carolina  
October 2019*



## APPENDIX B

### Photographic Log

**GEOSYNTEC CONSULTANTS**  
**Photographic Record**

**Geosyntec**  
Consultants of NC, PC

**Client: NCDOT**

**Project Number: GN7039**

**Site Name: R-5726 - Parcel 102**

**Site Location: 3525 NC 211, West End, NC**

**Photograph 1**

**Date: 29 July 2019**

**Direction: SE**

**Comments:** View of the northwestern side of the Site. Building shown is a potential former refueling station located immediately north of the roundabout driveway.



**Photograph 2**

**Date: 29 July 2019**

**Direction: NW**

**Comments:** View of the northwestern side of the Site. The inaccessible forest area located within the ROW in the northwestern portion of the Site is shown in the background.



**GEOSYNTEC CONSULTANTS**  
**Photographic Record**

**Geosyntec**  
Consultants of NC, PC

**Client: NCDOT**

**Project Number: GN7039**

**Site Name: R-5726 - Parcel 102**

**Site Location: 3525 NC 211, West End, NC**

**Photograph 3**

**Date: 29 July 2019**

**Direction: NW**

**Comments:** View of the former fuel island on the southeastern side of the abandoned refueling station.



**Photograph 4**

**Date: 29 July 2019**

**Direction: SW**

**Comments:** Inside view of the abandoned refueling station building on the northern side of the Site.



**GEOSYNTEC CONSULTANTS**  
**Photographic Record**

**Geosyntec**  
Consultants of NC, PC

**Client: NCDOT**

**Project Number: GN7039**

**Site Name: R-5726 - Parcel 102**

**Site Location: 3525 NC 211, West End, NC**

**Photograph 5**

**Date: 29 July 2019**

**Direction: NE**

**Comments:** View of the southeastern side of the Site. Unknown pipe buried underground daylighting.



**Photograph 6**

**Date: 29 July 2019**

**Direction: NW**

**Comments:** View of the southeastern side of the Site. Corn fields preventing access to the northern half of the proposed PUE/ROW.



*Preliminary Site Assessment (Parcel 102 – John William Carter III and Lee Paisley)  
TIP Number R-5726  
3525 NC 211, West End, North Carolina  
October 2019*



## APPENDIX C

### Soil Boring Logs

# BORING LOG

BORING NO. SB102-01  
SHEET 1 OF 1

DRILLING CO.: Snedecor

Status:
<input type="checkbox"/> Well Installed
<input type="checkbox"/> Plugged & Abnd.
<input type="checkbox"/>

METHOD & TOOLS: DPT

RIG: Geoprobe 7802 OT

BIT DIAMETER: 2 1/4"

DRILLER: Brian T

GROUND ELEV.:  Surveyed  Estimated

SITE: NDOT West End

PROJECT NO.: 6N7039

N: \_\_\_\_\_

E: \_\_\_\_\_

SUPERVISOR: MC Wang

DATE: 8/18/19

Borehole Location Sketch Map

Top (Depth)	Feet Meters	Lithology Log	Graphic Log	Depth Scale	Well	SPT Blows/6*	Run (No.)	Rec. (%)	Drilling Log
0- <del>3</del> ft		0-0.5 ft, organic debris, silt moist, compact 0.5-3 ft brown silt with some sand, moist, compact						100	Hand Auger PZD= 1.7 ppm @ 0.5 ft PZD= 5.6 ppm @ 1 ft PZD= 1.4 ppm @ 1.5 ft PZD= 7.3 ppm @ 2.0 ft PZD= 5.3 ppm @ 2.5 ft PZD= 10.1 ppm @ 3 ft PZD= 0 from 3-5 ft. PZD= 0 from 5-7 ft.
3-5 ft		samples are collected from 2.5-3 ft @ <del>1030</del> 1050 SB102-01-2.5-3 3-4 ft silt with some clay, brown-redish color, dry-moist hard.						100	
4-5 ft		4-5 ft saprolite, sand mixed with clay and gravels, low plastic, hard, dry-moist						100	
5-7 ft		same as 4-5 ft interval same as above						100	

*MW*

# BORING LOG

BORING NO. SB102-02

SHEET 1 OF 1

DRILLING CO.: *Sauderco*

Status:  
 Well Installed  
 Plugged & Abnd.

METHOD & TOOLS: DPT

RIG: *Geoprobe 7822P*

BIT DIAMETER: *2 1/4"* DRILLER: *Bryan, T*

GROUND ELEV.:  Surveyed  Estimated

SITE: *MDOT chest End*

PROJECT NO.: *GN7039*

N: *E:*

Borehole Location Sketch Map

Top (Depth)	<input type="checkbox"/> Feet <input type="checkbox"/> Meters	Lithology Log	Graphic Log	Depth Scale	Wei	SPT Blows/6*	Run (No.)	Rec. (%)	Drilling Log	
									100	P2D=0
0-3 ft		0-0.5 ft organic debris, fine sand 0.5-1.5 ft brown sand, fine-medium dry, loose, some silt 1.5- <sup>2</sup> ft, dark/black color sand, fine-medium, loose-compat dry-moist 2-3 ft, brown sand, fine-medium, loose-compat, moist							<i>Han' Auger</i> P2D=0	
3-5 ft		same as 2-3 ft interval							100 P2D=0	
5-6 ft		5-5.5 ft, no recover/ 5.5-7 ft, light-dark brown sand, fine-medium, moist, loose-compat. soft 7-10 ft, saprolite, brown sand, <del>fine</del> fine-medium, dry-moist, hard, some clay and gravels.							100 P2D=0 <i>*Forgot to take photo of this interval</i>	
		Samples are collected from 5.5-6 ft. @ 1135								
		SB102-02-5.5-6								

*MN*

# BORING LOG

BORING NO. SB102-03

SHEET 1 OF 1

DRILLING CO.:	Snedacco	Status: <input type="checkbox"/> Well Installed <input type="checkbox"/> Plugged & Abdnd. <input type="checkbox"/>	SITE: NCDOT West End	Borehole Location Sketch Map					
METHOD & TOOLS:	DPT	PROJECT NO.: GV7039							
RIG:	Geoprobe 78220T	N: E:							
BIT DIAMETER:	2 1/4"	DRILLER: Brian T	SUPERVISOR: M Wang						
GROUND ELEV.:	□ Surveyed □ Estimated	DATE: 8/14/19							
Top (Depth)	□ Feet □ Meters	Lithology Log	Graphic Log	Depth Scale	Well	SPT Blows/6*	Run (No.)	Rec (%)	Drilling Log
0-3 ft	0-0.5 ft organic debris, silt with some sand, grey color							100	Hand Auger PVD=0
	0.5-1.5 ft More sand, brown color, fine to medium, dry - moist,								
	1.5-3 ft, Brown sand, mixed with some gravel, possible coal. no odor, no PVD reading								
3-5 ft	3-3.5 ft no recovery							75	PVD=0
	3.5-5 ft, same as 1.5-3 ft.								
5-10	5-6.5 ft, no recovery							70	PVD=0
	6.5-7 ft, Same as 3-5 ft interval								
	7-8 ft, brown sand, fine-medium moist, loose, poorly sorted								
	8-10 ft, saprolite, brown sand mixed with clay and gravels.								
	Samples are collected from								
	7-7.5 ft, @ 1300								
	SB102-03-7-7.5								

# BORING LOG

BORING NO. SB102-04  
SHEET 1 OF 1

DRILLING CO.:	Sedco	Status: <input type="checkbox"/> Well Installed <input type="checkbox"/> Plugged & Abdnd. <input type="checkbox"/>	SITE: NCOT West End	Borehole Location Sketch Map					
METHOD & TOOLS:	DPT	PROJECT NO.: GW 7039							
RIG:	Geoprobe 7820DT	N: E:							
BIT DIAMETER:	2 1/4"	DRILLER: Brian T	SUPERVISOR: McLang						
GROUND ELEV.:	• <input type="checkbox"/> Surveyed <input type="checkbox"/> Estimated	DATE: 8/14/19							
Top (Depth)	<input type="checkbox"/> Feet <input type="checkbox"/> Meters	Lithology Log	Graphic Log	Depth Scale	Wei	SPT Blows/6*	Run (No.)	Rec (%)	Drilling Log
0-3 ft		0-1.5ft Organic debris black color, silt with some sand dry-moist, loose-compact.						100	Hand Auger PZO=0
		1.5-3 ft brown sand, some silt, fine-medium, dry-moist, loose-compact.							
3-5 ft		3-3.5 ft, same as 1.5-3 ft internal						100	PZO=0
		3.5-5 ft, saprolite, brown sand, medium, mixed with grey clay & gravel.							
5-8 ft		Same as 3.5-5 ft.						100	PZO=0
8-10 ft		Same as above, more gravels. Samples collected from 7.5-8 ft @ 1330						100	PZO=0
		SB102-04-7.5-8							

MW

# BORING LOG

BORING NO. SB102-05

SHEET 1 OF 1

DRILLING CO.: Szedlacek

Status:
<input type="checkbox"/> Well Installed
<input type="checkbox"/> Plugged & Abnd.

METHOD & TOOLS: DPT

RIG: Geoprobe 7822 DT

BIT DIAMETER: 2 1/4"

DRILLER: Porter T

GROUND ELEV.:  Surveyed  Estimated

SITE: NCDOT West End

PROJECT NO.: GW 7039

N: E:

Borehole Location Sketch Map

Top (Depth)	<input type="checkbox"/> Feet <input type="checkbox"/> Meters	Lithology Log	Graphic Log	Depth Scale	Well	SPT Blows/6*	Run (No.)	Rec. (%)	Drilling Log
0-3 ft		0-0.5 ft organic debris and fine sand, black color, dry 0.5-1.5 ft brown sand, with some silt, dry-moist, loose, poorly sorted 1.5-3 ft, dark/black color sand, fine-medium, dry-moist. loose. no odor						100	Hard Auger PVD=0.1 ppm at from 0.5-2 ft.
3-5 ft		light brown color sand, fine to medium, dry to moist, poorly sorted.						100	PVD=0
5-6 ft		5-5.5 ft, no recovery 5.5-6.5 ft. same as 3-5 ft interval						90	PVD=0
6.5-7 ft		6.5-7 ft, saprolite, brown sand, fine-medium, mixed with gray clay & gravel Hard, dry-moist							
7-8 ft		Samples are collected from 4.5-5 ft @ 1400							
8-9 ft		SB102-05 - 4.5-5							

MW

# BORING LOG

BORING NO. SB102-06

SHEET 1 OF 1

DRILLING CO.:	Salodaco	Status:	SITE: N102 West End						Borehole Location Sketch Map	
METHOD & TOOLS:	DPT	<input type="checkbox"/> Well Installed <input type="checkbox"/> Plugged & Abdnd.	PROJECT NO.: 6W7039							
RIG:	Geoprobe 7822D		N: E:							
BIT DIAMETER:	2 1/4"	DRILLER:	SUPERVISOR: M. Ulking							
GROUND ELEV.:		<input type="checkbox"/> Surveyed <input type="checkbox"/> Estimated	DATE: 8/14/19							
Top (Depth)	Feet Meters	Lithology Log	Graphic Log	Depth Scale	Well	SPT Blows/6"	Run (No.)	Rec. (%)	Drilling Log	
0-3 ft		0-0.5 organic debris, no odor, <del>grey silt</del>							100' Planar layer P2D = 50.8 ppm @ 0.5 ft	
		0.5 - 1.5 ft grey silt and some brown sand, poorly sorted, dry, fine-medium							P2D = 13.6 ppm @ 1 ft	
		1.5 - 3 ft brown sand, some silt dry-moist, loose-compat							P2D = 0.1.6 ppm @ 1.5 ft	
3-5 ft		3.5 - 4 ft, same as 1.5-3 ft interval							P2D = 0.8 ppm @ 2 ft	
		4-5 ft, saprolite, dry-moist, brown sand, mixed with clay & gravel,							P2D = 0.6 ppm @ 2.5 ft	
5-8 ft		<del>5-6.5 ft, no recovery</del>							P2D = 0.3 ppm @ 3 ft,	
		<del>5</del> -8 ft, saprolite, brown sand, fine to medium, mixed with clay & gravel.							P2D = 0 from 3-5 ft	
8-10		same as above.							P2D = 0	
		Samples are collected from 0.5-1 ft @ 1450								
		SB102-06-0.5-1								

# BORING LOG

BORING NO. SB102-07

SHEET 1 OF 1

DRILLING CO.: Saeducco

METHOD & TOOLS: DPT

RIG: Geoprobe 7822 DT

BIT DIAMETER: 2 1/4" DRILLER: Brian T

GROUND ELEV.:  Surveyed  Estimated

Status:
<input type="checkbox"/> Well Installed
<input type="checkbox"/> Plugged & Abnd.
<input type="checkbox"/>

SITE: NCDOT West End

PROJECT NO.: G07039

N: .

E: .

SUPERVISOR: M. Murray

DATE: 8/24/19

Borehole Location Sketch Map


Top (Depth)	<input type="checkbox"/> Feet <input type="checkbox"/> Meters	Lithology Log	Graphic Log	Depth Scale	Well	SPT Blows/6"	Run (No.)	Rec (%)	Drilling Log
0-3 ft		0-0.5ft, organic debris 0.5-2ft, brown silt, with some sand, fine-medium, loose-compat, dry-moist 2-3 ft, brown sand, some silt, loose, moist, poorly sorted						100	Hard Ayer PVD=0
3-5 ft		3-3.5ft, no recovery 3.5-5ft, brown sand, fine-medium, dry-moist. loose					75		PVD=0
5-10 ft		5-6.5ft, no recovery 6.5-7.5ft same as 3.5-5ft interval 7.5-10ft, saprolite, brown sand, mixed with grey clay & gravel, hard, dry-moist					70		PVD=0
		Samples are collected from 7.5-8 ft @ 1535 SB102-07-7.5-8							

MM

# BORING LOG

BORING NO. SB102-08

SHEET 1 OF 1

DRILLING CO.: <u>Sandus</u>		Status: <input type="checkbox"/> Well Installed <input type="checkbox"/> Plugged & Abdnd. <input type="checkbox"/>	SITE: <u>NCDOT West End</u>		Borehole Location Sketch Map					
METHOD & TOOLS: <u>DPT</u>		PROJECT NO.: <u>BN 7039</u>								
RIG: <u>Geoprobe 7822DT</u>		N: <u>E:</u>								
BIT DIAMETER: <u>2 1/4"</u>		SUPERVISOR: <u>M. Murray</u>								
GROUND ELEV.: <input type="checkbox"/> Surveyed <input type="checkbox"/> Estimated		DATE: <u>8/14/19</u>								
Top (Depth)	<input type="checkbox"/> Feet <input type="checkbox"/> Meters	Lithology Log	Graphic Log	Depth Scale	Well	SPT Blows/6"	Run (No.)	Rec. (%)		
0-3 ft		0-0.5ft organic debris					100	Hand Auger P2D=0		
		0.5-1.5 ft light brown <del>silt</del> fine sand, with some silt. dry, loose						SB102-08 was offsite		
		1.5-3 ft, dark brown sand, fine to medium, dry-moist, loose,						50 ft west of proposed location		
3-5 ft		same as 1.5-3 ft interval					75	P2D=0		
5-10 ft		Saprolite, brown sand mixed with clay and gravels. hard, dry-moist samples are collected from					100	P2D=0.		
		8-8.5 ft @ 1605								
		SB102-08-8-8.5								
										

*MW*

# BORING LOG

BORING NO. SBW2-09

SHEET 1 OF 1

DRILLING CO.:	Saadco	Status: <input type="checkbox"/> Well Installed <input type="checkbox"/> Plugged & Abdnd.	SITE: NCDOT West End		Borehole Location Sketch Map				
METHOD & TOOLS:	DPT		PROJECT NO.: GN7039						
RIG:	Geoprobe 7822DT		N: E:						
BIT DIAMETER:	2 1/4"	DRILLER: Brian T	SUPERVISOR: M Wang						
GROUND ELEV.:	<input type="checkbox"/> Surveyed <input type="checkbox"/> Estimated		DATE: 8/14/19						
Top (Depth)	Feet Meters	Lithology Log	Graphic Log	Depth Scale	Well	SPT Blows/6*	Run (No.)	Rec (%)	Drilling Log
0-3 ft		0-0.5ft Organic Debris 0.5-2 ft light brown sand, fine, <del>salt</del> , loose, dry-moist poorly sorted							100 Hand Auger P2D=0
3-5 ft		2-3 ft dark brown sand, fine-medium, loose compact, moist							
5-7 ft		3-4 ft, same as 2-3 ft interval							100 P2D=0
7-10 ft		4-5 ft, saprolite, sand (brown) with grey clay and gravels							
10 ft		same as 4-5 ft.							100 P2D=0
10-12 ft		Same as above							100 P2D=0
12 ft		Samples are collected from 8.5-9 ft @ 1645							
12-14 ft		SB102-09 - 8.5-9							

# BORING LOG

BORING NO. 8102-10

SHEET 1 OF 1

### Borehole Location Sketch Map

DRILLING CO.: *Saedaco*

METHOD & TOOLS: DPT

RIG: Geoprobe 7822DT

BIT DIAMETER: 2 1/4" DRILLER: Brian T

GROUND ELEV.:  Surveyed  Estimated

Top  Feet  
(Depth)  Meters

Lithology Log

*Preliminary Site Assessment (Parcel 102 – John William Carter III and Lee Paisley)  
TIP Number R-5726  
3525 NC 211, West End, North Carolina  
October 2019*



## APPENDIX D

### Red Lab UVF Report

QED



**REDLAB**  
RAPID ENVIRONMENTAL DIAGNOSTICS



## Hydrocarbon Analysis Results

**Client:** GEOSYNTEC  
**Address:** 2501 BLUE RIDGE RD  
                  SUITE 430  
                  RALEIGH, NC 27607

**Contact:** MICHAEL WANG

Project: \_9495515334

**Samples taken**  
**Samples extracted**  
**Samples analysed**

Wednesday, August 14, 2019  
Wednesday, August 14, 2019  
Friday, August 16, 2019

## Operator

Harry Wooten











Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	SB102-1-2.5-3	15.4	<0.38	<0.38	<0.38	<0.38	<0.08	<0.12	<0.015	0	0	0	PHC not detected
s	SB102-2-5.5-6	12.5	<0.31	<0.31	<0.31	0.19	0.19	<0.1	<0.013	0	51.1	48.9	Residual HC,(BO),(P)
s	SB102-3-7-7.5	12.7	<0.32	<0.32	0.47	0.47	0.46	<0.1	<0.013	0	76.2	23.8	,(FCM),(PFM)
s	SB102-4-7.5-8	13.9	<0.35	<0.35	<0.35	<0.35	<0.07	<0.11	<0.014	0	0	0	,(FCM),(BO),(P)
s	SB102-5-4.5-5	12.7	<0.32	<0.32	<0.32	<0.32	<0.06	<0.1	<0.013	0	0	0	,(FCM),(BO)
s	SB102-6-0.5-1	11.2	<0.28	<0.28	<0.28	<0.28	<0.06	<0.09	<0.011	0	0	0	,(FCM)
s	SB102-7-7.5-8	8.5	<0.21	<0.21	<0.21	<0.21	<0.04	<0.07	<0.008	0	0	0	,(FCM)
s	SB102-8-8-8.5	9.7	<0.24	<0.24	<0.24	<0.24	<0.05	<0.08	<0.01	0	0	0	,(FCM),(P)
s	SB102-9-8.5-9	8.3	<0.21	<0.21	<0.21	<0.21	<0.04	<0.07	<0.008	0	0	0	,(FCM)
s	SB102-10-9-9.5	9.2	<0.23	<0.23	<0.23	<0.23	<0.05	<0.07	<0.009	0	0	0	,(FCM)
Initial Calibrator QC check				OK	Final FCM QC Check				OK	94 %			

Results generated by a QED HC-1 analyser. Concentration values in mg/kg for soil samples and mg/L for water samples. Soil values are not corrected for moisture or stone content

Fingerprints provide a tentative hydrocarbon identification. The abbreviations are:- FCM = Results calculated using Fundamental Calibration Mode : % = confidence for sample fingerprint match to library (SBS) or (LBS) = Site Specific or Library Background Subtraction applied to result : (PFM) = Poor Fingerprint Match : (T) = Turbid : (P) = Particulate present

# QED Hydrocarbon Fingerprints

Project: R5726



*Preliminary Site Assessment (Parcel 102 – John William Carter III and Lee Paisley)  
TIP Number R-5726  
3525 NC 211, West End, North Carolina  
October 2019*



## APPENDIX E

# Prism Laboratories Analytical Report



Full-Service Analytical &  
Environmental Solutions

NC Certification No. 402  
NC Drinking Water Cert No. 37735  
SC Certification No. 99012

## Case Narrative

8/28/19 11:20

Geosyntec Consultants of NC, PC - Raleigh  
Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project: NCDOT R-5726 West End  
Project No.: GN7039  
Lab Submittal Date: 08/16/2019  
Prism Work Order: 9080260

This data package contains the analytical results for the project identified above and includes a Case Narrative, Sample Results and Chain of Custody. Unless otherwise noted, all samples were received in acceptable condition and processed according to the referenced methods.

Data qualifiers are flagged individually on each sample. A key reference for the data qualifiers appears at the end of this case narrative.

Please call if you have any questions relating to this analytical report.

Respectfully,

**PRISM LABORATORIES, INC.**

Robbi A. Jones  
President/Project Manager

Reviewed By Robbi A. Jones  
President/Project Manager

### Data Qualifiers Key Reference:

SR	Surrogate recovery outside the QC limits.
BRL	Below Reporting Limit
MDL	Method Detection Limit
RPD	Relative Percent Difference
*	Results reported to the reporting limit. All other results are reported to the MDL with values between MDL and reporting limit indicated with a J.

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



Client Sample ID	Lab Sample ID	Matrix	Date/Time Sampled	Date/Time Received
SB13-01-7.5-8.0	9080260-01	Solid	08/12/19 10:30	08/16/19 9:15
SB13-02-7-7.5	9080260-02	Solid	08/12/19 11:00	08/16/19 9:15
SB13-03-6.5-7.0	9080260-03	Solid	08/12/19 11:30	08/16/19 9:15
SB43-01-4.5-5.0	9080260-04	Solid	08/13/19 13:40	08/16/19 9:15
SB43-02-6.5-7.0	9080260-05	Solid	08/13/19 14:00	08/16/19 9:15
SB43-03-7.0-7.5	9080260-06	Solid	08/13/19 14:30	08/16/19 9:15
SB43-04-7.5-8.0	9080260-07	Solid	08/13/19 14:45	08/16/19 9:15
SB66867-01-5-5.5	9080260-08	Solid	08/13/19 8:40	08/16/19 9:15
SB66867-02-4.0-4.5	9080260-09	Solid	08/13/19 9:10	08/16/19 9:15
SB66867-03-6.5-7	9080260-10	Solid	08/13/19 10:20	08/16/19 9:15
SB66867-04-5.5-6.0	9080260-11	Solid	08/13/19 9:45	08/16/19 9:15
SB66867-05-7-7.5	9080260-12	Solid	08/13/19 11:10	08/16/19 9:15
SB66867-06-7.5-8	9080260-13	Solid	08/13/19 12:20	08/16/19 9:15
SB69-01-6.0-6.5	9080260-14	Solid	08/12/19 13:00	08/16/19 9:15
SB69-02-4.0-4.5	9080260-15	Solid	08/12/19 13:30	08/16/19 9:15
SB69-03-5.0-5.5	9080260-16	Solid	08/12/19 14:00	08/16/19 9:15
SB69-04-5.0-5.5	9080260-17	Solid	08/12/19 14:45	08/16/19 9:15
SB69-05-9.5-10	9080260-18	Solid	08/12/19 15:25	08/16/19 9:15
SB69-06-9-9.5	9080260-19	Solid	08/12/19 16:15	08/16/19 9:15
SB69-07-5.0-5.5	9080260-20	Solid	08/12/19 16:45	08/16/19 9:15
SB69-08-6.0-6.5	9080260-21	Solid	08/13/19 13:00	08/16/19 9:15
SB78-01-7-7.5	9080260-22	Solid	08/13/19 15:50	08/16/19 9:15
SB78-02-5.5-6	9080260-23	Solid	08/14/19 8:25	08/16/19 9:15
SB78-03-6-6.5	9080260-24	Solid	08/14/19 9:00	08/16/19 9:15
SB78-04-6.5-7	9080260-25	Solid	08/14/19 9:30	08/16/19 9:15
SB89-01-5-5.5	9080260-26	Solid	08/15/19 9:00	08/16/19 9:15
SB89-02-5.5-6	9080260-27	Solid	08/15/19 9:40	08/16/19 9:15
SB89-03-6.5-7	9080260-28	Solid	08/15/19 10:30	08/16/19 9:15
SB89-04-7-7.5	9080260-29	Solid	08/15/19 11:30	08/16/19 9:15
SB102-01-2.5-3	9080260-30	Solid	08/14/19 10:50	08/16/19 9:15
SB102-02-5.5-6	9080260-31	Solid	08/14/19 11:35	08/16/19 9:15
SB102-03-7-7.5	9080260-32	Solid	08/14/19 13:00	08/16/19 9:15
SB102-04-7.5-8	9080260-33	Solid	08/14/19 13:30	08/16/19 9:15

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

SB102-05-4.5-5	9080260-34	Solid	08/14/19 14:00	08/16/19 9:15
SB102-06-0.5-1	9080260-35	Solid	08/14/19 14:50	08/16/19 9:15
SB102-07-7.5-8	9080260-36	Solid	08/14/19 15:35	08/16/19 9:15
SB102-08-8-8.5	9080260-37	Solid	08/14/19 16:05	08/16/19 9:15
SB102-09-8.5-9	9080260-38	Solid	08/14/19 16:45	08/16/19 9:15
SB102-10-9-9.5	9080260-39	Solid	08/14/19 17:20	08/16/19 9:15

Samples were received in good condition at 3.3 degrees C unless otherwise noted.

Prism ID	Client ID	Parameter	Method	Result	Units
----------	-----------	-----------	--------	--------	-------

**There were no detections reported.**

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB13-01-7.5-8.0  
Prism Sample ID: 9080260-01  
Prism Work Order: 9080260  
Time Collected: 08/12/19 10:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	91.0	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0071	0.0011	1	8260D	8/20/19 17:51	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0071	0.0011	1	8260D	8/20/19 17:51	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.014	0.0018	1	8260D	8/20/19 17:51	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0071	0.00075	1	8260D	8/20/19 17:51	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0071	0.0011	1	8260D	8/20/19 17:51	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.021	0.0025	1	8260D	8/20/19 17:51	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	99 %	70-130
Dibromofluoromethane	112 %	84-123
Toluene-d8	95 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB13-02-7-7.5  
Prism Sample ID: 9080260-02  
Prism Work Order: 9080260  
Time Collected: 08/12/19 11:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	86.2	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0069	0.0011	1	8260D	8/20/19 18:21	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0069	0.0010	1	8260D	8/20/19 18:21	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.014	0.0018	1	8260D	8/20/19 18:21	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0069	0.00074	1	8260D	8/20/19 18:21	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0069	0.0011	1	8260D	8/20/19 18:21	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.021	0.0025	1	8260D	8/20/19 18:21	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	98 %	70-130
Dibromofluoromethane	114 %	84-123
Toluene-d8	94 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB13-03-6.5-7.0  
Prism Sample ID: 9080260-03  
Prism Work Order: 9080260  
Time Collected: 08/12/19 11:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	95.0	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0051	0.00079	1	8260D	8/20/19 18:51	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0051	0.00077	1	8260D	8/20/19 18:51	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.010	0.0013	1	8260D	8/20/19 18:51	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0051	0.00054	1	8260D	8/20/19 18:51	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0051	0.00081	1	8260D	8/20/19 18:51	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.015	0.0018	1	8260D	8/20/19 18:51	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	116 %	84-123
Toluene-d8	95 %	76-129



Geosyntec Consultants of NC, PC - Raleigh   Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB43-01-4.5-5.0  
Prism Sample ID: 9080260-04  
Prism Work Order: 9080260  
Time Collected: 08/13/19 13:40  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
<b>General Chemistry Parameters</b>									
% Solids	97.8	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
<b>Volatile Organic Compounds by GC/MS</b>									
Benzene	BRL	mg/kg dry	0.0053	0.00083	1	8260D	8/20/19 19:21	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0053	0.00080	1	8260D	8/20/19 19:21	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0014	1	8260D	8/20/19 19:21	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0053	0.00056	1	8260D	8/20/19 19:21	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0053	0.00084	1	8260D	8/20/19 19:21	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.016	0.0019	1	8260D	8/20/19 19:21	JLB	P9H0347
Surrogate									
4-Bromofluorobenzene									
102 %									
Dibromofluoromethane									
113 %									
Toluene-d8									
95 %									
Control Limits									
70-130									
84-123									
76-129									

Geosyntec Consultants of NC, PC - Raleigh      Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB43-02-6.5-7.0  
Prism Sample ID: 9080260-05  
Prism Work Order: 9080260  
Time Collected: 08/13/19 14:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	91.4	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0073	0.0011	1	8260D	8/22/19 15:18	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0073	0.0011	1	8260D	8/22/19 15:18	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.015	0.0019	1	8260D	8/22/19 15:18	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0073	0.00077	1	8260D	8/22/19 15:18	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0073	0.0012	1	8260D	8/22/19 15:18	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.022	0.0026	1	8260D	8/22/19 15:18	JLB	P9H0389

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	103 %	70-130
Dibromofluoromethane	127 %	84-123
Toluene-d8	93 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB43-03-7.0-7.5  
Prism Sample ID: 9080260-06  
Prism Work Order: 9080260  
Time Collected: 08/13/19 14:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	75.6	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0061	0.00095	1	8260D	8/20/19 20:21	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0061	0.00091	1	8260D	8/20/19 20:21	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0016	1	8260D	8/20/19 20:21	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0061	0.00065	1	8260D	8/20/19 20:21	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0061	0.00097	1	8260D	8/20/19 20:21	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.018	0.0022	1	8260D	8/20/19 20:21	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	120 %	84-123
Toluene-d8	96 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
 Attn: Michael Wang  
 2501 Blue Ridge Road, Ste 430  
 Raleigh, NC 27607

Project No.: GN7039  
 Sample Matrix: Solid

Client Sample ID: SB43-04-7.5-8.0  
 Prism Sample ID: 9080260-07  
 Prism Work Order: 9080260  
 Time Collected: 08/13/19 14:45  
 Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	84.1	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0054	0.00085	1	8260D	8/20/19 20:51	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0054	0.00082	1	8260D	8/20/19 20:51	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0014	1	8260D	8/20/19 20:51	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0054	0.00058	1	8260D	8/20/19 20:51	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0054	0.00086	1	8260D	8/20/19 20:51	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.016	0.0020	1	8260D	8/20/19 20:51	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	101 %	70-130
Dibromofluoromethane	119 %	84-123
Toluene-d8	95 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB66867-01-5-5.5  
Prism Sample ID: 9080260-08  
Prism Work Order: 9080260  
Time Collected: 08/13/19 08:40  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	90.8	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0050	0.00078	1	8260D	8/20/19 21:21	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0050	0.00075	1	8260D	8/20/19 21:21	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.010	0.0013	1	8260D	8/20/19 21:21	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0050	0.00053	1	8260D	8/20/19 21:21	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0050	0.00080	1	8260D	8/20/19 21:21	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.015	0.0018	1	8260D	8/20/19 21:21	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	99 %	70-130
Dibromofluoromethane	122 %	84-123
Toluene-d8	95 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB66867-02-4.0-4.5  
Prism Sample ID: 9080260-09  
Prism Work Order: 9080260  
Time Collected: 08/13/19 09:10  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	86.8	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0061	0.00096	1	8260D	8/20/19 21:51	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0061	0.00092	1	8260D	8/20/19 21:51	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0016	1	8260D	8/20/19 21:51	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0061	0.00065	1	8260D	8/20/19 21:51	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0061	0.00098	1	8260D	8/20/19 21:51	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.018	0.0022	1	8260D	8/20/19 21:51	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	100 %	70-130
Dibromofluoromethane	118 %	84-123
Toluene-d8	97 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
 Attn: Michael Wang  
 2501 Blue Ridge Road, Ste 430  
 Raleigh, NC 27607

Project No.: GN7039  
 Sample Matrix: Solid

Client Sample ID: SB66867-03-6.5-7  
 Prism Sample ID: 9080260-10  
 Prism Work Order: 9080260  
 Time Collected: 08/13/19 10:20  
 Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	90.8	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0059	0.00092	1	8260D	8/20/19 22:20	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0059	0.00088	1	8260D	8/20/19 22:20	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0015	1	8260D	8/20/19 22:20	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0059	0.00063	1	8260D	8/20/19 22:20	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0059	0.00094	1	8260D	8/20/19 22:20	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.018	0.0021	1	8260D	8/20/19 22:20	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	99 %	70-130
Dibromofluoromethane	120 %	84-123
Toluene-d8	95 %	76-129

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No.: GN7039  
Raleigh, NC 27607 Sample Matrix: Solid

Client Sample ID: SB66867-04-5.5-6.0  
Prism Sample ID: 9080260-11  
Prism Work Order: 9080260  
Time Collected: 08/13/19 09:45  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
<b>General Chemistry Parameters</b>									
% Solids	94.1	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
<b>Volatile Organic Compounds by GC/MS</b>									
Benzene	BRL	mg/kg dry	0.0056	0.00088	1	8260D	8/20/19 22:50	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0056	0.00085	1	8260D	8/20/19 22:50	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0014	1	8260D	8/20/19 22:50	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0056	0.00060	1	8260D	8/20/19 22:50	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0056	0.00090	1	8260D	8/20/19 22:50	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.017	0.0020	1	8260D	8/20/19 22:50	JLB	P9H0347
Surrogate									
4-Bromofluorobenzene									
97 %									
Dibromofluoromethane									
118 %									
Toluene-d8									
96 %									
Control Limits									
70-130									
84-123									
76-129									

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB66867-05-7-7.5  
Prism Sample ID: 9080260-12  
Prism Work Order: 9080260  
Time Collected: 08/13/19 11:10  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	89.3	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0060	0.00094	1	8260D	8/20/19 23:20	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0060	0.00091	1	8260D	8/20/19 23:20	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0015	1	8260D	8/20/19 23:20	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0060	0.00064	1	8260D	8/20/19 23:20	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0060	0.00096	1	8260D	8/20/19 23:20	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.018	0.0022	1	8260D	8/20/19 23:20	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	119 %	84-123
Toluene-d8	94 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB66867-06-7.5-8  
Prism Sample ID: 9080260-13  
Prism Work Order: 9080260  
Time Collected: 08/13/19 12:20  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	89.0	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0049	0.00076	1	8260D	8/19/19 16:12	JLB	P9H0310
Ethylbenzene	BRL	mg/kg dry	0.0049	0.00074	1	8260D	8/19/19 16:12	JLB	P9H0310
m,p-Xylenes	BRL	mg/kg dry	0.0098	0.0013	1	8260D	8/19/19 16:12	JLB	P9H0310
o-Xylene	BRL	mg/kg dry	0.0049	0.00052	1	8260D	8/19/19 16:12	JLB	P9H0310
Toluene	BRL	mg/kg dry	0.0049	0.00078	1	8260D	8/19/19 16:12	JLB	P9H0310
Xylenes, total	BRL	mg/kg dry	0.015	0.0018	1	8260D	8/19/19 16:12	JLB	P9H0310

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	100 %	70-130
Dibromofluoromethane	110 %	84-123
Toluene-d8	97 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB69-01-6.0-6.5  
Prism Sample ID: 9080260-14  
Prism Work Order: 9080260  
Time Collected: 08/12/19 13:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	90.5	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0052	0.00081	1	8260D	8/21/19 19:41	JLB	P9H0366
Ethylbenzene	BRL	mg/kg dry	0.0052	0.00078	1	8260D	8/21/19 19:41	JLB	P9H0366
m,p-Xylenes	BRL	mg/kg dry	0.010	0.0013	1	8260D	8/21/19 19:41	JLB	P9H0366
o-Xylene	BRL	mg/kg dry	0.0052	0.00055	1	8260D	8/21/19 19:41	JLB	P9H0366
Toluene	BRL	mg/kg dry	0.0052	0.00082	1	8260D	8/21/19 19:41	JLB	P9H0366
Xylenes, total	BRL	mg/kg dry	0.016	0.0019	1	8260D	8/21/19 19:41	JLB	P9H0366

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	103 %	70-130
Dibromofluoromethane	123 %	84-123
Toluene-d8	92 %	76-129



Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB69-02-4.0-4.5  
Prism Sample ID: 9080260-15  
Prism Work Order: 9080260  
Time Collected: 08/12/19 13:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	95.0	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0080	0.0012	1	8260D	8/21/19 0:20	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0080	0.0012	1	8260D	8/21/19 0:20	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.016	0.0020	1	8260D	8/21/19 0:20	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0080	0.00085	1	8260D	8/21/19 0:20	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0080	0.0013	1	8260D	8/21/19 0:20	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.024	0.0029	1	8260D	8/21/19 0:20	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	103 %	70-130
Dibromofluoromethane	122 %	84-123
Toluene-d8	95 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB69-03-5.0-5.5  
Prism Sample ID: 9080260-16  
Prism Work Order: 9080260  
Time Collected: 08/12/19 14:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	93.2	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0043	0.00067	1	8260D	8/21/19 0:49	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0043	0.00064	1	8260D	8/21/19 0:49	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.0086	0.0011	1	8260D	8/21/19 0:49	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0043	0.00046	1	8260D	8/21/19 0:49	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0043	0.00068	1	8260D	8/21/19 0:49	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.013	0.0015	1	8260D	8/21/19 0:49	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	121 %	84-123
Toluene-d8	96 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB69-04-5.0-5.5  
Prism Sample ID: 9080260-17  
Prism Work Order: 9080260  
Time Collected: 08/12/19 14:45  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	92.2	% by Weight	0.100	0.100	1	*SM2540 G	8/22/19 10:22	EDV	P9H0353
----------	------	-------------	-------	-------	---	-----------	---------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0049	0.00076	1	8260D	8/21/19 1:19	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0049	0.00074	1	8260D	8/21/19 1:19	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.0098	0.0013	1	8260D	8/21/19 1:19	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0049	0.00052	1	8260D	8/21/19 1:19	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0049	0.00078	1	8260D	8/21/19 1:19	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.015	0.0018	1	8260D	8/21/19 1:19	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	100 %	70-130
Dibromofluoromethane	123 %	84-123
Toluene-d8	94 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
 Attn: Michael Wang  
 2501 Blue Ridge Road, Ste 430  
 Raleigh, NC 27607

Project No.: GN7039  
 Sample Matrix: Solid

Client Sample ID: SB69-05-9.5-10  
 Prism Sample ID: 9080260-18  
 Prism Work Order: 9080260  
 Time Collected: 08/12/19 15:25  
 Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	91.0	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0056	0.00088	1	8260D	8/21/19 1:50	JLB	P9H0347
Ethylbenzene	BRL	mg/kg dry	0.0056	0.00084	1	8260D	8/21/19 1:50	JLB	P9H0347
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0014	1	8260D	8/21/19 1:50	JLB	P9H0347
o-Xylene	BRL	mg/kg dry	0.0056	0.00060	1	8260D	8/21/19 1:50	JLB	P9H0347
Toluene	BRL	mg/kg dry	0.0056	0.00089	1	8260D	8/21/19 1:50	JLB	P9H0347
Xylenes, total	BRL	mg/kg dry	0.017	0.0020	1	8260D	8/21/19 1:50	JLB	P9H0347

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	99 %	70-130
Dibromofluoromethane	119 %	84-123
Toluene-d8	94 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB69-06-9-9.5  
Prism Sample ID: 9080260-19  
Prism Work Order: 9080260  
Time Collected: 08/12/19 16:15  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	87.3	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0046	0.00072	1	8260D	8/22/19 15:47	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0046	0.00069	1	8260D	8/22/19 15:47	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.0092	0.0012	1	8260D	8/22/19 15:47	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0046	0.00049	1	8260D	8/22/19 15:47	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0046	0.00073	1	8260D	8/22/19 15:47	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.014	0.0017	1	8260D	8/22/19 15:47	JLB	P9H0389

Surrogate	Recovery	Control Limits	
4-Bromofluorobenzene	99 %	70-130	
Dibromofluoromethane	125 %	84-123	SR
Toluene-d8	92 %	76-129	

Geosyntec Consultants of NC, PC - Raleigh      Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB69-07-5.0-5.5  
Prism Sample ID: 9080260-20  
Prism Work Order: 9080260  
Time Collected: 08/12/19 16:45  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	93.3	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0051	0.00080	1	8260D	8/22/19 16:17	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0051	0.00077	1	8260D	8/22/19 16:17	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.010	0.0013	1	8260D	8/22/19 16:17	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0051	0.00055	1	8260D	8/22/19 16:17	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0051	0.00082	1	8260D	8/22/19 16:17	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.015	0.0019	1	8260D	8/22/19 16:17	JLB	P9H0389

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	127 %	84-123
Toluene-d8	94 %	76-129

Geosyntec Consultants of NC, PC - Raleigh      Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB69-08-6.0-6.5  
Prism Sample ID: 9080260-21  
Prism Work Order: 9080260  
Time Collected: 08/13/19 13:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
<b>General Chemistry Parameters</b>									
% Solids	85.7	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
<b>Volatile Organic Compounds by GC/MS</b>									
Benzene	BRL	mg/kg dry	0.0060	0.00094	1	8260D	8/26/19 19:27	JLB	P9H0434
Ethylbenzene	BRL	mg/kg dry	0.0060	0.00091	1	8260D	8/26/19 19:27	JLB	P9H0434
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0015	1	8260D	8/26/19 19:27	JLB	P9H0434
o-Xylene	BRL	mg/kg dry	0.0060	0.00064	1	8260D	8/26/19 19:27	JLB	P9H0434
Toluene	BRL	mg/kg dry	0.0060	0.00096	1	8260D	8/26/19 19:27	JLB	P9H0434
Xylenes, total	BRL	mg/kg dry	0.018	0.0022	1	8260D	8/26/19 19:27	JLB	P9H0434

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB78-01-7-7.5  
Prism Sample ID: 9080260-22  
Prism Work Order: 9080260  
Time Collected: 08/13/19 15:50  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

#### General Chemistry Parameters

% Solids	83.4	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

#### Volatile Organic Compounds by GC/MS

Benzene	BRL	mg/kg dry	0.0053	0.00082	1	8260D	8/22/19 17:34	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0053	0.00079	1	8260D	8/22/19 17:34	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0013	1	8260D	8/22/19 17:34	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0053	0.00056	1	8260D	8/22/19 17:34	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0053	0.00084	1	8260D	8/22/19 17:34	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.016	0.0019	1	8260D	8/22/19 17:34	JLB	P9H0389

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	100 %	70-130
Dibromofluoromethane	132 %	84-123
Toluene-d8	96 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB78-02-5.5-6  
Prism Sample ID: 9080260-23  
Prism Work Order: 9080260  
Time Collected: 08/14/19 08:25  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	97.8	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0043	0.00067	1	8260D	8/19/19 16:42	JLB	P9H0310
Ethylbenzene	BRL	mg/kg dry	0.0043	0.00065	1	8260D	8/19/19 16:42	JLB	P9H0310
Isopropylbenzene (Cumene)	BRL	mg/kg dry	0.0043	0.00050	1	8260D	8/19/19 16:42	JLB	P9H0310
m,p-Xylenes	BRL	mg/kg dry	0.0086	0.0011	1	8260D	8/19/19 16:42	JLB	P9H0310
o-Xylene	BRL	mg/kg dry	0.0043	0.00046	1	8260D	8/19/19 16:42	JLB	P9H0310
Toluene	BRL	mg/kg dry	0.0043	0.00068	1	8260D	8/19/19 16:42	JLB	P9H0310
Xylenes, total	BRL	mg/kg dry	0.013	0.0015	1	8260D	8/19/19 16:42	JLB	P9H0310

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	109 %	84-123
Toluene-d8	96 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB78-03-6-6.5  
Prism Sample ID: 9080260-24  
Prism Work Order: 9080260  
Time Collected: 08/14/19 09:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	85.2	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0068	0.0011	1	8260D	8/19/19 17:12	JLB	P9H0310
Ethylbenzene	BRL	mg/kg dry	0.0068	0.0010	1	8260D	8/19/19 17:12	JLB	P9H0310
m,p-Xylenes	BRL	mg/kg dry	0.014	0.0017	1	8260D	8/19/19 17:12	JLB	P9H0310
o-Xylene	BRL	mg/kg dry	0.0068	0.00072	1	8260D	8/19/19 17:12	JLB	P9H0310
Toluene	BRL	mg/kg dry	0.0068	0.0011	1	8260D	8/19/19 17:12	JLB	P9H0310
Xylenes, total	BRL	mg/kg dry	0.020	0.0024	1	8260D	8/19/19 17:12	JLB	P9H0310

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	103 %	70-130
Dibromofluoromethane	110 %	84-123
Toluene-d8	96 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB78-04-6.5-7  
Prism Sample ID: 9080260-25  
Prism Work Order: 9080260  
Time Collected: 08/14/19 09:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	85.1	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0062	0.00097	1	8260D	8/22/19 18:04	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0062	0.00093	1	8260D	8/22/19 18:04	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0016	1	8260D	8/22/19 18:04	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0062	0.00066	1	8260D	8/22/19 18:04	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0062	0.00099	1	8260D	8/22/19 18:04	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.019	0.0022	1	8260D	8/22/19 18:04	JLB	P9H0389

Surrogate	Recovery	Control Limits	
4-Bromofluorobenzene	98 %	70-130	
Dibromofluoromethane	130 %	84-123	SR
Toluene-d8	93 %	76-129	

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB89-01-5-5.5  
Prism Sample ID: 9080260-26  
Prism Work Order: 9080260  
Time Collected: 08/15/19 09:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	96.3	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0056	0.00088	1	8260D	8/22/19 18:34	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0056	0.00085	1	8260D	8/22/19 18:34	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0014	1	8260D	8/22/19 18:34	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0056	0.00060	1	8260D	8/22/19 18:34	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0056	0.00090	1	8260D	8/22/19 18:34	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.017	0.0020	1	8260D	8/22/19 18:34	JLB	P9H0389

Surrogate	Recovery	Control Limits	
4-Bromofluorobenzene	98 %	70-130	
Dibromofluoromethane	127 %	84-123	SR
Toluene-d8	94 %	76-129	



Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No.: GN7039  
Raleigh, NC 27607 Sample Matrix: Solid

Client Sample ID: SB89-02-5.5-6  
Prism Sample ID: 9080260-27  
Prism Work Order: 9080260  
Time Collected: 08/15/19 09:40  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
<b>General Chemistry Parameters</b>									
% Solids	96.6	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
<b>Volatile Organic Compounds by GC/MS</b>									
Benzene	BRL	mg/kg dry	0.0066	0.0010	1	8260D	8/22/19 19:04	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0066	0.0010	1	8260D	8/22/19 19:04	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.013	0.0017	1	8260D	8/22/19 19:04	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0066	0.00070	1	8260D	8/22/19 19:04	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0066	0.0011	1	8260D	8/22/19 19:04	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.020	0.0024	1	8260D	8/22/19 19:04	JLB	P9H0389
Surrogate									
4-Bromofluorobenzene									
100 %									
Dibromofluoromethane									
135 %									
Toluene-d8									
93 %									
Control Limits									
70-130									
84-123									
SR									

Geosyntec Consultants of NC, PC - Raleigh      Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB89-03-6.5-7  
Prism Sample ID: 9080260-28  
Prism Work Order: 9080260  
Time Collected: 08/15/19 10:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	92.2	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0065	0.0010	1	8260D	8/22/19 19:34	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0065	0.00098	1	8260D	8/22/19 19:34	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.013	0.0017	1	8260D	8/22/19 19:34	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0065	0.00069	1	8260D	8/22/19 19:34	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0065	0.0010	1	8260D	8/22/19 19:34	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.019	0.0023	1	8260D	8/22/19 19:34	JLB	P9H0389

Surrogate	Recovery	Control Limits	
4-Bromofluorobenzene	102 %	70-130	
Dibromofluoromethane	128 %	84-123	SR
Toluene-d8	90 %	76-129	

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB89-04-7-7.5  
Prism Sample ID: 9080260-29  
Prism Work Order: 9080260  
Time Collected: 08/15/19 11:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	93.9	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0062	0.00097	1	8260D	8/22/19 20:03	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0062	0.00094	1	8260D	8/22/19 20:03	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0016	1	8260D	8/22/19 20:03	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0062	0.00066	1	8260D	8/22/19 20:03	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0062	0.00099	1	8260D	8/22/19 20:03	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.019	0.0022	1	8260D	8/22/19 20:03	JLB	P9H0389

Surrogate	Recovery	Control Limits	
4-Bromofluorobenzene	98 %	70-130	
Dibromofluoromethane	136 %	84-123	SR
Toluene-d8	91 %	76-129	

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-01-2.5-3  
Prism Sample ID: 9080260-30  
Prism Work Order: 9080260  
Time Collected: 08/14/19 10:50  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	89.8	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0069	0.0011	1	8260D	8/22/19 20:33	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0069	0.0010	1	8260D	8/22/19 20:33	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.014	0.0018	1	8260D	8/22/19 20:33	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0069	0.00073	1	8260D	8/22/19 20:33	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0069	0.0011	1	8260D	8/22/19 20:33	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.021	0.0025	1	8260D	8/22/19 20:33	JLB	P9H0389

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	101 %	70-130
Dibromofluoromethane	134 %	84-123
Toluene-d8	92 %	76-129

Geosyntec Consultants of NC, PC - Raleigh      Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-02-5.5-6  
Prism Sample ID: 9080260-31  
Prism Work Order: 9080260  
Time Collected: 08/14/19 11:35  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
<b>General Chemistry Parameters</b>									
% Solids	96.4	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
<b>Volatile Organic Compounds by GC/MS</b>									
Benzene	BRL	mg/kg dry	0.0059	0.00093	1	8260D	8/22/19 21:03	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0059	0.00089	1	8260D	8/22/19 21:03	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0015	1	8260D	8/22/19 21:03	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0059	0.00063	1	8260D	8/22/19 21:03	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0059	0.00095	1	8260D	8/22/19 21:03	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.018	0.0021	1	8260D	8/22/19 21:03	JLB	P9H0389
Surrogate						Recovery	Control Limits		
4-Bromofluorobenzene						100 %	70-130		
Dibromofluoromethane						133 %	84-123		
Toluene-d8						91 %	76-129		



Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No.: GN7039  
Raleigh, NC 27607 Sample Matrix: Solid

Client Sample ID: SB102-03-7-7.5  
Prism Sample ID: 9080260-32  
Prism Work Order: 9080260  
Time Collected: 08/14/19 13:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
<b>General Chemistry Parameters</b>									
% Solids	94.4	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
<b>Volatile Organic Compounds by GC/MS</b>									
Benzene	BRL	mg/kg dry	0.0053	0.00082	1	8260D	8/22/19 21:33	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0053	0.00079	1	8260D	8/22/19 21:33	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0014	1	8260D	8/22/19 21:33	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0053	0.00056	1	8260D	8/22/19 21:33	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0053	0.00084	1	8260D	8/22/19 21:33	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.016	0.0019	1	8260D	8/22/19 21:33	JLB	P9H0389
						Surrogate	Recovery	Control Limits	
						4-Bromofluorobenzene	99 %	70-130	
						Dibromofluoromethane	132 %	84-123	SR
						Toluene-d8	91 %	76-129	

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-04-7.5-8  
Prism Sample ID: 9080260-33  
Prism Work Order: 9080260  
Time Collected: 08/14/19 13:30  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	80.6	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0060	0.00094	1	8260D	8/22/19 22:03	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0060	0.00091	1	8260D	8/22/19 22:03	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0015	1	8260D	8/22/19 22:03	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0060	0.00064	1	8260D	8/22/19 22:03	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0060	0.00096	1	8260D	8/22/19 22:03	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.018	0.0022	1	8260D	8/22/19 22:03	JLB	P9H0389

Surrogate	Recovery	Control Limits	
4-Bromofluorobenzene	97 %	70-130	
Dibromofluoromethane	131 %	84-123	SR
Toluene-d8	92 %	76-129	

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-05-4.5-5  
Prism Sample ID: 9080260-34  
Prism Work Order: 9080260  
Time Collected: 08/14/19 14:00  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	97.4	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0070	0.0011	1	8260D	8/22/19 22:33	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0070	0.0011	1	8260D	8/22/19 22:33	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.014	0.0018	1	8260D	8/22/19 22:33	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0070	0.00075	1	8260D	8/22/19 22:33	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0070	0.0011	1	8260D	8/22/19 22:33	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.021	0.0025	1	8260D	8/22/19 22:33	JLB	P9H0389

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	103 %	70-130
Dibromofluoromethane	138 %	84-123
Toluene-d8	96 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-06-0.5-1  
Prism Sample ID: 9080260-35  
Prism Work Order: 9080260  
Time Collected: 08/14/19 14:50  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	88.1	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0075	0.0012	1	8260D	8/22/19 23:02	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0075	0.0011	1	8260D	8/22/19 23:02	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.015	0.0019	1	8260D	8/22/19 23:02	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0075	0.00080	1	8260D	8/22/19 23:02	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0075	0.0012	1	8260D	8/22/19 23:02	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.022	0.0027	1	8260D	8/22/19 23:02	JLB	P9H0389

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	103 %	70-130
Dibromofluoromethane	143 %	84-123
Toluene-d8	89 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-07-7.5-8  
Prism Sample ID: 9080260-36  
Prism Work Order: 9080260  
Time Collected: 08/14/19 15:35  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	83.5	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0043	0.00067	1	8260D	8/22/19 23:33	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0043	0.00065	1	8260D	8/22/19 23:33	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.0086	0.0011	1	8260D	8/22/19 23:33	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0043	0.00046	1	8260D	8/22/19 23:33	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0043	0.00069	1	8260D	8/22/19 23:33	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.013	0.0016	1	8260D	8/22/19 23:33	JLB	P9H0389

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	102 %	70-130
Dibromofluoromethane	135 %	84-123
Toluene-d8	91 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
 Attn: Michael Wang  
 2501 Blue Ridge Road, Ste 430  
 Raleigh, NC 27607

Project No.: GN7039  
 Sample Matrix: Solid

Client Sample ID: SB102-08-8-8.5  
 Prism Sample ID: 9080260-37  
 Prism Work Order: 9080260  
 Time Collected: 08/14/19 16:05  
 Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
-----------	--------	-------	--------------	-----	-----------------	--------	--------------------	---------	----------

**General Chemistry Parameters**

% Solids	87.9	% by Weight	0.100	0.100	1	*SM2540 G	8/23/19 8:10	EDV	P9H0369
----------	------	-------------	-------	-------	---	-----------	--------------	-----	---------

**Volatile Organic Compounds by GC/MS**

Benzene	BRL	mg/kg dry	0.0058	0.00090	1	8260D	8/26/19 18:57	JLB	P9H0434
Ethylbenzene	BRL	mg/kg dry	0.0058	0.00087	1	8260D	8/26/19 18:57	JLB	P9H0434
m,p-Xylenes	BRL	mg/kg dry	0.012	0.0015	1	8260D	8/26/19 18:57	JLB	P9H0434
o-Xylene	BRL	mg/kg dry	0.0058	0.00061	1	8260D	8/26/19 18:57	JLB	P9H0434
Toluene	BRL	mg/kg dry	0.0058	0.00092	1	8260D	8/26/19 18:57	JLB	P9H0434
Xylenes, total	BRL	mg/kg dry	0.017	0.0021	1	8260D	8/26/19 18:57	JLB	P9H0434

Surrogate	Recovery	Control Limits
4-Bromofluorobenzene	103 %	70-130
Dibromofluoromethane	93 %	84-123
Toluene-d8	99 %	76-129

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-09-8.5-9  
Prism Sample ID: 9080260-38  
Prism Work Order: 9080260  
Time Collected: 08/14/19 16:45  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
<b>General Chemistry Parameters</b>									
% Solids	87.0	% by Weight	0.100	0.100	1	*SM2540 G	8/26/19 8:25	EDV	P9H0406
<b>Volatile Organic Compounds by GC/MS</b>									
Benzene	BRL	mg/kg dry	0.0053	0.00082	1	8260D	8/23/19 0:32	JLB	P9H0389
Ethylbenzene	BRL	mg/kg dry	0.0053	0.00079	1	8260D	8/23/19 0:32	JLB	P9H0389
m,p-Xylenes	BRL	mg/kg dry	0.011	0.0014	1	8260D	8/23/19 0:32	JLB	P9H0389
o-Xylene	BRL	mg/kg dry	0.0053	0.00056	1	8260D	8/23/19 0:32	JLB	P9H0389
Toluene	BRL	mg/kg dry	0.0053	0.00084	1	8260D	8/23/19 0:32	JLB	P9H0389
Xylenes, total	BRL	mg/kg dry	0.016	0.0019	1	8260D	8/23/19 0:32	JLB	P9H0389

Geosyntec Consultants of NC, PC - Raleigh    Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430  
Raleigh, NC 27607

Project No.: GN7039  
Sample Matrix: Solid

Client Sample ID: SB102-10-9-9.5  
Prism Sample ID: 9080260-39  
Prism Work Order: 9080260  
Time Collected: 08/14/19 17:20  
Time Submitted: 08/16/19 09:15

Parameter	Result	Units	Report Limit	MDL	Dilution Factor	Method	Analysis Date/Time	Analyst	Batch ID
<b>General Chemistry Parameters</b>									
% Solids	89.4	% by Weight	0.100	0.100	1	*SM2540 G	8/26/19 8:25	EDV	P9H0406
<b>Volatile Organic Compounds by GC/MS</b>									
Benzene	BRL	mg/kg dry	0.0048	0.00075	1	8260D	8/26/19 18:27	JLB	P9H0434
Ethylbenzene	BRL	mg/kg dry	0.0048	0.00072	1	8260D	8/26/19 18:27	JLB	P9H0434
m,p-Xylenes	BRL	mg/kg dry	0.0096	0.0012	1	8260D	8/26/19 18:27	JLB	P9H0434
o-Xylene	BRL	mg/kg dry	0.0048	0.00051	1	8260D	8/26/19 18:27	JLB	P9H0434
Toluene	BRL	mg/kg dry	0.0048	0.00077	1	8260D	8/26/19 18:27	JLB	P9H0434
Xylenes, total	BRL	mg/kg dry	0.014	0.0017	1	8260D	8/26/19 18:27	JLB	P9H0434

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

#### Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch P9H0310 - 5035</b>										
<b>Blank (P9H0310-BLK1)</b>										
					Prepared & Analyzed: 08/19/19					
1,1,1,2-Tetrachloroethane	BRL	0.0050	mg/kg wet							
1,1,1-Trichloroethane	BRL	0.0050	mg/kg wet							
1,1,2,2-Tetrachloroethane	BRL	0.0050	mg/kg wet							
1,1,2-Trichloroethane	BRL	0.0050	mg/kg wet							
1,1-Dichloroethane	BRL	0.0050	mg/kg wet							
1,1-Dichloroethylene	BRL	0.0050	mg/kg wet							
1,1-Dichloropropylene	BRL	0.0050	mg/kg wet							
1,2,3-Trichlorobenzene	BRL	0.010	mg/kg wet							
1,2,3-Trichloropropane	BRL	0.0050	mg/kg wet							
1,2,4-Trichlorobenzene	BRL	0.010	mg/kg wet							
1,2,4-Trimethylbenzene	BRL	0.0050	mg/kg wet							
1,2-Dibromoethane	BRL	0.0050	mg/kg wet							
1,2-Dichlorobenzene	BRL	0.0050	mg/kg wet							
1,2-Dichloroethane	BRL	0.0050	mg/kg wet							
1,2-Dichloropropane	BRL	0.0050	mg/kg wet							
1,3,5-Trimethylbenzene	BRL	0.0050	mg/kg wet							
1,3-Dichlorobenzene	BRL	0.0050	mg/kg wet							
1,3-Dichloropropane	BRL	0.0050	mg/kg wet							
1,4-Dichlorobenzene	BRL	0.0050	mg/kg wet							
2,2-Dichloropropane	BRL	0.0050	mg/kg wet							
2-Chlorotoluene	BRL	0.0050	mg/kg wet							
4-Chlorotoluene	BRL	0.0050	mg/kg wet							
4-Isopropyltoluene	BRL	0.0050	mg/kg wet							
Acetone	BRL	0.020	mg/kg wet							
Benzene	BRL	0.0050	mg/kg wet							
Bromobenzene	BRL	0.0050	mg/kg wet							
Bromochloromethane	BRL	0.0050	mg/kg wet							
Bromodichloromethane	BRL	0.0050	mg/kg wet							
Bromoform	BRL	0.0050	mg/kg wet							
Bromomethane	BRL	0.010	mg/kg wet							
Carbon Tetrachloride	BRL	0.0050	mg/kg wet							
Chlorobenzene	BRL	0.0050	mg/kg wet							
Chloroethane	BRL	0.010	mg/kg wet							
Chloroform	BRL	0.0050	mg/kg wet							
Chlormethane	BRL	0.010	mg/kg wet							
cis-1,2-Dichloroethylene	BRL	0.0050	mg/kg wet							
cis-1,3-Dichloropropylene	BRL	0.0050	mg/kg wet							
Dibromochloromethane	BRL	0.0050	mg/kg wet							
Dichlorodifluoromethane	BRL	0.010	mg/kg wet							
Ethylbenzene	BRL	0.0050	mg/kg wet							
Isopropyl Ether	BRL	0.0050	mg/kg wet							
Isopropylbenzene (Cumene)	BRL	0.0050	mg/kg wet							
m,p-Xylenes	BRL	0.010	mg/kg wet							
Methyl Butyl Ketone (2-Hexanone)	BRL	0.020	mg/kg wet							
Methyl Ethyl Ketone (2-Butanone)	BRL	0.020	mg/kg wet							
Methyl Isobutyl Ketone	BRL	0.020	mg/kg wet							

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

## Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch P9H0310 - 5035</b>										
<b>Blank (P9H0310-BLK1)</b>										
Prepared & Analyzed: 08/19/19										
Methylene Chloride	BRL	0.0050	mg/kg wet							
Methyl-tert-Butyl Ether	BRL	0.0050	mg/kg wet							
Naphthalene	BRL	0.010	mg/kg wet							
n-Butylbenzene	BRL	0.0050	mg/kg wet							
n-Propylbenzene	BRL	0.0050	mg/kg wet							
o-Xylene	BRL	0.0050	mg/kg wet							
sec-Butylbenzene	BRL	0.0050	mg/kg wet							
Styrene	BRL	0.0050	mg/kg wet							
tert-Butylbenzene	BRL	0.0050	mg/kg wet							
Tetrachloroethylene	BRL	0.0050	mg/kg wet							
Toluene	BRL	0.0050	mg/kg wet							
trans-1,2-Dichloroethylene	BRL	0.0050	mg/kg wet							
trans-1,3-Dichloropropylene	BRL	0.0050	mg/kg wet							
Trichloroethylene	BRL	0.0050	mg/kg wet							
Trichlorofluoromethane	BRL	0.010	mg/kg wet							
Vinyl acetate	BRL	0.010	mg/kg wet							
Vinyl chloride	BRL	0.010	mg/kg wet							
Xylenes, total	BRL	0.015	mg/kg wet							
Surrogate: 4-Bromofluorobenzene	50.9	ug/L	50.00			102	70-130			
Surrogate: Dibromofluoromethane	53.9	ug/L	50.00			108	84-123			
Surrogate: Toluene-d8	49.2	ug/L	50.00			98	76-129			
<b>LCS (P9H0310-BS1)</b>										
Prepared & Analyzed: 08/19/19										
1,1,1,2-Tetrachloroethane	0.0442	0.0050	mg/kg wet	0.05000		88	72-115			
1,1,1-Trichloroethane	0.0460	0.0050	mg/kg wet	0.05000		92	67-131			
1,1,2,2-Tetrachloroethane	0.0421	0.0050	mg/kg wet	0.05000		84	56-126			
1,1,2-Trichloroethane	0.0421	0.0050	mg/kg wet	0.05000		84	70-133			
1,1-Dichloroethane	0.0432	0.0050	mg/kg wet	0.05000		86	74-127			
1,1-Dichloroethylene	0.0394	0.0050	mg/kg wet	0.05000		79	67-149			
1,1-Dichloropropylene	0.0453	0.0050	mg/kg wet	0.05000		91	71-130			
1,2,3-Trichlorobenzene	0.0432	0.010	mg/kg wet	0.05000		86	68-130			
1,2,3-Trichloropropane	0.0419	0.0050	mg/kg wet	0.05000		84	60-137			
1,2,4-Trichlorobenzene	0.0450	0.010	mg/kg wet	0.05000		90	66-125			
1,2,4-Trimethylbenzene	0.0442	0.0050	mg/kg wet	0.05000		88	69-129			
1,2-Dibromoethane	0.0426	0.0050	mg/kg wet	0.05000		85	70-132			
1,2-Dichlorobenzene	0.0425	0.0050	mg/kg wet	0.05000		85	72-123			
1,2-Dichloroethane	0.0446	0.0050	mg/kg wet	0.05000		89	68-128			
1,2-Dichloropropane	0.0437	0.0050	mg/kg wet	0.05000		87	73-130			
1,3,5-Trimethylbenzene	0.0440	0.0050	mg/kg wet	0.05000		88	69-128			
1,3-Dichlorobenzene	0.0429	0.0050	mg/kg wet	0.05000		86	71-120			
1,3-Dichloropropane	0.0428	0.0050	mg/kg wet	0.05000		86	75-124			
1,4-Dichlorobenzene	0.0428	0.0050	mg/kg wet	0.05000		86	71-123			
2,2-Dichloropropane	0.0463	0.0050	mg/kg wet	0.05000		93	50-142			
2-Chlorotoluene	0.0437	0.0050	mg/kg wet	0.05000		87	67-124			
4-Chlorotoluene	0.0438	0.0050	mg/kg wet	0.05000		88	71-126			
4-Isopropyltoluene	0.0451	0.0050	mg/kg wet	0.05000		90	68-129			
Acetone	0.120	0.020	mg/kg wet	0.1000		120	29-198			

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

**Volatile Organic Compounds by GC/MS - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch P9H0310 - 5035</b>										
<b>LCS (P9H0310-BS1)</b>										
Prepared & Analyzed: 08/19/19										
Benzene	0.0433	0.0050	mg/kg wet	0.05000		87	74-127			
Bromobenzene	0.0429	0.0050	mg/kg wet	0.05000		86	73-125			
Bromochloromethane	0.0422	0.0050	mg/kg wet	0.05000		84	72-134			
Bromodichloromethane	0.0456	0.0050	mg/kg wet	0.05000		91	75-122			
Bromoform	0.0467	0.0050	mg/kg wet	0.05000		93	66-135			
Bromomethane	0.0437	0.010	mg/kg wet	0.05000		87	20-180			
Carbon Tetrachloride	0.0464	0.0050	mg/kg wet	0.05000		93	64-143			
Chlorobenzene	0.0429	0.0050	mg/kg wet	0.05000		86	74-118			
Chloroethane	0.0420	0.010	mg/kg wet	0.05000		84	33-149			
Chloroform	0.0442	0.0050	mg/kg wet	0.05000		88	73-127			
Chloromethane	0.0382	0.010	mg/kg wet	0.05000		76	45-143			
cis-1,2-Dichloroethylene	0.0432	0.0050	mg/kg wet	0.05000		86	76-134			
cis-1,3-Dichloropropylene	0.0444	0.0050	mg/kg wet	0.05000		89	71-125			
Dibromochloromethane	0.0446	0.0050	mg/kg wet	0.05000		89	73-122			
Dichlorodifluoromethane	0.0405	0.010	mg/kg wet	0.05000		81	26-146			
Ethylbenzene	0.0435	0.0050	mg/kg wet	0.05000		87	74-128			
Isopropyl Ether	0.0443	0.0050	mg/kg wet	0.05000		89	59-159			
Isopropylbenzene (Cumene)	0.0440	0.0050	mg/kg wet	0.05000		88	68-126			
m,p-Xylenes	0.0886	0.010	mg/kg wet	0.1000		89	75-124			
Methyl Butyl Ketone (2-Hexanone)	0.0480	0.020	mg/kg wet	0.05000		96	61-157			
Methyl Ethyl Ketone (2-Butanone)	0.0510	0.020	mg/kg wet	0.05000		102	63-149			
Methyl Isobutyl Ketone	0.0451	0.020	mg/kg wet	0.05000		90	57-162			
Methylene Chloride	0.0414	0.0050	mg/kg wet	0.05000		83	74-129			
Methyl-tert-Butyl Ether	0.0432	0.0050	mg/kg wet	0.05000		86	70-130			
Naphthalene	0.0428	0.010	mg/kg wet	0.05000		86	57-157			
n-Butylbenzene	0.0460	0.0050	mg/kg wet	0.05000		92	65-135			
n-Propylbenzene	0.0443	0.0050	mg/kg wet	0.05000		89	67-130			
o-Xylene	0.0442	0.0050	mg/kg wet	0.05000		88	74-126			
sec-Butylbenzene	0.0446	0.0050	mg/kg wet	0.05000		89	66-131			
Styrene	0.0438	0.0050	mg/kg wet	0.05000		88	77-121			
tert-Butylbenzene	0.0445	0.0050	mg/kg wet	0.05000		89	67-132			
Tetrachloroethylene	0.0449	0.0050	mg/kg wet	0.05000		90	68-130			
Toluene	0.0435	0.0050	mg/kg wet	0.05000		87	71-129			
trans-1,2-Dichloroethylene	0.0444	0.0050	mg/kg wet	0.05000		89	73-132			
trans-1,3-Dichloropropylene	0.0448	0.0050	mg/kg wet	0.05000		90	68-123			
Trichloroethylene	0.0453	0.0050	mg/kg wet	0.05000		91	75-133			
Trichlorofluoromethane	0.0452	0.010	mg/kg wet	0.05000		90	44-146			
Vinyl acetate	0.0456	0.010	mg/kg wet	0.05000		91	85-161			
Vinyl chloride	0.0430	0.010	mg/kg wet	0.05000		86	48-147			
Xylenes, total	0.133	0.015	mg/kg wet	0.1500		89	74-126			
Surrogate: 4-Bromofluorobenzene	49.3		ug/L	50.00		99	70-130			
Surrogate: Dibromofluoromethane	50.5		ug/L	50.00		101	84-123			
Surrogate: Toluene-d8	49.4		ug/L	50.00		99	76-129			

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

#### Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch P9H0310 - 5035</b>										
<b>LCS Dup (P9H0310-BSD1)</b>										
Prepared & Analyzed: 08/19/19										
1,1,1,2-Tetrachloroethane	0.0447	0.0050	mg/kg wet	0.05000	89	72-115	1	20		
1,1,1-Trichloroethane	0.0444	0.0050	mg/kg wet	0.05000	89	67-131	4	20		
1,1,2,2-Tetrachloroethane	0.0413	0.0050	mg/kg wet	0.05000	83	56-126	2	20		
1,1,2-Trichloroethane	0.0422	0.0050	mg/kg wet	0.05000	84	70-133	0.4	20		
1,1-Dichloroethane	0.0423	0.0050	mg/kg wet	0.05000	85	74-127	2	20		
1,1-Dichloroethylene	0.0402	0.0050	mg/kg wet	0.05000	80	67-149	2	20		
1,1-Dichloropropylene	0.0441	0.0050	mg/kg wet	0.05000	88	71-130	3	20		
1,2,3-Trichlorobenzene	0.0433	0.010	mg/kg wet	0.05000	87	68-130	0.1	20		
1,2,3-Trichloropropane	0.0413	0.0050	mg/kg wet	0.05000	83	60-137	2	20		
1,2,4-Trichlorobenzene	0.0438	0.010	mg/kg wet	0.05000	88	66-125	3	20		
1,2,4-Trimethylbenzene	0.0436	0.0050	mg/kg wet	0.05000	87	69-129	1	20		
1,2-Dibromoethane	0.0434	0.0050	mg/kg wet	0.05000	87	70-132	2	20		
1,2-Dichlorobenzene	0.0426	0.0050	mg/kg wet	0.05000	85	72-123	0.1	20		
1,2-Dichloroethane	0.0446	0.0050	mg/kg wet	0.05000	89	68-128	0.1	20		
1,2-Dichloropropane	0.0435	0.0050	mg/kg wet	0.05000	87	73-130	0.4	20		
1,3,5-Trimethylbenzene	0.0430	0.0050	mg/kg wet	0.05000	86	69-128	2	20		
1,3-Dichlorobenzene	0.0428	0.0050	mg/kg wet	0.05000	86	71-120	0.1	20		
1,3-Dichloropropane	0.0437	0.0050	mg/kg wet	0.05000	87	75-124	2	20		
1,4-Dichlorobenzene	0.0424	0.0050	mg/kg wet	0.05000	85	71-123	0.8	20		
2,2-Dichloropropane	0.0445	0.0050	mg/kg wet	0.05000	89	50-142	4	20		
2-Chlorotoluene	0.0426	0.0050	mg/kg wet	0.05000	85	67-124	3	20		
4-Chlorotoluene	0.0434	0.0050	mg/kg wet	0.05000	87	71-126	1	20		
4-Isopropyltoluene	0.0442	0.0050	mg/kg wet	0.05000	88	68-129	2	20		
Acetone	0.126	0.020	mg/kg wet	0.1000	126	29-198	5	20		
Benzene	0.0421	0.0050	mg/kg wet	0.05000	84	74-127	3	20		
Bromobenzene	0.0431	0.0050	mg/kg wet	0.05000	86	73-125	0.4	20		
Bromochloromethane	0.0425	0.0050	mg/kg wet	0.05000	85	72-134	0.8	20		
Bromodichloromethane	0.0450	0.0050	mg/kg wet	0.05000	90	75-122	1	20		
Bromoform	0.0463	0.0050	mg/kg wet	0.05000	93	66-135	1	20		
Bromomethane	0.0415	0.010	mg/kg wet	0.05000	83	20-180	5	20		
Carbon Tetrachloride	0.0452	0.0050	mg/kg wet	0.05000	90	64-143	3	20		
Chlorobenzene	0.0424	0.0050	mg/kg wet	0.05000	85	74-118	1	20		
Chloroethane	0.0404	0.010	mg/kg wet	0.05000	81	33-149	4	20		
Chloroform	0.0438	0.0050	mg/kg wet	0.05000	88	73-127	1	20		
Chloromethane	0.0366	0.010	mg/kg wet	0.05000	73	45-143	4	20		
cis-1,2-Dichloroethylene	0.0429	0.0050	mg/kg wet	0.05000	86	76-134	0.7	20		
cis-1,3-Dichloropropylene	0.0441	0.0050	mg/kg wet	0.05000	88	71-125	0.6	20		
Dibromochloromethane	0.0444	0.0050	mg/kg wet	0.05000	89	73-122	0.5	20		
Dichlorodifluoromethane	0.0389	0.010	mg/kg wet	0.05000	78	26-146	4	20		
Ethylbenzene	0.0430	0.0050	mg/kg wet	0.05000	86	74-128	1	20		
Isopropyl Ether	0.0437	0.0050	mg/kg wet	0.05000	87	59-159	1	20		
Isopropylbenzene (Cumene)	0.0430	0.0050	mg/kg wet	0.05000	86	68-126	2	20		
m,p-Xylenes	0.0871	0.010	mg/kg wet	0.1000	87	75-124	2	20		
Methyl Butyl Ketone (2-Hexanone)	0.0482	0.020	mg/kg wet	0.05000	96	61-157	0.4	20		
Methyl Ethyl Ketone (2-Butanone)	0.0512	0.020	mg/kg wet	0.05000	102	63-149	0.3	20		
Methyl Isobutyl Ketone	0.0442	0.020	mg/kg wet	0.05000	88	57-162	2	20		

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

#### Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

#### Batch P9H0310 - 5035

LCS Dup (P9H0310-BSD1)	Prepared & Analyzed: 08/19/19								
Methylene Chloride	0.0412	0.0050	mg/kg wet	0.05000	82	74-129	0.2	20	
Methyl-tert-Butyl Ether	0.0434	0.0050	mg/kg wet	0.05000	87	70-130	0.6	20	
Naphthalene	0.0426	0.010	mg/kg wet	0.05000	85	57-157	0.4	20	
n-Butylbenzene	0.0448	0.0050	mg/kg wet	0.05000	90	65-135	3	20	
n-Propylbenzene	0.0432	0.0050	mg/kg wet	0.05000	86	67-130	2	20	
o-Xylene	0.0441	0.0050	mg/kg wet	0.05000	88	74-126	0.3	20	
sec-Butylbenzene	0.0439	0.0050	mg/kg wet	0.05000	88	66-131	2	20	
Styrene	0.0445	0.0050	mg/kg wet	0.05000	89	77-121	2	20	
tert-Butylbenzene	0.0432	0.0050	mg/kg wet	0.05000	86	67-132	3	20	
Tetrachloroethylene	0.0425	0.0050	mg/kg wet	0.05000	85	68-130	6	20	
Toluene	0.0426	0.0050	mg/kg wet	0.05000	85	71-129	2	20	
trans-1,2-Dichloroethylene	0.0430	0.0050	mg/kg wet	0.05000	86	73-132	3	20	
trans-1,3-Dichloropropylene	0.0444	0.0050	mg/kg wet	0.05000	89	68-123	0.9	20	
Trichloroethylene	0.0435	0.0050	mg/kg wet	0.05000	87	75-133	4	20	
Trichlorofluoromethane	0.0419	0.010	mg/kg wet	0.05000	84	44-146	8	20	
Vinyl acetate	0.0467	0.010	mg/kg wet	0.05000	93	85-161	2	20	
Vinyl chloride	0.0404	0.010	mg/kg wet	0.05000	81	48-147	6	20	
Xylenes, total	0.131	0.015	mg/kg wet	0.1500	87	74-126	1	20	
Surrogate: 4-Bromofluorobenzene	50.0		ug/L	50.00	100	70-130			
Surrogate: Dibromofluoromethane	50.3		ug/L	50.00	101	84-123			
Surrogate: Toluene-d8	49.6		ug/L	50.00	99	76-129			

#### Batch P9H0347 - 5035

Blank (P9H0347-BLK1)	Prepared & Analyzed: 08/20/19				
Benzene	BRL	0.0050	mg/kg wet		
Ethylbenzene	BRL	0.0050	mg/kg wet		
m,p-Xylenes	BRL	0.010	mg/kg wet		
o-Xylene	BRL	0.0050	mg/kg wet		
Toluene	BRL	0.0050	mg/kg wet		
Xylenes, total	BRL	0.015	mg/kg wet		
Surrogate: 4-Bromofluorobenzene	50.2		ug/L	50.00	100
Surrogate: Dibromofluoromethane	53.2		ug/L	50.00	106
Surrogate: Toluene-d8	48.9		ug/L	50.00	98
					76-129

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

**Volatile Organic Compounds by GC/MS - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch P9H0347 - 5035</b>										
<b>LCS (P9H0347-BS1)</b>										
Prepared & Analyzed: 08/20/19										
Benzene	0.0533	0.0050	mg/kg wet	0.05000		107	74-127			
Ethylbenzene	0.0547	0.0050	mg/kg wet	0.05000		109	74-128			
m,p-Xylenes	0.111	0.010	mg/kg wet	0.1000		111	75-124			
o-Xylene	0.0558	0.0050	mg/kg wet	0.05000		112	74-126			
Toluene	0.0546	0.0050	mg/kg wet	0.05000		109	71-129			
Xylenes, total	0.167	0.015	mg/kg wet	0.1500		111	74-126			
Surrogate: 4-Bromofluorobenzene	48.7		ug/L	50.00		97	70-130			
Surrogate: Dibromofluoromethane	51.6		ug/L	50.00		103	84-123			
Surrogate: Toluene-d8	48.6		ug/L	50.00		97	76-129			
<b>LCS Dup (P9H0347-BSD1)</b>										
Prepared & Analyzed: 08/20/19										
Benzene	0.0520	0.0050	mg/kg wet	0.05000		104	74-127	2	20	
Ethylbenzene	0.0536	0.0050	mg/kg wet	0.05000		107	74-128	2	20	
m,p-Xylenes	0.109	0.010	mg/kg wet	0.1000		109	75-124	2	20	
o-Xylene	0.0549	0.0050	mg/kg wet	0.05000		110	74-126	2	20	
Toluene	0.0532	0.0050	mg/kg wet	0.05000		106	71-129	2	20	
Xylenes, total	0.164	0.015	mg/kg wet	0.1500		109	74-126	2	20	
Surrogate: 4-Bromofluorobenzene	48.3		ug/L	50.00		97	70-130			
Surrogate: Dibromofluoromethane	51.5		ug/L	50.00		103	84-123			
Surrogate: Toluene-d8	49.0		ug/L	50.00		98	76-129			
<b>Matrix Spike (P9H0347-MS1)</b>										
Source: 9080260-01 Prepared: 08/20/19 Analyzed: 08/21/19										
Benzene	0.0524	0.0055	mg/kg dry	0.05504	BRL	95	60-135			
Ethylbenzene	0.0536	0.0055	mg/kg dry	0.05504	BRL	97	44-144			
m,p-Xylenes	0.110	0.011	mg/kg dry	0.1101	BRL	100	36-148			
o-Xylene	0.0546	0.0055	mg/kg dry	0.05504	BRL	99	43-143			
Toluene	0.0528	0.0055	mg/kg dry	0.05504	BRL	96	57-135			
Xylenes, total	0.165	0.017	mg/kg dry	0.1651	BRL	100	36-148			
Surrogate: 4-Bromofluorobenzene	45.8		ug/L	50.00		92	70-130			
Surrogate: Dibromofluoromethane	51.8		ug/L	50.00		104	84-123			
Surrogate: Toluene-d8	47.2		ug/L	50.00		94	76-129			

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.



Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

**Volatile Organic Compounds by GC/MS - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch P9H0347 - 5035**

Matrix Spike Dup (P9H0347-MSD1)	Source: 9080260-01			Prepared: 08/20/19 Analyzed: 08/21/19						
Benzene	0.0486	0.0054	mg/kg dry	0.05417	BRL	90	60-135	8	20	
Ethylbenzene	0.0499	0.0054	mg/kg dry	0.05417	BRL	92	44-144	7	19	
m,p-Xylenes	0.103	0.011	mg/kg dry	0.1083	BRL	95	36-148	7	20	
o-Xylene	0.0519	0.0054	mg/kg dry	0.05417	BRL	96	43-143	5	17	
Toluene	0.0495	0.0054	mg/kg dry	0.05417	BRL	91	57-135	7	22	
Xylenes, total	0.154	0.016	mg/kg dry	0.1625	BRL	95	36-148	6	20	
Surrogate: 4-Bromofluorobenzene	48.3		ug/L	50.00		97	70-130			
Surrogate: Dibromofluoromethane	55.3		ug/L	50.00		111	84-123			
Surrogate: Toluene-d8	47.2		ug/L	50.00		94	76-129			

**Batch P9H0366 - 5035**

Blank (P9H0366-BLK1)	Prepared & Analyzed: 08/21/19						
Benzene	BRL	0.0050	mg/kg wet				
Ethylbenzene	BRL	0.0050	mg/kg wet				
m,p-Xylenes	BRL	0.010	mg/kg wet				
o-Xylene	BRL	0.0050	mg/kg wet				
Toluene	BRL	0.0050	mg/kg wet				
Xylenes, total	BRL	0.015	mg/kg wet				
Surrogate: 4-Bromofluorobenzene	51.2		ug/L	50.00		102	70-130
Surrogate: Dibromofluoromethane	60.3		ug/L	50.00		121	84-123
Surrogate: Toluene-d8	47.1		ug/L	50.00		94	76-129

LCS (P9H0366-BS1)	Prepared & Analyzed: 08/21/19						
Benzene	0.0531	0.0050	mg/kg wet	0.05000		106	74-127
Ethylbenzene	0.0562	0.0050	mg/kg wet	0.05000		112	74-128
m,p-Xylenes	0.115	0.010	mg/kg wet	0.1000		115	75-124
o-Xylene	0.0575	0.0050	mg/kg wet	0.05000		115	74-126
Toluene	0.0550	0.0050	mg/kg wet	0.05000		110	71-129
Xylenes, total	0.173	0.015	mg/kg wet	0.1500		115	74-126
Surrogate: 4-Bromofluorobenzene	48.7		ug/L	50.00		97	70-130
Surrogate: Dibromofluoromethane	54.0		ug/L	50.00		108	84-123
Surrogate: Toluene-d8	48.9		ug/L	50.00		98	76-129

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
 Attn: Michael Wang  
 2501 Blue Ridge Road, Ste 430 Project No: GN7039  
 Raleigh, NC 27607

Prism Work Order: 9080260  
 Time Submitted: 8/16/2019 9:15:00AM

**Volatile Organic Compounds by GC/MS - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch P9H0366 - 5035**

LCS Dup (P9H0366-BSD1)									
Prepared & Analyzed: 08/21/19									
Benzene	0.0494	0.0050	mg/kg wet	0.05000	99	74-127	7	20	
Ethylbenzene	0.0523	0.0050	mg/kg wet	0.05000	105	74-128	7	20	
m,p-Xylenes	0.107	0.010	mg/kg wet	0.1000	107	75-124	7	20	
o-Xylene	0.0540	0.0050	mg/kg wet	0.05000	108	74-126	6	20	
Toluene	0.0511	0.0050	mg/kg wet	0.05000	102	71-129	7	20	
Xylenes, total	0.161	0.015	mg/kg wet	0.1500	107	74-126	7	20	
Surrogate: 4-Bromofluorobenzene	48.8		ug/L	50.00	98	70-130			
Surrogate: Dibromofluoromethane	53.0		ug/L	50.00	106	84-123			
Surrogate: Toluene-d8	48.5		ug/L	50.00	97	76-129			

**Batch P9H0389 - 5035**

Blank (P9H0389-BLK1)									
Prepared & Analyzed: 08/22/19									
Benzene	BRL	0.0050	mg/kg wet						
Ethylbenzene	BRL	0.0050	mg/kg wet						
m,p-Xylenes	BRL	0.010	mg/kg wet						
o-Xylene	BRL	0.0050	mg/kg wet						
Toluene	BRL	0.0050	mg/kg wet						
Xylenes, total	BRL	0.015	mg/kg wet						
Surrogate: 4-Bromofluorobenzene	50.8		ug/L	50.00	102	70-130			
Surrogate: Dibromofluoromethane	61.1		ug/L	50.00	122	84-123			
Surrogate: Toluene-d8	47.1		ug/L	50.00	94	76-129			

LCS (P9H0389-BS1)									
Prepared & Analyzed: 08/22/19									
Benzene	0.0502	0.0050	mg/kg wet	0.05000	100	74-127			
Ethylbenzene	0.0535	0.0050	mg/kg wet	0.05000	107	74-128			
m,p-Xylenes	0.111	0.010	mg/kg wet	0.1000	111	75-124			
o-Xylene	0.0542	0.0050	mg/kg wet	0.05000	108	74-126			
Toluene	0.0520	0.0050	mg/kg wet	0.05000	104	71-129			
Xylenes, total	0.165	0.015	mg/kg wet	0.1500	110	74-126			
Surrogate: 4-Bromofluorobenzene	47.1		ug/L	50.00	94	70-130			
Surrogate: Dibromofluoromethane	55.3		ug/L	50.00	111	84-123			
Surrogate: Toluene-d8	44.9		ug/L	50.00	90	76-129			

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
Attn: Michael Wang  
2501 Blue Ridge Road, Ste 430 Project No: GN7039  
Raleigh, NC 27607

Prism Work Order: 9080260  
Time Submitted: 8/16/2019 9:15:00AM

#### Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch P9H0389 - 5035</b>										
<b>LCS Dup (P9H0389-BSD1)</b>										
Prepared & Analyzed: 08/22/19										
Benzene	0.0473	0.0050	mg/kg wet	0.05000	95	74-127	6	20		
Ethylbenzene	0.0501	0.0050	mg/kg wet	0.05000	100	74-128	7	20		
m,p-Xylenes	0.104	0.010	mg/kg wet	0.1000	104	75-124	6	20		
o-Xylene	0.0514	0.0050	mg/kg wet	0.05000	103	74-126	5	20		
Toluene	0.0489	0.0050	mg/kg wet	0.05000	98	71-129	6	20		
Xylenes, total	0.155	0.015	mg/kg wet	0.1500	104	74-126	6	20		
Surrogate: 4-Bromofluorobenzene	47.0		ug/L	50.00	94	70-130				
Surrogate: Dibromofluoromethane	53.8		ug/L	50.00	108	84-123				
Surrogate: Toluene-d8	48.6		ug/L	50.00	97	76-129				
<b>Matrix Spike (P9H0389-MS1)</b>										
Source: 9080260-19 Prepared: 08/22/19 Analyzed: 08/23/19										
Benzene	0.0476	0.0057	mg/kg dry	0.05685	BRL	84	60-135			
Ethylbenzene	0.0509	0.0057	mg/kg dry	0.05685	BRL	90	44-144			
m,p-Xylenes	0.107	0.011	mg/kg dry	0.1137	BRL	94	36-148			
o-Xylene	0.0492	0.0057	mg/kg dry	0.05685	BRL	87	43-143			
Toluene	0.0487	0.0057	mg/kg dry	0.05685	BRL	86	57-135			
Xylenes, total	0.156	0.017	mg/kg dry	0.1705	BRL	91	36-148			
Surrogate: 4-Bromofluorobenzene	46.8		ug/L	50.00	94	70-130				
Surrogate: Dibromofluoromethane	60.8		ug/L	50.00	122	84-123				
Surrogate: Toluene-d8	46.1		ug/L	50.00	92	76-129				
<b>Matrix Spike Dup (P9H0389-MSD1)</b>										
Source: 9080260-19 Prepared: 08/22/19 Analyzed: 08/23/19										
Benzene	0.0501	0.0057	mg/kg dry	0.05696	BRL	88	60-135	5	20	
Ethylbenzene	0.0491	0.0057	mg/kg dry	0.05696	BRL	86	44-144	4	19	
m,p-Xylenes	0.104	0.011	mg/kg dry	0.1139	BRL	91	36-148	3	20	
o-Xylene	0.0490	0.0057	mg/kg dry	0.05696	BRL	86	43-143	0.5	17	
Toluene	0.0511	0.0057	mg/kg dry	0.05696	BRL	90	57-135	5	22	
Xylenes, total	0.153	0.017	mg/kg dry	0.1709	BRL	89	36-148	2	20	
Surrogate: 4-Bromofluorobenzene	45.0		ug/L	50.00	90	70-130				
Surrogate: Dibromofluoromethane	61.7		ug/L	50.00	123	84-123				
Surrogate: Toluene-d8	46.6		ug/L	50.00	93	76-129				

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
 Attn: Michael Wang  
 2501 Blue Ridge Road, Ste 430 Project No: GN7039  
 Raleigh, NC 27607

Prism Work Order: 9080260  
 Time Submitted: 8/16/2019 9:15:00AM

**Volatile Organic Compounds by GC/MS - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch P9H0434 - 5035</b>										
<b>Blank (P9H0434-BLK1)</b>										
Prepared & Analyzed: 08/26/19										
Benzene	BRL	0.0050	mg/kg wet							
Ethylbenzene	BRL	0.0050	mg/kg wet							
m,p-Xylenes	BRL	0.010	mg/kg wet							
o-Xylene	BRL	0.0050	mg/kg wet							
Toluene	BRL	0.0050	mg/kg wet							
Xylenes, total	BRL	0.015	mg/kg wet							
Surrogate: 4-Bromofluorobenzene	51.0		ug/L	50.00		102	70-130			
Surrogate: Dibromofluoromethane	46.7		ug/L	50.00		93	84-123			
Surrogate: Toluene-d8	49.6		ug/L	50.00		99	76-129			
<b>LCS (P9H0434-BS1)</b>										
Prepared & Analyzed: 08/26/19										
Benzene	0.0513	0.0050	mg/kg wet	0.05000		103	74-127			
Ethylbenzene	0.0516	0.0050	mg/kg wet	0.05000		103	74-128			
m,p-Xylenes	0.100	0.010	mg/kg wet	0.1000		100	75-124			
o-Xylene	0.0501	0.0050	mg/kg wet	0.05000		100	74-126			
Toluene	0.0516	0.0050	mg/kg wet	0.05000		103	71-129			
Xylenes, total	0.150	0.015	mg/kg wet	0.1500		100	74-126			
Surrogate: 4-Bromofluorobenzene	52.0		ug/L	50.00		104	70-130			
Surrogate: Dibromofluoromethane	44.7		ug/L	50.00		89	84-123			
Surrogate: Toluene-d8	51.0		ug/L	50.00		102	76-129			
<b>LCS Dup (P9H0434-BSD1)</b>										
Prepared & Analyzed: 08/26/19										
Benzene	0.0480	0.0050	mg/kg wet	0.05000		96	74-127	7	20	
Ethylbenzene	0.0479	0.0050	mg/kg wet	0.05000		96	74-128	7	20	
m,p-Xylenes	0.0930	0.010	mg/kg wet	0.1000		93	75-124	7	20	
o-Xylene	0.0468	0.0050	mg/kg wet	0.05000		94	74-126	7	20	
Toluene	0.0481	0.0050	mg/kg wet	0.05000		96	71-129	7	20	
Xylenes, total	0.140	0.015	mg/kg wet	0.1500		93	74-126	7	20	
Surrogate: 4-Bromofluorobenzene	52.6		ug/L	50.00		105	70-130			
Surrogate: Dibromofluoromethane	43.7		ug/L	50.00		87	84-123			
Surrogate: Toluene-d8	50.0		ug/L	50.00		100	76-129			

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

Geosyntec Consultants of NC, PC - Raleigh Project: NCDOT R-5726 West End  
 Attn: Michael Wang  
 2501 Blue Ridge Road, Ste 430 Project No: GN7039  
 Raleigh, NC 27607

Prism Work Order: 9080260  
 Time Submitted: 8/16/2019 9:15:00AM

**General Chemistry Parameters - Quality Control**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch P9H0353 - Solids, Dry Weight**

Duplicate (P9H0353-DUP1)	<b>Source: 9080260-04</b>			Prepared: 08/21/19 Analyzed: 08/22/19					
% Solids	91.4	0.100	% by Weight		97.8			7	20

Duplicate (P9H0353-DUP2)	<b>Source: 9080260-14</b>			Prepared: 08/21/19 Analyzed: 08/22/19					
% Solids	96.6	0.100	% by Weight		90.5			7	20

**Batch P9H0369 - Solids, Dry Weight**

Duplicate (P9H0369-DUP1)	<b>Source: 9080260-20</b>			Prepared: 08/22/19 Analyzed: 08/23/19					
% Solids	93.3	0.100	% by Weight		93.3			0.02	20

Duplicate (P9H0369-DUP2)	<b>Source: 9080260-23</b>			Prepared: 08/22/19 Analyzed: 08/23/19					
% Solids	97.6	0.100	% by Weight		97.8			0.1	20

**Batch P9H0406 - Solids, Dry Weight**

Duplicate (P9H0406-DUP1)	<b>Source: 9080260-39</b>			Prepared: 08/23/19 Analyzed: 08/26/19					
% Solids	88.6	0.100	% by Weight		89.4			0.9	20

### Sample Extraction Data

**Prep Method: Solids, Dry Weight**

Lab Number	Batch	Initial	Final	Date/Time
9080260-01	P9H0353	30 g	30 g	08/21/19 10:40
9080260-02	P9H0353	30 g	30 g	08/21/19 10:40
9080260-03	P9H0353	30 g	30 g	08/21/19 10:40
9080260-04	P9H0353	30 g	30 g	08/21/19 10:40
9080260-05	P9H0353	30 g	30 g	08/21/19 10:40
9080260-06	P9H0353	30 g	30 g	08/21/19 10:40
9080260-07	P9H0353	30 g	30 g	08/21/19 10:40
9080260-08	P9H0353	30 g	30 g	08/21/19 10:40
9080260-09	P9H0353	30 g	30 g	08/21/19 10:40
9080260-10	P9H0353	30 g	30 g	08/21/19 10:40
9080260-11	P9H0353	30 g	30 g	08/21/19 10:40
9080260-12	P9H0353	30 g	30 g	08/21/19 10:40
9080260-13	P9H0353	30 g	30 g	08/21/19 10:40
9080260-14	P9H0353	30 g	30 g	08/21/19 10:40
9080260-15	P9H0353	30 g	30 g	08/21/19 10:40
9080260-16	P9H0353	30 g	30 g	08/21/19 10:40
9080260-17	P9H0353	30 g	30 g	08/21/19 10:40
9080260-18	P9H0369	30 g	30 g	08/22/19 11:13
9080260-19	P9H0369	30 g	30 g	08/22/19 11:13
9080260-20	P9H0369	30 g	30 g	08/22/19 11:13
9080260-21	P9H0369	30 g	30 g	08/22/19 11:13
9080260-22	P9H0369	30 g	30 g	08/22/19 11:13
9080260-23	P9H0369	30 g	30 g	08/22/19 11:13
9080260-24	P9H0369	30 g	30 g	08/22/19 11:13
9080260-25	P9H0369	30 g	30 g	08/22/19 11:13
9080260-26	P9H0369	30 g	30 g	08/22/19 11:13
9080260-27	P9H0369	30 g	30 g	08/22/19 11:13
9080260-28	P9H0369	30 g	30 g	08/22/19 11:13
9080260-29	P9H0369	30 g	30 g	08/22/19 11:13
9080260-30	P9H0369	30 g	30 g	08/22/19 11:13
9080260-31	P9H0369	30 g	30 g	08/22/19 11:13
9080260-32	P9H0369	30 g	30 g	08/22/19 11:13
9080260-33	P9H0369	30 g	30 g	08/22/19 11:13
9080260-34	P9H0369	30 g	30 g	08/22/19 11:13
9080260-35	P9H0369	30 g	30 g	08/22/19 11:13
9080260-36	P9H0369	30 g	30 g	08/22/19 11:13
9080260-37	P9H0369	30 g	30 g	08/22/19 11:13
9080260-38	P9H0406	30 g	30 g	08/23/19 12:00
9080260-39	P9H0406	30 g	30 g	08/23/19 12:00

**Prep Method: 5035**

Lab Number	Batch	Initial	Final	Date/Time
9080260-01	P9H0347	3.89 g	5 mL	08/20/19 10:00
9080260-02	P9H0347	4.18 g	5 mL	08/20/19 10:00
9080260-03	P9H0347	5.17 g	5 mL	08/20/19 10:00
9080260-04	P9H0347	4.83 g	5 mL	08/20/19 10:00
9080260-05	P9H0389	3.77 g	5 mL	08/22/19 10:00
9080260-06	P9H0347	5.45 g	5 mL	08/20/19 10:00
9080260-07	P9H0347	5.48 g	5 mL	08/20/19 10:00
9080260-08	P9H0347	5.5 g	5 mL	08/20/19 10:00
9080260-09	P9H0347	4.69 g	5 mL	08/20/19 10:00
9080260-10	P9H0347	4.68 g	5 mL	08/20/19 10:00
9080260-11	P9H0347	4.72 g	5 mL	08/20/19 10:00
9080260-12	P9H0347	4.64 g	5 mL	08/20/19 10:00
9080260-13	P9H0310	5.74 g	5 mL	08/19/19 10:00
9080260-14	P9H0366	5.34 g	5 mL	08/21/19 10:00

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

### Sample Extraction Data

Prep Method: 5035

Lab Number	Batch	Initial	Final	Date/Time
9080260-15	P9H0347	3.3 g	5 mL	08/20/19 10:00
9080260-16	P9H0347	6.27 g	5 mL	08/20/19 10:00
9080260-17	P9H0347	5.54 g	5 mL	08/20/19 10:00
9080260-18	P9H0347	4.89 g	5 mL	08/20/19 10:00
9080260-19	P9H0389	6.23 g	5 mL	08/22/19 10:00
9080260-20	P9H0389	5.21 g	5 mL	08/22/19 10:00
9080260-21	P9H0434	4.84 g	5 mL	08/26/19 11:00
9080260-22	P9H0389	5.69 g	5 mL	08/22/19 10:00
9080260-23	P9H0310	5.96 g	5 mL	08/19/19 10:00
9080260-24	P9H0310	4.34 g	5 mL	08/19/19 10:00
9080260-25	P9H0389	4.74 g	5 mL	08/22/19 10:00
9080260-26	P9H0389	4.6 g	5 mL	08/22/19 10:00
9080260-27	P9H0389	3.91 g	5 mL	08/22/19 10:00
9080260-28	P9H0389	4.18 g	5 mL	08/22/19 10:00
9080260-29	P9H0389	4.28 g	5 mL	08/22/19 10:00
9080260-30	P9H0389	4.06 g	5 mL	08/22/19 10:00
9080260-31	P9H0389	4.36 g	5 mL	08/22/19 10:00
9080260-32	P9H0389	5.01 g	5 mL	08/22/19 10:00
9080260-33	P9H0389	5.13 g	5 mL	08/22/19 10:00
9080260-34	P9H0389	3.66 g	5 mL	08/22/19 10:00
9080260-35	P9H0389	3.79 g	5 mL	08/22/19 10:00
9080260-36	P9H0389	6.93 g	5 mL	08/22/19 10:00
9080260-37	P9H0434	4.94 g	5 mL	08/26/19 11:00
9080260-38	P9H0389	5.45 g	5 mL	08/22/19 10:00
9080260-39	P9H0434	5.81 g	5 mL	08/26/19 11:00

This report should not be reproduced, except in its entirety, without the written consent of Prism Laboratories, Inc.

449 Springbrook Road - P.O. Box 240543 - Charlotte, NC 28224-0543

Phone: 704/529-6364 - Toll Free Number: 1-800/529-6364 - Fax: 704/525-0409



449 Springbrook Road • Charlotte, NC 28217  
Phone 704/529-6364 • Fax: 704/525-0409

 Client Company Name: Greenvet  
Report To/Contact Name: Michael Chang

 Reporting Address: 2501 Blue Ridge Rd.  
Site 430, Raleigh, NC, 27607

 Phone: 919-551-5334 Fax (Yes) (No): No  
Email Address: mchang@greenvet.com

 EDD Type:  Excel  Other

 Site Location Name: NCDOT West End  
Site Location Physical Address: West End, NC

 Purchase Order No./Billing Reference: BIN 7039  
Requested Due Date  1 Day  2 Days  3 Days  4 Days  5 Days  
"Working Days"  6-9 Days  Standard 10 days  Rush Work Must Be Pre-Approved

 Samples received after 14:00 will be processed next business day.  
Turnaround time is based on business days, excluding weekends and holidays.  
(SEE REVERSE FOR TERMS & CONDITIONS REGARDING SERVICES RENDERED BY PRISM LABORATORIES, INC. TO CLIENT)

LAB USE ONLY	
YES	NO
RECEIVED ON WET ICE?	<input checked="" type="checkbox"/>
PROPER PRESERVATIVES indicated?	<input checked="" type="checkbox"/>
RECEIVED WITHIN HOLDING TIMES?	<input checked="" type="checkbox"/>
VOLATILES rec'd w/out HEADSPACE?	<input checked="" type="checkbox"/>
PROPER CONTAINERS used?	<input checked="" type="checkbox"/>
TEMP: Therm ID: <u>101-114</u>	Observed: <u>32 °C / Cor. 33 °C</u>

Page 58 of 60

TO BE FILLED IN BY CLIENT/SAMPLING PERSONNEL	
Certification:	NELAC <input type="checkbox"/> DoD <input type="checkbox"/> FL <input type="checkbox"/> NC <input checked="" type="checkbox"/>
SC	<input type="checkbox"/>
OTHER	<input type="checkbox"/>
N/A	<input type="checkbox"/>

Water Chlorinated: YES <input checked="" type="checkbox"/> NO <input checked="" type="checkbox"/>	
Sample Iced Upon Collection: YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>

CLIENT SAMPLE DESCRIPTION	DATE COLLECTED	TIME COLLECTED MILITARY HOURS	MATRIX (SOIL, WATER OR SLUDGE)	SAMPLE CONTAINER	PRESERVA- TIVES	ANALYSIS REQUESTED		REMARKS	PRISM LAB ID NO.
						*TYPE SEE BELOW	NO.		
SB6667-04-55-60	8/13/19	0945	Soil	VOA	4	multiple	X	X	11
SB6667-05-7-7-2-5	8/13/19	1110	Soil					X	12
SB6667-06-7-7-5-8	8/13/19	1220	Soil					X	13
SB669-01-6-0-6-5	8/12/19	1300						X	14
SB69-02-40-45	8/12/19	1330						X	15
SB69-03-5-5-5	8/12/19	1400						X	16
SB69-04-5-55	8/12/19	1445						X	17
SB69-05-9-5-10	8/12/19	1525						X	18
SB69-06-9-9-5	8/12/19	1615						X	19
SB69-07-5-0-5	8/12/19	1645	Soil	VOA	4	multiple	X		20

 Sampler's Signature: Michael Chang Sampled By (Print Name): Michael Chang Affiliation: \_\_\_\_\_

Upon relinquishing, this Chain of Custody is your authorization for Prism to proceed with the analyses as requested above. Any changes must be submitted in writing to the Prism Project Manager. There will be charges for any changes after analyses have been initialized.

 Relinquished By: (Signature): M. Chang Received By: (Signature): \_\_\_\_\_

 Relinquished By: (Signature): M. Chang Received By: (Signature): \_\_\_\_\_

 Relinquished By: (Signature): M. Chang Received For Prism Laboratories By: \_\_\_\_\_

 Method of Shipment: NOTE: ALL SAMPLE COOLERS SHOULD BE TAPE SHUT WITH CUSTODY SEALS FOR TRANSPORTATION TO THE LABORATORY.  
SAMPLES ARE NOT ACCEPTED AND VERIFIED AGAINST COC UNTIL RECEIVED AT THE LABORATORY.

□ Fed Ex □ UPS □ Hand-delivered □ Prism Field Service □ Other

 NPDES:  US:   
□ NC  SC  DNC  SC  NC  SC  NC  SC  NC  SC  NC  SC

 GROUNDWATER: DRINKING WATER:  SOLID WASTE:  RCRA:  CERCLA:  LANDFILL:  OTHER:   
□ NC  SC  NC  SC  NC  SC  NC  SC  NC  SC  NC  SC  NC  SC

## PRESS DOWN FIRMLY - 3 COPIES

## PRISM USE ONLY

Site Arrival Time: \_\_\_\_\_

Site Departure Time: \_\_\_\_\_

Field Tech Fee: \_\_\_\_\_

Mileage: \_\_\_\_\_

 SEE REVERSE FOR  
TERMS & CONDITIONS

\*CONTAINER TYPE CODES: A = Amber C = Clear G = Glass P = Plastic; TL = Teflon-Lined Cap VOA = Volatile Organics Analysis (Zero Head Space)

449 Springbrook Road • Charlotte, NC 28217  
Phone 704/529-6364 • Fax: 704/525-0409

 Client Company Name: Geosyntec  
Report To/Contact Name: Michael Wang

 Reporting Address: 3 Ste 430, Raleigh, NC 27607  
2501 Blue Ridge Rd

 Phone: 919-551-5334 Fax (Yes) (No): No  
Email Address: mwang@geosyntec.com

 EDD Type: PDF  Excel  Other

 Site Location Name: NC DOT West End  
Site Location Physical Address: West End, NC

PAGE 3 OF 4 QUOTE # TO ENSURE PROPER BILLING: 6W7039

Project Name: <u>NCOT West End</u>	Short Hold Analysis: <u>(Yes)</u> <input checked="" type="checkbox"/> <u>(No)</u> <input type="checkbox"/>	UST Project: <u>(Yes)</u> <input checked="" type="checkbox"/> <u>(No)</u> <input type="checkbox"/>
*Please ATTACH any project specific reporting (QC LEVEL I II III IV) provisions and/or QC Requirements		
Invoice To: <u>Geosyntec</u>		
Address: <u>3 Ste 430, Raleigh, NC 27607</u>		

Purchase Order No./Billing Reference: 6W7039

Requested Due Date:  1 Day  2 Days  3 Days  4 Days  5 Days  
 "Working Days"  6-9 Days  Standard 10 days  Rush Work Must Be Pre-Approved

Samples received after 14:00 will be processed next business day.

Turnaround time is based on business days, excluding weekends and holidays.  
(SEE REVERSE FOR TERMS & CONDITIONS REGARDING SERVICES RENDERED BY PRISM LABORATORIES, INC. TO CLIENT)

PROPER CONTAINERS used? ✓ Observed: 3.2 °C / corr: 3.3 °C

TEMP: Them ID: 104-104

Sample Iced Upon Collection: YES  NO

TO BE FILLED IN BY CLIENT/SAMPLING PERSONNEL

Certification: NELAC  DoD  FL  NC   
SC  OTHER  N/A

Water Chlorinated: YES  NO

Sample Iced Upon Collection: YES  NO

SAMPLE DESCRIPTION	DATE COLLECTED	TIME COLLECTED MILITARY HOURS	MATRIX (SOIL, WATER OR SLUDGE)	SAMPLE CONTAINER	PRESERVA- TIVES	ANALYSIS REQUESTED			REMARKS	PRISM LAB ID NO.
						*TYPE SEE BELOW	NO.	SIZE		
SB69-08-6-6.5	8/13/19	1300	Soil	VOA	4	Multiple	X	4260	BTEx ONLY	A1
SB78-01-7-7.5	8/13/19	1550				X	X			B3
SB78-02-5-5.6	8/14/19	0825				X	X			24
SB78-03-6-6.5	8/14/19	0900				X	X			25
SB78-04-6-5.7	8/14/19	0930				X	X			26
SB89-01-5-5.5	8/15/19	0940				X	X			27
SB89-02-5-5.6	8/15/19	1030				X	X			28
SB89-03-6-5.7	8/15/19	1130				X	X			29
SB89-04-7-7.5	8/15/19	1130				X	X			30
SB102-01-2-5.3	8/14/19	1050	Soil	VOA	4	Multiple	X		BTEx ONLY	

 Sampler's Signature: Michael Wang

 Sampled By (Print Name): Michael Wang Affiliation: \_\_\_\_\_  
 Upon relinquishing, this Chain of Custody is your authorization for Prism to proceed with the analyses as requested above. Any changes must be submitted in writing to the Prism Project Manager. There will be charges for any changes after analyses have been initialized.

Relinquished By: (Signature)

Received By: (Signature)

 Date: 8/14/19 Military/Hours: 1550 Additional Comments: \_\_\_\_\_

Relinquished By: (Signature)

Received By: (Signature)

 Date: 8/14/19 Military/Hours: 1600 Additional Comments: \_\_\_\_\_

Relinquished By: (Signature)

 Received For Prism Laboratories By: AT

 Date: 8/15/19 Military/Hours: 0915 Additional Comments: \_\_\_\_\_

 Method of Shipment: NOTE: ALL SAMPLE COOLERS SHOULD BE TAPED SHUT WITH CUSTODY SEALS FOR TRANSPORTATION TO THE LABORATORY.  
 SAMPLES ARE NOT ACCEPTED AND VERIFIED AGAINST COC UNTIL RECEIVED AT THE LABORATORY.

□ Fed Ex □ UPS □ Hand-delivered □ Prism Field Service □ Other

 NPDES: US: GROUNDWATER: DRINKING WATER: SOLID WASTE: RCRA: CERCLA LANDFILL: OTHER: SC

□ NC □ SC □ DNC □ SC □ NC □ SC

□ NC □ SC □ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

□ NC □ SC

