




**North Carolina Department of Transportation
Phase II Investigation
State Project: R-5709
WBS Element: 50205.1.1
Hoke County**

**Parcel 335
Wayne Michael George Property
8692 NC 211 Hwy
Aberdeen, North Carolina
November 3, 2021**

**Wood Environment & Infrastructure Solutions, Inc.
Project: 20478R5709**

Andrew Frantz, REM
Senior Scientist



Helen Corley, LG, BCES
Principal Hydrogeologist

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	GEOLOGY.....	2
2.1	Regional Geology	2
2.2	Site Geology	2
3.0	FIELD ACTIVITIES.....	2
3.1	Preliminary Activities	2
3.2	Site Reconnaissance and Vegetation Clearing.....	3
3.3	Geophysical Survey Results and Utility Locating	3
3.4	Soil Sampling	4
3.4.1	Soil Sampling for On-Site UVF Analysis	4
3.4.2	Soil Sampling for Off-Site Lab Analysis of PCBs	5
4.0	SOIL SAMPLING RESULTS.....	6
4.1	On-Site UVF Analysis.....	6
4.2	Off-Site Lab Results of PCBs.....	6
4.3	Risk Assessment.....	7
5.0	CONCLUSIONS.....	8
6.0	RECOMMENDATIONS	9

TABLES

Table 1	Summary of PID Screening Results
Table 2	UVF Hydrocarbon Soil Sampling Results
Table 3	PCB Soil Sampling Results

FIGURES

Figure 1	Vicinity Map
Figure 2	Site Map with Boring Locations
Figure 3	UVF Analytical Results Map
Figure 4	PCB Analytical Results Map

APPENDICES

Appendix A	Boring Logs
Appendix B	Photographic Log
Appendix C	Geophysical Report
Appendix D	UVF Hydrocarbon Analytical Results
Appendix E	Risk Calculator Output and Laboratory Analytical Report

1.0 INTRODUCTION

In response to the North Carolina Department of Transportation (NCDOT) Request for Proposal, dated June 2, 2021, Wood Environment & Infrastructure Solutions, Inc. (Wood) has performed a Phase II Investigation for Parcel 335 (Site). The investigation was conducted in accordance with Wood’s Technical and Cost proposal dated June 18, 2021, and NCDOT’s July 6, 2021, Notice to Proceed. NCDOT contracted Wood to perform the Phase II Investigation at the parcel, within areas that will be affected by the proposed widening of NC 211 Hwy from US 15-501 in Aberdeen, North Carolina to SR 1244 (West Palmer Street)/SR 1311 (Mockingbird Hill Road) in Raeford, North Carolina.

The Site is located along the southwestern side of NC 211 Hwy, as shown on the Vicinity Map, **Figure 1**. The parcel, which is located at 8692 NC 211 Hwy, is currently occupied by a vacant dilapidated building. The Site is identified as Parcel 335, Wayne Michael George property, within the NCDOT MicroStation survey file and is in Aberdeen of Hoke County, North Carolina. The area of investigation at Parcel 335 encompasses the entire 0.571-acre parcel as shown on **Figure 2**.

The Site was reported as a possible former gasoline station in the 2019 NCDOT Phase I Report. Wood reviewed the North Carolina Laserfiche online database and NCDEQ environmental documentation for Parcel 335 was not present. Wood reviewed the NCDOT Historical Aerial Imagery Index, and Parcel 335 was not covered by photographs in the index.

The following report describes a geophysical survey and subsurface field investigation at the Site, with results from our ultraviolet fluorescence (UVF) onsite soil analyses, offsite lab analyses for polychlorinated biphenyls (PCB) and evaluation of potential soil contamination within the Site.

2.0 GEOLOGY

2.1 Regional Geology

The Site is located within the Coastal Plain Physiographic Province of North Carolina. According to the 1985 State Geologic Map of North Carolina, the area is within the Pinehurst Formation and is underlain by medium- to coarse-grained sand with cross-bedding and rhythmic bands of clayey sand.

2.2 Site Geology

Site geology was observed through the advancement of 22 shallow soil borings (P335-B1 to P335-B22). The borings were advanced to approximate depths of 2 to 15 feet below ground surface bgs. Groundwater was not encountered during boring advancement. Figure 2 presents the boring locations and Site layout. Soils encountered in the borings consisted mostly of tan to brown sand overlying tan to orange to white clayey sand. Staining and petroleum odors were not observed in the borings. Based on observations of topography of the Site vicinity, the groundwater flow direction is inferred to be generally toward the southwest. Boring logs are presented in **Appendix A**.

3.0 FIELD ACTIVITIES

3.1 Preliminary Activities

Prior to commencing field sampling activities at the Site, several tasks were accomplished in preparation for the subsurface investigation. A Health and Safety Plan (HASP) was created with the Site-specific health and safety information necessary for the field activities, including protocols for COVID-19. The North Carolina underground utility location service (North Carolina 811) was contacted on August 24, 2021, for the parcel.

Eastern Solutions, LLC of Charlotte, North Carolina (Eastern Solutions) was retained to perform vegetation clearing at the parcel to facilitate access for geophysical survey equipment and the direct-push drill rig. Pyramid Geophysical Services of Greensboro, North Carolina (Pyramid) was retained to conduct a geophysical investigation. Probe Utility Locating (PUL) was retained to perform utility locating activities at the Site. Innovative

Environmental Technologies, Inc. (IET) of Concord, North Carolina was retained by Wood to perform the direct push sampling for soil borings, and UVF instrumentation was rented from Red Lab, LLC (Red Lab) of Wilmington, North Carolina.

Boring locations were strategically placed within the parcel to maximize the opportunity to encounter potential contaminated soil and evaluate areas of subsurface design features.

3.2 Site Reconnaissance and Vegetation Clearing

Wood personnel visited the parcel on June 8, 2021, and observed a dilapidated building, an old car, and an old RV at the Site. At the time of the initial site reconnaissance, the parcel was observed to be overgrown with tall grass. A photographic log is included in **Appendix B**.

The vegetation clearing was conducted by Eastern Solutions personnel on August 4, 2021. Eastern Solutions used a brush hog was used to mow the tall grass at the Site. On August 11, 2021, while observing geophysical survey activities at neighboring Parcel 368, Wood personnel were approached by Mr. James Schieler who resides at 8820 Aberdeen Road (Parcel 369), located to the southeast of the Site across NC 211 Hwy. Mr. Schieler informed Wood that past activities at Parcel 335 may have included handling/cleaning electrical transformers; however, he was not able to provide a timeframe for these activities.

3.3 Geophysical Survey Results and Utility Locating

The geophysical survey was conducted by Pyramid personnel between August 10 and 12, 2021. Pyramid conducted a geophysical investigation using electromagnetic (EM) induction-metal detection and ground penetrating radar (GPR) surveys across the investigation area. A total of 13 EM anomalies were identified, the majority of which were attributed to visible cultural features at the ground surface. Of the 13 EM anomalies identified, two anomalies were consistent with buried structures such as USTs. The GPR survey of the two anomalies identified the presence of two possible USTs. Possible UST #1 is located near the northwestern Site corner and measured approximately six feet wide. The length of possible UST #1 could not be determined since the anomaly extended beneath a concrete slab with an old RV parked on top. The top of possible UST #1 was estimated at 1-foot bgs. Possible UST #2 is in the center portion of the Site and measured approximately 15.5 feet long by 7 feet wide. The top of possible UST #2 was estimated at 1.5 feet bgs. In

addition, two no confidence anomalies were identified in the center portion of the Site. The GPR survey of the no confidence anomalies did not identify evidence of buried structures consistent with USTs. The complete Pyramid geophysics report is included as **Appendix C**.

Utility locating was performed by PUL personnel on August 26, 2021. The utility locating effort identified a buried water line located along the northeastern Site boundary along NC 211 Hwy.

3.4 Soil Sampling

On September 7, 2021, Wood and IET mobilized to the Site to advance 22 shallow soil borings (P335-B1 to P335-B22). The borings were advanced via direct-push technology to approximate depths ranging from 2 to 15 feet bgs. Boring locations targeted potential environmental sources at the Site and future drainage features. The purpose of soil sampling was to assess if the soil had been impacted at the Site and if so, to estimate the volume of impacted soil that might require special handling during NCDOT construction activities. Figure 2 indicates the boring locations and type of soil analyses per boring location.

Additionally, Wood personnel used a stainless-steel hand auger and a shovel to confirm the depths of the two possible USTs. Two holes were dug above possible UST #1 and three holes were dug above possible UST #2. The tops of possible USTs #1 and #2 were measured at approximately 1.5 feet and 2 feet bgs, respectively. It was noted that the tops of each possible UST were flatter in shape than would be expected for a buried tank and may indicate objects other than tanks at these locations; however, further excavation is needed to determine the full nature of the buried objects.

3.4.1 Soil Sampling for On-Site UVF Analysis

Thirteen soil borings (P335-B1 to P335-B13) were advanced for the collection of soil sample for on-Site UVF analysis. IET advanced a soil sampler to the target depth at each boring location using an AMS PowerProbe. To minimize the potential for cross-contamination between samples, a new polyvinyl chloride (PVC) sleeve (tube) was inserted into the sampler for each soil interval. Visual and olfactory observations relative to the soil cores were recorded by Wood personnel. The soil types encountered in the borings were

recorded to prepare soil boring logs. Wood conducted field screening for volatile organic compounds (VOCs) of the soil borings with a photoionization detector (PID). The portion of each soil core with the highest PID reading was selected from the 0–5 foot interval and the 5-10 foot interval for analysis of total petroleum hydrocarbons (TPH), diesel range organics (DRO), gasoline range organics (GRO), benzene, toluene, ethylbenzene, and xylene (BTEX), total aromatics, and polycyclic aromatic hydrocarbons (PAH) by UVF. In borings extended to 15 feet bgs near possible UST #2, an additional portion was selected from the 10-15 foot interval for the analyses indicated above. Borings located near possible UST #1 were not advanced to 15 feet bgs due to the small size and shallow depth of the possible tank. Neither groundwater nor bedrock were encountered in the borings. Thirty soil samples were collected from the 13 borings for on-Site UVF analysis.

3.4.2 Soil Sampling for Off-Site Lab Analysis of PCBs

Polychlorinated Biphenyls (PCBs) are a group of man-made chemicals known for their stability, non-flammability, and electrical insulating properties. PCBs were commonly manufactured and used in equipment such as electrical transformers until production was banned in the United States in 1979. Since no timeframe of the potential handling/cleaning of transformers at the Site was provided by Mr. Schieler, soil samples were collected for off-Site analysis of PCBs.

In addition to the UVF soil samples, a soil sample was collected from the 0-2 foot interval from borings P335-B4, P335-B7, P335-B8, P335-B9, P335-B10, P335-B12, and P335-B13 for off-Site PCB analysis. Furthermore, IET advanced an additional nine borings (P335-B14 to P335-B22) for the collection of soil samples from the 0-2 foot interval for off-Site PCB analysis. A total of 16 soil samples were collected from the Site for off-Site PCB analysis from gridded locations as indicated in Figure 2. The soil samples were placed in laboratory-provided containers, placed in a cooler on ice, and delivered under chain-of-custody protocol to Pace Analytical Services, LLC (Pace), in Huntersville, North Carolina.

4.0 SOIL SAMPLING RESULTS

4.1 On-Site UVF Analysis

Based on September 7, 2021, PID screening and UVF hydrocarbon analysis, evidence of petroleum hydrocarbon impacts was not identified. The NCDEQ Action Levels of 100 milligrams per kilogram (mg/kg) for DRO and 50 mg/kg for GRO were not exceeded in the 13 UVF borings advanced at the Site.

PID readings for the 13 borings ranged from 9.9 parts per million (ppm) in sample P335-B1-8-10 collected from 8 to 10 feet bgs to 20.0 ppm in sample P335-B8-0-2 collected from 0 to 2 feet bgs. The PID field screening results for samples selected for UVF analysis are summarized in **Table 1** and the full list of PID readings are provided on the boring logs in Appendix A.

Results from the on-Site UVF petroleum soil analyses are presented in **Table 2**, with instrument generated tables in **Appendix D**. Several categories of analyses were measured such as: DRO, GRO, TPH, PAHs, and total aromatics. **Figure 3** presents the GRO and DRO results for the September 2021 investigation.

GRO or DRO detections in the 30 soil samples collected at the Site for UVF did not exceed their respective NCDEQ Action Levels. The hydrocarbon results from the QED QROS Hydrocarbon Analyzer are provided in Appendix D.

4.2 Off-Site Lab Results of PCBs

The laboratory analytical report and chain-of-custody form for the off-Site soil sample analysis conducted by Pace is included in **Appendix E**. The results of the 16 soil samples analyzed for PCBs by Pace are summarized below as well as in **Table 3** and **Figure 4**:

- Detectable concentrations of PCBs were identified in samples B335-B10-0-2, P335-B14-0-2, P335-B17-0-2, P335-B19-0-2, and P335-B21-0-2.
- Table notes direct the user of the NCDEQ Inactive Hazardous Sites Branch (IHSB) Preliminary Soil Remediation Goals (PSRGs), dated June 2021, to total the detected

PCB Arochlor concentrations for a sample and compare the sum to the PCB (high risk) PSRG. The total concentrations of detected PCB Arochlors identified in samples P335-B10-0-2 (74.9 micrograms per kilogram [$\mu\text{g}/\text{kg}$]), P335-B14-0-2 (581 $\mu\text{g}/\text{kg}$), P335-B17-0-2 (82.6 $\mu\text{g}/\text{kg}$), and P335-B19-0-2 (989 $\mu\text{g}/\text{kg}$) exceeded the PCB high risk NCDEQ IHSB Protection of Groundwater PSRG of 55 $\mu\text{g}/\text{kg}$.

- The total concentrations of detected PCB Arochlors identified in samples P335-B14-0-2 (581 $\mu\text{g}/\text{kg}$) and P335-B19-0-2 (989 $\mu\text{g}/\text{kg}$) exceeded the PCB high risk NCDEQ IHSB Residential PSRG of 230 $\mu\text{g}/\text{kg}$.
- The total concentration of detectable PCBs identified in sample P335-B19-0-2 (989 $\mu\text{g}/\text{kg}$) exceeded the PCB high risk NCDEQ IHSB Industrial Commercial PSRG of 950 $\mu\text{g}/\text{kg}$.

4.3 Risk Assessment

The NCDEQ Risk Calculator (June 2021 Version) was used to evaluate cumulative exposure risk for the Site using the sample with highest total PCB Arochlor concentration (P335-B19-0-2). This risk assessment was performed in general accordance with the NCDEQ Risk Calculator User Guide (February 2021 Version). Two exposure pathways were evaluated for the Site: direct contact with soil for construction workers and direct contact with soil for trespassers/recreators. The default acceptable cumulative carcinogenic risk threshold is 1.0×10^{-04} and the default acceptable cumulative target hazard index threshold is 1.0. The NCDEQ Risk Calculator results show that neither the cumulative carcinogenic risk threshold nor the cumulative target hazard index was exceeded for the Site. The NCDEQ Risk Calculator output is provided in Appendix E.

5.0 CONCLUSIONS

Based on the Site observations and UVF analysis, petroleum-impacted soil contamination was not identified as defined by localized exceedances of the NCDEQ Action Levels of 50 mg/kg for GRO and 100 mg/kg for DRO.

Based on the off-Site PCB analyses, PCB-impacted soil contamination was identified as defined by localized exceedances of the NCDEQ IHSB PSRGs. Since the PCB source is uncertain/unknown and since initial sample results for total PCBs are less than 50 mg/kg, the sampled soil would be considered non-hazardous and could go to a subtitle D landfill.

The following bulleted summary is based upon Wood’s evaluation of field observations and on-Site and off-Site analyses of samples collected from the Site on September 7, 2021.

- The Site is occupied by a dilapidated building, an old car, and an old RV. The geophysical survey identified two possible USTs at the Site. Possible UST #1 measured approximately six feet wide. The length of possible UST #1 could not be determined since the anomaly extended beneath a concrete slab with an old RV parked on top. Possible UST #2 is in the center portion of the Site and measured approximately 15.5 feet long by 7 feet wide.
- Wood personnel used a stainless-steel hand auger and a shovel to confirm the depths of the two possible USTs. The tops of possible USTs #1 and #2 were measured at approximately 1.5 feet and 2 feet bgs, respectively. It was noted that the tops of each possible UST were flatter in shape than expected for a buried tank and may indicate objects other than tanks at these locations; however, further excavation is needed to determine the full nature of the buried objects.
- Thirteen soil borings were advanced to roughly 10 to 15 feet within the investigation area to collect soil samples for on-Site UVF analysis. Thirty soil samples were collected for on-Site UVF analysis. UVF analysis of 24 soil samples collected did not identify petroleum-impacted soil.
- Sixteen soil samples were collected from seven of the 13 UVF soil borings and an additional nine soil borings for off-Site PCB analysis. The 16 PCB soil samples were collected from approximately 0-2 feet bgs.

- The off-Site PCB analysis identified total PCB concentrations in soil samples P335-B10-0-2, P335-B14-0-2, P335-B17-0-2, and P335-B19-0-2 which exceed the PCB high risk NCDEQ IHSB Protection of Groundwater PSRG. In addition, the total concentrations identified in samples P335-B14-0-2 and P335-B19-0-2 exceed the PCB high risk NCDEQ IHSB Residential PSRG. Furthermore, the total concentration identified in P335-B19-0-2 exceeds the PCB high risk NCDEQ IHSB Industrial/Commercial PSRG.
- The highest total PCB concentration (sample P335-B19-0-2) was used to evaluate cumulative exposure risk for the Site. Two exposure pathways were evaluated for the Site: direct contact with soil for construction workers and direct contact with soil for trespassers/recreators. The NCDEQ Risk Calculator results show that neither the cumulative carcinogenic risk threshold nor the cumulative target hazard index was exceeded for the Site.

6.0 RECOMMENDATIONS

Based on these Phase II Investigation results, Wood does not recommend further soil investigation for petroleum-impacted soils.

Wood does recommend further soil sampling for definition of PCB concentrations in shallow soils prior to construction in the expanded ROW and/or disturbance in the PUE. The largest measured PCB concentration of 989 µg/kg, sample P335-B19 - 0-2 ft, was collected along the proposed cut line. However, a considerable area between the cut line and edge of parcel along NC 211 Hwy has not yet been assessed for potential PCB impact. Wood notes that the PCB impacts identified in borings P335-B10, P335-B14, and P335-B17 are located outside of the proposed ROW. Special handling of PCB-impacted soil should occur during construction activities, which may include excavation and disposed off-Site.

Depending on how much of Parcel 335 will be acquired by NCDOT, one or two of the potential USTs should be investigated through excavation and removed prior to road construction. The eastern potential UST lies along the proposed ROW line.

TABLES

Table 1: Summary of PID Screening Results
R-5709, Parcel 335 - Wayne Michael George Property
Aberdeen, North Carolina
Wood Project: 20478R5709

Boring ID	Depth of Sample Interval	PID Reading
P335-B1	4-6	10.9
	8-10	9.9
P335-B2	0-2	12.3
	4-6	13.2
P335-B3	2-4	12.2
	6-8	12.5
	12-14	13.8
P335-B4	2-4	13.6
	8-10	15.2
	10-12	15.1
P335-B5	2-4	15.2
	8-10	15.2
	12-14	15.9
P335-B6	2-4	18.0
	6-8	17.5
	12-14	16.8
P335-B7	2-4	15.2
	6-8	19.6
P335-B8	0-2	20.0
	4-6	18.0
P335-B9	0-2	11.7
	6-8	13.7
P335-B10	2-4	14.9
	6-8	16.8
P335-B11	2-4	14.4
	4-6	15.0
P335-B12	2-4	14.5
	6-8	15.1
P335-B13	0-2	14.7
	6-8	14.6

Notes:

1. Samples collected on 9/7/21
2. Depths shown in feet below ground surface (bgs)
3. PID = Photoionization Detector
4. PID readings shown in parts per million (ppm)

Prepared By/Date: AJF 9/9/21
Checked By/Date: DRH 10/7/21

Table 2: UVF Hydrocarbon Soil Sampling Results
R-5709, Parcel 335 - Wayne Michael George Property
Aberdeen, North Carolina
Wood Project: 20478R5709

Sample ID Number	Sample Depth (ft. bgs)	BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	PAHs (mg/kg)
P335-B1-4-6	4-6	<0.25	<0.25	3.6	0.07
P335-B1-8-10	8-10	<0.25	<0.25	<0.1	<0.005
P335-B2-0-2	0-2	<0.17	<0.17	8.4	0.22
P335-B2-4-6	4-6	<0.27	<0.27	17.9	0.4
P335-B3-2-4	2-4	<0.22	<0.22	0.26	0.006
P335-B3-6-8	6-8	<0.27	<0.27	<0.11	<0.006
P335-B3-12-14	12-14	<0.22	<0.22	0.14	0.014
P335-B4-2-4	2-4	<0.2	<0.2	0.4	0.01
P335-B4-8-10	8-10	<0.2	<0.2	0.06	0.002
P335-B4-10-12	10-12	<0.2	<0.2	0.22	0.005
P335-B5-2-4	2-4	<0.27	<0.27	<0.11	0.002
P335-B5-8-10	8-10	<0.17	<0.17	<0.07	0.001
P335-B5-12-14	12-14	<0.22	<0.22	0.13	0.003
P335-B6-2-4	2-4	<0.22	<0.22	<0.09	0.002
P335-B6-6-8	6-8	<0.3	<0.3	<0.12	<0.006
P335-B6-12-14	12-14	<0.3	<0.3	<0.13	<0.007
P335-B7-2-4	2-4	<0.4	<0.4	0.08	0.006
P335-B7-6-8	6-8	<0.27	<0.27	<0.11	<0.006
P335-B8-0-2	0-2	<0.27	35.9	1.2	0.03
P335-B8-4-6	4-6	<0.25	<0.25	1	0.017
P335-B9-0-2	0-2	<0.5	<0.5	28.5	0.8
P335-B9-6-8	6-8	<0.25	<0.25	<0.1	<0.005
P335-B10-2-4	2-4	<0.27	<0.27	4.8	0.03
P335-B10-6-8	6-8	<0.25	<0.25	<0.1	0.002
P335-B11-2-4	2-4	<0.27	<0.27	0.09	0.006
P335-B11-4-6	4-6	<0.3	<0.3	13.3	0.1
P335-B12-2-4	2-4	<0.22	<0.22	10.4	0.1
P335-B12-6-8	6-8	<0.3	<0.3	<0.15	0.002
P335-B13-0-2	0-2	<0.3	<0.3	0.09	0.016
P335-B13-6-8	6-8	<0.2	<0.2	<0.08	<0.004
NC State Action Level		N/A	50	100	N/A

Notes:

1. Samples collected on September 7, 2021
2. Depths shown in feet below ground surface (bgs)
3. Concentrations shown in milligrams per kilogram (mg/kg)
4. BTEX = Benzene, toluene, ethylbenzene, xylene
5. GRO = Gasoline Range Organics
6. DRO = Diesel Range Organics
7. PAHs = Polycyclic aromatic hydrocarbons
8. N/A = Not applicable
9. Bold values exceed respective NC State Action Level

Prepared By/Date: DRH 9/9/21

Checked By/Date: MAS 9/30/21

Table 3: PCB Soil Sampling Results in µg/kg
R-5709, Parcel 335 - Wayne Michael George Property,
Aberdeen, North Carolina
Wood Project: 20478R5709


Sample ID	PCB-1016 (Aroclor 1016)	PCB-1221 (Aroclor 1221)	PCB-1232 (Aroclor 1232)	PCB-1242 (Aroclor 1242)	PCB-1248 (Aroclor 1248)	PCB-1254 (Aroclor 1254)	PCB-1260 (Aroclor 1260)	Total PCBs
P335-B4-0-2	<13.9	<14.7	<13.3	<7.2	<9.5	<7.1	<9.1	0.0
P335-B7-0-2	<12.7	<13.4	<12.1	<6.5	<8.7	<6.5	<8.3	0.0
P335-B8-0-2	<15.5	<16.3	<14.8	<8.0	<10.5	<7.9	<10.1	0.0
P335-B9-0-2	<15.8	<16.6	<15.1	<8.1	<10.8	<8.1	<10.3	0.0
P335-B10-0-2	<12.5	<13.1	<11.9	<6.4	<8.5	74.9	<8.1	74.9
P335-B12-0-2	<15.6	<16.5	<15.0	<8.0	<10.7	<8.0	<10.2	0.0
P335-B13-0-2	<14.3	<15.1	<13.7	<7.4	<9.8	<7.4	<9.4	0.0
P335-B14-0-2	<16.2	<17.1	<15.5	<8.3	<11.0	581	<10.6	581
P335-B15-0-2	<12.9	<13.6	<12.4	<6.6	<8.8	<6.6	<8.4	0.0
P335-B16-0-2	<12.7	<13.4	<12.1	<6.5	<8.7	<6.5	<8.3	0.0
P335-B17-0-2	<12.6	<13.2	<12.0	<6.5	<8.6	53.3	29.3 J	82.6
P335-B18-0-2	<12.6	<13.3	<12.1	<6.5	<8.6	<6.5	<8.3	0.00
P335-B19-0-2	<25.4	<26.8	<24.3	<13.1	<17.3	651	338	989
P335-B20-0-2	<12.7	<13.4	<12.2	<6.5	<8.7	<6.5	<8.3	0.0
P335-B21-0-2	<12.8	<13.5	<12.2	<6.6	<8.7	<6.6	21.3 J	21.3
P335-B22-0-2	<12.5	<13.2	<12.0	<6.4	<8.5	<6.4	<8.2	0.00
IHSB Protection of Groundwater PSRGs	940	59	59	55	54	91	240	55*
IHSB Residential PSRGs	820	200	180	230	230	230	240	230*
IHSB Industrial/Commercial PSRGs	10,000	840	730	950	940	970	990	950*

Notes:

- Concentrations shown in micrograms per kilogram (µg/kg) relative to the Method Detection Limit
- Samples collected on 9/7/2021 from a depth of 0-2 feet below ground surface at each sample location
- IHSB = North Carolina Department of Environmental Quality Inactive Hazardous Sites Branch
- PSRGs = Preliminary Soil Remediation Goals, dated June 2021
- Bold values exceeded IHSB Residential PSRGs
- Double underlined values exceeded IHSB Protection of Groundwater PSRGs
- Shaded values exceeded IHSB Industrial PSRGs
- J = Indicates compound was detected at a concentration below the Reporting Limit (lowest calibration standard), detection is considered an estimate
- * = high risk

Prepared By/Date: RMC 9/16/21
Checked By/Date: AJF 10/29/21

FIGURES



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


wood.
 Wood Environment & Infrastructure Solutions, Inc.
 2801 Yorkmont Road, Suite 100
 Charlotte, NC 28208
 (704) 357-8600


VICINITY MAP
 R5709-PARCEL 335
 8692 NC 211 HWY
 ABERDEEN, NORTH CAROLINA

PREPARED BY:	LMM
DATE:	10/1/2021
CHECKED BY:	HPC
DATE:	10/1/2021
PROJECT NO:	20478R5709
FIGURE:	1


Legend

Site Boundary






- ⊕ BORING SAMPLED FOR UVF ANALYSIS
- ⊖ BORING SAMPLED FOR UVF AND PCB ANALYSIS
- ⊕ BORING SAMPLED FOR PCB ANALYSIS
- AREA OF INVESTIGATION
- Ⓢ APPROXIMATE UST LOCATION



wood.

SITE MAP
 R-5709 - PARCEL 335
 8692 NC 211 HWY
 ABERDEEN, NORTH CAROLINA

PREPARED BY: LMM	DATE: 10/26/21	CHECKED BY: AJF	DATE: 10/26/21	JOB NUMBER 20478R5709	FIGURE 2
---------------------	-------------------	--------------------	-------------------	--------------------------	-------------



Boring	Depth	GRO	DRO
P335-B10	2-4	<0.27	4.8
	6-8	<0.25	<0.1

Boring	Depth	GRO	DRO
P335-B9	0-2	<0.5	28.5
	6-8	<0.25	<0.1

Boring	Depth	GRO	DRO
P335-B11	2-4	<0.27	0.09
	4-6	<0.3	13.3

Boring	Depth	GRO	DRO
P335-B8	0-2	35.9	1.2
	4-6	<0.25	1

Boring	Depth	GRO	DRO
P335-B7	2-4	<0.4	0.08
	6-8	<0.27	<0.11

Boring	Depth	GRO	DRO
P335-B6	2-4	<0.22	<0.09
	6-8	<0.3	<0.12
	12-14	<0.3	<0.13

Boring	Depth	GRO	DRO
P335-B13	0-2	<0.3	0.09
	6-8	<0.2	<0.08

Boring	Depth	GRO	DRO
P335-B1	4-6	<0.25	3.6
	8-10	<0.25	<0.1

Boring	Depth	GRO	DRO
P335-B12	2-4	<0.22	10.4
	6-8	<0.3	<0.15

Boring	Depth	GRO	DRO
P335-B5	2-4	<0.27	<0.11
	8-10	<0.17	<0.07
	12-14	<0.22	0.13


Boring	Depth	GRO	DRO
P335-B3	2-4	<0.22	0.26
	6-8	<0.27	<0.11
	12-14	<0.22	0.14

Boring	Depth	GRO	DRO
P335-B4	2-4	<0.2	0.4
	8-10	<0.2	0.06
	10-12	<0.2	0.22

Boring	Depth	GRO	DRO
P335-B2	0-2	<0.17	8.4
	4-6	<0.27	17.9

- ⊕ BORING SAMPLED FOR UVF ANALYSIS
- ⊙ BORING SAMPLED FOR UVF AND PCB ANALYSIS
- ⊕ BORING SAMPLED FOR PCB ANALYSIS
- ⊕ UST APPROXIMATE UST LOCATION
- AREA OF INVESTIGATION


DEPTHS SHOWN IN FEET BELOW GROUND SURFACE
 CONCENTRATIONS SHOWN IN MILLIGRAMS
 PER KILOGRAM (mg/kg)
 GRO=GASOLINE RANGE ORGANICS
 DRO=DIESEL RANGE ORGANICS
 GRO STATE ACTION LEVEL = 50 mg/kg
 DRO STATE ACTION LEVEL = 100 mg/kg
 BOLD CONCENTRATION EXCEEDS RESPECTIVE
 STATE ACTION LEVEL



wood.


UVF ANALYTICAL RESULTS MAP
 R-5709 - PARCEL 335
 8692 NC 211 HWY
 ABERDEEN, NORTH CAROLINA

PREPARED BY:	DATE:	CHECKED BY:	DATE:	JOB NUMBER	FIGURE
LMM	10/26/21	AJF	10/26/21	20478R5709	3



SAMPLE ID	TOTAL PCB	SAMPLE ID	TOTAL PCB	SAMPLE ID	TOTAL PCB
P335-B14-0-2	581	P335-B12-0-2	ND	P335-B15-0-2	ND
P335-B10-0-2	74.9	P335-B10		P335-B22-0-2	ND
P335-B9-0-2	ND	P335-B11		P335-B20-0-2	ND
P335-B8-0-2	ND	P335-B9		P335-B4-0-2	ND
P335-B7-0-2	ND	P335-B8		P335-B19-0-2	989
P335-B21-0-2	21.3	P335-B7		P335-B18-0-2	ND
P335-B16-0-2	ND	P335-B21		P335-B17-0-2	82.6
P335-B13-0-2	ND	P335-B6		P335-B13-0-2	ND

⊕ BORING SAMPLED FOR UVF ANALYSIS
 ⊖ BORING SAMPLED FOR UVF AND PCB ANALYSIS
 ⊕ BORING SAMPLED FOR PCB ANALYSIS
 (UST) APPROXIMATE UST LOCATION
 AREA OF INVESTIGATION
 CONCENTRATIONS SHOWN IN MICROGRAMS PER KILOGRAM (µg/kg)
 BOLD VALUES EXCEEDED THE IHSB RESIDENTIAL PSRG
 UNDERLINED VALUES EXCEEDED IHSB PROTECTION OF GROUNDWATER
 SHADED VALUES EXCEED IHSB INDUSTRIAL PSRGS
 ND = NOT DETECTED



wood.

PCB ANALYTICAL RESULTS MAP
 R-5709 - PARCEL 335
 8692 NC 211 HWY
 ABERDEEN, NORTH CAROLINA

PREPARED BY:	LMM	DATE:	11/2/21	CHECKED BY:	AJF	DATE:	11/2/21	JOB NUMBER	20478R5709	FIGURE	4
--------------	-----	-------	---------	-------------	-----	-------	---------	------------	------------	--------	---

APPENDIX A
BORING LOGS

SOIL BORING FIELD WORKSHEET

BORING # P335-B1	BORING DEPTH (ft) 10	NUMBER OF PAGES 1
PROJECT # 20478R5709	PROJECT NAME NCDOT R-5709	
DATE DRILLED 9/7/2021	WEATHER CONDITIONS Partly cloudy, 87°F	
DRILLING SUB-CONTRACTOR IET	DRILL RIG AMS PowerProbe	

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	5.4	Tan sand	
2			
3	10.1	Tan/brown sand	
4			
5	10.9	Tan sand	P335-B1-4-6 selected for UVF analyses
6			
7	8.2	Tan/brown clayey sand	
8			
9	9.9	Boring terminated at 10 feet bgs	P335-B1-8-10 selected for UVF analyses
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			

SOIL BORING FIELD WORKSHEET

BORING #	P335-B2	BORING DEPTH (ft)	10	NUMBER OF PAGES	1
PROJECT #	20478R5709	PROJECT NAME	NCDOT R-5709		
DATE DRILLED	9/7/2021	WEATHER CONDITIONS	Partly cloudy, 87°F		
DRILLING SUB-CONTRACTOR	IET	DRILL RIG	AMS PowerProbe		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	12.3	Tan sand	P335-B2-0-2 selected for UVF analyses
2		Tan/brown sand	
3	11.5		
4			
5	13.2	Tan sand	P335-B2-4-6 selected for UVF analyses
6			
7	13.1	Tan/orange clayey sand	
8			
9	11.4		
10			
11		Boring terminated at 10 feet bgs	
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			

SOIL BORING FIELD WORKSHEET

BORING #	P335-B3	BORING DEPTH (ft)	15	NUMBER OF PAGES	1
PROJECT #	20478R5709	PROJECT NAME	NCDOT R-5709		
DATE DRILLED	9/7/2021	WEATHER CONDITIONS	Partly cloudy, 87°F		
DRILLING SUB-CONTRACTOR	IET	DRILL RIG	AMS PowerProbe		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	4.8	Tan/brown sand	
2			
3	12.2	Tan sand	P335-B3-2-4 selected for UVF analyses
4			
5	12.4		
6			
7	12.5	Tan/orange clayey sand	P335-B3-6-8 selected for UVF analyses
8			
9	11.2		
10			
11	13.8	Tan/brown clayey sand	
12			
13	13.8		P335-B3-12-14 selected for UVF analyses
14			
15	6.7		
16		Boring terminated at 15 feet bgs	
17			
18			
19			
20			
21			

SOIL BORING FIELD WORKSHEET

BORING #	P335-B4	BORING DEPTH (ft)	15	NUMBER OF PAGES	1
PROJECT #	20478R5709	PROJECT NAME	NCDOT R-5709		
DATE DRILLED	9/7/2021	WEATHER CONDITIONS	Partly cloudy, 87°F		
DRILLING SUB-CONTRACTOR	IET	DRILL RIG	AMS PowerProbe		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1		Tan sand	
2	13.2		
3		Tan/brown sand	P335-B4-2-4 selected for UVF analyses
4	13.6		
5			
6	13.8		
7			
8	15.2	Tan/orange clayey sand	
9			P335-B4-8-10 selected for UVF analyses
10	15.2		
11			P335-B4-10-12 selected for UVF analyses
12	15.1		
13			
14	14.4		
15	11.6	Tan/white clayey sand	
16		Boring terminated at 15 feet bgs Sample collected from 0-2 foot interval for off-site PCB analysis	
17			
18			
19			
20			
21			

SOIL BORING FIELD WORKSHEET

BORING #	P335-B5	BORING DEPTH (ft)	15	NUMBER OF PAGES	1
PROJECT #	20478R5709	PROJECT NAME	NCDOT R-5709		
DATE DRILLED	9/7/2021	WEATHER CONDITIONS	Partly cloudy, 87°F		
DRILLING SUB-CONTRACTOR	IET	DRILL RIG	AMS PowerProbe		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	14.0	Tan/brown sand	
2			
3	15.2	Tan sand	P335-B5-2-4 selected for UVF analyses
4			
5	14.5	Tan/brown sand	
6			
7	15.0		
8			
9	15.2	Tan/orange clayey sand	P335-B5-8-10 selected for UVF analyses
10			
11	15.9		P335-B54-10-12 selected for UVF analyses
12			
13	14.8		
14			
15	14.0	Tan/white clayey sand	
16		Boring terminated at 15 feet bgs	
17			
18			
19			
20			
21			



SOIL BORING FIELD WORKSHEET

BORING #	P335-B7	BORING DEPTH (ft)	10	NUMBER OF PAGES	1
PROJECT #	20478R5709	PROJECT NAME	NCDOT R-5709		
DATE DRILLED	9/7/2021	WEATHER CONDITIONS	Partly cloudy, 87°F		
DRILLING SUB-CONTRACTOR	IET	DRILL RIG	AMS PowerProbe		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	4.2	Brown sand	
2			
3	15.2	Tan/brown sand	P335-B7-2-4 selected for UVF analyses
4			
5	19.5	Tan sand	
6			
7	19.6		P335-B7-6-8 selected for UVF analyses
8			
9	17.3	Tan/orange clayey sand	
10			
11		Boring terminated at 10 feet bgs Sample collected from 0-2 foot interval for off-site PCB analysis	
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			

SOIL BORING FIELD WORKSHEET

BORING #	P335-B8	BORING DEPTH (ft)	10	NUMBER OF PAGES	1
PROJECT #	20478R5709	PROJECT NAME	NCDOT R-5709		
DATE DRILLED	9/7/2021	WEATHER CONDITIONS	Partly cloudy, 87°F		
DRILLING SUB-CONTRACTOR	IET	DRILL RIG	AMS PowerProbe		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	20.0	Brown sand	P335-B8-0-2 selected for UVF analyses
2		Tan/brown sand	
3	18.2		
4			
5	18.0	Tan sand	P335-B8-4-6 selected for UVF analyses
6			
7	16.5		
8			
9	15.0		
10			
11		Boring terminated at 10 feet bgs Sample collected from 0-2 foot interval for off-site PCB analysis	
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			

Log Completed By: **AJF** Page: **1**



SOIL BORING FIELD WORKSHEET

BORING #	<u>P335-B9</u>	BORING DEPTH (ft)	<u>10</u>	NUMBER OF PAGES	<u>1</u>
PROJECT #	<u>20478R5709</u>	PROJECT NAME	<u>NCDOT R-5709</u>		
DATE DRILLED	<u>9/7/2021</u>	WEATHER CONDITIONS	<u>Partly cloudy, 87°F</u>		
DRILLING SUB-CONTRACTOR	<u>IET</u>	DRILL RIG	<u>AMS PowerProbe</u>		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	11.7	Tan/brown sand	P335-B9-0-2 selected for UVF analyses
2			
3	11.5	Tan sand	
4			
5	13.4	Tan/brown sand	
6			
7	13.7		P335-B9-6-8 selected for UVF analyses
8			
9	13.5	Tan/orange clayey sand	
10			
11		Boring terminated at 10 feet bgs Sample collected from 0-2 foot interval for off-site PCB analysis	
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			

SOIL BORING FIELD WORKSHEET

BORING #	P335-B12	BORING DEPTH (ft)	10	NUMBER OF PAGES	1
PROJECT #	20478R5709	PROJECT NAME	NCDOT R-5709		
DATE DRILLED	9/7/2021	WEATHER CONDITIONS	Partly cloudy, 87°F		
DRILLING SUB-CONTRACTOR	IET	DRILL RIG	AMS PowerProbe		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	13.2	Tan sand	
2			
3	14.5	Tan/brown sand	P335-B12-2-4 selected for UVF analyses
4			
5	14.1	Tan sand	
6			
7	15.1	Tan/brown clayey sand	P335-B12-6-8 selected for UVF analyses
8			
9	14.6		
10			
11		Boring terminated at 10 feet bgs Sample collected from 0-2 foot interval for off-site PCB analysis	
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			

SOIL BORING FIELD WORKSHEET

BORING #	P335-B13	BORING DEPTH (ft)	10	NUMBER OF PAGES	1
PROJECT #	20478R5709	PROJECT NAME	NCDOT R-5709		
DATE DRILLED	9/7/2021	WEATHER CONDITIONS	Partly cloudy, 87°F		
DRILLING SUB-CONTRACTOR	IET	DRILL RIG	AMS PowerProbe		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	14.7	Tan/brown sand	P335-B13-0-2 selected for UVF analyses
2			
3	14.0	Tan sand	
4			
5	13.8	Tan/brown sand	
6			
7	14.6		P335-B13-6-8 selected for UVF analyses
8			
9	13.2	Tan/orange clayey sand	
10			
11		Boring terminated at 10 feet bgs Sample collected from 0-2 foot interval for off-site PCB analysis	
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			

SOIL BORING FIELD WORKSHEET

BORING #	P335-B14	BORING DEPTH (ft)	2	NUMBER OF PAGES	1
PROJECT #	20478R5709	PROJECT NAME	NCDOT R-5709		
DATE DRILLED	9/7/2021	WEATHER CONDITIONS	Partly cloudy, 87°F		
DRILLING SUB-CONTRACTOR	IET	DRILL RIG	AMS PowerProbe		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	No PID screening performed	Tan/brown sand	
2			
3		Boring terminated at 2 feet bgs Sample collected from 0-2 foot interval for off-site PCB analysis	
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			

SOIL BORING FIELD WORKSHEET

BORING #	<u>P335-B15</u>	BORING DEPTH (ft)	<u>2</u>	NUMBER OF PAGES	<u>1</u>
PROJECT #	<u>20478R5709</u>	PROJECT NAME	<u>NCDOT R-5709</u>		
DATE DRILLED	<u>9/7/2021</u>	WEATHER CONDITIONS	<u>Partly cloudy, 87°F</u>		
DRILLING SUB-CONTRACTOR	<u>IET</u>	DRILL RIG	<u>AMS PowerProbe</u>		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	No PID screening performed	Tan/brown sand	
2			
3		Boring terminated at 2 feet bgs Sample collected from 0-2 foot interval for off-site PCB analysis	
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			

SOIL BORING FIELD WORKSHEET

BORING #	P335-B16	BORING DEPTH (ft)	2	NUMBER OF PAGES	1
PROJECT #	20478R5709	PROJECT NAME	NCDOT R-5709		
DATE DRILLED	9/7/2021	WEATHER CONDITIONS	Partly cloudy, 87°F		
DRILLING SUB-CONTRACTOR	IET	DRILL RIG	AMS PowerProbe		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	No PID screening performed	Brown sand	
2			
3		Boring terminated at 2 feet bgs Sample collected from 0-2 foot interval for off-site PCB analysis	
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			

SOIL BORING FIELD WORKSHEET

BORING #	P335-B17	BORING DEPTH (ft)	2	NUMBER OF PAGES	1
PROJECT #	20478R5709	PROJECT NAME	NCDOT R-5709		
DATE DRILLED	9/7/2021	WEATHER CONDITIONS	Partly cloudy, 87°F		
DRILLING SUB-CONTRACTOR	IET	DRILL RIG	AMS PowerProbe		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	No PID screening performed	Tan/brown sand	
2			
3		Boring terminated at 2 feet bgs Sample collected from 0-2 foot interval for off-site PCB analysis	
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			



SOIL BORING FIELD WORKSHEET

BORING #	<u>P335-B18</u>	BORING DEPTH (ft)	<u>2</u>	NUMBER OF PAGES	<u>1</u>
PROJECT #	<u>20478R5709</u>	PROJECT NAME	<u>NCDOT R-5709</u>		
DATE DRILLED	<u>9/7/2021</u>	WEATHER CONDITIONS	<u>Partly cloudy, 87°F</u>		
DRILLING SUB-CONTRACTOR	<u>IET</u>	DRILL RIG	<u>AMS PowerProbe</u>		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	No PID screening performed	Brown sand	
2			
3		Boring terminated at 2 feet bgs Sample collected from 0-2 foot interval for off-site PCB analysis	
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			

SOIL BORING FIELD WORKSHEET

BORING #	P335-B19	BORING DEPTH (ft)	2	NUMBER OF PAGES	1
PROJECT #	20478R5709	PROJECT NAME	NCDOT R-5709		
DATE DRILLED	9/7/2021	WEATHER CONDITIONS	Partly cloudy, 87°F		
DRILLING SUB-CONTRACTOR	IET	DRILL RIG	AMS PowerProbe		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	No PID screening performed	Tan sand	
2			
3		Boring terminated at 2 feet bgs Sample collected from 0-2 foot interval for off-site PCB analysis	
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			



SOIL BORING FIELD WORKSHEET

BORING #	P335-B20	BORING DEPTH (ft)	2	NUMBER OF PAGES	1
PROJECT #	20478R5709	PROJECT NAME	NCDOT R-5709		
DATE DRILLED	9/7/2021	WEATHER CONDITIONS	Partly cloudy, 87°F		
DRILLING SUB-CONTRACTOR	IET	DRILL RIG	AMS PowerProbe		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	No PID screening performed	Tan/brown sand	
2			
3		Boring terminated at 2 feet bgs Sample collected from 0-2 foot interval for off-site PCB analysis	
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			

SOIL BORING FIELD WORKSHEET

BORING #	P335-B21	BORING DEPTH (ft)	2	NUMBER OF PAGES	1
PROJECT #	20478R5709	PROJECT NAME	NCDOT R-5709		
DATE DRILLED	9/7/2021	WEATHER CONDITIONS	Partly cloudy, 87°F		
DRILLING SUB-CONTRACTOR	IET	DRILL RIG	AMS PowerProbe		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	No PID screening performed	Tan sand	
2			
3		Boring terminated at 2 feet bgs Sample collected from 0-2 foot interval for off-site PCB analysis	
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			

SOIL BORING FIELD WORKSHEET

BORING #	P335-B22	BORING DEPTH (ft)	2	NUMBER OF PAGES	1
PROJECT #	20478R5709	PROJECT NAME	NCDOT R-5709		
DATE DRILLED	9/7/2021	WEATHER CONDITIONS	Partly cloudy, 87°F		
DRILLING SUB-CONTRACTOR	IET	DRILL RIG	AMS PowerProbe		

DEPTH (ft bgs)	PID (ppm)	SOIL DESCRIPTION	SAMPLE INFO
1	No PID screening performed	Tan/brown sand	
2			
3		Boring terminated at 2 feet bgs Sample collected from 0-2 foot interval for off-site PCB analysis	
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			

APPENDIX B
PHOTOGRAPHIC LOG



Photograph 1:
Building located at
parcel 335, facing
southwest.



Photograph 2:
Fence line along
Highway 211 at parcel
335, facing southeast.



Photograph 3:
Area of possible UST
#1, facing southeast.



Photograph 4:
Area of possible UST
#2 and no confidence
anomalies, facing west.



Photograph 5:
Parcel 335 prior to
vegetation clearing,
facing north.



Photograph 6:
View of IET advancing
direct push soil
sampler at parcel 335.



Photograph 7:
View of on-Site UVF
analysis setup.

APPENDIX C
GEOPHYSICAL REPORT



PYRAMID GEOPHYSICAL SERVICES
(PROJECT 2021-201)

GEOPHYSICAL SURVEY

METALLIC UST INVESTIGATION: PARCEL 335 NCDOT PROJECT R-5709 (50205.1.1)

9255 ABERDEEN RD., ABERDEEN, NC

August 25, 2021

Report prepared for: Helen P. Corley, LG, RSM, BCES
Wood, PLC
2801 Yorkmont Road #100
Charlotte, NC 28208

Prepared by: _____

Eric C. Cross, P.G.
NC License #2181

Reviewed by: _____

Douglas A. Canavello, P.G.
NC License #1066

503 INDUSTRIAL AVENUE, GREENSBORO, NC 27406

P: 336.335.3174 F: 336.691.0648

C257: GEOLOGY C1251: ENGINEERING

GEOPHYSICAL INVESTIGATION REPORT
Parcel 335 - 9255 Aberdeen Rd.
Aberdeen, Hoke County, North Carolina

Table of Contents

Executive Summary 1
Introduction..... 2
Field Methodology..... 2
Discussion of Results..... 3
 Discussion of EM Results..... 3
 Discussion of GPR Results..... 4
Summary & Conclusions 6
Limitations 6

Figures

- Figure 1 – Parcel 335 - Geophysical Survey Boundaries and Site Photographs
- Figure 2 – Parcel 335 - EM61 Metal Detection Contour Map
- Figure 3 – Parcel 335 - GPR Transect Locations and Select Images
- Figure 4 – Parcel 335 - Locations and Sizes of Two Possible USTs and Two No Confidence Anomalies
- Figure 5 – Overlay of Metal Detection Results, Two No Confidence Anomalies, and Two Possible USTs on NCDOT Engineering Plans

Appendices

- Appendix A – GPR Transect Images

LIST OF ACRONYMS

CADD	Computer Assisted Drafting and Design
DF	Dual Frequency
EM.....	Electromagnetic
GPR.....	Ground Penetrating Radar
GPS	Global Positioning System
NCDOT.....	North Carolina Department of Transportation
ROW	Right-of-Way
UST	Underground Storage Tank

EXECUTIVE SUMMARY

Project Description: Pyramid Environmental (Pyramid) conducted a geophysical investigation for Wood, PLC at Parcel 335, located at 9255 Aberdeen Rd., in Aberdeen, NC. The survey was part of a North Carolina Department of Transportation (NCDOT) Right-of-Way (ROW) investigation (NCDOT Project R-5709). The survey was designed to include all accessible portions of the property, as indicated by Wood, PLC. Conducted from August 10-12, 2021, the geophysical investigation was performed to determine if unknown, metallic underground storage tanks (USTs) were present beneath the survey area.

Geophysical Results: The geophysical investigation consisted of electromagnetic (EM) induction-metal detection and ground penetrating radar (GPR) surveys. A total of eleven EM anomalies were identified. The majority of the EM anomalies were directly attributed to visible cultural features at the ground surface. One EM anomaly containing three distinct metallic features was characteristic of buried structures. GPR was performed across the features associated with the significant unknown buried metal anomaly, as well as around all sources of significant metallic interference, to confirm that the interference did not obscure any significant structures such as USTs.

One possible UST was identified within the area containing unknown buried metal. This possible UST was approximately 15.5 feet long and 7 feet wide. Two no confidence anomalies were also identified within the area containing unknown buried metal. The west anomaly is approximately 28.5 feet long and 11 feet wide. The south anomaly is approximately 10 feet long and 6 feet wide. A second possible UST was identified at the north end of the property, adjacent to vehicles. This possible UST was approximately 6 feet wide. Its length was unverified due to the adjacent vehicle preventing full access across the possible UST.

Collectively, the geophysical data recorded evidence of two possible USTs and two no confidence anomalies at Parcel 335.

INTRODUCTION

Pyramid Environmental conducted a geophysical investigation for Wood, PLC at Parcel 335, located at 9255 Aberdeen Rd., in Aberdeen, NC. The survey was part of a North Carolina Department of Transportation (NCDOT) Right-of-Way (ROW) investigation (NCDOT Project R-5709). The survey was designed to include all accessible portions of the property, as indicated by Wood, PLC. Conducted from August 10-12, 2021, the geophysical investigation was performed to determine if unknown, metallic underground storage tanks (USTs) were present beneath the survey area.

The site consisted of a vacant lot containing grass and dirt surfaces. An aerial photograph showing the survey area boundaries and ground-level photographs are shown in **Figure 1**.

FIELD METHODOLOGY

The geophysical investigation consisted of electromagnetic (EM) induction-metal detection and ground penetrating radar (GPR) surveys. Pyramid collected the EM data using a Geonics EM61-MK2 (EM61) metal detector integrated with a Geode External GPS/GLONASS receiver. The integrated GPS system allows the location of the instrument to be recorded in real-time during data collection, resulting in an EM data set that is geo-referenced and can be overlain on aerial photographs and CADD drawings. A boundary grid was established around the perimeter of the site with marks every 10 feet to maintain orientation of the instrument throughout the survey and assure complete coverage of the area.

According to the instrument specifications, the EM61 can detect a metal drum down to a maximum depth of approximately 8 feet. Smaller objects (1-foot or less in size) can be detected to a maximum depth of 4 to 5 feet. The EM61 data were digitally collected at approximately 0.8-foot intervals along north-south trending or east-west trending, generally parallel survey lines, spaced five feet apart. The data were downloaded to a

computer and reviewed in the field and office using the Geonics NAV61 and Surfer for Windows Version 15.0 software programs.

GPR data were acquired across select EM anomalies on August 12, 2021, using a Geophysical Survey Systems, Inc. (GSSI) SIR 4000 control unit coupled to a 350 MHz HS antenna. Data were collected both in reconnaissance fashion as well as along formal transect lines across EM features. The GPR data were viewed in real-time using a vertical scan of 512 samples, at a rate of 48 scans per second. GPR data were viewed down to a maximum depth of approximately 6 feet, based on dielectric constants calculated by the SIR 4000 unit in the field during the reconnaissance scans. GPR transects across specific anomalies were saved to the hard drive of the DF unit for post-processing and figure generation.

Pyramid’s classifications of USTs for the purposes of this report are based directly on the geophysical UST ratings provided by the NCDOT. These ratings are as follows:

Geophysical Surveys for Underground Storage Tanks on NCDOT Projects			
High Confidence	Intermediate Confidence	Low Confidence	No Confidence
Known UST Active tank - spatial location, orientation, and approximate depth determined by geophysics.	Probable UST Sufficient geophysical data from both magnetic and radar surveys that is characteristic of a tank. Interpretation may be supported by physical evidence such as fill/vent pipe, metal cover plate, asphalt/concrete patch, etc.	Possible UST Sufficient geophysical data from either magnetic or radar surveys that is characteristic of a tank. Additional data is not sufficient enough to confirm or deny the presence of a UST.	Anomaly noted but not characteristic of a UST. Should be noted in the text and may be called out in the figures at the geophysicist’s discretion.

DISCUSSION OF RESULTS

Discussion of EM Results

A contour plot of the EM61 results obtained across the survey area at the property is presented in **Figure 2**. Each EM anomaly is numbered for reference in the figure. The

following table presents the list of EM anomalies and the cause of the metallic response, if known:

LIST OF METALLIC ANOMALIES IDENTIFIED BY EM SURVEY

Metallic Anomaly #	Cause of Anomaly	Investigated with GPR
1	Fence	✓
2	RV/Car	✓
3	Pipes	✓
4	One Possible UST	✓
5	Debris	
6	Fence/Utility	
7	Gate	
8	Fence	
9	Gate	
10	Vehicles/Hydrant	✓
11	One Possible UST	✓
12	Two No Confidence Anomalies	✓
13	Metal Debris	

The majority of the EM anomalies were directly attributed to visible cultural features at the ground surface, including fences, an RV, vehicles, pipes, visible debris, utilities, gates, and a hydrant. EM Anomaly 4 indicated buried metal extending beyond the interference from surface structures and was investigated by GPR. EM Anomalies 11 and 12 were associated with three distinct buried metallic features that were suggestive of buried structures and was investigated by GPR. GPR was also performed around the various vehicles and the RV to confirm that the metallic interference did not obscure any significant structures such as USTs.

Discussion of GPR Results

Figure 3 presents the locations of the formal GPR transects performed at the property as well as select transect images. All of the transect images are included in **Appendix A**. A total of seventeen formal GPR transects were performed at the site.

GPR Transects 1-2 were performed across the north metallic feature associated with EM Anomaly 10. These transects recorded a relatively distinct hyperbolic reflector and an intermittent, discreet lateral reflector that are typical of a UST. Due to the somewhat deteriorated nature of these reflectors, this structure is being classified as one possible UST. The possible UST is approximately 15.5 feet long and 7 feet wide.

GPR Transects 3-6 were performed across the remaining two metallic features associated with EM Anomaly 10. These transects recorded discreet, isolated lateral reflectors in both directions that are suggestive of buried structures such as former foundations or other infrastructure. The sizes and shapes of these features are not characteristic of USTs. Therefore, the two features are being classified as two no confidence anomalies. The west feature (No Confidence Anomaly #1) is approximately 28.5 feet long and 11 feet wide. The south feature (No Confidence Anomaly #2) is approximately 10 feet long and 6 feet wide.

GPR Transects 12-13 were performed on the north side of the RV. These transects recorded a distinct hyperbolic reflector and a discreet lateral reflector that are typical of a UST. The full length of the structure could not be verified due to the presence of a vehicle. However, the combined EM and GPR data result in this feature being classified as one possible UST. The possible UST is approximately six feet wide with an unknown length.

The remaining GPR transects did not record any evidence of additional significant buried structures such as USTs. **Figure 4** provides the locations and sizes of the two possible USTs and two no confidence anomalies, overlain on an aerial, along with ground-level photographs.

Collectively, the geophysical data recorded evidence of two possible USTs and two no confidence anomalies at Parcel 335. **Figure 5** provides an overlay of the metal detection results, the two no confidence anomalies, and the two possible USTs on the NCDOT engineering plans for reference.

SUMMARY & CONCLUSIONS

Pyramid's evaluation of the EM61 and GPR data collected at Parcel 335 in Aberdeen, North Carolina, provides the following summary and conclusions:

- The EM61 and GPR surveys provided reliable results for the detection of metallic USTs within the accessible portions of the geophysical survey area.
- The majority of the EM anomalies were directly attributed to visible cultural features at the ground surface. One EM anomaly containing three distinct metallic features was characteristic of buried structures.
- GPR was performed across the features associated with the significant unknown buried metal anomaly, as well as around all sources of significant metallic interference, to confirm that the interference did not obscure any significant structures such as USTs.
- One possible UST was identified within the area containing unknown buried metal. This possible UST was approximately 15.5 feet long and 7 feet wide.
- Two no confidence anomalies were also identified within the area containing unknown buried metal. The west anomaly is approximately 28.5 feet long and 11 feet wide. The south anomaly is approximately 10 feet long and 6 feet wide.
- A second possible UST was identified at the north end of the property, adjacent to vehicles. This possible UST was approximately 6 feet wide. Its length was unverified due to the adjacent vehicle preventing full access across the possible UST.
- Collectively, the geophysical data recorded evidence of two possible USTs and two no confidence anomalies at Parcel 335.

LIMITATIONS

Geophysical surveys have been performed and this report was prepared for Wood, PLC, in accordance with generally accepted guidelines for EM61 and GPR surveys. It is generally recognized that the results of the EM61 and GPR surveys are non-unique and may not represent actual subsurface conditions. The EM61 and GPR results obtained for this project

have not conclusively determined the definitive presence or absence of metallic USTs, but the evidence collected is sufficient to result in the conclusions made in this report. Additionally, it should be understood that areas containing extensive vegetation, reinforced concrete, or other restrictions to the accessibility of the geophysical instruments could not be fully investigated.

APPROXIMATE BOUNDARIES OF GEOPHYSICAL SURVEY AREA



View of Survey Area (Facing Approximately Northwest)




View of Survey Area (Facing Approximately Northwest)



	503 INDUSTRIAL AVENUE GREENSBORO, NC 27406 (336) 335-3174 (p) (336) 691-0648 (f) License # C1251 Eng. / License # C257 Geology	PROJECT PARCEL 335 ABERDEEN, NORTH CAROLINA NCDOT PROJECT R-5709	TITLE PARCEL 335 - GEOPHYSICAL SURVEY BOUNDARIES AND SITE PHOTOGRAPHS	DATE	8/16/2021	CLIENT	Wood, PLC
				PYRAMID PROJECT #:	2021-201	FIGURE 1	

EM61 METAL DETECTION RESULTS



EVIDENCE OF TWO POSSIBLE USTs AND TWO NO CONFIDENCE ANOMALIES WAS OBSERVED.

The contour plot shows the differential results of the EM61 instrument in millivolts (mV). The differential results focus on larger metallic objects such as USTs and drums. The EM data were collected on August 10, 2021, using a Geonics EM61-MK2 instrument. Verification GPR data were collected using a GSSI SIR 4000 instrument with a 350 MHz HS antenna on August 12, 2021.

EM61 Metal Detection Response (millivolts)



503 INDUSTRIAL AVENUE
GREENSBORO, NC 27406
(336) 335-3174 (p) (336) 691-0648 (f)
License # C1251 Eng. / License # C257 Geology

PROJECT
PARCEL 335
ABERDEEN, NORTH CAROLINA
NCDOT PROJECT R-5709


TITLE
PARCEL 335 -
EM61 METAL DETECTION CONTOUR MAP

DATE 8/16/2021
PYRAMID PROJECT #: 2021-201


CLIENT Wood, PLC

FIGURE 2


GPR TRANSECT LOCATIONS




GPR TRANSECT 1 (T1)




GPR TRANSECT 2 (T2)




GPR TRANSECT 4 (T4)



GPR TRANSECT 6 (T6)



GPR TRANSECT 12 (T12)



GPR TRANSECT 13 (T13)



503 INDUSTRIAL AVENUE
GREENSBORO, NC 27406
(336) 335-3174 (p) (336) 691-0648 (f)
License # C1251 Eng. / License # C257 Geology




PROJECT
PARCEL 335
ABERDEEN, NORTH CAROLINA
NCDOT PROJECT R-5709

TITLE
PARCEL 335 -
GPR TRANSECT LOCATIONS AND SELECT IMAGES



DATE
8/16/2021
PYRAMID PROJECT #:
2021-201

CLIENT
Wood, PLC
FIGURE 3

LOCATIONS OF TWO POSSIBLE USTs AND TWO NO CONFIDENCE ANOMALIES



	503 INDUSTRIAL AVENUE GREENSBORO, NC 27406 (336) 335-3174 (p) (336) 691-0648 (f) License # C1251 Eng. / License # C257 Geology	PROJECT PARCEL 335 ABERDEEN, NORTH CAROLINA NCDOT PROJECT R-5709	TITLE PARCEL 335 - LOCATIONS AND SIZES OF TWO POSSIBLE USTs AND TWO NO CONFIDENCE ANOMALIES	DATE 8/16/2021	CLIENT Wood, PLC
				PYRAMID PROJECT #: 2021-201	FIGURE 4




BM18
450.54
RR SPIKE IN BASE OF 13" PINE


RR BL ELEV BM #18
OFF OF ST A 869' = 450.80
PIKE 869' = 450.80
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73
13' N 11° 30' W 44.33' = 450.73

TITLE OVERLAY OF METAL DETECTION RESULTS, TWO NO CONFIDENCE ANOMALIES AND TWO POSSIBLE USTs ON NCDOT ENGINEERING PLANS	
PROJECT PARCEL 335 ABERDEEN, NORTH CAROLINA NCDOT PROJECT R-5709	
 503 INDUSTRIAL AVENUE GREENSBORO, NC 27406 336.335.3174 (p) 336.691.0648 (f) License # C1251 Eng. / #C257 Geology	
DATE: 08-18-2021	REVISION NO. 0
PYRAMID PROJECT NO. 2021-201	FIGURE NO. 5


Appendix A – GPR Transect Images




GPR TRANSECT 1




GPR TRANSECT 3




GPR TRANSECT 2




GPR TRANSECT 4




GPR TRANSECT 5




GPR TRANSECT 7




GPR TRANSECT 6




GPR TRANSECT 8




GPR TRANSECT 9




GPR TRANSECT 11




GPR TRANSECT 10




GPR TRANSECT 12




GPR TRANSECT 13




GPR TRANSECT 15



GPR TRANSECT 14



GPR TRANSECT 16



GPR TRANSECT 17

APPENDIX D
UVF HYDROCARBON ANALYTICAL RESULTS

Hydrocarbon Analysis Results

Client: Wood
Address 2801 Yorkmont Rd
 Charlotte, NC 28208

Samples taken Tuesday, September 7, 2021
Samples extracted Tuesday, September 7, 2021
Samples analysed Tuesday, September 7, 2021



Contact: Helen Corley

Operator DRH

Project: P335

H09382

Matrix	Sample ID	Dilution used	BTEX	GRO	DRO	TPH	Total Aromatics	16 EPA PAHs	BaP	% Ratios			HC Fingerprint Match
			C6-C9	C5-C10	C10-C35	C5-C35	C10-C35				C5:10	C10:C18	
Soil	P335-B1-4-6	10.0	<0.25	<0.25	3.6	3.6	1.5	0.07	0.001	0	82.4	17.6	V.Deg.PHC 92.8%,(FCM)
Soil	P335-B1-8-10	10.0	<0.25	<0.25	<0.1	<0.25	<0.005	<0.005	<0.003	0	100	0	PHC ND,(FCM)
Soil	P335-B2-0-2	7.0	<0.17	<0.17	8.4	8.4	4.5	0.22	0.005	0	70.8	29.2	V.Deg.PHC 64.1%,(FCM)
Soil	P335-B2-4-6	11.0	<0.27	<0.27	17.9	17.9	8.7	0.4	0.007	0	81.3	18.7	V.Deg.PHC 85.4%,(FCM)
Soil	P335-B3-2-4	9.0	<0.22	<0.22	0.26	0.26	0.13	0.006	<0.001	0	75.6	24.4	V.Deg.PHC 80.7%,(FCM)
Soil	P335-B3-6-8	11.0	<0.27	<0.27	<0.11	<0.27	<0.006	<0.006	<0.003	0	0	0	PHC ND,(FCM)
Soil	P335-B3-12-14	9.0	<0.22	<0.22	0.14	0.14	0.13	0.014	<0.003	0	89.8	10.2	Residual PHC
Soil	P335-B4-2-4	8.0	<0.2	<0.2	0.4	0.4	0.2	0.01	<0.001	0	75.7	24.3	V.Deg.PHC 75.2%,(FCM),(BO)
Soil	P335-B4-8-10	8.0	<0.2	<0.2	0.06	0.06	0.029	0.002	<0.002	0	78.4	21.6	Residual HC
Soil	P335-B4-10-12	8.0	<0.2	<0.2	0.22	0.22	0.09	0.005	<0.002	0	82	18	V.Deg.PHC 81.9%,(FCM)

Initial Calibrator QC check **OK**

Final FCM QC Check **OK** 101.1%











Analysis by QED HC-1 Analyser

Concentration values in mg/kg for soil and mg/L for water samples. Soil values uncorrected for moisture or stone content. Fingerprints provide a tentative hydrocarbon identification.

Abbreviations :- FCM = Results calculated using Fundamental Calibration Mode : % = confidence for hydrocarbon identification : (PFM) = Poor Fingerprint Match : (T) = Turbid : (P) = Particulate detected
 HC = Hydrocarbon : PHC = Petroleum HC : FP = Fingerprint only : % Ratios estimated carbon number proportions : (OCR)/(Q) = Outside cal range, values and HC match estimates : ND = Not Detected
 (B) = Blank Drift : (M) = Adjusted value : (SBS)/(LBS) = Site Specific or Library Background Subtraction applied to result : (BO) = Background Organics detected : SB = sample selected as site background
 (TD) = Calibration outside limit

QED Hydrocarbon Fingerprints

Project: P335



Hydrocarbon Analysis Results

Client: Wood
Address 2801 Yorkmont Rd
 Charlotte, NC 28208

Samples taken Tuesday, September 7, 2021
Samples extracted Tuesday, September 7, 2021
Samples analysed Tuesday, September 7, 2021



Contact: Helen Corley

Operator DRH

Project: P335

H09382

Matrix	Sample ID	Dilution used	BTEX	GRO	DRO	TPH	Total Aromatics	16 EPA PAHs	BaP	% Ratios			HC Fingerprint Match
			C6-C9	C5-C10	C10-C35	C5-C35	C10-C35				C5:10	C10:C18	
Soil	P335-B5-2-4	11.0	<0.27	<0.27	<0.11	0.02	0.02	0.002	<0.003	0	49.7	50.3	Residual HC
Soil	P335-B5-8-10	7.0	<0.17	<0.17	<0.07	0.009	0.009	0.001	<0.002	0	53.1	46.9	Residual HC
Soil	P335-B5-12-14	9.0	<0.22	<0.22	0.13	0.13	0.06	0.003	<0.003	0	81.2	18.8	V.Deg.PHC 88.1%,(FCM)
Soil	P335-B6-2-4	9.0	<0.22	<0.22	<0.09	0.02	0.02	0.002	<0.003	0	40.6	59.4	Residual HC
Soil	P335-B6-6-8	12.0	<0.3	<0.3	<0.12	<0.3	<0.006	<0.006	<0.004	0	0	0	PHC ND,(FCM)
Soil	P335-B6-12-14	13.0	<0.3	<0.3	<0.13	<0.3	<0.007	<0.007	<0.004	0	0	0	PHC ND,(FCM)

Initial Calibrator QC check **OK**







Final FCM QC Check **OK** 97.0%

Analysis by QED HC-1 Analyser

Concentration values in mg/kg for soil and mg/L for water samples. Soil values uncorrected for moisture or stone content. Fingerprints provide a tentative hydrocarbon identification.
Abbreviations :- FCM = Results calculated using Fundamental Calibration Mode : % = confidence for hydrocarbon identification : (PFM) = Poor Fingerprint Match : (T) = Turbid : (P) = Particulate detected
 HC = Hydrocarbon : PHC = Petroleum HC : FP = Fingerprint only : % Ratios estimated carbon number proportions : (OCR)/(Q) = Outside cal range, values and HC match estimates : ND = Not Detected
 (B) = Blank Drift : (M) = Adjusted value : (SBS)/(LBS) = Site Specific or Library Background Subtraction applied to result : (BO) = Background Organics detected : SB = sample selected as site background
 (TD) = Calibration outside limit

QED Hydrocarbon Fingerprints

Project: P335



Hydrocarbon Analysis Results

Client: Wood
Address: 2801 Yorkmont Rd
 Charlotte, NC 28208



Samples taken Tuesday, September 7, 2021
Samples extracted Tuesday, September 7, 2021
Samples analysed Tuesday, September 7, 2021

Contact: Helen Corley

Operator DRH

Project: P335

H09382

Matrix	Sample ID	Dilution used	BTEX	GRO	DRO	TPH	Total Aromatics	16 EPA PAHs	BaP	% Ratios			HC Fingerprint Match
			C6-C9	C5-C10	C10-C35	C5-C35	C10-C35				C5:10	C10:C18	
Soil	P335-B7-2-4	16.0	<0.4	<0.4	0.08	0.08	0.07	0.006	<0.005	0	26.6	73.4	PHC ND,(FCM)
Soil	P335-B7-6-8	11.0	<0.27	<0.27	<0.11	<0.27	<0.006	<0.006	<0.003	0	0	0	PHC ND,(FCM)
Soil	P335-B8-0-2	11.0	<0.27	35.9	1.2	37.15	0.6	0.03	0.002	98.6	1.1	0.3	No Match found
Soil	P335-B8-4-6	10.0	<0.25	<0.25	1	1	0.4	0.017	<0.001	0	85.9	14.1	V.Deg.PHC 82.8%,(FCM),(BO)
Soil	P335-B9-0-2	23.0	<0.5	<0.5	28.5	28.5	19	0.8	0.012	0	89.3	10.7	V.Deg.Light Fuel 92.3%,(FCM)
Soil	P335-B9-6-8	10.0	<0.25	<0.25	<0.1	<0.25	<0.005	<0.005	<0.003	0	100	0	PHC ND,(FCM)
Soil	P335-B10-2-4	11.0	<0.27	<0.27	4.8	4.8	1.5	0.03	<0.004	0	97.1	2.9	No Match found
Soil	P335-B10-6-8	10.0	<0.25	<0.25	<0.1	0.02	0.02	0.002	<0.003	0	100	0	PHC ND,(FCM)
Soil	P335-B11-2-4	11.0	<0.27	<0.27	0.09	0.09	0.09	0.006	<0.001	0	35.3	64.7	Residual HC
Soil	P335-B11-4-6	15.0	<0.3	<0.3	13.3	13.3	4.4	0.1	<0.001	0	97.2	2.8	No Match found

Initial Calibrator QC check OK

Final FCM QC Check OK

95.8%

Analysis by QED HC-1 Analyser

Concentration values in mg/kg for soil and mg/L for water samples. Soil values uncorrected for moisture or stone content. Fingerprints provide a tentative hydrocarbon identification.











Abbreviations :- FCM = Results calculated using Fundamental Calibration Mode : % = confidence for hydrocarbon identification : (PFM) = Poor Fingerprint Match : (T) = Turbid : (P) = Particulate detected

HC = Hydrocarbon : PHC = Petroleum HC : FP = Fingerprint only : % Ratios estimated carbon number proportions : (OCR)/(Q) = Outside cal range, values and HC match estimates : ND = Not Detected

(B) = Blank Drift : (M) = Adjusted value : (SBS)/(LBS) = Site Specific or Library Background Subtraction applied to result : (BO) = Background Organics detected : SB = sample selected as site background

(TD) = Calibration outside limit

Project: P335



Hydrocarbon Analysis Results

Client: Wood
Address: 2801 Yorkmont Rd
 Charlotte, NC 28208

Samples taken Tuesday, September 7, 2021
Samples extracted Tuesday, September 7, 2021
Samples analysed Tuesday, September 7, 2021



Contact: Helen Corley

Operator DRH

Project: P335

H09382

Matrix	Sample ID	Dilution used	BTEX	GRO	DRO	TPH	Total Aromatics	16 EPA PAHs	BaP	% Ratios			HC Fingerprint Match
			C6-C9	C5-C10	C10-C35	C5-C35	C10-C35				C5:10	C10:C18	
Soil	P335-B12-2-4	9.0	<0.22	<0.22	10.4	10.4	1.8	0.1	0.001	0	84.5	15.5	V.Deg.Light Fuel 86.2%,(FCM)
Soil	P335-B12-6-8	15.0	<0.3	<0.3	<0.15	0.026	0.026	0.002	<0.005	0	34	66	PHC ND,(FCM)
Soil	P335-B13-0-2	15.0	<0.3	<0.3	0.09	0.09	0.08	0.016	0.005	0	39.1	60.9	Residual HC,(BO)
Soil	P335-B13-6-8	8.0	<0.2	<0.2	<0.08	<0.2	<0.004	<0.004	<0.002	0	0	0	PHC ND,(FCM)

Initial Calibrator QC check **OK**

Final FCM QC Check **OK**

103.5%

Analysis by QED HC-1 Analyser

Concentration values in mg/kg for soil and mg/L for water samples. Soil values uncorrected for moisture or stone content. Fingerprints provide a tentative hydrocarbon identification.





Abbreviations :- FCM = Results calculated using Fundamental Calibration Mode : % = confidence for hydrocarbon identification : (PFM) = Poor Fingerprint Match : (T) = Turbid : (P) = Particulate detected

HC = Hydrocarbon : PHC = Petroleum HC : FP = Fingerprint only : % Ratios estimated carbon number proportions : (OCR)/(Q) = Outside cal range, values and HC match estimates : ND = Not Detected

(B) = Blank Drift : (M) = Adjusted value : (SBS)/(LBS) = Site Specific or Library Background Subtraction applied to result : (BO) = Background Organics detected : SB = sample selected as site background

(TD) = Calibration outside limit

Project: P335



APPENDIX E
RISK CALCULATOR OUTPUT AND LABORATORY ANALYTICAL
REPORT

North Carolina Department of Environmental Quality Risk Calculator

Version Date:	June 2021
Basis:	May 2021 EPA RSL Table
Site Name:	R-5709 - Parcel 335 - Wayne Michael George Property
Site Address:	8692 NC 211 Hwy, Aberdeen, North Carolina
DEQ Section:	
Site ID:	
Exposure Unit ID:	Parcel 335
Submittal Date:	10/29/2021
Prepared By:	Andrew Frantz, Wood
Reviewed By:	Helen Corley, Wood

Complete Exposure Pathways		Input Form 1A
Version Date: June 2021		
Basis: May 2021 EPA RSL Table		
Site ID:		
Exposure Unit ID: Parcel 335		
<i>Note: Risk output will only be calculated for complete exposure pathways.</i>		
Receptor	Pathway	Check box if pathway complete
DIRECT CONTACT SOIL AND WATER PATHWAYS		
Resident	Soil	<input type="checkbox"/>
	Groundwater Use	<input type="checkbox"/>
Non-Residential Worker	Soil	<input type="checkbox"/>
	Groundwater Use	<input type="checkbox"/>
Construction Worker	Soil	<input checked="" type="checkbox"/>
Recreator/Trespasser	Soil	<input checked="" type="checkbox"/>
	Surface Water	<input type="checkbox"/>
VAPOR INTRUSION PATHWAYS		
Resident	Groundwater to Indoor Air	<input type="checkbox"/>
	Soil Gas to Indoor Air	<input type="checkbox"/>
	Indoor Air	<input type="checkbox"/>
Non-Residential Worker	Groundwater to Indoor Air	<input type="checkbox"/>
	Soil Gas to Indoor Air	<input type="checkbox"/>
	Indoor Air	<input type="checkbox"/>
CONTAMINANT MIGRATION PATHWAYS		
Groundwater	Source Soil	<input type="checkbox"/>
	Source Groundwater	<input type="checkbox"/>
Surface Water	Source Soil	<input type="checkbox"/>
	Source Groundwater	<input type="checkbox"/>

Exposure Point Concentrations

Version Date: June 2021

Basis: May 2021 EPA RSL Table

Site ID:

Exposure Unit ID: Parcel 335

Soil Exposure Point Concentration Table

Description of Exposure Point Concentration Selection:

Maximum concentrations for detected constituents from the September 2021 investigation were used for exposure point concentration. Per NCDEQ Risk Calculator User Guide (Feb. 2021) the concentrations of detected PCBs were totaled and entered as the sum as PCBs (high risk). Additionally, the method detection limit (MDL) was used as the concentration where the MDL was greater than the PSRGs.

NOTE: If the chemical list is changed from a prior calculator run, remember to select "See All Chemicals" on the data output sheet or newly added chemicals will not be included in risk calculations

Exposure Point Concentration (mg/kg)	Notes:	CAS Number	Chemical For the chemicals highlighted in blue, data entry notes are provided in the PSRG Table link on the Main Menu	Minimum Concentration (Qualifier)	Maximum Concentration (Qualifier)	Units	Location of Maximum Concentration	Detection Frequency	Range of Detection Limits	Concentration Used for Screening	Background Value	Screening Toxicity Value (Screening Level) (n/c)	Potential ARAR/TBC Value	Potential ARAR/TBC Source	COPC Flag (Y/N)	Rationale for Selection or Deletion
1.0401		1336-36-3	~Polychlorinated Biphenyls (high risk)	0.0469	1.0401	mg/kg	P335-B19-0-2									

Version Date: June 2021

Basis: May 2021 EPA RSL Table

Site ID:

Exposure Unit ID: Parcel 335

DIRECT CONTACT SOIL AND WATER CALCULATORS

Receptor	Pathway	Carcinogenic Risk	Hazard Index	Risk exceeded?
Resident	Soil	NC	NC	NC
	Groundwater Use*	NC	NC	NC
Non-Residential Worker	Soil	NC	NC	NC
	Groundwater Use*	NC	NC	NC
Construction Worker	Soil	1.4E-07	0.0E+00	NO
Recreator/Trespasser	Soil	2.3E-06	0.0E+00	NO
	Surface Water*	NC	NC	NC

VAPOR INTRUSION CALCULATORS

Receptor	Pathway	Carcinogenic Risk	Hazard Index	Risk exceeded?
Resident	Groundwater to Indoor Air	NC	NC	NC
	Soil Gas to Indoor Air	NC	NC	NC
	Indoor Air	NC	NC	NC
Non-Residential Worker	Groundwater to Indoor Air	NC	NC	NC
	Soil Gas to Indoor Air	NC	NC	NC
	Indoor Air	NC	NC	NC

CONTAMINANT MIGRATION CALCULATORS

Pathway	Source	Target Receptor Concentrations Exceeded?	
Groundwater	Source Soil	Exceedence of 2L at Receptor?	NC
	Source Groundwater	Exceedence of 2L at Receptor?	NC
Surface Water	Source Soil	Exceedence of 2B at Receptor?	NC
	Source Groundwater	Exceedence of 2B at Receptor?	NC

Notes:

1. If lead concentrations were entered in the exposure point concentration tables, see the individual calculator sheets for lead concentrations in comparison to screening levels. Note that lead is not included in cumulative risk calculations.
2. * = If concentrations in groundwater exceed the NC 2L Standards or IMAC, or concentrations in surface water exceed the NC 2B Standards, appropriate remediation and/or institutional control measures will be necessary to be eligible for a risk-based closure.
3. NM = Not Modeled
4. NC = Pathway not calculated

September 15, 2021

Mr. Andrew Frantz
WOOD E&I
2801 Yorkmont Road
Suite 100
Charlotte, NC 28208

RE: Project: NCDOT R5709
Pace Project No.: 92560135

Dear Mr. Frantz:

Enclosed are the analytical results for sample(s) received by the laboratory on September 08, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Charlotte

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Ryan Brumfield
ryan.brumfield@pacelabs.com
(770)734-4200
Project Manager

Enclosures

cc: Mr. Andrew Frantz, WOOD E&I



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: NCDOT R5709
Pace Project No.: 92560135

Pace Analytical Services Charlotte

9800 Kincey Ave. Ste 100, Huntersville, NC 28078
Louisiana/NELAP Certification # LA170028
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12

South Carolina Certification #: 99006001
Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
Virginia/VELAP Certification #: 460221

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: NCDOT R5709
Pace Project No.: 92560135

Lab ID	Sample ID	Matrix	Date Collected	Date Received
92560135001	P335-B4-0-2	Solid	09/07/21 11:15	09/08/21 07:30
92560135002	B335-B7-0-2	Solid	09/07/21 12:40	09/08/21 07:30
92560135003	B335-B8-0-2	Solid	09/07/21 12:45	09/08/21 07:30
92560135004	B335-B9-0-2	Solid	09/07/21 12:50	09/08/21 07:30
92560135005	B335-B10-0-2	Solid	09/07/21 12:55	09/08/21 07:30
92560135006	B335-B12-0-2	Solid	09/07/21 13:50	09/08/21 07:30
92560135007	B335-B13-0-2	Solid	09/07/21 13:00	09/08/21 07:30
92560135008	B335-B14-0-2	Solid	09/07/21 13:05	09/08/21 07:30
92560135009	B335-B15-0-2	Solid	09/07/21 13:10	09/08/21 07:30
92560135010	B335-B16-0-2	Solid	09/07/21 13:15	09/08/21 07:30
92560135011	B335-B17-0-2	Solid	09/07/21 13:20	09/08/21 07:30
92560135012	B335-B18-0-2	Solid	09/07/21 13:25	09/08/21 07:30
92560135013	B335-B19-0-2	Solid	09/07/21 13:30	09/08/21 07:30
92560135014	B335-B20-0-2	Solid	09/07/21 13:35	09/08/21 07:30
92560135015	B335-B21-0-2	Solid	09/07/21 13:40	09/08/21 07:30
92560135016	B335-B22-0-2	Solid	09/07/21 13:45	09/08/21 07:30

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: NCDOT R5709
Pace Project No.: 92560135

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92560135001	P335-B4-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C
92560135002	B335-B7-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C
92560135003	B335-B8-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C
92560135004	B335-B9-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C
92560135005	B335-B10-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C
92560135006	B335-B12-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C
92560135007	B335-B13-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C
92560135008	B335-B14-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C
92560135009	B335-B15-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C
92560135010	B335-B16-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C
92560135011	B335-B17-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C
92560135012	B335-B18-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C
92560135013	B335-B19-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C
92560135014	B335-B20-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C
92560135015	B335-B21-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C
92560135016	B335-B22-0-2	EPA 8082A	BAJ	8	PASI-C
		SW-846	KDF	1	PASI-C

PASI-C = Pace Analytical Services - Charlotte

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709

Pace Project No.: 92560135

Sample: P335-B4-0-2 **Lab ID: 92560135001** Collected: 09/07/21 11:15 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	38.0	13.9	1	09/10/21 11:10	09/10/21 17:40	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	38.0	14.7	1	09/10/21 11:10	09/10/21 17:40	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	38.0	13.3	1	09/10/21 11:10	09/10/21 17:40	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	38.0	7.2	1	09/10/21 11:10	09/10/21 17:40	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	38.0	9.5	1	09/10/21 11:10	09/10/21 17:40	12672-29-6	
PCB-1254 (Aroclor 1254)	ND	ug/kg	38.0	7.1	1	09/10/21 11:10	09/10/21 17:40	11097-69-1	
PCB-1260 (Aroclor 1260)	ND	ug/kg	38.0	9.1	1	09/10/21 11:10	09/10/21 17:40	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	41	%	10-160		1	09/10/21 11:10	09/10/21 17:40	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	11.6	%	0.10	0.10	1		09/09/21 13:38		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709
Pace Project No.: 92560135

Sample: B335-B7-0-2 **Lab ID: 92560135002** Collected: 09/07/21 12:40 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	34.7	12.7	1	09/10/21 11:10	09/10/21 18:09	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	34.7	13.4	1	09/10/21 11:10	09/10/21 18:09	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	34.7	12.1	1	09/10/21 11:10	09/10/21 18:09	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	34.7	6.5	1	09/10/21 11:10	09/10/21 18:09	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	34.7	8.7	1	09/10/21 11:10	09/10/21 18:09	12672-29-6	
PCB-1254 (Aroclor 1254)	ND	ug/kg	34.7	6.5	1	09/10/21 11:10	09/10/21 18:09	11097-69-1	
PCB-1260 (Aroclor 1260)	ND	ug/kg	34.7	8.3	1	09/10/21 11:10	09/10/21 18:09	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	93	%	10-160		1	09/10/21 11:10	09/10/21 18:09	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	5.1	%	0.10	0.10	1		09/09/21 13:38		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709
Pace Project No.: 92560135

Sample: B335-B8-0-2 **Lab ID: 92560135003** Collected: 09/07/21 12:45 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	42.2	15.5	1	09/10/21 11:10	09/10/21 18:24	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	42.2	16.3	1	09/10/21 11:10	09/10/21 18:24	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	42.2	14.8	1	09/10/21 11:10	09/10/21 18:24	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	42.2	8.0	1	09/10/21 11:10	09/10/21 18:24	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	42.2	10.5	1	09/10/21 11:10	09/10/21 18:24	12672-29-6	
PCB-1254 (Aroclor 1254)	ND	ug/kg	42.2	7.9	1	09/10/21 11:10	09/10/21 18:24	11097-69-1	
PCB-1260 (Aroclor 1260)	ND	ug/kg	42.2	10.1	1	09/10/21 11:10	09/10/21 18:24	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	63	%	10-160		1	09/10/21 11:10	09/10/21 18:24	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	22.6	%	0.10	0.10	1		09/09/21 13:38		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709
Pace Project No.: 92560135

Sample: B335-B9-0-2 **Lab ID: 92560135004** Collected: 09/07/21 12:50 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	43.1	15.8	1	09/10/21 11:10	09/10/21 18:38	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	43.1	16.6	1	09/10/21 11:10	09/10/21 18:38	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	43.1	15.1	1	09/10/21 11:10	09/10/21 18:38	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	43.1	8.1	1	09/10/21 11:10	09/10/21 18:38	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	43.1	10.8	1	09/10/21 11:10	09/10/21 18:38	12672-29-6	
PCB-1254 (Aroclor 1254)	ND	ug/kg	43.1	8.1	1	09/10/21 11:10	09/10/21 18:38	11097-69-1	
PCB-1260 (Aroclor 1260)	ND	ug/kg	43.1	10.3	1	09/10/21 11:10	09/10/21 18:38	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	130	%	10-160		1	09/10/21 11:10	09/10/21 18:38	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	22.6	%	0.10	0.10	1		09/09/21 13:38		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709

Pace Project No.: 92560135

Sample: B335-B10-0-2 **Lab ID: 92560135005** Collected: 09/07/21 12:55 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	34.1	12.5	1	09/14/21 09:51	09/15/21 09:48	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	34.1	13.1	1	09/14/21 09:51	09/15/21 09:48	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	34.1	11.9	1	09/14/21 09:51	09/15/21 09:48	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	34.1	6.4	1	09/14/21 09:51	09/15/21 09:48	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	34.1	8.5	1	09/14/21 09:51	09/15/21 09:48	12672-29-6	
PCB-1254 (Aroclor 1254)	74.9	ug/kg	34.1	6.4	1	09/14/21 09:51	09/15/21 09:48	11097-69-1	
PCB-1260 (Aroclor 1260)	ND	ug/kg	34.1	8.1	1	09/14/21 09:51	09/15/21 09:48	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	105	%	10-160		1	09/14/21 09:51	09/15/21 09:48	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	3.2	%	0.10	0.10	1		09/09/21 13:39		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709

Pace Project No.: 92560135

Sample: B335-B12-0-2 **Lab ID: 92560135006** Collected: 09/07/21 13:50 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	42.7	15.6	1	09/10/21 11:10	09/10/21 19:07	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	42.7	16.5	1	09/10/21 11:10	09/10/21 19:07	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	42.7	15.0	1	09/10/21 11:10	09/10/21 19:07	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	42.7	8.0	1	09/10/21 11:10	09/10/21 19:07	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	42.7	10.7	1	09/10/21 11:10	09/10/21 19:07	12672-29-6	
PCB-1254 (Aroclor 1254)	ND	ug/kg	42.7	8.0	1	09/10/21 11:10	09/10/21 19:07	11097-69-1	
PCB-1260 (Aroclor 1260)	ND	ug/kg	42.7	10.2	1	09/10/21 11:10	09/10/21 19:07	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	124	%	10-160		1	09/10/21 11:10	09/10/21 19:07	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	23.2	%	0.10	0.10	1		09/09/21 13:39		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709

Pace Project No.: 92560135

Sample: B335-B13-0-2 **Lab ID: 92560135007** Collected: 09/07/21 13:00 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	39.1	14.3	1	09/10/21 11:10	09/10/21 19:22	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	39.1	15.1	1	09/10/21 11:10	09/10/21 19:22	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	39.1	13.7	1	09/10/21 11:10	09/10/21 19:22	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	39.1	7.4	1	09/10/21 11:10	09/10/21 19:22	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	39.1	9.8	1	09/10/21 11:10	09/10/21 19:22	12672-29-6	
PCB-1254 (Aroclor 1254)	ND	ug/kg	39.1	7.4	1	09/10/21 11:10	09/10/21 19:22	11097-69-1	
PCB-1260 (Aroclor 1260)	ND	ug/kg	39.1	9.4	1	09/10/21 11:10	09/10/21 19:22	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	39	%	10-160		1	09/10/21 11:10	09/10/21 19:22	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	14.6	%	0.10	0.10	1		09/09/21 13:39		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709
Pace Project No.: 92560135

Sample: B335-B14-0-2 **Lab ID: 92560135008** Collected: 09/07/21 13:05 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	44.2	16.2	1	09/10/21 11:10	09/10/21 19:36	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	44.2	17.1	1	09/10/21 11:10	09/10/21 19:36	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	44.2	15.5	1	09/10/21 11:10	09/10/21 19:36	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	44.2	8.3	1	09/10/21 11:10	09/10/21 19:36	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	44.2	11.0	1	09/10/21 11:10	09/10/21 19:36	12672-29-6	
PCB-1254 (Aroclor 1254)	581	ug/kg	44.2	8.3	1	09/10/21 11:10	09/10/21 19:36	11097-69-1	
PCB-1260 (Aroclor 1260)	ND	ug/kg	44.2	10.6	1	09/10/21 11:10	09/10/21 19:36	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	87	%	10-160		1	09/10/21 11:10	09/10/21 19:36	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	24.1	%	0.10	0.10	1		09/09/21 13:39		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709

Pace Project No.: 92560135

Sample: B335-B15-0-2 **Lab ID: 92560135009** Collected: 09/07/21 13:10 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	35.3	12.9	1	09/10/21 11:10	09/10/21 19:51	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	35.3	13.6	1	09/10/21 11:10	09/10/21 19:51	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	35.3	12.4	1	09/10/21 11:10	09/10/21 19:51	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	35.3	6.6	1	09/10/21 11:10	09/10/21 19:51	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	35.3	8.8	1	09/10/21 11:10	09/10/21 19:51	12672-29-6	
PCB-1254 (Aroclor 1254)	ND	ug/kg	35.3	6.6	1	09/10/21 11:10	09/10/21 19:51	11097-69-1	
PCB-1260 (Aroclor 1260)	ND	ug/kg	35.3	8.4	1	09/10/21 11:10	09/10/21 19:51	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	90	%	10-160		1	09/10/21 11:10	09/10/21 19:51	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	5.5	%	0.10	0.10	1		09/09/21 13:39		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709
Pace Project No.: 92560135

Sample: B335-B16-0-2 **Lab ID: 92560135010** Collected: 09/07/21 13:15 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	34.7	12.7	1	09/10/21 11:10	09/10/21 20:05	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	34.7	13.4	1	09/10/21 11:10	09/10/21 20:05	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	34.7	12.1	1	09/10/21 11:10	09/10/21 20:05	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	34.7	6.5	1	09/10/21 11:10	09/10/21 20:05	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	34.7	8.7	1	09/10/21 11:10	09/10/21 20:05	12672-29-6	
PCB-1254 (Aroclor 1254)	ND	ug/kg	34.7	6.5	1	09/10/21 11:10	09/10/21 20:05	11097-69-1	
PCB-1260 (Aroclor 1260)	ND	ug/kg	34.7	8.3	1	09/10/21 11:10	09/10/21 20:05	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	98	%	10-160		1	09/10/21 11:10	09/10/21 20:05	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	3.6	%	0.10	0.10	1		09/09/21 13:39		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709
Pace Project No.: 92560135

Sample: B335-B17-0-2 **Lab ID: 92560135011** Collected: 09/07/21 13:20 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	34.3	12.6	1	09/10/21 11:10	09/10/21 20:20	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	34.3	13.2	1	09/10/21 11:10	09/10/21 20:20	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	34.3	12.0	1	09/10/21 11:10	09/10/21 20:20	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	34.3	6.5	1	09/10/21 11:10	09/10/21 20:20	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	34.3	8.6	1	09/10/21 11:10	09/10/21 20:20	12672-29-6	
PCB-1254 (Aroclor 1254)	53.3	ug/kg	34.3	6.5	1	09/10/21 11:10	09/10/21 20:20	11097-69-1	
PCB-1260 (Aroclor 1260)	29.3J	ug/kg	34.3	8.2	1	09/10/21 11:10	09/10/21 20:20	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	54	%	10-160		1	09/10/21 11:10	09/10/21 20:20	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	5.4	%	0.10	0.10	1		09/09/21 16:14		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709

Pace Project No.: 92560135

Sample: B335-B18-0-2 **Lab ID: 92560135012** Collected: 09/07/21 13:25 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	34.5	12.6	1	09/10/21 11:10	09/10/21 20:35	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	34.5	13.3	1	09/10/21 11:10	09/10/21 20:35	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	34.5	12.1	1	09/10/21 11:10	09/10/21 20:35	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	34.5	6.5	1	09/10/21 11:10	09/10/21 20:35	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	34.5	8.6	1	09/10/21 11:10	09/10/21 20:35	12672-29-6	
PCB-1254 (Aroclor 1254)	ND	ug/kg	34.5	6.5	1	09/10/21 11:10	09/10/21 20:35	11097-69-1	
PCB-1260 (Aroclor 1260)	ND	ug/kg	34.5	8.3	1	09/10/21 11:10	09/10/21 20:35	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	79	%	10-160		1	09/10/21 11:10	09/10/21 20:35	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	4.4	%	0.10	0.10	1		09/09/21 16:14		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709
Pace Project No.: 92560135

Sample: B335-B19-0-2 **Lab ID: 92560135013** Collected: 09/07/21 13:30 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	69.4	25.4	2	09/10/21 11:10	09/13/21 10:55	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	69.4	26.8	2	09/10/21 11:10	09/13/21 10:55	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	69.4	24.3	2	09/10/21 11:10	09/13/21 10:55	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	69.4	13.1	2	09/10/21 11:10	09/13/21 10:55	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	69.4	17.3	2	09/10/21 11:10	09/13/21 10:55	12672-29-6	
PCB-1254 (Aroclor 1254)	651	ug/kg	69.4	13.1	2	09/10/21 11:10	09/13/21 10:55	11097-69-1	
PCB-1260 (Aroclor 1260)	338	ug/kg	69.4	16.6	2	09/10/21 11:10	09/13/21 10:55	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	107	%	10-160		2	09/10/21 11:10	09/13/21 10:55	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	4.0	%	0.10	0.10	1		09/09/21 16:14		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709

Pace Project No.: 92560135

Sample: B335-B20-0-2 **Lab ID: 92560135014** Collected: 09/07/21 13:35 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	34.7	12.7	1	09/10/21 11:10	09/10/21 21:04	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	34.7	13.4	1	09/10/21 11:10	09/10/21 21:04	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	34.7	12.2	1	09/10/21 11:10	09/10/21 21:04	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	34.7	6.5	1	09/10/21 11:10	09/10/21 21:04	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	34.7	8.7	1	09/10/21 11:10	09/10/21 21:04	12672-29-6	
PCB-1254 (Aroclor 1254)	ND	ug/kg	34.7	6.5	1	09/10/21 11:10	09/10/21 21:04	11097-69-1	
PCB-1260 (Aroclor 1260)	ND	ug/kg	34.7	8.3	1	09/10/21 11:10	09/10/21 21:04	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	59	%	10-160		1	09/10/21 11:10	09/10/21 21:04	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	5.6	%	0.10	0.10	1		09/09/21 16:15		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709

Pace Project No.: 92560135

Sample: B335-B21-0-2 **Lab ID: 92560135015** Collected: 09/07/21 13:40 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	34.9	12.8	1	09/10/21 11:10	09/10/21 21:18	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	34.9	13.5	1	09/10/21 11:10	09/10/21 21:18	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	34.9	12.2	1	09/10/21 11:10	09/10/21 21:18	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	34.9	6.6	1	09/10/21 11:10	09/10/21 21:18	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	34.9	8.7	1	09/10/21 11:10	09/10/21 21:18	12672-29-6	
PCB-1254 (Aroclor 1254)	ND	ug/kg	34.9	6.6	1	09/10/21 11:10	09/10/21 21:18	11097-69-1	
PCB-1260 (Aroclor 1260)	21.3J	ug/kg	34.9	8.3	1	09/10/21 11:10	09/10/21 21:18	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	60	%	10-160		1	09/10/21 11:10	09/10/21 21:18	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	4.7	%	0.10	0.10	1		09/09/21 16:15		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: NCDOT R5709
Pace Project No.: 92560135

Sample: B335-B22-0-2 **Lab ID: 92560135016** Collected: 09/07/21 13:45 Received: 09/08/21 07:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8082 GCS PCB									
Analytical Method: EPA 8082A Preparation Method: EPA 3546									
Pace Analytical Services - Charlotte									
PCB-1016 (Aroclor 1016)	ND	ug/kg	34.1	12.5	1	09/10/21 11:10	09/10/21 22:45	12674-11-2	
PCB-1221 (Aroclor 1221)	ND	ug/kg	34.1	13.2	1	09/10/21 11:10	09/10/21 22:45	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/kg	34.1	12.0	1	09/10/21 11:10	09/10/21 22:45	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/kg	34.1	6.4	1	09/10/21 11:10	09/10/21 22:45	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/kg	34.1	8.5	1	09/10/21 11:10	09/10/21 22:45	12672-29-6	
PCB-1254 (Aroclor 1254)	ND	ug/kg	34.1	6.4	1	09/10/21 11:10	09/10/21 22:45	11097-69-1	
PCB-1260 (Aroclor 1260)	ND	ug/kg	34.1	8.2	1	09/10/21 11:10	09/10/21 22:45	11096-82-5	
Surrogates									
Decachlorobiphenyl (S)	87	%	10-160		1	09/10/21 11:10	09/10/21 22:45	2051-24-3	
Percent Moisture									
Analytical Method: SW-846									
Pace Analytical Services - Charlotte									
Percent Moisture	2.0	%	0.10	0.10	1		09/09/21 16:15		N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: NCDOT R5709
Pace Project No.: 92560135

QC Batch: 646354 Analysis Method: EPA 8082A
QC Batch Method: EPA 3546 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92560135001, 92560135002, 92560135003, 92560135004, 92560135006, 92560135007, 92560135008, 92560135009, 92560135010, 92560135011, 92560135012, 92560135013, 92560135014, 92560135015, 92560135016

METHOD BLANK: 3390302 Matrix: Solid
Associated Lab Samples: 92560135001, 92560135002, 92560135003, 92560135004, 92560135006, 92560135007, 92560135008, 92560135009, 92560135010, 92560135011, 92560135012, 92560135013, 92560135014, 92560135015, 92560135016

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	ND	32.6	11.9	09/10/21 22:16	
PCB-1221 (Aroclor 1221)	ug/kg	ND	32.6	12.6	09/10/21 22:16	
PCB-1232 (Aroclor 1232)	ug/kg	ND	32.6	11.4	09/10/21 22:16	
PCB-1242 (Aroclor 1242)	ug/kg	ND	32.6	6.1	09/10/21 22:16	
PCB-1248 (Aroclor 1248)	ug/kg	ND	32.6	8.1	09/10/21 22:16	
PCB-1254 (Aroclor 1254)	ug/kg	ND	32.6	6.1	09/10/21 22:16	
PCB-1260 (Aroclor 1260)	ug/kg	ND	32.6	7.8	09/10/21 22:16	
Decachlorobiphenyl (S)	%	94	10-160		09/10/21 22:16	

LABORATORY CONTROL SAMPLE: 3390303

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	164	160	97	54-130	
PCB-1260 (Aroclor 1260)	ug/kg	164	149	90	47-139	
Decachlorobiphenyl (S)	%			96	10-160	

MATRIX SPIKE SAMPLE: 3390304

Parameter	Units	92559545010 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	ND	180	139	77	17-131	
PCB-1260 (Aroclor 1260)	ug/kg	ND	180	124	69	10-142	
Decachlorobiphenyl (S)	%				70	10-160	

SAMPLE DUPLICATE: 3390305

Parameter	Units	92560135001 Result	Dup Result	RPD	Max RPD	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	ND	ND		30	
PCB-1221 (Aroclor 1221)	ug/kg	ND	ND		30	
PCB-1232 (Aroclor 1232)	ug/kg	ND	ND		30	
PCB-1242 (Aroclor 1242)	ug/kg	ND	ND		30	
PCB-1248 (Aroclor 1248)	ug/kg	ND	ND		30	
PCB-1254 (Aroclor 1254)	ug/kg	ND	ND		30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: NCDOT R5709

Pace Project No.: 92560135

SAMPLE DUPLICATE: 3390305

Parameter	Units	92560135001 Result	Dup Result	RPD	Max RPD	Qualifiers
PCB-1260 (Aroclor 1260)	ug/kg	ND	ND		30	
Decachlorobiphenyl (S)	%	41	77			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: NCDOT R5709
Pace Project No.: 92560135

QC Batch: 646939 Analysis Method: EPA 8082A
QC Batch Method: EPA 3546 Analysis Description: 8082 GCS PCB
Laboratory: Pace Analytical Services - Charlotte

Associated Lab Samples: 92560135005

METHOD BLANK: 3393413 Matrix: Solid
Associated Lab Samples: 92560135005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	ND	32.9	12.0	09/14/21 18:18	
PCB-1221 (Aroclor 1221)	ug/kg	ND	32.9	12.7	09/14/21 18:18	
PCB-1232 (Aroclor 1232)	ug/kg	ND	32.9	11.5	09/14/21 18:18	
PCB-1242 (Aroclor 1242)	ug/kg	ND	32.9	6.2	09/14/21 18:18	
PCB-1248 (Aroclor 1248)	ug/kg	ND	32.9	8.2	09/14/21 18:18	
PCB-1254 (Aroclor 1254)	ug/kg	ND	32.9	6.2	09/14/21 18:18	
PCB-1260 (Aroclor 1260)	ug/kg	ND	32.9	7.9	09/14/21 18:18	
Decachlorobiphenyl (S)	%	116	10-160		09/14/21 18:18	

LABORATORY CONTROL SAMPLE: 3393414

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	165	179	108	54-130	
PCB-1260 (Aroclor 1260)	ug/kg	165	189	114	47-139	
Decachlorobiphenyl (S)	%			126	10-160	

MATRIX SPIKE SAMPLE: 3393415

Parameter	Units	92560574001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	ND	1210	679	56	17-131	
PCB-1260 (Aroclor 1260)	ug/kg	ND	1210	778	64	10-142	
Decachlorobiphenyl (S)	%				59	10-160	

SAMPLE DUPLICATE: 3393416

Parameter	Units	92560646001 Result	Dup Result	RPD	Max RPD	Qualifiers
PCB-1016 (Aroclor 1016)	ug/kg	ND	ND		30	
PCB-1221 (Aroclor 1221)	ug/kg	ND	ND		30	
PCB-1232 (Aroclor 1232)	ug/kg	ND	ND		30	
PCB-1242 (Aroclor 1242)	ug/kg	ND	ND		30	
PCB-1248 (Aroclor 1248)	ug/kg	ND	ND		30	
PCB-1254 (Aroclor 1254)	ug/kg	ND	ND		30	
PCB-1260 (Aroclor 1260)	ug/kg	ND	ND		30	
Decachlorobiphenyl (S)	%	40	51			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: NCDOT R5709

Pace Project No.: 92560135

QC Batch: 646151

Analysis Method: SW-846

QC Batch Method: SW-846

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Charlotte

Associated Lab Samples: 92560135001, 92560135002, 92560135003, 92560135004, 92560135005, 92560135006, 92560135007, 92560135008, 92560135009, 92560135010

SAMPLE DUPLICATE: 3389218

Parameter	Units	92559954001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	19.9	20.2	2	25	N2

SAMPLE DUPLICATE: 3389219

Parameter	Units	92560200006 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	27.5	27.0	2	25	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: NCDOT R5709

Pace Project No.: 92560135

QC Batch: 646205

Analysis Method: SW-846

QC Batch Method: SW-846

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Charlotte

Associated Lab Samples: 92560135011, 92560135012, 92560135013, 92560135014, 92560135015, 92560135016

SAMPLE DUPLICATE: 3389693

Parameter	Units	92560062001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	21.0	21.0	0	25	N2

SAMPLE DUPLICATE: 3389694

Parameter	Units	92559793003 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	21.2	21.5	1	25	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: NCDOT R5709

Pace Project No.: 92560135

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

Acid preservation may not be appropriate for 2 Chloroethylvinyl ether.

A separate vial preserved to a pH of 4-5 is recommended in SW846 Chapter 4 for the analysis of Acrolein and Acrylonitrile by EPA Method 8260.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

N2 The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.


QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: NCDOT R5709
Pace Project No.: 92560135

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92560135001	P335-B4-0-2	EPA 3546	646354	EPA 8082A	646606
92560135002	B335-B7-0-2	EPA 3546	646354	EPA 8082A	646606
92560135003	B335-B8-0-2	EPA 3546	646354	EPA 8082A	646606
92560135004	B335-B9-0-2	EPA 3546	646354	EPA 8082A	646606
92560135005	B335-B10-0-2	EPA 3546	646939	EPA 8082A	647290
92560135006	B335-B12-0-2	EPA 3546	646354	EPA 8082A	646606
92560135007	B335-B13-0-2	EPA 3546	646354	EPA 8082A	646606
92560135008	B335-B14-0-2	EPA 3546	646354	EPA 8082A	646606
92560135009	B335-B15-0-2	EPA 3546	646354	EPA 8082A	646606
92560135010	B335-B16-0-2	EPA 3546	646354	EPA 8082A	646606
92560135011	B335-B17-0-2	EPA 3546	646354	EPA 8082A	646606
92560135012	B335-B18-0-2	EPA 3546	646354	EPA 8082A	646606
92560135013	B335-B19-0-2	EPA 3546	646354	EPA 8082A	646606
92560135014	B335-B20-0-2	EPA 3546	646354	EPA 8082A	646606
92560135015	B335-B21-0-2	EPA 3546	646354	EPA 8082A	646606
92560135016	B335-B22-0-2	EPA 3546	646354	EPA 8082A	646606
92560135001	P335-B4-0-2	SW-846	646151		
92560135002	B335-B7-0-2	SW-846	646151		
92560135003	B335-B8-0-2	SW-846	646151		
92560135004	B335-B9-0-2	SW-846	646151		
92560135005	B335-B10-0-2	SW-846	646151		
92560135006	B335-B12-0-2	SW-846	646151		
92560135007	B335-B13-0-2	SW-846	646151		
92560135008	B335-B14-0-2	SW-846	646151		
92560135009	B335-B15-0-2	SW-846	646151		
92560135010	B335-B16-0-2	SW-846	646151		
92560135011	B335-B17-0-2	SW-846	646205		
92560135012	B335-B18-0-2	SW-846	646205		
92560135013	B335-B19-0-2	SW-846	646205		
92560135014	B335-B20-0-2	SW-846	646205		
92560135015	B335-B21-0-2	SW-846	646205		
92560135016	B335-B22-0-2	SW-846	646205		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

	Document Name: Sample Condition Upon Receipt(SCUR)	Document Revised: October 28, 2020 Page 1 of 2
	Document No.: F-CAR-CS-033-Rev.07	Issuing Authority: Pace Carolinas Quality Office

Laboratory receiving samples:

Asheville Eden Greenwood Huntersville Raleigh Mechanicsville Atlanta Kernersville

Sample Condition Upon Receipt

Client Name:

WOOD

Project #:

WO# : 92560135

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____



Custody Seal Present? Yes No Seals Intact? Yes No

Date/Initials Person Examining Contents: K6 9/9/21

Packing Material: Bubble Wrap Bubble Bags None Other

Biological Tissue Frozen?

Thermometer: IR Gun ID: 927064 Type of Ice: Wet Blue None

Yes No N/A

Cooler Temp: 5.3 Correction Factor: Add/Subtract (°C) 0

Temp should be above freezing to 6°C

Samples out of temp criteria. Samples on ice, cooling process has begun

Cooler Temp Corrected (°C): 5.3

USDA Regulated Soil (N/A, water sample)

Did samples originate in a quarantine zone within the United States: CA, NY, or SC (check maps)?

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

Yes No

	Comments/Discrepancy:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Short Hold Time Analysis (<72 hr.)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	3.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	6.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.
Dissolved analysis: Samples Field Filtered? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	8.
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>	
Headspace in VOA Vials (>5-6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	10.
Trip Blank Present? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	11.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

COMMENTS/SAMPLE DISCREPANCY

Field Data Required? Yes No

Lot ID of split containers:

CLIENT NOTIFICATION/RESOLUTION

Person contacted: _____ Date/Time: _____

Project Manager SCURF Review: _____

Date: _____

Project Manager SRF Review: _____

Date: _____



Document Name:
Sample Condition Upon Receipt(SCUR)
 Document No.:
F-CAR-CS-033-Rev.07

Document Revised: October 28, 2020
 Page 2 of 2
 Issuing Authority:
 Pace Carolinas Quality Office

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.

Project #

WO# : 92560135

PM: RNB

Due Date: 09/15/21

CLIENT: 92-AMEC C

Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg

**Bottom half of box is to list number of bottles

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (C-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)	BP4S-125 mL Plastic H2SO4 (pH < 2) (C-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4C-125 mL Plastic NaOH (pH > 12) (C-)	WGFU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (C-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (C-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	AG3A(DG3A)-250 mL Amber NH4Cl (N/A)(C-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unp (N/A)	DG9P-40 mL VOA H3PO4 (N/A)	VOAK (6 vials per kit)-S035 kit (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A - lab)	SP2T-250 mL Sterile Plastic (N/A - lab)	BP3A-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved vials (N/A)	V5GU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)	
1																												
2																												
3																												
4																												
5																												
6																												
7																												
8																												
9																												
10																												
11																												
12																												

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office. (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.



Document Name:
 Sample Condition Upon Receipt(SCUR)
 Document No.:
 F-CAR-CS-033-Rev.07

Document Revised: October 28, 2020
 Page 2 of 2
 Issuing Authority:

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.

Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg

**Bottom half of box is to list number of bottles

Project **WO# : 92560135**

PM: RNB

Due Date: 09/15/21

CLIENT: 92-AMEC C

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)	BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4C-125 mL Plastic NaOH (pH > 12) (Cl-)	WGfU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	AG3A(DG3A)-250 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA H2S2O3 (N/A)	VG9U-40 mL VOA Imp (N/A)	DG9P-40 mL VOA H3PO4 (N/A)	VOAK (6 vials per kit)-S035 kit (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A - lab)	SP2T-250 mL Sterile Plastic (N/A - lab)		BP3A-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved vials (N/A)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)	
1																													
2																													
3																													
4																													
5																													
6																													
7																													
8																													
9																													
10																													
11																													
12																													

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 2 of 2

Section A
Required Client Information:
Company: Wood
Address: 2801 Yorkmont Rd
Charlotte, NC 28208
Email To: andrew.frantz@woodpic.com
Phone: _____
Requested Due Date/TAT: Normal

Section B
Required Project Information:
Report To: Andrew Frantz
Copy To: _____
Purchase Order No.: 20478R5709.02.****
Project Name: NCDOT R5709
Project Number: _____

Section C
Invoice Information:
Attention: _____
Company Name: Wood
Address: _____
Pace Quote Reference: _____
Pace Project Manager: _____
Pace Profile #: _____

REGULATORY AGENCY
 NPDES GROUND WATER DRINKING WATER
 UST RCRA OTHER _____
 Site Location: _____ STATE: NC

ITEM #	Section D Required Client Information	Valid Matrix Codes MATRIX CODE DW DRINKING WATER WT WASTE WATER WP WASTE WATER PRODUCT SL SOIL/SOLID OIL OIL WI WIPE AR AIR OT OTHER TS TISSUE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives Unpreserved H ₂ SO ₄ HNO ₃ HCl NaOH Na ₂ S ₂ O ₃ Methanol Other	Analysis Test ↑ Y/N	PCBs Y/N	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.
					COMPOSITE START	COMPOSITE END/DUOS								
1			SL	G	DATE	TIME	DATE	TIME						001
2				G	09/07/21	11:15	09/07/21	12:40						002
3				G	09/07/21	12:45	09/07/21	12:50						003
4				G	09/07/21	12:55	09/07/21	13:00						004
5				G	09/07/21	13:05	09/07/21	13:10						005
6				G	09/07/21	13:15	09/07/21	13:20						006
7				G	09/07/21	13:25	09/07/21	13:25						007
8				G										008
9				G										009
10				G										010
11				G										011
12				G										012

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
	Andrew Frantz	9/8/21	6:50	Andrew Frantz	9/8	0730	
	Andrew Frantz	9/8	1310	KS Pace HVL	9/8/21	1316	5.3 Y N Y

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: Andrew Frantz
 SIGNATURE of SAMPLER: *Andrew Frantz*
 DATE Signed (MM/DD/YYYY): 9/8/21

Temp in °C: _____
 Received on Ice (Y/N): _____
 Custody Sealed Cooler (Y/N): _____
 Samples Intact (Y/N): _____

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A
Required Client Information:
Company: **Wood**
Address: **2801 Yorkmont Rd
Charlotte, NC 28208**
Email To: **andrew.frantz@woodpic.com**
Phone: _____ Fax: _____
Requested Due Date/TAT: **Normal**

Section B
Required Project Information:
Report To: **Andrew Frantz**
Copy To: _____
Purchase Order No.: **20478R5709.02.******
Project Name: **NCDOT R5709**
Project Number: _____

Section C
Invoice Information:
Attention: _____
Company Name: **Wood**
Address: _____
Pace Quote Reference: _____
Pace Project Manager: _____
Pace Profile #: _____

REGULATORY AGENCY
 NPDES GROUND WATER DRINKING WATER
 UST RCRA OTHER _____
 Site Location: _____ STATE: **NC**

Page: **2** of **2**

ITEM #	Section D Required Client Information	Valid Matrix Codes MATRIX CODE DW DRINKING WATER WT WASTE WATER WP WASTE PRODUCT SL SOIL/SOLID OL OIL WI WIPE AR AIR OT OTHER TS TISSUE	MATRIX CODE (see yield codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		PRESERVATIVES	# OF CONTAINERS	ACCEPTED BY / AFFILIATION	DATE	TIME	DATE	TIME	SAMPLE CONDITIONS
					COMPOSITE START	COMPOSITE END/GRAB								
1	P335-B19-0-2		G	G	09/07/21	13:30	Unpreserved	1				9/8	0730	
2	P335-B20-0-2		G	G	09/07/21	13:35		1				9/8	0730	
3	P335-B21-0-2		G	G	09/07/21	13:40		1				9/8	0810	
4	P335-B22-0-2		G	G	09/07/21	13:45		1				9/8	0810	
5														
6														
7														
8														
9														
10														
11														
12														

Requested Analysis Filtered (Y/N)

Residual Chlorine (Y/N)

Pace Project No./ Lab I.D.
92560135
013
014
015
016

Temp in °C

Received on Ice (Y/N)

Sealed Cooler (Y/N)

Samples Intact (Y/N)

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: **Andrew Frantz**
 SIGNATURE of SAMPLER: *Andrew Frantz*
 DATE Signed (MM/DD/YYYY): **9/8/21**