

REPLACE CONCRETE APRON
SEED AND MULCH DISTURBED AREA
ROCK INLET SEDIMENT TRAP TYPE C
WATTLES IN DITCH UPGRADE OF INLET

REPLACE CONCRETE APRON
SEED AND MULCH DISTURBED AREA
ROCK INLET SEDIMENT TRAP TYPE C
WATTLES IN DITCH UPGRADE OF INLET

PROVIDE 12' FDPs
FOR 250'
SEE SHEET 2A-2, DETAIL A

PROVIDE 12' FDPs
FOR 250'
SEE SHEET 2A-2, DETAIL A


EROSION CONTROL NOTES:

CONTRACTOR SHALL PROVIDE GROUND COVER ON EXPOSED SLOPES IN ACCORDANCE WITH THE "SOIL STABILIZATION TIMEFRAMES", SEE EC-1.

PROVIDE CONCRETE WASHOUT STRUCTURE IN ACCORDANCE WITH EROSION CONTROL SPECIAL PROVISION AND SPECIAL DETAIL "ONSITE CONCRETE WASHOUT STRUCTURE WITH LINER". SEE EC-2.

INSTALL EROSION CONTROL MEASURES IN ACCORDANCE WITH EROSION CONTROL DETAIL AND AS DIRECTED BY ENGINEER. SEE EC-3.

CONTRACTOR SHALL PROVIDE INLET PROTECTION FOR PARTIALLY INSTALLED STORM DRAINS. THIS MEASURE SHOULD BE INSTALLED AT THE END OF EACH WORKING DAY.



REMOVE EXISTING END UNIT
& ADD 200' OF GUARDRAIL
TO EXISTING

REMOVE EXISTING END UNIT
& ADD 137.5' OF GUARDRAIL
TO EXISTING

REMOVE EXISTING END UNIT
& ADD 137.5' OF GUARDRAIL
TO EXISTING


REMOVE EXISTING END UNIT
& ADD 187.5' OF GUARDRAIL
TO EXISTING

PROVIDE 12' FDPs
FOR 250'
SEE SHEET 2A-2, DETAIL A

PROVIDE 12' FDPs
FOR 250'
SEE SHEET 2A-2, DETAIL A

INSTALL CONCRETE APRON
SEED AND MULCH DISTURBED AREA
ROCK INLET SEDIMENT TRAP TYPE C
WATTLES IN DITCH UPGRADE OF INLET

REPLACE CONCRETE APRON
SEED AND MULCH DISTURBED AREA
ROCK INLET SEDIMENT TRAP TYPE C
WATTLES IN DITCH UPGRADE OF INLET



8/17/99
10/2/07 AM
N:\218006\002\CADD\NCDOT\Roadway\Proc\HI-0018\HI-0018_RDY_PSH_06.dgn