



STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION

ROY COOPER
GOVERNOR

JAMES H. TROGDON, III
SECRETARY

October 15, 2019

MEMORANDUM TO: Clark Morrison PhD, P.E.
State Pavement Design Engineer

Brenda L. Moore, P.E. CPM
State Roadway Design Engineer

FROM: J. L. Pilipchuk, P.E., L.G.
State Geotechnical Engineer

DocuSigned by:
John Pilipchuk
52C44B94B8BE444...

STATE PROJECT: 50189.1.1 (U-5777) Turnkey

COUNTY: Catawba

DESCRIPTION: NC 127 from 1st Avenue to southeast of 2nd Avenue

SUBJECT: Geotechnical Recommendations for Pavement Design

The Geotechnical Engineering Unit has completed the evaluation of the pavement and subgrade investigation for this project and presents the following recommendations.

The proposed work consists of widening NC 127 to construct additional lanes and center raised medians.

The subgrade beneath the existing roadway consists of roadway embankment and residual soils. Predominant soil types are sandy clay (A-6) and silty clays (A-7-5, A-7-6).

The project mainline is approximately 65 percent embankment. Anticipated borrow will likely consists of residual sandy clay (A-6) and silty clay (A-7).

The length of this project is 0.264 miles.

The design soil type is a silty clay (A-7)

ENVIRONMENTAL DESIGN INPUTS							
DESIGN SOIL TYPE(S)	PASSING #200 SIEVE (%)	OPTIMUM MOISTURE CONTENT (%)	MAXIMUM DRY DENSITY (pcf)	LL	PI	ASSUMED SPECIFIC GRAVITY (G _s)	CBR (0.2")
Silty Clay (A-7-6)	58.2	18.0	109.4	47	23	2.65	6.4
Sandy Clay (A-6)	57.7	20.0	103.1	40	20	2.65	6.7

AREAS OF SPECIAL GEOTECHNICAL INTEREST

A. Highly Plastic Clays:

Locations of clays with a PI of 26 or greater.

LINE	STATION AND OFFSET	PI
-L-	16+80 NB OSL	32
-L-	16+80 NB ISL	28

B. Ground Water or Trapped Water within the Pavement:

No ground water or trapped water was observed during this investigation.

C. Soils with a High Moisture Content:

Locations of soils that were classified as wet to saturated or moisture exceeded the plastic limit.

LINE	STATION AND OFFSET	MOISTURE CONTENT
-L-	20+00 SB OSL	20.1
-Y1-	13+25 WB LT LN	25.9

D. Existing Pavement

Overall the existing pavement was observed to be in fair to good condition.

Surface pavement distress is primarily characterized by low to moderate severity longitudinal, transverse and some isolated fatigue cracking.

DESIGN AND CONSTRUCTION RECOMMENDATIONS

I. Subgrade Stability

A. Aggregate Stabilization

Stabilizer Aggregate

Recommend a quantity of 50 tons of Stabilizer Aggregate to be included in the project contract as a contingency item.

B. Aggregate Subgrade (Type 1)

- 1) Recommend a quantity of 200 cubic yards of shallow undercut to be included in the project contract as a contingency item.

2) Geotextile for Soil Stabilization

Recommend 600 square yards of Geotextile for Soil Stabilization to be included in the project contract as a contingency item.

3) Class IV Subgrade Stabilization

Recommend 400 tons of Class IV Subgrade Stabilization material to be included in the project contract as a contingency item. This material needs to be calculated as waste.

II. Miscellaneous

A. Proof Rolling

It is recommended that proof rolling not be performed on this project.

Note: For additional recommendations and quantities refer to the forthcoming Geotechnical Report-Design and Construction Recommendations.

JLP/JBB

ATTACHMENT 1:	Pavement and Subgrade Inventory	18
ATTACHMENT 2:	DCP Graphs	8
ATTACHMENT 3:	Pavement Core Evaluation	1



NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
GEOTECHNICAL ENGINEERING UNIT

Summary of Quantities

WBS Number: 50189.1.1

County: Catawba

Project Engineer: _____

TIP Number: U-5777

Field Office / PEF: _____

Project Geologist: J. B. Barfield

Description: NC 127 from 1st Avenue to southeast of 2nd Avenue

Pay Item No.	Pay Item/ Quantity Adjustment	Spec Book Section No. or Special Provision (SP) Reference	Report Section	Alignment	Begin Station	End Station	Quantity	Units / %
0196000000-E	Geotextile for Soil Stabilization	270 - Geotextile for Soil Stabilization	I. B	Contingency	N/A	N/A	600	SY
Total Quantity of Geotextile for Soil Stabilization =							600	SY
1099500000-E	Shallow Undercut	505 - Aggregate Subgrade	I. B	Contingency	N/A	N/A	200	CY
Total Quantity of Shallow Undercut =							200	CY
1099700000-E	Class IV Subgrade Stabilization	505 - Aggregate Subgrade	I. B	Contingency	N/A	N/A	400	TON
Total Quantity of Class IV Subgrade Stabilization =							400	TON
1110000000-E	Stabilizer Aggregate	510 - Aggregate Stabilization	I. A	Contingency	N/A	N/A	50	TON
Total Quantity of Stabilizer Aggregate =							50	TON

PROJECT: 50189.1.1

REFERENCE: U-5777

CONTENTS

SHEET NO.	DESCRIPTION
1	TITLE SHEET
2	LEGEND (SOIL & ROCK)
3-4	SITE PLANS
5-6	PAVEMENT DATA
7-10	DCP LOGS
11-12	CORE PHOTOS
13-18	LAB SUMMARY

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT

ROADWAY
SUBSURFACE INVESTIGATION

COUNTY CATAWBA
PROJECT DESCRIPTION NC 127 - 1ST AVENUE SE TO
2ND AVENUE SE

PAVEMENT AND SUBGRADE INVENTORY

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	U-5777	1	18

CAUTION NOTICE

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF STUDY, PLANNING AND DESIGN, AND NOT FOR CONSTRUCTION OR PAY PURPOSES. THE VARIOUS FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA AVAILABLE MAY BE REVIEWED OR INSPECTED IN RALEIGH BY CONTACTING THE N. C. DEPARTMENT OF TRANSPORTATION, GEOTECHNICAL ENGINEERING UNIT AT (919) 707-6850. THE SUBSURFACE PLANS AND REPORTS, FIELD BORING LOGS, ROCK CORES AND SOIL TEST DATA ARE NOT PART OF THE CONTRACT.

GENERAL SOIL AND ROCK STRATA DESCRIPTIONS AND INDICATED BOUNDARIES ARE BASED ON A GEOTECHNICAL INTERPRETATION OF ALL AVAILABLE SUBSURFACE DATA AND MAY NOT NECESSARILY REFLECT THE ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS OR BETWEEN SAMPLED STRATA WITHIN THE BOREHOLE. THE LABORATORY SAMPLE DATA AND THE IN SITU (IN-PLACE) TEST DATA CAN BE RELIED ON ONLY TO THE DEGREE OF RELIABILITY INHERENT IN THE STANDARD TEST METHOD. THE OBSERVED WATER LEVELS OR SOIL MOISTURE CONDITIONS INDICATED IN THE SUBSURFACE INVESTIGATIONS ARE AS RECORDED AT THE TIME OF THE INVESTIGATION. THESE WATER LEVELS OR SOIL MOISTURE CONDITIONS MAY VARY CONSIDERABLY WITH TIME ACCORDING TO CLIMATIC CONDITIONS INCLUDING TEMPERATURES, PRECIPITATION AND WIND, AS WELL AS OTHER NON-CLIMATIC FACTORS.

THE BIDDER OR CONTRACTOR IS CAUTIONED THAT DETAILS SHOWN ON THE SUBSURFACE PLANS ARE PRELIMINARY ONLY AND IN MANY CASES THE FINAL DESIGN DETAILS ARE DIFFERENT. FOR BIDDING AND CONSTRUCTION PURPOSES, REFER TO THE CONSTRUCTION PLANS AND DOCUMENTS FOR FINAL DESIGN INFORMATION ON THIS PROJECT. THE DEPARTMENT DOES NOT WARRANT OR GUARANTEE THE SUFFICIENCY OR ACCURACY OF THE INVESTIGATION MADE, NOR THE INTERPRETATIONS MADE, OR OPINION OF THE DEPARTMENT AS TO THE TYPE OF MATERIALS AND CONDITIONS TO BE ENCOUNTERED. THE BIDDER OR CONTRACTOR IS CAUTIONED TO MAKE SUCH INDEPENDENT SUBSURFACE INVESTIGATIONS AS HE DEEMS NECESSARY TO SATISFY HIMSELF AS TO CONDITIONS TO BE ENCOUNTERED ON THE PROJECT. THE CONTRACTOR SHALL HAVE NO CLAIM FOR ADDITIONAL COMPENSATION OR FOR AN EXTENSION OF TIME FOR ANY REASON RESULTING FROM THE ACTUAL CONDITIONS ENCOUNTERED AT THE SITE DIFFERING FROM THOSE INDICATED IN THE SUBSURFACE INFORMATION.

- NOTES:
- THE INFORMATION CONTAINED HEREIN IS NOT IMPLIED OR GUARANTEED BY THE N. C. DEPARTMENT OF TRANSPORTATION AS ACCURATE NOR IS IT CONSIDERED PART OF THE PLANS, SPECIFICATIONS OR CONTRACT FOR THE PROJECT.
 - BY HAVING REQUESTED THIS INFORMATION, THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

PERSONNEL

INVESTIGATED BY A. BLYTHE

DRAWN BY J. NELSON


CHECKED BY V. MITCHEV

SUBMITTED BY V. MITCHEV

DATE AUGUST 2019

&

3201 SPRING FOREST ROAD
RALEIGH, NC 27616
(919) 872-2660



DocuSigned by:
Vladimir G. Mitchev
16/2019

SIGNATURE DATE

DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION


DIVISION OF HIGHWAYS

GEOTECHNICAL ENGINEERING UNIT

SUBSURFACE INVESTIGATION

SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS

SOIL DESCRIPTION										GRADATION										ROCK DESCRIPTION										TERMS AND DEFINITIONS									
SOIL IS CONSIDERED UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A CONTINUOUS FLIGHT POWER AUGER AND YIELD LESS THAN 100 BLOWS PER FOOT ACCORDING TO THE STANDARD PENETRATION TEST (AASHTO T 206, ASTM D1586). SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM. BASIC DESCRIPTIONS GENERALLY INCLUDE THE FOLLOWING: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. FOR EXAMPLE, <i>VERY STIFF, GRAY, SILTY CLAY, MOIST WITH INTERBEDDED FINE SAND LAYERS, HIGHLY PLASTIC, A-7-6</i>										WELL GRADED - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE. UNIFORMLY GRADED - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE. GAP-GRADED - INDICATES A MIXTURE OF UNIFORM PARTICLE SIZES OF TWO OR MORE SIZES.										HARD ROCK IS NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT REFUSAL IF TESTED. AN INFERRED ROCK LINE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL. SPT REFUSAL IS PENETRATION BY A SPLIT SPOON SAMPLER EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS IN NON-COASTAL PLAIN MATERIAL. THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK. ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS:										ALLUVIUM (ALLUV.) - SOILS THAT HAVE BEEN TRANSPORTED BY WATER. AQUIFER - A WATER BEARING FORMATION OR STRATA. ARENACEOUS - APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND. ARGILLACEOUS - APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MINERALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, SUCH AS SHALE, SLATE, ETC. ARTESIAN - GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE. CALCAREOUS (CALC.) - SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE. COLLUVIUM - ROCK FRAGMENTS MIXED WITH SOIL DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE. CORE RECOVERY (REC.) - TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. DIKE - A TABULAR BODY OF IGNEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK. DIP - THE ANGLE AT WHICH A STRATUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL. DIP DIRECTION (DIP AZIMUTH) - THE DIRECTION OR BEARING OF THE HORIZONTAL TRACE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH. FAULT - A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE. FISSILE - A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES. FLOOD - ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLODGED FROM PARENT MATERIAL. FLOOD PLAIN (FP) - LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM. FORMATION (FM) - A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD. JOINT - FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED. LEDGE - A SHELF-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT. LENS - A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS. MOTTLED (MOT.) - IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS. MOTTLING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE. PERCHED WATER - WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM. RESIDUAL (RES.) SOIL - SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK. ROCK QUALITY DESIGNATION (ROD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. SAPROLITE (SAP.) - RESIDUAL SOIL THAT RETAINS THE RELIC STRUCTURE OR FABRIC OF THE PARENT ROCK. SILL - AN INTRUSIVE BODY OF IGNEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT, THAT HAS BEEN EMPLACED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRODUCED ROCKS. SLICKENSIDE - POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE. STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT) - NUMBER OF BLOWS (IN OR BPF) OF A 140 LB. HAMMER FALLING 30 INCHES REQUIRED TO PRODUCE A PENETRATION OF 1 FOOT INTO SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPOON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 0.1 FOOT PER 60 BLOWS. STRATA CORE RECOVERY (SREC.) - TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE. STRATA ROCK QUALITY DESIGNATION (SROD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATUM EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE. TOPSOIL (TS.) - SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER.									
SOIL LEGEND AND AASHTO CLASSIFICATION										MINERALOGICAL COMPOSITION										WEATHERING																			
GENERAL CLASS. GRANULAR MATERIALS (< 35% PASSING #200) SILT-CLAY MATERIALS (> 35% PASSING #200) ORGANIC MATERIALS										MINERAL NAMES SUCH AS QUARTZ, FELDSPAR, MICA, TALC, KAOLIN, ETC. ARE USED IN DESCRIPTIONS WHEN THEY ARE CONSIDERED OF SIGNIFICANCE.										FRESH ROCK FRESH, CRYSTALS BRIGHT, FEW JOINTS MAY SHOW SLIGHT STAINING. ROCK RINGS UNDER HAMMER IF CRYSTALLINE.																			
GROUP CLASS. A-1, A-2, A-3, A-4, A-5, A-6, A-7, A-8, A-9, A-10, A-11, A-12, A-13, A-14, A-15, A-16, A-17, A-18, A-19, A-20, A-21, A-22, A-23, A-24, A-25, A-26, A-27, A-28, A-29, A-30, A-31, A-32, A-33, A-34, A-35, A-36, A-37, A-38, A-39, A-40, A-41, A-42, A-43, A-44, A-45, A-46, A-47, A-48, A-49, A-50, A-51, A-52, A-53, A-54, A-55, A-56, A-57, A-58, A-59, A-60, A-61, A-62, A-63, A-64, A-65, A-66, A-67, A-68, A-69, A-70, A-71, A-72, A-73, A-74, A-75, A-76, A-77, A-78, A-79, A-80, A-81, A-82, A-83, A-84, A-85, A-86, A-87, A-88, A-89, A-90, A-91, A-92, A-93, A-94, A-95, A-96, A-97, A-98, A-99, A-100, A-101, A-102, A-103, A-104, A-105, A-106, A-107, A-108, A-109, A-110, A-111, A-112, A-113, A-114, A-115, A-116, A-117, A-118, A-119, A-120, A-121, A-122, A-123, A-124, A-125, A-126, A-127, A-128, A-129, A-130, A-131, A-132, A-133, A-134, A-135, A-136, A-137, A-138, A-139, A-140, A-141, A-142, A-143, A-144, A-145, A-146, A-147, A-148, A-149, A-150, A-151, A-152, A-153, A-154, A-155, A-156, A-157, A-158, A-159, A-160, A-161, A-162, A-163, A-164, A-165, A-166, A-167, A-168, A-169, A-170, A-171, A-172, A-173, A-174, A-175, A-176, A-177, A-178, A-179, A-180, A-181, A-182, A-183, A-184, A-185, A-186, A-187, A-188, A-189, A-190, A-191, A-192, A-193, A-194, A-195, A-196, A-197, A-198, A-199, A-200, A-201, A-202, A-203, A-204, A-205, A-206, A-207, A-208, A-209, A-210, A-211, A-212, A-213, A-214, A-215, A-216, A-217, A-218, A-219, A-220, A-221, A-222, A-223, A-224, A-225, A-226, A-227, A-228, A-229, A-230, A-231, A-232, A-233, A-234, A-235, A-236, A-237, A-238, A-239, A-240, A-241, A-242, A-243, A-244, A-245, A-246, A-247, A-248, A-249, A-250, A-251, A-252, A-253, A-254, A-255, A-256, A-257, A-258, A-259, A-260, A-261, A-262, A-263, A-264, A-265, A-266, A-267, A-268, A-269, A-270, A-271, A-272, A-273, A-274, A-275, A-276, A-277, A-278, A-279, A-280, A-281, A-282, A-283, A-284, A-285, A-286, A-287, A-288, A-289, A-290, A-291, A-292, A-293, A-294, A-295, A-296, A-297, A-298, A-299, A-300, A-301, A-302, A-303, A-304, A-305, A-306, A-307, A-308, A-309, A-310, A-311, A-312, A-313, A-314, A-315, A-316, A-317, A-318, A-319, A-320, A-321, A-322, A-323, A-324, A-325, A-326, A-327, A-328, A-329, A-330, A-331, A-332, A-333, A-334, A-335, A-336, A-337, A-338, A-339, A-340, A-341, A-342, A-343, A-344, A-345, A-346, A-347, A-348, A-349, A-350, A-351, A-352, A-353, A-354, A-355, A-356, A-357, A-358, A-359, A-360, A-361, A-362, A-363, A-364, A-365, A-366, A-367, A-368, A-369, A-370, A-371, A-372, A-373, A-374, A-375, A-376, A-377, A-378, A-379, A-380, A-381, A-382, A-383, A-384, A-385, A-386, A-387, A-388, A-389, A-390, A-391, A-392, A-393, A-394, A-395, A-396, A-397, A-398, A-399, A-400, A-401, A-402, A-403, A-404, A-405, A-406, A-407, A-408, A-409, A-410, A-411, A-412, A-413, A-414, A-415, A-416, A-417, A-418, A-419, A-420, A-421, A-422, A-423, A-424, A-425, A-426, A-427, A-428, A-429, A-430, A-431, A-432, A-433, A-434, A-435, A-436, A-437, A-438, A-439, A-440, A-441, A-442, A-443, A-444, A-445, A-446, A-447, A-448, A-449, A-450, A-451, A-452, A-453, A-454, A-455, A-456, A-457, A-458, A-459, A-460, A-461, A-462, A-463, A-464, A-465, A-466, A-467, A-468, A-469, A-470, A-471, A-472, A-473, A-474, A-475, A-476, A-477, A-478, A-479, A-480, A-481, A-482, A-483, A-484, A-485, A-486, A-487, A-488, A-489, A-490, A-491, A-492, A-493, A-494, A-495, A-496, A-497, A-498, A-499, A-500, A-501, A-502, A-503, A-504, A-505, A-506, A-507, A-508, A-509, A-510, A-511, A-512, A-513, A-514, A-515, A-516, A-517, A-518, A-519, A-520, A-521, A-522, A-523, A-524, A-525, A-526, A-527, A-528, A-529, A-530, A-531, A-532, A-533, A-534, A-535, A-536, A-537, A-538, A-539, A-540, A-541, A-542, A-543, A-544, A-545, A-546, A-547, A-548, A-549, A-550, A-551, A-552, A-553, A-554, A-555, A-556, A-557, A-558, A-559, A-560, A-561, A-562, A-563, A-564, A-565, A-566, A-567, A-568, A-569, A-570, A-571, A-572, A-573, A-574, A-575, A-576, A-577, A-578, A-579, A-580, A-581, A-582, A-583, A-584, A-585, A-586, A-587, A-588, A-589, A-590, A-591, A-592, A-593, A-594, A-595, A-596, A-597, A-598, A-599, A-600, A-601, A-602, A-603, A-604, A-605, A-606, A-607, A-608, A-609, A-610, A-611, A-612, A-613, A-614, A-615, A-616, A-617, A-618, A-619, A-620, A-621, A-622, A-623, A-624, A-625, A-626, A-627, A-628, A-629, A-630, A-631, A-632, A-633, A-634, A-635, A-636, A-637, A-638, A-639, A-640, A-641, A-642, A-643, A-644, A-645, A-646, A-647, A-648, A-649, A-650, A-651, A-652, A-653, A-654, A-655, A-656, A-657, A-658, A-659, A-660, A-661, A-662, A-663, A-664, A-665, A-666, A-667, A-668, A-669, A-670, A-671, A-672, A-673, A-674, A-675, A-676, A-677, A-678, A-679, A-680, A-681, A-682, A-683, A-684, A-685, A-686, A-687, A-688, A-689, A-690, A-691, A-692, A-693, A-694, A-695, A-696, A-697, A-698, A-699, A-700, A-701, A-702, A-703, A-704, A-705, A-706, A-707, A-708, A-709, A-710, A-711, A-712, A-713, A-714, A-715, A-716, A-717, A-718, A-719, A-720, A-721, A-722, A-723, A-724, A-725, A-726, A-727, A-728, A-729, A-730, A-731, A-732, A-733, A-734, A-735, A-736, A-737, A-738, A-739, A-740, A-741, A-742, A-743, A-744, A-745, A-746, A-747, A-748, A-749, A-750, A-751, A-752, A-753, A-754, A-755, A-756, A-757, A-758, A-759, A-760, A-761, A-762, A-763, A-764, A-765, A-766, A-767, A-768, A-769, A-770, A-771, A-772, A-773, A-774, A-775, A-776, A-777, A-778, A-779, A-780, A-781, A-782, A-783, A-784, A-785, A-786, A-787, A-788, A-789, A-790, A-791, A-792, A-793, A-794, A-795, A-796, A-797, A-798, A-799, A-800, A-801, A-802, A-803, A-804, A-805, A-806, A-807, A-808, A-809, A-810, A-811, A-812, A-813, A-814, A-815, A-816, A-817, A-818, A-819, A-820, A-821, A-822, A-823, A-824, A-825, A-826, A-827, A-828, A-829, A-830, A-831, A-832, A-833, A-834, A-835, A-836, A-837, A-838, A-839, A-840, A-841, A-842, A-843, A-844, A-845, A-846, A-847, A-848, A-849, A-850, A-851, A-852, A-853, A-854, A-855, A-856, A-857, A-858, A-859, A-860, A-861, A-862, A-863, A-864, A-865, A-866, A-867, A-868, A-869, A-870, A-871, A-872, A-873, A-874, A-875, A-876, A-877, A-878, A-879, A-880, A-881, A-882, A-883, A-884, A-885, A-886, A-887, A-888, A-889, A-890, A-891, A-892, A-893, A-894, A-895, A-896, A-897, A-898, A-899, A-900, A-901, A-902, A-903, A-904, A-905, A-906, A-907, A-908, A-909, A-910, A-911, A-912, A-913, A-914, A-915, A-916, A-917, A-918, A-919, A-920, A-921, A-922, A-923, A-924, A-925, A-926, A-927, A-928, A-929, A-930, A-931, A-932, A-933, A-934, A-935, A-936, A-937, A-938, A-939, A-940, A-941, A-942, A-943, A-944, A-945, A-946, A-947, A-948, A-949, A-950, A-951, A-952, A-953, A-954, A-955, A-956, A-957, A-958, A-959, A-960, A-961, A-962, A-963, A-964, A-965, A-966, A-967, A-968, A-969, A-970, A-971, A-972, A-973, A-974, A-975, A-976, A-977, A-978, A-979, A-980, A-981, A-982, A-983, A-984, A-985, A-986, A-987, A-988, A-989, A-990, A-991, A-992, A-993, A-994, A-995, A-996, A-997, A-998, A-999, A-1000, A-1001, A-1002, A-1003, A-1004, A-1005, A-1006, A-1007, A-1008, A-1009, A-1010, A-1011, A-1012, A-1013, A-1014, A-1015, A-1016, A-1017, A-1018, A-1019, A-1020, A-1021, A-1022, A-1023, A-1024, A-1025, A-1026, A-1027, A-1028, A-1029, A-1030, A-1031, A-1032, A-1033, A-1034, A-1035, A-1036, A-1037, A-1038, A-1039, A-1040, A-1041, A-1042, A-1043, A-1044, A-1045, A-1046, A-1047, A-1048, A-1049, A-1050, A-1051, A-1052, A-1053, A-1054, A-1055, A-1056, A-1057, A-1058, A-1059, A-1060, A-1061, A-1062, A-1063, A-1064, A-1065, A-1066, A-1067, A-1068, A-1069, A-1070, A-1071, A-1072, A-1073, A-1074, A-1075, A-1076, A-1077, A-1078, A-1079, A-1080, A-1081, A-1082, A-1083, A-1084, A-1085, A-1086, A-1087, A-1088, A-1089, A-1090, A-1091, A-1092, A-1093, A-1094, A-1095, A-1096, A-1097, A-1098, A-1099, A-1100, A-1101, A-1102, A-1103, A-1104, A-1105, A-1106, A-1107, A-1108, A-1109, A-1110, A-1111, A-1112, A-1113, A-1114, A-1115, A-1116, A-1117, A-1118, A-1119, A-1120, A-1121, A-1122, A-1123, A-1124, A-1125, A-1126, A-1127, A-1128, A-1129, A-1130, A-1131, A-1132, A-1133, A-1134, A-1135, A-1136, A-1137, A-1138, A-1139, A-1140, A-1141, A-1142, A-1143, A-1144, A-1145, A-1146, A-1147, A-1148, A-1149, A-1150, A-1151, A-1152, A-1153, A-1154, A-1155, A-1156, A-1157, A-1158, A-1159, A-1160, A-1161, A-1162, A-1163, A-1164, A-1165, A-1166, A-1167, A-1168, A-1169, A-1170, A-1171, A-1172, A-1173, A-1174, A-1175, A-1176, A-1177, A-1178, A-1179, A-1180, A-1181, A-1182, A-1183, A-1184, A-1185, A-1186, A-1187, A-1188, A-1189, A-1190, A-1191, A-1192, A-1193, A-1194, A-1195, A-1196, A-1197, A-1198, A-1199, A-1200, A-1201, A-1202, A-1203, A-1204, A-1205, A-1206, A-1207, A-1208, A-1209, A-1210, A-1211, A-1212, A-1213, A-1214, A-1215, A-1216, A-1217, A-1218, A-1219, A-1220, A-1221, A-1222, A-1223, A-1224, A-1225, A-1226, A-1227, A-1228, A-1229, A-1230, A-1231, A-1232, A-1233, A-1234, A-1235, A-1236, A-1237, A-1238, A-1239, A-1240, A-1241, A-1242, A-1243, A-1244, A-1245, A-1246, A-1247, A-1248, A-1249, A-1250, A-1251, A-1252, A-1253, A-1254, A-1255, A-1256, A-1257, A-1258, A-1259, A-1260, A-1261, A-1262, A-1263, A-1264, A-1265, A-1266, A-1267, A-1268, A-1269, A-1270, A-1271, A-1272, A-1273, A-1274, A-1275, A-1276, A-1277, A-1278, A-1279, A-1280, A-1281, A-1282, A-1283, A-1284, A-1285, A-1286, A-1287, A-1288, A-1289, A-1290, A-1291, A-1292, A-1293, A-1294, A-1295, A-1296, A-1297, A-1298, A-1299, A-1300, A-1301, A-1302, A-1303, A-1304, A-1305, A-1306, A-1307, A-1308, A-1309, A-1310, A-1311, A-1312, A-1313, A-1314, A-1315, A-1316, A-1317, A-1318, A-1319, A-1320, A-1321, A-1322, A-1323, A-1324, A-1325, A-1326, A-1327, A-1328, A-1329, A-1330, A-1331, A-1332, A-1333, A-1334, A-1335, A-1336, A-1337, A-1338, A-1339, A-1340, A-1341, A-1342, A-1343, A-1344, A-1345, A-1346, A-1347, A-1348, A-1349, A-1350, A-1351, A-1352, A-1353, A-1354, A-1355, A-1356, A-1357, A-1358, A-1359, A-1360, A-1361, A-1362, A-1363, A-1364, A-1365, A-1366, A-1367, A-1368, A-1369, A-1370, A-1371, A-1372, A-1373, A-1374, A-1375, A-1376, A-1377, A-1378, A-1379, A-1380, A-1381, A-1382, A-1383, A-1384, A-1385, A-1386, A-1387, A-1388, A-1389, A-1390, A-1391, A-1392, A-1393, A-1394, A-1395, A-1396, A-1397, A-1398, A-1399, A-1400, A-1401, A-1402, A-1403, A-1404, A-1405, A-1406, A-1407, A-1408, A-1409, A-1410, A-1411, A-1412, A-1413, A-1414, A-1415, A-1416, A-1417, A-1418, A-1419, A-1420, A-1421, A-1422, A-1423, A-1424, A-1425, A-1426, A-1427, A-1428, A-1429, A-1430, A-1431, A-1432, A-1433, A-1434, A-1435, A-1436, A-1437, A-1438, A-1439, A-1440, A-1441, A-1442, A-1443, A-1444, A-1445, A-1446, A-1447, A-1448, A-1449, A-1450, A-1451, A-1452, A-1453, A-1454, A-1455, A-1456, A-1457, A-1458, A-1459, A-1460, A-1461, A-1462, A-1463, A-1464, A-1465, A-1466, A-1467, A-1468, A-1469, A-1470, A-1471, A-1472, A-1473, A-1474, A-1475, A-1476, A-1477, A-1478, A-1479, A-1480, A-1481, A-1482, A-1483, A-1484, A-1485, A-1486, A-1487, A-1488, A-1489, A-1490, A-1491, A-1492, A-1493, A-1494, A-1495, A-1496, A-1497, A-1498, A-1499, A-1500, A-1501, A-1502, A-1503, A-1504, A-1505, A-1506, A-1507, A-1508, A-1509, A-1510, A-1511, A-1512, A-1513, A-1514, A-1515, A-1516, A-1517, A-1518, A-1519, A-1520, A-1521, A-1522, A-1523, A-1524, A-1525, A-1526, A-1527, A-1528, A-1529, A-1530, A-1531, A-1532, A-1533, A-1534, A-1535, A-1536, A-1537, A-1538, A-1539, A-1540, A-1541, A-1542, A-1543, A-1544, A-1545, A-1546, A-1547, A-1548, A-1549, A-1550, A-1551, A-1552, A-1553, A-1554, A-1555, A-1556, A-1557, A-1558, A-1559, A-1560, A-1561, A-1562, A-1563, A-1564, A-1565, A-1566, A-1567, A-1568, A-1569, A-1570, A-1571, A-1572, A-1573, A-1574, A-1575, A-1576, A-1577, A-1578, A-1579, A-1580, A-1581, A-1582, A-1583, A-1584, A-1585, A-1586, A-1587, A-1588, A-1589, A-1590, A-1591, A-1592, A-1593, A-1594, A-1595, A-1596, A-1597, A-1598, A-1599, A-1600, A-1601, A-1602, A-1603, A-1604, A-1605, A-1606, A-1607, A-1608, A-1609, A-1610, A-1611, A-1612, A-1613, A-1614, A-1615, A-1616, A-1617, A-1618, A-1619, A-1620, A-1621, A-1622, A-1623, A-1624, A-1625, A-1626, A-1627, A-1628, A-1629, A-1630, A-1631, A-1632, A-1633, A-1634, A-																																							



**DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED**


-Y- 14+20 EB LN GUTTER		-Y- 14+20 EB LN OWP	
Pavement Structure		Pavement Structure	
Asphalt	1.75"	Asphalt	5.5"
Concrete	7.0"	Concrete	-
ABC	-	ABC	6.0"

-L- 13+85 SB OSL		-L- 13+85 SB ISL	
Pavement Structure		Pavement Structure	
Asphalt	4.0"	Asphalt	6.0"
Concrete	-	Concrete	-
ABC	11.0"	ABC	12.0"

-Y1- 13+25 WB LT LN	
Pavement Structure	
Asphalt	4.75"
Concrete	5.25"
ABC	3.0"

-L- 16 + 80 NB ISL	
Pavement Structure	
Asphalt	4.75"
Concrete	-
ABC	12.0"
-L- 16 + 80 NB OSL	
Pavement Structure	
Asphalt	5.25"
Concrete	-
ABC	12.0"

-Y1- 11 + 15 WB RTL	
Pavement Structure	
Asphalt	4.5"
Concrete	-
ABC	4.0"



PAVEMENT INVESTIGATION DATA SHEET

Project:	50189.1.1
TIP:	U-5777

County:	CATAWBA
Route:	NC 127 from 1st Avenue SE to 2nd Avenue SE Add Turn Lanes

Date:	07/30/19
Notes By:	A. BLYTHE

		Width				Thickness						Subgrade							GPS Coordinates	
Position (Sta., Lane, Shldr.)	Cut/Fill (Est. of Amount) (ft)	Lane(s) (ft)	Shoulder(s) (ft)	Offset Distance (ft)	Crown "C" or Super "S"	Gross to Top of Soil (in)	Asphalt (in)	Concrete (in)	ABC (in)	Stabilized Soil Subgrade (in)	Pavement Layering	Description	Sample Number	AASHTO Classification	Soil Moisture	Probe Depth (ft)	Asphalt Notes	Northing	Easting	
L - 13+85 SB OSL	1.0 Cut	12.00	N/A	1.0 C&G	S	15.00	4.00	N/A	11.00	N/A	Asphalt ABC	No Auger for Utilities.	N/A	N/A	N/A	N/A	No Visible Distress	728537.78	1307452.07	
L - 13+85 SB ISL	1.0 Cut	11.00	N/A	6.0 C&G	S	18.00	6.00	N/A	12.00	N/A	Asphalt ABC	No Auger for Utilities.	N/A	N/A	N/A	N/A	No Visible Distress	728537.50	1307468.62	
L - 16+80 NB OSL	1.0 Cut	12.00	N/A	1.0 C&G	S	17.25	5.25	N/A	12.00	N/A	Asphalt ABC	0.0-5.0' = Residual Soils, Red, Sandy Silty Clay	S-1	A-7-5	D	5.00	Moderate Severity Transverse Cracking, Low Severity Longitudinal Cracking in IWP and OWP	728829.38	1307548.47	
L - 16+80 NB ISL	1.0 Cut	11.00	N/A	5.5 C&G	S	16.75	4.75	N/A	12.00	N/A	Asphalt ABC	0.0-2.5' = Residual Soils, Red, Sandy Silty Clay 2.5-5.0' = Residual Soils, Red, Sandy Clay	S-13 REF S-3	A-7-6 A-6	D D	5.00	Low Severity Longitudinal Cracking, Low Severity Transverse Cracking	728836.89	1307530.50	
L - 20+00 SB RTL	AG	10.00	N/A	1.0 C&G	C	12.75	2.75	N/A	10.00	N/A	Asphalt ABC	0.0-5.0' = Residual Soils, Red, Sandy Silty Clay	REF S-11	A-7-6	D	5.00	Moderate Severity Transverse Cracking, Low Severity Longitudinal Cracking in IWP	729147.81	1307444.58	
L - 20+00 SB OSL	AG	9.00	N/A	4.5 FW	C	15.50	4.50	N/A	11.00	N/A	Asphalt ABC	0.0-5.0' = Residual Soils, Red, Sandy Silty Clay	S-11	A-7-6	D	5.00	Low Severity Longitudinal Cracking, Low Severity Transverse Cracking	729150.44	1307463.04	
L - 20+00 SB ISL	AG	11.00	N/A	3.0 C&G	C	15.50	3.50	N/A	12.00	N/A	Asphalt ABC	0.0-5.0' = Residual Soils, Red, Sandy Silty Clay	REF S-11	A-7-6	D	5.00	Low Severity Fatigue Cracking in IWP	729150.88	1307470.73	
L - 21+95 SB LTL	AG	12.50	N/A	11.0 C&G	S	15.75	3.75	N/A	12.00	N/A	Asphalt ABC	0.0-3.0' = Residual Soils, Red, Sandy Clay 3.0-5.0' = Residual Soils, Red, Sandy Silty Clay	REF S-3 S-10	A-6 A-7-6	M M	5.00	Low Severity Fatigue Cracking	729347.96	1307448.70	
L - 21+95 NB OSL	AG	15.00	N/A	1.0 C&G	S	15.00	3.00	N/A	12.00	N/A	Asphalt ABC	0.0-2.5' = Residual Soils, Red, Sandy Clay 2.5-5.0' = Residual Soils, Tan, Sandy Clay	S-3 S-4	A-6 A-6	M M	5.00	No Visible Distress	729346.10	1307468.05	
L - 21+95 NB ISL	AG	15.00	N/A	7.5 FW	S	15.25	4.25	N/A	11.00	N/A	Asphalt ABC	0.0-5.0' = Residual Soils, Red, Sandy Clay	REF S-3	A-6	M	5.00	Low Severity Fatigue Cracking	729345.82	1307460.46	
L - 23+30 NB RTL	1.0 Cut	14.00	N/A	9.5 C&G	S	20.25	13.25	N/A	7.00	N/A	Asphalt ABC	0.0-3.0' = Residual Soils, Orange, Sandy Clay 3.0-5.0' = Residual Soils, Orange, Sandy Silty Clay	S-6 S-7	A-6 A-7-5	M M	5.00	No Visible Distress	729485.82	1307441.06	
Y - 14+20 EB LN GUTTER	2.0 Cut	17.00	N/A	0.5 C&G	C	8.75	1.75	7.00	N/A	N/A	Asphalt Concrete	No Auger for Utilities.	N/A	N/A	N/A	N/A	Moderate Severity Transverse Cracking, Concrete in Core from Concrete Gutter	728642.75	1307358.95	
Y - 14+20 EB LN OWP	2.0 Cut	17.00	N/A	6.0 C&G	C	11.50	5.50	N/A	6.00	N/A	Asphalt ABC	No Auger for Utilities.	N/A	N/A	N/A	N/A	Moderate Severity Transverse Cracking	728650.08	1307351.84	
Y1 - 11+15 WB RTL	AG	12.00	N/A	4.5 FW	C	8.50	4.50	N/A	4.00	N/A	Asphalt ABC	0.0-5.0' = Residual Soils, Red, Sandy Silty Clay	S-15	A-7-6	D	5.00	Moderate Severity Longitudinal Cracking, Moderate Severity Transverse Cracking	728975.41	1307635.28	
Y1 - 13+25 WB LT LN	AG	14.50	N/A	2.0 FW	S	13.00	4.75	5.25	3.00	N/A	Asphalt Concrete ABC	0.0-1.5' = Residual Soils, Red, Sandy Clay DCP Stopped @ 1.5' for Utilities	S-2	A-6	W	1.50	Low Severity Longitudinal Cracking, Low Severity Transverse Cracking	728932.13	1307424.88	

Notes:
OSL = Outside Lane
ISL = Inside Lane
CL = Center Lane
LTL = Left Turn Lane

CTL = Center Turn Lane
RTL = Right Turn Lane
DECEL = Deceleration Lane
ACCEL = Acceleration Lane

OSS = Outside Shoulder
ISS = Inside Shoulder
GM = Grass Median
OGS = Outside Grass Shoulder

PS = Paved Shoulder
RT LN = Right Lane
LT LN = Left Lane
COL = Collector Lane

RT = Right
LT = Left
(I) = Inside
(O) = Outside

NB = Northbound
SB = Southbound
FW = From White
FY = From Yellow

WP = Wheel Path
IWP = Inside Wheel Path
OWP = Outside Wheel Path
C&G = Curb & Gutter

FCG = From Curb & Gutter
AG = At Grade

PAVEMENT INVESTIGATION DATA SHEET

Project:	50189.1.1
TIP:	U-5777

County:	CATAWBA
Route:	NC 127 from 1st Avenue SE to 2nd Avenue SE Add Turn Lanes

Date:	07/30/19
Notes By:	A. BLYTHE

[illegible]

Notes

OSL = Outside Lane
ISL = Inside Lane
CL = Center Lane
LTL = Left Turn Lane

CTL = Center Turn Lane
RTL = Right Turn Lane
DECEL = Deceleration Lane
ACCEL = Acceleration Lane

OSS = Outside Shoulder
ISS = Inside Shoulder
GM = Grass Median
OGS = Outside Grass Shoulder

PS = Paved Shoulder
RT LN = Right Lane
LT LN = Left Lane
COL = Collector Lane

RT = Right
LT = Left
(I) = Inside
(O) = Outside

NB = Northbound
SB = Southbound
FW = From White
FY = From Yellow

WP = Wheel Path
IWP = Inside Wheel Path
OWP = Outside Wheel Path
C&G = Curb & Gutter

FCG = From Curb & Gutter
AG = At Grade



S&ME, Inc.
3201 Spring Forest Road
Raleigh, North Carolina 27616

CONE PENETROMETER DATA CODE SHEET				TIP		PROJECT I.D.		ROUTE	
				U-5777		50189.1.1		NC 127 from 1st to 2nd Ave. SE	
				COUNTY		ENGINEER		TECHNICIANS	
				Catawba		VLAD MITCHEV		Andrew Blythe	
TEST LOCATIONS DESCRIPTION				DATE RUN		TEST LOCATION DESCRIPTION		DATE RUN	
L - 13+85 SB OSL				7/30-7/31/2019		L - 13+85 SB ISL		7/30-7/31/2019	
DATUM	CUT/ FILL	NORTHING	EASTING	DATUM	CUT/ FILL	NORTHING	EASTING	DATUM	CUT/ FILL
ABC	CUT	728537.8	1307452.1	ABC	CUT	728537.5	1307468.6		
Cumulative Penetration in Centimeters				Cumulative Penetration in Centimeters					
0.3	10.3	22.7		1.3	13.1				
0.7	10.4	23.1		1.8	13.3				
1.0	10.6	23.5		2.1	13.5				
1.2	10.7	23.7		2.5	13.8				
1.6	10.9	24.0		2.8	14.1				
2.0	11.0	24.3		3.1	14.2				
2.3	11.1	24.6		3.3	14.3				
2.6	11.3	25.0		3.6	14.6				
2.8	11.5	25.5		3.9	14.9				
3.0	11.6	26.1		4.2	15.1				
3.3	11.8	26.7		4.4	15.4				
3.5	12.0	27.3		4.6	15.6				
3.8	12.2	28.0		4.8	15.8				
3.9	12.3	28.6		5.0	16.1				
4.1	12.5	29.1		5.2	16.5				
4.3	12.6	29.8		5.5	16.6				
4.5	12.7	30.5		5.7	16.9				
4.7	13.0	31.4		5.9	17.2				
4.8	13.3	32.1		6.1	17.3				
5.2	13.5	33.0		6.2	17.7				
5.5	13.7			6.4	18.2				
5.7	13.9			6.6	18.6				
5.8	14.1			6.9	19.0				
6.0	14.3			7.1	19.3				
6.1	14.5			7.2	19.5				
6.3	14.7			7.4	20.1				
6.5	14.9			7.5	20.6				
6.6	15.2			7.7	21.1				
6.7	15.4			7.8	21.5				
6.8	15.7			7.9	21.9				
6.9	15.9			8.0	22.3				
7.0	16.1			8.2	22.8				
7.2	16.4			8.4	23.1				
7.3	16.6			8.7	23.8				
7.4	16.9			9.0	24.3				
7.5	17.1			9.2	24.8				
7.7	17.3			9.5	25.2				
7.9	17.8			9.7	25.7				
8.0	18.0			9.9	26.1				
8.2	18.3			10.0	26.6				
8.3	18.5			10.2	27.1				
8.5	18.8			10.3	27.6				
8.6	19.0			10.5	28.0				
8.7	19.2			10.8	28.5				
8.8	19.5			11.0	28.9				
9.0	19.9			11.3	29.5				
9.1	20.2			11.5	30.0				
9.3	20.5			11.6	30.8				
9.4	20.9			11.9	31.6				
9.5	21.3			12.0	33.1				
9.7	21.6			12.4					
9.9	22.0			12.7					
10.1	22.4			12.8					

CONE PENETROMETER DATA CODE SHEET				TIP		PROJECT I.D.		ROUTE	
				U-5777		50189.1.1		NC 127 from 1st to 2nd Ave. SE	
				COUNTY		ENGINEER		TECHNICIANS	
				Catawba		VLAD MITCHEV		Andrew Blythe	
TEST LOCATIONS DESCRIPTION				DATE RUN		TEST LOCATION DESCRIPTION		DATE RUN	
L - 16+80 NB OSL				7/30-7/31/2019		L - 16+80 NB ISL		7/30-7/31/2019	
DATUM	CUT/ FILL	NORTHING	EASTING	DATUM	CUT/ FILL	NORTHING	EASTING	DATUM	CUT/ FILL
ABC	CUT	728829.4	1307548.5	ABC	CUT	728836.9	1307530.5		
1.2	14.9	73.1		1.1	12.5	41.9			
1.7	15.3	74.1		1.9	12.7	43.7			
2.2	15.6	75.1		2.5	12.8	45.5			
2.6	16.0	76.0		2.9	13.1	47.9			
2.8	16.3	76.8		3.0	13.4	49.8			
3.1	16.7	77.6		3.4	13.6	51.7			
3.3	17.1	78.4		3.7	13.8	53.3			
3.6	17.5	79.3		4.0	14.0	55.4			
3.9	17.9	80.2		4.2	14.2	56.9			
4.2	18.4	81.1		4.4	14.5	58.7			
4.4	18.9	82.0		4.6	14.8	60.0			
4.7	19.5	82.9		4.9	15.1	61.3			
4.9	20.1	83.9		5.0	15.4	62.3			
5.2	20.7	84.6		5.1	15.6	63.3			
5.3	21.4	85.5		5.2	15.8	64.6			
5.5	22.3	86.3		5.5	16.0	66.3			
5.8	23.4	87.1		5.7	16.3	67.3			
6.0	24.5	88.0		5.8	16.6	68.3			
6.2	25.8	88.8		6.0	16.9	69.4			
6.4	27.0	89.6		6.1	17.2	70.8			
6.6	28.9	90.6		6.2	17.5	72.2			
7.0	30.9	91.4		6.5	17.8	73.7			
7.2	33.1	92.4		6.7	18.1	75.2			
7.5	35.3	93.3		6.8	18.4	76.6			
7.7	37.2	94.0		6.9	18.8	77.9			
7.9	38.8	94.8		7.1	19.1	79.1			
8.1	40.5	95.7		7.4	19.5	80.9			
8.3	42.3	97.7		7.5	19.8	82.7			
8.6	43.9	98.3		7.7	20.3	84.3			
8.8	45.6	99.0		7.9	20.7	85.8			
8.9	47.2	99.9		8.1	21.0	87.5			
9.2	48.6	100.7		8.2	21.4	89.1			
9.3	50.1	101.6		8.4	21.8	90.3			
9.6	51.5	102.4		8.6	22.2	91.7			
9.8	53.0	103.2		8.7	22.6	93.2			
10.1	54.3	104.1		8.8	23.1	94.6			
10.3	55.5	105.0		9.0	23.5	96.0			
10.6	56.6	105.7		9.2	24.0	97.3			
10.8	57.7	107.5		9.4	24.6	98.5			
11.1	58.8			9.6	25.1	99.8			
11.4	59.8			9.8	25.8	101.4			
11.6	60.9			10.1	26.5	102.9			
11.9	62.0			10.3	27.3	104.5			
12.1	63.1			10.6	28.2	106.2			
12.4	64.1			10.8	29.2	107.9			
12.6	65.3			10.9	30.2	109.1			
12.8	66.4			11.1	31.2				
13.1	67.4			11.3	32.5				
13.4	68.2			11.5	34.0				
13.8	69.1			11.7	35.9				
14.0	70.2			11.9	37.1				
14.3	71.4			12.1	38.1				
14.6	72.2			12.3	39.8				

SG = Subgrade
SS = Stabilized Soil
CTBC = Cement-Treated Base Course
ABC = Aggregate Base Course
ESG = Estimated Subgrade

CONE PENETROMETER DATA CODE SHEET						TIP	PROJECT I.D.		ROUTE								
						U-5777	50189.1.1		NC 127 from 1st to 2nd Ave. SE								
						COUNTY	ENGINEER		TECHNICIANS								
						Catawba	VLAD MITCHEV		Andrew Blythe								
TEST LOCATIONS DESCRIPTION						DATE RUN		TEST LOCATION DESCRIPTION		DATE RUN							
L - 20+00 SB RTL						7/30-7/31/2019		L - 20+00 SB OSL		7/30-7/31/2019							
DATUM		CUT/FILL		NORTHING		EASTING		DATUM		CUT/FILL		NORTHING		EASTING			
ABC		AG		729147.8		1307444.6		ABC		AG		729150.4		1307463.0			
Cumulative Penetration in Centimeters						Cumulative Penetration in Centimeters											
0.7	12.1	34.8	74.9	98.2				1.4	13.2	49.4	107.8						
1.2	12.2	36.3	75.4	98.6				2.1	13.3	51.5	108.6						
1.6	12.5	37.5	76.0	99.0				2.5	13.6	53.6							
2.4	12.7	38.9	76.5	99.3				2.7	13.7	55.4							
2.8	12.8	40.2	77.1	99.8				3.0	13.8	57.0							
3.2	13.0	41.4	77.5	100.1				3.3	14.2	58.7							
3.4	13.2	42.5	77.9	100.4				3.5	14.5	60.3							
3.6	13.5	43.4	78.5	100.7				3.6	14.6	62.0							
3.7	13.6	44.3	79.0	101.1				3.9	14.8	63.5							
4.0	13.7	45.3	79.5	101.5				4.1	15.1	65.1							
4.1	13.9	46.3	79.9	101.7				4.2	15.2	66.4							
4.4	14.3	47.2	80.4	102.2				4.3	15.4	67.8							
4.7	14.6	48.0	80.9	102.5				4.7	15.6	68.9							
4.9	14.7	48.9	81.3	103.0				4.9	15.9	70.4							
5.1	14.8	49.6	81.8	103.3				5.1	16.1	71.6							
5.2	14.9	50.3	82.3	103.7				5.5	16.4	72.8							
5.4	15.2	51.2	82.7	104.0				5.6	16.6	73.9							
5.6	15.4	52.1	83.2	104.5				5.8	16.9	75.2							
5.8	15.7	52.7	83.7	104.9				6.0	17.1	76.3							
6.0	15.9	53.4	84.2	105.1				6.1	17.4	77.5							
6.1	16.2	54.2	84.6	105.6				6.3	17.7	78.9							
6.3	16.4	55.0	85.1	106.1				6.5	17.9	79.9							
6.4	16.6	55.8	85.5	106.2				6.7	18.2	81.1							
6.5	16.9	56.1	85.9	106.7				7.0	18.5	82.2							
6.6	17.2	57.3	86.3	107.1				7.3	18.8	83.3							
6.7	17.6	57.6	86.7	107.3				7.6	18.9	84.3							
6.8	17.7	58.3	87.2	107.7				7.8	19.2	85.2							
6.9	18.0	58.9	87.7	107.9				7.9	19.4	86.1							
7.2	18.3	59.8	88.1	108.4				8.1	19.7	87.3							
7.3	18.6	60.5	88.6	108.7				8.2	20.0	88.2							
7.6	18.9	61.2	89.0	109.2				8.4	20.3	89.2							
7.8	19.2	62.0	89.4	109.3				8.7	20.7	90.1							
8.2	19.4	62.6	89.9	109.4				8.9	21.0	91.1							
8.3	19.8	63.2	90.3	109.7				9.1	21.4	91.9							
8.5	20.0	63.8	90.7	110.1				9.3	21.9	92.8							
8.7	20.2	64.4	91.1	110.5				9.4	22.3	93.4							
8.9	20.6	65.1	91.5	110.9				9.6	23.0	94.3							
9.1	21.0	65.7	91.9	111.7				9.7	23.4	95.1							
9.3	21.3	66.3	92.2	112.0				9.9	24.1	96.0							
9.4	21.6	66.9	92.6	112.5				10.1	24.9	96.7							
9.5	22.1	67.4	93.0	112.7				10.3	25.9	97.6							
9.6	22.5	68.1	93.5	113.1				10.4	26.8	98.6							
9.9	23.0	68.8	93.8	113.4				10.6	27.8	99.3							
10.1	23.3	69.3	94.3	113.7				10.7	29.0	100.0							
10.4	23.9	69.9	94.6	114.1				11.0	30.3	100.8							
10.6	24.4	70.5	95.0					11.2	32.1	101.7							
10.9	25.0	71.1	95.4					11.5	34.0	102.6							
11.0	25.7	71.6	95.7					11.7	36.1	103.3							
11.1	26.6	72.2	96.2					12.0	38.3	104.2							
11.3	27.8	72.8	96.6					12.2	40.6	105.0							
11.4	29.5	73.3	97.1					12.3	42.8	105.6							
11.5	31.8	73.9	97.3					12.5	45.0	106.5							
11.9	33.4	74.5	97.8					12.9	47.2	107.3							

CONE PENETROMETER DATA CODE SHEET						TIP		PROJECT I.D.		ROUTE	
						U-5777		50189.1.1		NC 127 from 1st to 2nd Ave. SE	
						COUNTY		ENGINEER		TECHNICIANS	
						Catawba		VLAD MITCHEV		Andrew Blythe	
TEST LOCATIONS DESCRIPTION						DATE RUN		TEST LOCATION DESCRIPTION		DATE RUN	
L - 20+00 SB ISL						7/30-7/31/2019		L - 21+95 SB LTL		7/30-7/31/2019	
DATUM	CUT/ FILL	NORTHING		EASTING		DATUM	CUT/ FILL	NORTHING		EASTING	
ABC	AG	729150.9		1307470.7		ABC	AG	729348.0		1307448.7	
Cumulative Penetration in Centimeters						Cumulative Penetration in Centimeters					
0.8	11.2	22.6	92.2			0.9	13.6	28.5	81.0		
1.4	11.4	23.4	92.9			1.4	13.8	29.3	81.5		
2.0	11.5	24.1	93.7			1.7	14.0	30.3	82.3		
2.4	11.6	24.8	94.5			1.9	14.3	31.5	83.0		
2.8	11.65	25.8	95.2			2.4	14.5	33.0	83.6		
3.1	11.7	27.1	95.8			2.7	14.7	34.5	84.3		
3.5	11.9	28.2	96.4			3.1	14.8	36.1	85.1		
3.8	12.1	29.5	97.0			3.4	15.2	37.7	85.7		
4.3	12.3	31.0	97.6			3.6	15.4	39.4	86.4		
4.4	12.5	32.5	98.3			3.9	15.7	40.9	87.0		
4.6	12.7	34.2	99.0			4.2	15.9	42.4	87.7		
4.8	12.9	36.2	99.7			4.3	16.1	43.9	88.6		
5.0	13.0	38.5	100.3			4.5	16.3	45.5	89.1		
5.2	13.1	41.3	101.0			4.8	16.5	46.9	89.8		
5.4	13.2	44.3	101.6			5.1	16.7	48.3	90.5		
5.6	13.4	46.9	102.3			5.4	17.0	49.7	91.2		
5.7	13.6	49.1	102.9			5.6	17.2	51.1	91.8		
5.8	13.7	51.5	103.6			5.9	17.4	52.3	92.6		
6.0	13.9	53.2	104.2			6.1	17.5	53.4	93.3		
6.1	14.0	55.1	104.9			6.3	17.8	54.5	93.9		
6.3	14.2	57.3	105.8			6.5	18.1	55.8	94.7		
6.4	14.4	59.0	106.3			6.9	18.3	57.0	95.3		
6.6	14.7	60.6	106.9			7.1	18.5	58.0	95.8		
6.9	14.9	62.3	107.4			7.3	18.8	59.1	96.5		
7.0	15.1	63.8	107.9			7.7	19.1	60.0	97.2		
7.2	15.3	65.0	108.5			8.0	19.3	61.0	97.6		
7.3	15.5	66.5	108.9			8.2	19.6	62.0	98.2		
7.4	15.7	67.4	109.6			8.3	20.0	62.8	98.9		
7.5	15.9	69.0	110.3			8.7	20.2	63.5	99.5		
7.7	16.0	70.3	110.9			8.9	20.4	64.5	100.2		
7.8	16.3	71.4	111.6			9.0	20.7	65.3	100.8		
7.9	16.5	72.6	112.0			9.3	21.0	66.1	101.6		
8.0	16.7	73.6	112.5			9.4	21.2	66.9	102.3		
8.1	16.9	74.9	113.4			9.6	21.5	67.6	103.0		
8.2	17.3	75.7				9.8	21.7	68.2	103.8		
8.4	17.5	76.5				10.0	22.0	68.9	104.4		
8.6	17.8	77.2				10.1	22.2	69.6	105.0		
8.7	18.1	78.3				10.4	22.5	70.3	106.0		
8.8	18.4	79.2				10.7	22.8	71.0	106.5		
8.9	18.7	80.0				10.8	23.1	71.8	107.2		
9.0	19.0	81.0				11.0	23.2	72.4	107.9		
9.2	19.3	81.8				11.2	23.3	73.2	108.5		
9.4	19.6	82.7				11.3	23.5	73.7	109.1		
9.6	19.8	83.4				11.5	23.9	74.5	109.3		
9.8	20.1	84.3				11.8	24.1	75.1	110.5		
10.0	20.4	85.2				12.0	24.5	76.0			
10.1	20.7	86.7				12.1	24.8	76.7			
10.3	21.0	87.5				12.3	25.3	77.3			
10.5	21.2	88.1				12.5	25.8	77.9			
10.7	21.4	88.8				12.9	26.3	78.5			
10.8	21.6	89.5				13.0	26.9	79.1			
10.9	21.9	90.4				13.2	27.2	79.7			
11.0	22.3	91.1				13.5	27.8	80.4			


SG = Subgrade
SS = Stabilized Soil
CTBC = Cement-Treated Base Course
ABC = Aggregate Base Course
ESG = Estimated Subgrade


CONE PENETROMETER DATA CODE SHEET				TIP	PROJECT I.D.		ROUTE	
				U-5777	50189.1.1		NC 127 from 1st to 2nd Ave. SE	
				COUNTY	ENGINEER		TECHNICIANS	
				Catawba	VLAD MITCHEV		Andrew Blythe	
TEST LOCATIONS DESCRIPTION				DATE RUN	TEST LOCATION DESCRIPTION		DATE RUN	
L - 21+95 NB OSL				7/30-7/31/2019	L - 21+95 NB ISL		7/30-7/31/2019	
DATUM	CUT/ FILL	NORTHING	EASTING	DATUM	CUT/ FILL	NORTHING	EASTING	
ABC	AG	729346.1	1307468.1	ABC	AG	729345.8	1307460.5	
Cumulative Penetration in Centimeters				Cumulative Penetration in Centimeters				
1.9	22.5	75.9	107.8	1.0	14.1	45.2		
2.7	22.9	76.7	108.8	1.4	14.2	47.0		
3.5	23.3	77.4	109.5	2.0	14.5	48.7		
4.3	23.8	78.4	109.9	2.5	14.7	51.0		
4.7	24.4	79.5	110.8	2.8	14.8	53.3		
5.1	24.9	80.4	111.5	3.2	15.0	55.7		
5.5	25.6	81.4	112.4	3.5	15.2	58.1		
5.9	26.2	82.2	113.0	3.8	15.3	60.4		
6.4	26.9	82.9		4.1	15.6	62.8		
6.7	27.9	83.9		4.4	15.9	65.4		
7.1	29.2	84.1		4.6	16.1	68.1		
7.5	31.6	84.7		4.9	16.3	70.7		
7.9	33.5	85.1		5.1	16.4	73.5		
8.3	35.2	85.5		5.3	16.6	75.6		
8.6	36.7	85.9		5.9	16.9	77.6		
9.0	38.0	86.2		6.1	17.0	80.3		
9.3	39.6	86.7		6.3	17.1	83.5		
9.7	41.1	87.0		6.6	17.4	86.9		
10.1	41.7	87.4		6.8	17.6	90.6		
10.5	43.0	87.9		7.0	17.8	94.3		
10.9	43.8	88.4		7.2	18.0	98.1		
11.4	44.6	88.7		7.6	18.2	102.1		
11.8	45.3	89.2		7.8	18.4	106.8		
12.2	46.1	89.7		8.0	18.6	108.2		
12.6	47.1	90.1		8.2	18.8			
12.9	47.8	90.7		8.5	19.0			
13.3	48.6	91.2		8.6	19.3			
13.6	49.4	91.7		8.8	19.6			
14.1	50.2	92.2		8.9	19.8			
14.3	50.9	92.8		9.1	20.0			
14.6	51.6	93.3		9.3	20.2			
14.9	52.4	93.9		9.5	20.8			
15.2	53.3	94.6		9.7	21.2			
15.4	54.3	95.1		9.9	21.5			
15.7	55.6	95.7		10.2	21.9			
16.0	57.1	96.4		10.4	22.3			
16.3	58.6	97.2		10.6	22.7			
16.6	60.1	97.7		10.8	23.1			
17.0	61.6	98.4		10.9	23.7			
17.3	62.9	98.9		11.1	24.3			
17.8	64.4	99.5		11.4	24.9			
18.1	65.8	100.0		11.5	25.9			
18.4	67.4	100.7		11.8	27.2			
18.8	68.5	101.3		11.9	28.8			
19.1	69.5	101.9		12.1	30.1			
19.5	70.2	102.5		12.3	31.4			
19.9	71.0	103.1		12.5	32.6			
20.4	71.6	103.6		12.8	34.1			
20.7	72.4	104.3		13.0	35.3			
21.0	73.1	105.1		13.2	36.9			
21.6	73.7	105.5		13.5	38.4			
21.9	74.4	106.3		13.7	40.0			
22.3	75.1	107.0		13.9	43.6			

SG = Subgrade
SS = Stabilized Soil
CTBC = Cement-Treated Base Course
ABC = Aggregate Base Course
ESG = Estimated Subgrade

CONE PENETROMETER DATA CODE SHEET				TIP	PROJECT I.D.		ROUTE	
				U-5777	50189.1.1		NC 127 from 1st to 2nd Ave. SE	
				COUNTY	ENGINEER		TECHNICIANS	
				Catawba	VLAD MITCHEV		Andrew Blythe	
TEST LOCATIONS DESCRIPTION				DATE RUN	TEST LOCATION DESCRIPTION		DATE RUN	
L - 23+30 NB RTL				7/30-7/31/2019	Y - 14+20 EB LN GUTTER		7/30-7/31/2019	
DATUM	CUT/ FILL	NORTHING	EASTING	DATUM	CUT/ FILL	NORTHING	EASTING	
ABC	CUT	729485.8	1307441.1	SG	CUT	728642.8	1307359.0	
Cumulative Penetration in Centimeters				Cumulative Penetration in Centimeters				
0.8	41.8			2.2	82.1			
1.3	43.0			3.8	83.8			
1.9	44.1			4.8	85.3			
2.5	45.7			5.5	86.7			
2.8	46.6			6.0	88.4			
3.3	48.2			6.7	89.9			
3.6	49.8			7.3				
4.0	51.5			8.1				
4.5	53.4			8.4				
5.0	55.3			9.1				
5.3	57.2			10.1				
5.5	58.8			11.3				
6.2	60.2			12.7				
6.6	61.2			14.4				
7.0	62.2			16.0				
7.4	63.1			17.7				
8.0	64.3			19.2				
8.3	65.5			20.8				
8.7	66.6			22.5				
9.0	68.1			24.2				
9.6	69.0			26.0				
10.0	70.3			27.9				
10.3	71.5			29.8				
10.8	72.9			31.4				
11.2	74.3			33.3				
11.7	75.7			35.3				
12.2	77.2			37.0				
12.8	78.6			38.8				
13.0	80.0			40.6				
13.5	81.3			42.5				
14.1	83.2			44.6				
14.5	84.8			46.4				
15.0	86.4			48.4				
15.4				50.2				
16.0				51.8				
16.7				53.5				
18.0				55.0				
20.4				56.5				
22.6				57.9				
24.5				59.5				
26.6				61.0				
29.3				62.9				
30.6				64.5				
31.6				66.2				
33.0				67.8				
33.9				69.5				
34.4				71.1				
35.1				72.7				
35.9				74.4				
36.8				75.9				
38.0				77.5				
39.2				79.0				
40.5				80.6				

SG = Subgrade
SS = Stabilized Soil
CTBC = Cement-Treated Base Course
ABC = Aggregate Base Course
ESG = Estimated Subgrade


S&ME, Inc.
3201 Spring Forest Road
Raleigh, North Carolina 27616





Notes:

OSL = Outside Lane	ACCEL = Acceleration Lane	MED = Median
ISL = Inside Lane	PS = Paved Shoulder	
RTL = Right Turn Lane	LTL = Left Turn Lane	
OSS = Outside Shoulder	ISS = Inside Shoulder	



S&ME, Inc.
3201 Spring Forest Road
Raleigh, North Carolina 27616

<i>Project No.:</i> 50189.1.1	<i>I.D. No.:</i> U-5777	<i>County:</i> Catawba	<i>Dates:</i> 7/30/19
<i>Site Description:</i> NC 127 from 1 st Avenue SE to 2 nd Avenue SE add turn lanes			
<i>Consultant:</i> S&ME, Inc.	<i>Core Size:</i> 4 - inch	<i>Drill Machine:</i> CME-55	
<i>Geologist / Engineer:</i> Andrew Blythe			



Notes:

OSL = Outside Lane	ACCEL = Acceleration Lane	MED = Median
ISL = Inside Lane	PS = Paved Shoulder	
RTL = Right Turn Lane	LTL = Left Turn Lane	
OSS = Outside Shoulder	ISS = Inside Shoulder	



S&ME, Inc.
3201 Spring Forest Road
Raleigh, North Carolina 27616

SUMMARY OF LABORATORY TEST DATA

Soil Classification and Gradation



S&ME, Inc. Raleigh, 3201 Spring Forest Road, Raleigh, North Carolina 27616

S&ME Project #:	6205-19-022	Date Report	8/15/2019
State Project No.:	50189.1.1	County:	Catawba
Federal ID No.:		Date Tested	8/3 - 8/15/19
Project Name:	NC 127 from 1st Ave. SE to 2nd Ave. Turn Lanes		
Client Name:	NCDOT GEU	TIP No.:	U-5777
Client Address:	Raleigh, NC		

Station No.	Sample No.	Boring No.	Offset	Alignment	Sample Depth (ft)	AASHTO Classification		Total % Passing				Total Mortar Fraction (%)				LL	PL	PI	Moist. %
								Sieve #				Coarse Sand	Fine Sand	Silt	Clay				
								10	40	60	200								
20+00 SB OES	Bulk-1	Bulk 1	N/A	-L-	0.0-4.0	A-7-6	(12)	99	85	76	58.2	23	21	10	46	47	23	24	18.2
16+80 NB OES	Bulk-2	Bulk 2	N/A	-L-	0.0-4.0	A-6	(9)	98	85	76	57.7	22	23	13	42	40	20	20	16.2
16+80 NB OSL	S-1	C-5	N/A	-L-	0.0-5.0	A-7-5	(24)	100	94	90	77.2	10	17	17	56	60	32	28	25.6
16+80 NB ISL	S-13	C-6	N/A	-L-	0.0-2.5	A-7-6	(21)	100	92	87	73.5	13	16	10	61	56	28	28	22.9
11+15 WB RTL	S-15	C-7	N/A	-Y1-	0.0-5.0	A-7-6	(10)	95	81	73	56.4	23	22	7	48	45	23	22	21.7
13+25 WB LT LN	S-2	C-8	N/A	-Y1-	0.0-1.5	A-6	(7)	98	86	77	54.7	22	27	9	42	36	18	18	25.9
21+95 NB OSL	S-3	C-9	N/A	-L-	0.0-2.5	A-6	(4)	94	71	61	44.4	35	21	7	37	38	20	18	15.2
21+95 NB OSL	S-4	C-9	N/A	-L-	2.5-5.0	A-6	(2)	98	76	64	42.3	34	27	11	28	38	24	14	15.0
21+95 SB LTL	S-10	C-11	N/A	-L-	3.0-5.0	A-7-6	(10)	99	84	75	56.1	25	23	10	42	47	24	23	19.3
23+30 NB RTL	S-6	C-12	N/A	-L-	0.0-3.0	A-6	(2)	98	75	64	42.1	35	26	11	28	30	16	14	13.3
23+30 NB RTL	S-7	C-12	N/A	-L-	3.0-5.0	A-7-5	(9)	100	81	70	52.9	30	22	14	34	52	31	21	29.0
20+00 SB OSL	S-11	C-14	N/A	-L-	0.0-5.0	A-7-6	(12)	97	86	78	60.9	19	22	7	52	44	20	24	20.1

References / Comments / Deviations: ND=Not Determined.

AASHTO T88: Particle Size Analysis of Soils as Modified by the NCDOT

AASHTO T89: Determining the Liquid Limit of Soils

AASHTO T90: Determining the Plastic Limit & Plasticity Index of Soils

AASHTO T265: Laboratory Determination of Moisture Content of Soils

AASHTO M145: The Classification of Soils and Soil Aggregate Mixtures for Highway Construction Purposes

Mal Krajan, ET

Technician Name:

Signature

104-01-0703

Certification #

Vlad Mitchev, P.E.

Technical Responsibility:

Project Manager

Position

This report shall not be reproduced, except in full, without the written approval of S&ME, Inc.

SUMMARY OF LABORATORY TEST DATA



S&ME, Inc. Raleigh, 3201 Spring Forest Road, Raleigh, North Carolina 27616

S&ME Project No.:	6205-19-022	S&ME Project Name:		Date Report:	8/13/2019
State Project No.:	50189.1.1	County:	Catawba	Date Tested:	8/11 - 8/13/19
Federal ID No.:	N/A	TIP No.:	U-5777		
Client Name:	NCDOT	Client Address:	Raleigh, NC		

Station No.	Sample No.	Boring No.	Offset	Alignment	Sample Depth (ft)	AASHTO Soil Description	AASHTO T-99		AASHTO T-193			
							MDD (pcf)	OPT (%)	CBR #1		CBR #2	
									0.1"	0.2"	0.1"	0.2"
20+00 SB OES	Bulk-1	Bulk 1	N/A	-L-	4.00	Red Fine to Coarse Sandy Silty CLAY (A-7-6) (12)	109.4	18.0	6.3	6.4	ND	ND
16+80 NB OES	Bulk-2	Bulk 2	N/A	-L-	4.00	Brown Coarse to Fine Sandy Silty CLAY (A-6) (9)	103.1	20.0	5.5	6.7	ND	ND

References / Comments / Deviations: ND=Not Determined.
 AASHTO T 99: Moisture-Density Relations of Soil Using a 5.5 Lb. Rammer and a 12" Drop
 AASHTO T 193: The California Bearing Ratio AASHTO T265: Laboratory Determination of Moisture Content of Soils
 AASHTO M145: The Classification of Soils and Soil Aggregate Mixtures for Highway Construction Purposes

Mal Krajan, ET
 Technician Name:


 Signature

104-01-0703
 Certification #

Vlad Mitchev, PE
 Technical Responsibility:

Project Manager
 Position

This report shall not be reproduced, except in full, without the written approval of S&ME, Inc.

MOISTURE - DENSITY REPORT




Quality Assurance

S&ME, Inc. Raleigh: 3201 Spring Forest Road, Raleigh, NC 27616

S&ME Project #:	6205-19-022	Report Date:	8/6/19
Project Name:	NC 127 from 1st Ave. SE to 2nd Ave. SE Turn Lanes	Test Date(s):	8/2 - 8/6/19
Client Name:	NCDOT Geo		
Client Address:	Raleigh, NC		
Boring #:	N/A	Sample #:	Bulk 1
		Sample Date:	N/A
Location:	Roadway	Offset:	N/A
		Depth (ft):	0.0-4.0
Sample Description:	Red Fine to Coarse Sandy Silty CLAY (A-7-6) (12)		

Maximum Dry Density 109.4 PCF. Optimum Moisture Content 18.0%

AASHTO T99 - - Method A



Moisture-Density Curve Displayed: Fine Fraction ☒ Corrected for Oversize Fraction (ASTM D 4718) ☐
Sieve Size used to separate the Oversize Fraction: #4 Sieve ☒ 3/8 inch Sieve ☐ 3/4 inch Sieve ☐
Mechanical Rammer ☐ Manual Rammer ☒ Moist Preparation ☐ Dry Preparation ☒

References / Comments / Deviations: ND=Not Determined.

AASHTO T265: Laboratory Determination of Moisture Content of Soils

AASHTO T 99: Moisture-Density Relations of Soil Using a 5.5 Lb. Rammer and a 12" Drop

Mal Krajan, ET
Technical Responsibility

Signature

Laboratory Manager
Position

8/6/2019
Date

This report shall not be reproduced, except in full, without the written approval of S&ME, Inc.

MOISTURE - DENSITY REPORT




Quality Assurance

S&ME, Inc. Raleigh: 3201 Spring Forest Road, Raleigh, NC 27616

S&ME Project #:	6205-19-022	Report Date:	8/6/19
Project Name:	NC 127 from 1st Ave. SE to 2nd Ave. SE Turn Lanes	Test Date(s):	8/2 - 8/6/19
Client Name:	NCDOT Geo		
Client Address:	Raleigh, NC		
Boring #:	N/A	Sample #:	Bulk 2
		Sample Date:	N/A
Location:	Roadway	Offset:	N/A
		Depth (ft):	0.0-4.0
Sample Description:	Brown Coarse to Fine Sandy Silty CLAY (A-6) (9)		

Maximum Dry Density 103.1 PCF. Optimum Moisture Content 20.0%

AASHTO T99 - - Method A



Moisture-Density Curve Displayed: Fine Fraction ☒ Corrected for Oversize Fraction (ASTM D 4718) ☐
Sieve Size used to separate the Oversize Fraction: #4 Sieve ☒ 3/8 inch Sieve ☐ 3/4 inch Sieve ☐
Mechanical Rammer ☐ Manual Rammer ☒ Moist Preparation ☐ Dry Preparation ☒

References / Comments / Deviations:

AASHTO T265: Laboratory Determination of Moisture Content of Soils

AASHTO T 99: Moisture-Density Relations of Soil Using a 5.5 Lb. Rammer and a 12" Drop

Mal Krajan, ET
Technical Responsibility

Signature

Laboratory Manager
Position

8/6/2019
Date

This report shall not be reproduced, except in full, without the written approval of S&ME, Inc.

CBR (CALIFORNIA BEARING RATIO) OF LABORATORY COMPACTED SOIL




AASHTO T 193

S&ME, Inc. Raleigh: 3201 Spring Forest Road, Raleigh, NC 27616

Project #:	6205-19-022	Report Date:	8/13/19
Project Name:	NC 127 from 1st Ave. SE to 2nd Ave. SE Turn Lanes	Test Date(s)	8/6 - 8/13/19
Client Name:	NCDOT Geo		
Client Address:	Raleigh, NC		
Boring #:	N/A	Sample #:	Bulk-1
		Sample Date:	N/A
Station #:	Roadway	Offset:	N/A
		Depth (ft):	0.0-4.0
Sample Description: Red Fine to Coarse Sandy Silty CLAY (A-7-6) (12)			

AASHTO T99	Method A	Maximum Dry Density:	109.4 PCF	Optimum Moisture Content:	18.0%
Compaction Test performed on grading complying with CBR spec.				% Retained on the 3/4" sieve:	0.0%

Uncorrected CBR Values		Corrected CBR Values	
CBR at 0.1 in.	6.3	CBR at 0.1 in.	6.3
CBR at 0.2 in.	6.4	CBR at 0.2 in.	6.4



CBR Sample Preparation:

The entire gradation was used and compacted in a 6" CBR mold in accordance with AASHTO T 193, Section 5.1.1

Before Soaking		After Soaking	
Compactive Effort (Blows per Layer)	56	Final Dry Density (PCF)	108.8
Initial Dry Density (PCF)	109.0	Average Final Moisture Content	18.7%
Moisture Content of the Compacted Specimen	18.3%	Moisture Content (top 1" after soaking)	20.1%
Percent Compaction	99.6%	Percent Swell	0.4%

Soak Time: 96 hrs.

Surcharge Weight 10.0

Surcharge Wt. per sq. Ft. 50.9

Liquid Limit 47

Plastic Index 24

Notes/Deviations/References:

Test specimen compacted to 100% at optimum moisture.

Mal Krajan, ET

Technical Responsibility

Signature

Laboratory Manager

Position

8/13/2019

Date

This report shall not be reproduced, except in full without the written approval of S&ME, Inc.

CBR (CALIFORNIA BEARING RATIO) OF LABORATORY COMPACTED SOIL




AASHTO T 193

S&ME, Inc. Raleigh: 3201 Spring Forest Road, Raleigh, NC 27616

Project #:	6205-19-022	Report Date:	8/13/19
Project Name:	NC 127 from 1st Ave. SE to 2nd Ave. SE Turn Lanes	Test Date(s)	8/6 - 8/13/19
Client Name:	NCDOT Geo		
Client Address:	Raleigh, NC		
Boring #:	N/A	Sample #:	Bulk-2
		Sample Date:	N/A
Station #:	Roadway	Offset:	N/A
		Depth (ft):	0.0-4.0
Sample Description: Brown Coarse to Fine Sandy Silty CLAY (A-6) (9)			

AASHTO T99	Method A	Maximum Dry Density:	103.1 PCF	Optimum Moisture Content:	20.0%
Compaction Test performed on grading complying with CBR spec.				% Retained on the 3/4" sieve:	0.0%

Uncorrected CBR Values		Corrected CBR Values	
CBR at 0.1 in.	5.5	CBR at 0.1 in.	5.5
CBR at 0.2 in.	6.7	CBR at 0.2 in.	6.7



CBR Sample Preparation:

The entire gradation was used and compacted in a 6" CBR mold in accordance with AASHTO T 193, Section 5.1.1

Before Soaking		After Soaking	
Compactive Effort (Blows per Layer)	56	Final Dry Density (PCF)	102.9
Initial Dry Density (PCF)	102.9	Average Final Moisture Content	22.1%
Moisture Content of the Compacted Specimen	20.5%	Moisture Content (top 1" after soaking)	24.3%
Percent Compaction	99.8%	Percent Swell	0.2%

Soak Time: 96 hrs.

Surcharge Weight 10.0

Surcharge Wt. per sq. Ft. 50.9

Liquid Limit 47

Plastic Index 24

Notes/Deviations/References:

Test specimen compacted to 100% at optimum moisture.

Mal Krajan, ET

Technical Responsibility

Signature

Laboratory Manager

Position

8/13/2019

Date

This report shall not be reproduced, except in full without the written approval of S&ME, Inc.

PROJECT NO.	50189.1.1
PROJECT ID	U-5777
ROUTE	NC 127
COUNTY	CATAWBA

GEOLOGIST	J. B. BARFIELD
GEOTECHS	S&ME


FILE	u5777 DCP
------	-----------

L - 13+85 SB OSL

Datum = ABC
RAW
CUT
07/30/19

Interval 0.0 to 11.0	
# of Values	119
Avg CBR	100+
Wghtd Avg.	100+
Max CBR	100+
Min CBR	49.6

Interval 11.0 to 13.0	
# of Values	7
Avg CBR	50.6
Wghtd Avg.	48.5
Max CBR	70.9
Min CBR	37.9




L - 13+85 SB ISL

Datum = ABC
RAW
CUT
07/30/19

Interval 0.0 to 12.1	
# of Values	101
Avg CBR	100+
Wghtd Avg.	100+
Max CBR	100+
Min CBR	25.6

Interval 12.1 to 13.0	
# of Values	2
Avg CBR	32.5
Wghtd Avg.	29.2
Max CBR	43.0
Min CBR	22.0



PROJECT NO.	50189.1.1
PROJECT ID	U-5777
ROUTE	NC 127
COUNTY	CATAWBA

GEOLOGIST	J. B. BARFIELD
GEOTECHS	S&ME

FILE	u5777 DCP
------	-----------

L - 16+80 NB OSL

Datum = ABC


RAW

CUT

07/30/19

Interval	
0.0	to 12.2
# of Values	75
Avg CBR	100+
Wghtd Avg.	87.2
Max CBR	100+
Min CBR	16.2

Interval	
12.2	to 42.3
# of Values	70
Avg CBR	34.0
Wghtd Avg.	30.8
Max CBR	58.4
Min CBR	14.6



L - 16+80 NB ISL

Datum = ABC


RAW

CUT

07/30/19

Interval	
0.0	to 11.9
# of Values	99
Avg CBR	100+
Wghtd Avg.	100+
Max CBR	100+
Min CBR	30.6

Interval	
11.9	to 43.0
# of Values	53
Avg CBR	23.3
Wghtd Avg.	22.2
Max CBR	33.9
Min CBR	13.3



PROJECT NO.	50189.1.1
PROJECT ID	U-5777
ROUTE	NC 127
COUNTY	CATAWBA

GEOLOGIST	J. B. BARFIELD
GEOTECHS	S&ME


FILE	u5777 DCP
------	-----------

L - 20+00 SB RTL

Datum = ABC
RAW
GRADE
07/30/19

Interval	
0.0	to 10.1
# of Values	101
Avg CBR	100+
Wghtd Avg.	100+
Max CBR	100+
Min CBR	43.0

Interval	
10.1	to 44.9
# of Values	156
Avg CBR	82.6
Wghtd Avg.	62.1
Max CBR	100+
Min CBR	13.9




L - 20+00 SB OSL

Datum = ABC
RAW
GRADE
07/30/19

Interval	
0.0	to 10.9
# of Values	96
Avg CBR	100+
Wghtd Avg.	100+
Max CBR	100+
Min CBR	23.7

Interval	
10.9	to 42.8
# of Values	65
Avg CBR	31.4
Wghtd Avg.	26.9
Max CBR	70.9
Min CBR	13.9



PROJECT NO.	50189.1.1
PROJECT ID	U-5777
ROUTE	NC 127
COUNTY	CATAWBA

GEOLOGIST	J. B. BARFIELD
GEOTECHS	S&ME


FILE	u5777 DCP
------	-----------

L - 20+00 SB ISL

Datum = ABC
RAW
GRADE
07/30/19

Interval	
0.0	to 12.2
# of Values	115
Avg CBR	100+
Wghtd Avg.	100+
Max CBR	100+
Min CBR	22.0

Interval	
12.2	to 44.6
# of Values	78
Avg CBR	41.1
Wghtd Avg.	32.0
Max CBR	90.0
Min CBR	10.5




L - 21+95 SB LTL

Datum = ABC
RAW
GRADE
07/30/19

Interval	
0.0	to 11.9
# of Values	109
Avg CBR	100+
Wghtd Avg.	100+
Max CBR	100+
Min CBR	22.0

Interval	
11.9	to 43.5
# of Values	95
Avg CBR	47.0
Wghtd Avg.	40.6
Max CBR	100+
Min CBR	19.2



PROJECT NO.	50189.1.1
PROJECT ID	U-5777
ROUTE	NC 127
COUNTY	CATAWBA

GEOLOGIST	J. B. BARFIELD
GEOTECHS	S&ME


FILE	u5777 DCP
------	-----------

L - 21+95 NB OSL

Datum = ABC
RAW
GRADE
07/30/19

Interval	
0.0	to 12.4
# of Values	65
Avg CBR	92.9
Wghtd Avg.	73.1
Max CBR	100+
Min CBR	13.3

Interval	
12.4	to 44.5
# of Values	102
Avg CBR	52.8
Wghtd Avg.	43.1
Max CBR	100+
Min CBR	17.1




L - 21+95 NB ISL

Datum = ABC
RAW
GRADE
7/30/2019

Interval	
0.0	to 10.7
# of Values	96
Avg CBR	100+
Wghtd Avg.	100+
Max CBR	100+
Min CBR	25.6

Interval	
10.7	to 42.6
# of Values	34
Avg CBR	15.7
Wghtd Avg.	13.4
Max CBR	27.9
Min CBR	6.5



PROJECT NO.	50189.1.1
PROJECT ID	U-5777
ROUTE	NC 127
COUNTY	CATAWBA

GEOLOGIST	J. B. BARFIELD
GEOTECHS	S&ME


FILE	u5777 DCP
------	-----------

L - 23+30 NB RTL

Datum = ABC
RAW
CUT
07/30/19

Interval 0.0 to 7.1	
# of Values	37
Avg CBR	84.7
Wghtd Avg.	73.0
Max CBR	100+
Min CBR	25.6

Interval 7.1 to 34.0	
# of Values	49
Avg CBR	26.6
Wghtd Avg.	23.7
Max CBR	70.9
Min CBR	11.8




Y - 14+20 EB LN GUTT^{ED}

Datum = SG
RAW
CUT
07/30/19

Interval 0.0 to 0.0	
# of Values	0
Avg CBR	#DIV/0!
Wghtd Avg.	#DIV/0!
Max CBR	0.0
Min CBR	0.0

Interval 0.0 to 35.4	
# of Values	59
Avg CBR	25.5
Wghtd Avg.	21.6
Max CBR	100+
Min CBR	14.6



PROJECT NO.	50189.1.1
PROJECT ID	U-5777
ROUTE	NC 127
COUNTY	CATAWBA

GEOLOGIST	J. B. BARFIELD
GEOTECHS	S&ME


FILE	u5777 DCP
------	-----------

Y - 14+20 EB LN OWP

Datum = ABC
RAW
GRADE
07/30/19

Interval 0.0 to 6.0	
# of Values	67
Avg CBR	100+
Wghtd Avg.	100+
Max CBR	100+
Min CBR	30.6

Interval 6.0 to 8.0	
# of Values	11
Avg CBR	87.1
Wghtd Avg.	80.2
Max CBR	100+
Min CBR	49.6




Y1 - 11+15 WB RTL

Datum = ABC
RAW
GRADE
07/30/19

Interval 0.0 to 4.2	
# of Values	6
Avg CBR	20.1
Wghtd Avg.	18.5
Max CBR	30.6
Min CBR	12.2

Interval 4.2 to 43.3	
# of Values	83
Avg CBR	74.2
Wghtd Avg.	28.0
Max CBR	100+
Min CBR	6.4



PROJECT NO.	50189.1.1
PROJECT ID	U-5777
ROUTE	NC 127
COUNTY	CATAWBA

GEOLOGIST	J. B. BARFIELD
GEOTECHS	S&ME


FILE	u5777 DCP
------	-----------

Y1 - 13+25 WB LT LN

Datum = ABC
RAW
GRADE
07/30/19

Interval	
0.0 to 3.2	
# of Values	2
Avg CBR	8.1
Wghtd Avg.	7.6
Max CBR	10.1
Min CBR	6.1

Interval	
3.2 to 22.4	
# of Values	32
Avg CBR	46.4
Wghtd Avg.	21.6
Max CBR	100+
Min CBR	7.7



PAVEMENT CORE EVALUATION
50189.1.1 (U-5777) Catawba County

LINE	STATION	ABC (in)	LAYER THICKNESS (in)	LAYER	LIFT(S)	REMARKS
-L-	13+85 SB OSL	11.00	1.50	S	1	
	4" Asphalt		2.50	I	1	Minor oxidation
-L-	13+85 SB ISL	12.00	4.25	S	3	minor oxidation in 3rd lift, some small voids, sandy matrix
	6.25" Asphalt		2.00	I	1	minor oxidation, some small voids
-L-	16+80 NB OSL	12.00	2.00	S	2	2nd lift has sandy matrix and very fine aggregate, 2" top-down crack
	5.25" Asphalt		3.25	I	1	minor oxidation, low severity stripping in bottom 0.75"
-L-	16+80 NB ISL	12.00	2.75	S	2	2nd lift has sandy matrix and very fine aggregate
	4.75" Asphalt		2.00	I	1	minor oxidation, low severity stripping in bottom 0.75"
-L-	20+00 SB RTL	10.00	1.75	S	2	
	2.75" Asphalt		1.00	I	1	
-L-	20+00 SB OSL	11.00	2.25	S	2	2nd lift minor oxidation
	4.5" Asphalt		2.25	I	1	full-depth crack
-L-	20+00 SB ISL	12.00	2.00	S	1	
	3.5" Asphalt		1.50	I	1	
-L-	21+95 SB LTL	12.00	2.25	S	2	2nd lift minor oxidation, low severity stripping
	3.75" Asphalt		1.50	I	1	minor oxidation, some Flat and Elongated Aggregate (FEA)
-L-	21+95 NB OSL	12.00	2.00	S	1	
	3" Asphalt		1.00	I	1	
-L-	21+95 NB ISL	11.00	2.25	S	1	
	4.25" Asphalt		2.00	I	1	
-L-	23+30 NB RTL	7.00	2.25	S	1	
	13.25" Asphalt		11.00	B	2	
-Y-	14+20 EB LN Gutter	-	1.50	S	1	delaminated, minor oxidation, cored to determine overlay thickness in gutter pan
	1.50" Asphalt		7.25	C	1	Concrete Gutter
-Y-	14+20 EB LN	6.00	3.25	S	3	3rd lift sandy matrix
	5.5" Asphalt		2.25	I	1	few small voids
-Y1-	11+15 WB RTL	4.00	1.50	S	1	
	4.5" Asphalt		3.00	I	1	
-Y1-	13+25 WB LN	3.00	2.00	S	1	
	10" Asphalt		2.50	I	1	high severity stripping with 5.5" of core missing, full-depth crack, FEA