COMPUTED BY: NDM_ DATE: 06/28/22 CHECKED BY: JSJ_ DATE: 06/29/22 UPDATED BY: S. YANG_ DATE: 4/24/25

(12-17-19)

PROJECT NO. SHEET NO. U-6005 3G-1

STATE OF NORTH CAROLINA **DIVISION OF HIGHWAYS**

SUMMARY OF SUBSURFACE DRAINAGE

LINE	Station	Station	Location LT/RT/CL	Drain Type* UD/BD/SD	LF
	CONTIN	SD	1000		
				TOTAL LF:	1000

*UD = Underdrain *BD = Blind Drain

*SD = Subsurface Drain

SUMMARY OF AGGREGATE SUBGRADE/STABILIZATION

LINE	Station	Station	Aggregate Type* ASU(1/2)/ AST	Aggregate Thickness INCHES [8" for ASU(2)]	Shallow Undercut CY	Class IV Subgrade Stabilization TONS	Geotextile for Subgrade Stabilization SY	Stabilizer Aggregate TONS	Class IV Aggregate Stabilization TONS
(CONTINGENCY		ASU	12	500	1000	1500		
_				_	_				
			TOTAL	CY/TONS/SY:	500	1000**	1500**	0	0

^{*}ASU(1/2) = Aggregate Subgrade (Type 1 or 2)
*AST = Aggregate Stabilization
**Total tons of "Class IV Subgrade Stabilization" and total square yards of "Geotextile for Subgrade Stabilization" are only the estimated quantities for ASU(1/2)/AST and may only represent a portion of the subgrade stabilization and geotextile quantities shown in the Item Sheets of the Proposal.