Docusign Envelope ID: E9E649B8-701B-4B29-BC16-058329C441E5


FORSYTH COUNTY

PROJECT REFERENCE NO. SHEET NO. UC-3L U-6005 DESIGNED BY: ELM ELM DRAWN BY: CHECKED BY: MUP APPROVED BY: MUP REVISED: NORTH CAROLINA DEPARTMENT OF TRANSPORTATION UTILITIES ENGINEERING SEC.
PHONE: (919)707-6690
UTILITY CONSTRUCTION
FAX: (919)250-4151
PLANS ONLY

UTILITY CONSTRUCTION

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

1" Water Connection (Without Curb & Gutter)



Horizontal & Vertical Up Bends

| Trottzontai & verticai ep Benas | | | |
|---------------------------------|----------------------------------------------------------------------------------------------------------|--|--|
| | Pipeline Restraint Req. Each Side of Fitting | | |
| Bend Angle | (feet) | | |
| 11.25 | 8 | | |
| 22.5 | 15 | | |
| 45 | 31 | | |
| 90 | 75 | | |
| 11.25 | 10 | | |
| 22.5 | 19 | | |
| 45 | 40 | | |
| 90 | 97 | | |
| 11.25 | 12 | | |
| 22.5 | 23 | | |
| 45 | 48 | | |
| 90 | 116 | | |
| 11.25 | 13 | | |
| 22.5 | 27 | | |
| 45 | 56 | | |
| 90 | 135 | | |
| 11.25 | 17 | | |
| 22.5 | 34 | | |
| 45 | 71 | | |
| 90 | 171 | | |
| | Bend Angle 11.25 22.5 45 90 11.25 22.5 45 90 11.25 22.5 45 90 11.25 22.5 45 90 11.25 22.5 45 45 90 11.25 | | |

PIPE RESTRAINT CHARTS **Vertical Down Bends**

| vertical Down Bends | | | |
|---------------------|-------|-------------------------------------------------------|--|
| | Bend | Pipeline Restraint Req. Each Side of Fitting | |
| Pipe Size (inch) | Angle | (feet) | |
| 6" | 11.25 | 16 | |
| | 22.5 | 32 | |
| | 45 | 66 | |
| | 90 | 159 | |
| 8" | 11.25 | 20 | |
| | 22.5 | 41 | |
| | 45 | 85 | |
| | 90 | 205 | |
| 10" | 11.25 | 25 | |
| | 22.5 | 49 | |
| | 45 | 102 | |
| | 90 | 247 | |
| 12" | 11.25 | 29 | |
| | 22.5 | 58 | |
| | 45 | 120 | |
| | 90 | 289 | |
| 16" | 11.25 | 37 | |
| | 22.5 | 74 | |
| | 45 | 153 | |
| | 90 | 369 | |

Tees, Reducers, Cans

| Tees, Reducers, Caps | | | |
|----------------------|-------|----------------------------------------------|--|
| Eitting | Size | Pipeline Restraint Req. Each Side of Fitting | |
| Fitting | 4 | (feet) 68 | |
| | | | |
| | 6 | 114 | |
| Tee | 8 | 160 | |
| | 10 | 202 | |
| | 12 | 244 | |
| | 16 | 323 | |
| | 6x4 | 120 | |
| | 8x6 | 115 | |
| Reducer | 10x4 | 488 | |
| | 10x6 | 252 | |
| | 10x8 | 104 | |
| | 12x4 | 736 | |
| | 12x6 | 422 | |
| | 12x10 | 102 | |
| | 16x8 | 553 | |
| | 16x10 | 360 | |
| | 16x12 | 213 | |
| Сар | 4 | 112 | |
| | 6 | 159 | |
| | 8 | 205 | |
| | 10 | 247 | |
| | 12 | 289 | |
| | 16 | 369 | |
| | | | |