


8/17/99

stv

STV Engineers, Inc.  
2121 RDU Center Dr.  
Suite 210  
Morrisville, NC 27560  
NC License Number F-0991

| PROJ. REFERENCE NO. | SHEET NO. |
|---------------------|-----------|
| U-5797              | SIGN-3F   |



NOTES:

- IF THE CONTRACTOR BIDS ALUMINUM SIGN STRUCTURE, EACH SHALL BE PROVIDED WITH AN APPROVED HIGHWAY TRUSS DAMPER DEVICE IN ACCORDANCE WITH AASHTO SPECIFICATIONS.
- MOUNT SIGNS VERTICALLY CENTERED ON HORIZONTAL MEMBER OF STRUCTURE.
- FIELD VERIFICATION SHALL BE REQUIRED FOR ALL FOOTING ELEVATIONS, PER THE LATEST NCDOT STANDARD SPECIFICATIONS FOR ROADS AND STRUCTURES. PROVIDE FIELD VERIFICATION TO THE SIGNING SECTION.
- THE TOP OF THE FOOTING SHALL EXTEND AT LEAST 4 INCHES AND NOT MORE THAN 24 INCHES ABOVE THE HIGHEST POINT OF THE GROUND SURFACE AT THE FOOTING.
- SIGN HANGERS AND ATTACHMENT HARDWARE SHALL BE PROVIDED AND INSTALLED ON THE ASSEMBLY TO ACCOMMODATE ALL SIGNS SHOWN IN THIS PLAN SHEET.
- DESIGN AND CONSTRUCTION REQUIREMENTS FOR THE SIGN STRUCTURES SHALL ACCOMMODATE WIND VELOCITY OF 140 MPH.

STRUCTURE INVENTORY NUMBER 770586

DOCUMENT NOT CONSIDERED FINAL  
UNLESS ALL SIGNATURES COMPLETED

APPROVED: *Sara Loulti* DATE: 3/6/2025

SEAL

NORTH CAROLINA  
PROFESSIONAL  
ENGINEER  
SEAL  
057348  
SARA S. LOULTI

OVERHEAD SIGN ASSEMBLY "C"  
-L- STA 60+05+/-

|                  |  |           |
|------------------|--|-----------|
| SCALE: NONE      |  | REVISIONS |
| DATE: 06/08/20   |  |           |
| DWG. BY: ENP     |  |           |
| DESIGN BY: ENP   |  |           |
| REVIEWED BY: PAL |  | CADD FILE |