COMPUTED BY: Andrew Drda DATE: 2/22/24 CHECKED BY: Jinyoung Park DATE: 2/22/24

(2-3-23)

PROJECT NO. SHEET NO. B-4838 3G-1

## STATE OF NORTH CAROLINA DIVISION OF HIGHWAYS

## SUMMARY OF SUBSURFACE DRAINAGE

LINE	Station	Station	Location LT/RT/CL	Drain Type* UD/BD/SD	LF
	CONTIN	SD	200		
				TOTAL LF:	200

\*UD = Underdrain

\*BD = Blind Drain

\*SD = Subsurface Drain

## SUMMARY OF AGGREGATE SUBGRADE/STABILIZATION

LINE	Station	Station	Aggregate Type* ASU(1/2)/ AST	Aggregate Thickness INCHES [8" for ASU(2)]	Shallow Undercut CY	Class IV Subgrade Stabilization TONS	Geotextile for Subgrade Stabilization SY	Stabilizer Aggregate TONS	Class IV Aggregate Stabilization TONS
(	CONTINGENCY		ASU(1)	12	100	200	300	0	0
					-				
			TOTAL (	CY/TONS/SY:	100	200**	300**	0	0
* A CLL(4 (0)	A summa supta. Cuul								

<sup>\*</sup>ASU(1/2) = Aggregate Subgrade (Type 1 or 2)
\*AST = Aggregate Stabilization

<sup>\*\*</sup>Total tons of "Class IV Subgrade Stabilization" and total square yards of "Geotextile for Subgrade Stabilization" are only the estimated quantities for ASU(1/2)/AST and may only represent a portion of the subgrade stabilization and geotextile quantities shown in the Item Sheets of the Proposal.