

NC Fiber Asset Management System: Junctions, Continuous Capture – NC Department of Transportation

SDE Geodatabase Feature Class



Tags

Point, North Carolina, NCDOT, Transportation, Right of Way, Highway, Communication, Intelligent Transportation System, Broadband, Network, Fiber. Fiber Assets, FAMS, Location, Junction Boxes

Summary

This feature class contains point representation of communication junction boxes. This feature class represents some components of NCDOT's Intelligent Transportation System (ITS) infrastructure data that support NCDOT's Fiber Asset Management System (FAMS). Attributes containing NCDOT Project ID, Owner, Junction Type, Junction Lid Type, and Installation Date are included. All fiber and devices tracked in an Intelligent Transportation System (ITS) eventually terminate at a switch housed in an ITS Cabinet.

The FAMS allows for the on-going capture of NCDOT's Intelligent ITS fiber and related ITS infrastructure assets. Data included in FAMS includes fiber optic cables and related intelligent transportation system infrastructure components. This dataset is limited to ITS components that either terminate in a cabinet or fiber infrastructure operations facility. These assets are NCDOT-owned and located within the NCDOT right of way. Although all assets are owned by NCDOT, some assets may be maintained by third-party partners through legal agreements with NCDOT. The data entered are the latest available to NCDOT Traffic Systems Operations, but data currency may vary across the system.

Description

Junction boxes are used as storage and connection points and house communication cabling. This is included in the Facility Asset Management System so users can more easily understand the location of these storage points and understand the types of cables and infrastructure that passes through them. NCDOT Traffic Systems Operations currently owns and maintains hundreds of miles of fiber and related communication infrastructure across the state of North Carolina that provide connectivity for NCDOT's Intelligent Transportation System along the state-maintained roadway network. The goal of the NCDOT Intelligent Transportation System is to improve traffic conditions, minimize delays, and increase safety for all commuters in the state. This transportation infrastructure can be roughly grouped into eight categories:

- Signal systems
- Traveler information, including the Traffic Information Management System and 511
- Incident management assistance patrols
- Transportation management centers
- Traffic management and information devices
- Commercial vehicle operations
- Transit management

In an effort to accurately and reliably track the asset infrastructure that is part of the Intelligent Transportation System, NCDOT has developed a Fiber Asset Management System. The Fiber Asset Management System is a centralized, enterprise geodatabase and service-based application used to store, track, and manage NCDOT-maintained fiber assets in a spatial data format, helping NCDOT in:

- ITS asset maintenance

- Management of fiber network connectivity details for maintenance and design purposes
- Increasing 811 accuracy and reliability
- ITS network infrastructure planning

The GIS Unit of the North Carolina Department of Information Technology-Transportation (NCDIT-T) has developed an enterprise geodatabase and system to host the spatially-based fiber assets data where it can be populated, managed, tracked, and disseminated to meet the FAMS project needs. Data includes features such as cabinets, fiber housing, fiber connections, junction boxes, poles, communication splice points, ethernet cable, electronic location markers, and buildings with NCDOT infrastructure equipment. The GIS capability of FAMS enables management and dissemination of fiber infrastructure spatial data.

Credits

The North Carolina Department of Transportation, Division of Highways, Traffic Systems Operations Unit.

Support and maintenance of the enterprise spatial database where this data resides is handled by the North Carolina Department of Information Technology-Transportation, GIS Unit.

Use limitations

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

All fiber asset data is the sole property of NCDOT and any public purpose use is subject to approval and release by NCDOT. No data, whole or in part, shall be released, published, or shared without prior written approval by NCDOT. No information concerning the data shall be divulged to anyone outside the proper officials at NCDOT. All fiber asset data is strictly confidential to NCDOT and its approved contractors.

This data should be used for planning, maintenance, and decision-making support purposes only. It should be used only by those who fully understand the extents, limitations, and content of the data. The data should not be used in place of field survey or data collection efforts that are normally performed by licensed professionals and it should not replace any data collection efforts that are typically required as a part of detailed design and construction efforts.

Extent

There is no extent for this item.

Scale Range

Maximum (zoomed in) 1:5,000

Minimum (zoomed out) 1:50,000

Topics and Keywords ▶

Themes or categories of the resource Location, Transportation, Utilities & Communication

Content type Geographic Services

Export to FGDC CSDGM XML format as Resource Description No

Theme keywords Point, North Carolina, NCDOT, Transportation, Right of Way, Highway, Communication, Intelligent Transportation System, Broadband, Network, Fiber. Fiber Assets, FAMS, Junction Boxes

Thesaurus ▶

Title User

Creation date 2022-05-31 00:00:00

Publication date 2022-05-31 00:00:00

Place keywords North Carolina

Thesaurus ▶

Title User

Creation date 2022-05-31 00:00:00

Publication date 2022-05-31 00:00:00

Citation ►

Title NC Fiber Asset Management System: Junctions, Continuous Capture – NC Department of Transportation

Alternate titles Junctions

Creation date 2022-05-31 00:00:00

Publication date 2022-05-31 00:00:00

Presentation formats digital map

FGDC geospatial presentation format vector digital data

Citation Contacts ►

Responsible party - originator

Individual's name Stephen Wardle

Organization's name North Carolina Department of Transportation, Traffic Systems Operations Unit

Contact's position ITS Operation Engineer

Contact information ►

Phone

Voice 919-825-2621

Address

Type physical

Delivery point 1636 Gold Star Drive

City Raleigh

Administrative area NC

Postal code 27607

Country US

e-mail address swardle@ncdot.gov

Hours of service

9:00am - 5:00pm Monday – Friday

Contact instructions

Please send an email with any issues, questions, or comments regarding the data. If it is an immediate need, please call the contact number or indicate as such in the subject line in an email.

Responsible party - resource provider

Organization's name North Carolina Department of Information Technology -Transportation, GIS Unit

Contact's position GIS Data and Services Consultant

Contact information ►

Address

Type physical

Delivery point 4101 Capital Boulevard

City Raleigh

Administrative area NC

Postal code 27604

Country US

e-mail address gishelp@ncdot.gov

Hours of service

9:00am - 5:00pm Monday - Friday

Contact instructions

Please send an email with any issues, questions, or comments regarding the Right of Way Geodatabase. If it is an immediate need, please call the contact number or indicate as such in the subject line in an email.

Responsible party - point of contact

Organization's name North Carolina Department of Information Technology -Transportation, GIS Unit

Contact's position GIS Data and Services Consultant

Contact information ►

Address

Type physical

Delivery point 4101 Capital Boulevard

City Raleigh

Administrative area NC

Postal code 27604

Country US

e-mail address gishelp@ncdot.gov

Hours of service

9:00am - 5:00pm Monday - Friday

Contact instructions

Please send an email with any issues, questions, or comments regarding the Right of Way Geodatabase. If it is an immediate need, please call the contact number or indicate as such in the subject line in an email.

Resource Details ►

Dataset languages English (UNITED STATES)

Dataset character set utf8 - 8 bit UCS Transfer Format

Status on-going

Spatial representation type vector

Processing environment Microsoft Windows 10 Version 10.0 (Build 18363) ; Esri ArcGIS 12.9.0.32739

Credits

The North Carolina Department of Transportation, Division of Highways, Traffic Systems Operations Unit.

Support and maintenance of the enterprise spatial database where this data resides is handled by the North Carolina Department of Information Technology-Transportation, GIS Unit.

Resource Points of Contact ►

Point of contact - point of contact

Organization's name North Carolina Department of Information Technology -Transportation, GIS Unit

Contact's position GIS Data and Services Consultant

Contact information ►

Address

Type physical

Delivery point 4101 Capital Boulevard

City Raleigh

Administrative area NC

Postal code 27604

Country US

e-mail address gishelp@ncdot.gov

Hours of service

9:00am - 5:00pm Monday - Friday

Contact instructions

Please send an email with any issues, questions, or comments regarding the Right of Way Geodatabase. If it is an immediate need, please call the contact number or indicate as such in the subject line in an email.

Resource Maintenance ►

Resource maintenance

Update frequency continual

Scope of the updates dataset

Other maintenance requirements

The North Carolina Department of Transportation, Division of Highways, Traffic Systems Operations Unit maintenance is as needed and not regularly scheduled.

Support and maintenance of the spatial database where this data resides is handled by the North Carolina Department of Information Technology-Transportation, GIS Unit.

Maintenance contact - point of contact

Organization's name North Carolina Department of Information Technology -Transportation, GIS Unit

Contact's position GIS Data and Services Consultant

Contact information ►

Address

Type physical

Delivery point 4101 Capital Boulevard

City Raleigh

Administrative area NC

Postal code 27604

Country US

e-mail address gishelp@ncdot.gov

Hours of service

9:00am - 5:00pm Monday - Friday

Contact instructions

Please send an email with any issues, questions, or comments regarding the Right of Way Geodatabase. If it is an immediate need, please call the contact number or indicate as such in the subject line in an email.

Resource Constraints ►

Constraints

Limitations of use

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

All fiber asset data is the sole property of NCDOT and any public purpose use is subject to approval and release by NCDOT. No data, whole or in part, shall be released, published, or shared without prior written approval by NCDOT. No information concerning the data shall be divulged to anyone outside the proper officials at NCDOT. All fiber asset data is strictly confidential to NCDOT and its approved contractors.

This data should be used for planning, maintenance, and decision-making support purposes only. It should be used only by those who fully understand the extents, limitations, and content of the data. The data should not be used in place of field survey or data collection efforts that are normally performed by licensed professionals and it should not replace any data collection efforts that are typically required as a part of detailed design and construction efforts.

Legal constraints

Limitations of use

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

All fiber asset data is the sole property of NCDOT and any public purpose use is subject to approval and release by NCDOT. No data, whole or in part, shall be released, published, or shared without prior written approval by NCDOT. No information concerning the data shall be divulged to anyone outside the proper officials at NCDOT. All fiber asset data is strictly confidential to NCDOT and its approved contractors.

This data should be used for planning, maintenance, and decision-making support purposes only. It should be used only by those who fully understand the extents, limitations, and content of the data. The data should not be used in place of field survey or data collection efforts that are normally performed by license professionals and it should not replace any data collection efforts that are typically required as a part of detailed design and construction efforts.

Access constraints restricted

Use constraints restricted

Security constraints

Classification confidential

Classification system None

Limitations of use

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

All fiber asset data is the sole property of NCDOT and any public purpose use is subject to approval and release by NCDOT. No data, whole or in part, shall be released, published, or shared without prior written approval by NCDOT. No information concerning the data shall be divulged to anyone outside the proper officials at NCDOT. All fiber asset data is strictly confidential to NCDOT and its approved contractors.

This data should be used for planning, maintenance, and decision-making support purposes only. It should be used only by those who fully understand the extents, limitations, and content of the data. The data should not be used in place of field survey or data collection efforts that are normally performed by license professionals and it should not replace any data collection efforts that are typically required as a part of detailed design and construction efforts.

Spatial Reference ►

ArcGIS coordinate system

Type Projected

Geographic coordinate reference GCS_North_American_1983

Projection NAD_1983_StatePlane_North_Carolina_FIPS_3200_Feet

Coordinate reference details

ProjectedCoordinateSystem

WKID 102719

XOrigin -121841900

YOrigin -93659000

XYScale 3048.0060960121928

ZOrigin -100000

ZScale 10000

MOrigin -100000

MScale 10000

XYTolerance 0.0032808333333333331

ZTolerance 0.001

MTolerance 0.001

HighPrecision true

LatestWKID 2264

WKT

```
PROJCS["NAD_1983_StatePlane_North_Carolina_FIPS_3200_Feet",GEOGCS["GCS_North_American_1983",DATUM["D_North_American_1983",SPHEROID["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION["Lambert_Conformal_Conic"],PARAMETER["False_Easting",2000000.002616666],PARAMETER["False_Northing",0.0],PARAMETER["Central_Meridian",-79.0],PARAMETER["Standard_Parallel_1",34.33333333333334],PARAMETER["Standard_Parallel_2",36.16666666666666],PARAMETER["Latitude_Of_Origin",33.75],UNIT["Foot_US",0.3048006096012192],AUTHORITY["EPSG",2264]]
```

Reference system identifier

Value 2264

Codespace EPSG
Version 6.12(9.0.0)

Spatial Data Properties ▶

Vector ▶

Level of topology for this dataset geometry only

Geometric objects

Feature class name Junctions

Object type point

Object count 0

ArcGIS Feature Class Properties ▶

Feature class name Junctions

Feature type Simple

Geometry type Point

Has topology FALSE

Feature count 0

Spatial index TRUE

Linear referencing FALSE

Data Quality ▶

Scope of quality information ▶

Resource level dataset

Data quality report - Completeness commission ▶

Data quality measure reference

Measure description

After processing and based on the availability of the submitter, the dataset is checked for drawing display and number of records and file sizes compared with source materials.

Conformance test results

Test passed Yes

Result explanation

Pass

Product specification ▶

Title NCDOT Geospatial Data Specifications

Creation date 2022-05-31 00:00:00

Publication date 2022-05-31 00:00:00

Data quality report - Conceptual consistency ▶

Data quality measure reference

Measure description

This dataset is converted to file geodatabase (FGDB) format. Data quality is not automated as part of the conversion process and assessed on an irregular basis.

Conformance test results

Test passed Yes

Result explanation

Pass

Product specification ▶

Title NCDOT Geospatial Data Specifications

Creation date 2022-05-31 00:00:00

Publication date 2022-05-31 00:00:00

Data quality report - Quantitative attribute accuracy ►

Data quality measure reference

Measure description

The source data may be checked using standard review procedures. Attributes and null values were checked by using visual inspection as well as automated verification routines. Geometry checks may be performed as a post process by users.

Conformance test results

Test passed Yes

Result explanation

Pass.

Product specification ►

Title NCDOT Geospatial Data Specifications

Creation date 2022-05-31 00:00:00

Publication date 2022-05-31 00:00:00

Lineage ►

Lineage statement

This dataset was originally created by the North Carolina Department of Transportation, Traffic Systems Operations Unit, to provide a geographic representation of junction boxes in North Carolina. The data contained within this dataset is entered to the enterprise database environment through the Fiber Asset Management System. Geospatial services which support the Fiber Asset Management System (FAMS) are utilized by the NCDOT's Traffic Systems Operations Unit.

Process step ►

When the process occurred 2022-05-27 00:00:00

Description

The fiber asset enterprise geodatabase data is published as a series of feature services for access in the Fiber Asset Management System, maintained by the NCDIT-Transportation GIS Unit.

Process contact - point of contact

Organization's name North Carolina Department of Information Technology -Transportation, GIS Unit

Contact's position GIS Data and Services Consultant

Contact information ►

Address

Type physical

Delivery point 4101 Capital Boulevard

City Raleigh

Administrative area NC

Postal code 27604

Country US

e-mail address gishelp@ncdot.gov

Hours of service

9:00am - 5:00pm Monday - Friday

Contact instructions

Please send an email with any issues, questions, or comments regarding the Right of Way Geodatabase. If it is an immediate need, please call the contact number or indicate as such in the subject line in an email.

Process step ►

When the process occurred 2022-05-31 00:00:00

Description

The fiber asset data is originally populated by NCDOT's Traffic Systems Operations Unit.

Process contact - originator

Individual's name Stephen Wardle

Organization's name North Carolina Department of Transportation, Traffic Systems Operations Unit

Contact's position ITS Operation Engineer

Contact information ►

Phone

Voice 919-825-2621

Address

Type physical

Delivery point 1636 Gold Star Drive

City Raleigh

Administrative area NC

Postal code 27607

Country US

e-mail address swardle@ncdot.gov

Hours of service

9:00am - 5:00pm Monday – Friday

Contact instructions

Please send an email with any issues, questions, or comments regarding the data. If it is an immediate need, please call the contact number or indicate as such in the subject line in an email.

Process step ►

When the process occurred 2022-06-01 00:00:00

Description

The Fiber Asset Management System data can be captured for publication and reporting services if needed.

Process contact - resource provider

Individual's name Stephen Wardle

Organization's name North Carolina Department of Transportation, Traffic Systems Operations Unit

Contact's position ITS Operation Engineer

Contact information ►

Phone

Voice 919-825-2621

Address

Type physical

Delivery point 1636 Gold Star Drive

City Raleigh

Administrative area NC

Postal code 27607

Country US

e-mail address swardle@ncdot.gov

Hours of service

9:00am - 5:00pm Monday – Friday

Contact instructions

Please send an email with any issues, questions, or comments regarding the data. If it is an immediate need, please call the contact number or indicate as such in the subject line in an email.

Distribution ►

Distributor ►

Contact information - point of contact

Organization's name North Carolina Department of Information Technology -Transportation, GIS Unit

Contact's position GIS Data and Services Consultant

Contact information ►

Address

Type physical

Delivery point 4101 Capital Boulevard

City Raleigh

Administrative area NC

Postal code 27604

Country US
e-mail address gishelp@ncdot.gov
Hours of service
9:00am - 5:00pm Monday - Friday

Contact instructions

Please send an email with any issues, questions, or comments regarding the Right of Way Geodatabase. If it is an immediate need, please call the contact number or indicate as such in the subject line in an email.

Distribution format

Name SDE Geodatabase Feature Class
Version 10.9.x

Fields ►

Details for object Junctions ►

Type Feature Class
Row count 0
Definition
Junctions

Definition source

North Carolina Department of Traffic Systems Operations Unit

Field OBJECTID ►

Alias OBJECTID
Data type OID
Width 4
Precision 0
Scale 0

Field description

Internal feature number.

Description source

Esri

Description of values

Sequential unique whole numbers that are automatically generated.

Field Shape ►

Alias SHAPE
Data type Geometry
Width 0
Precision 0
Scale 0

Field description

Feature geometry.

Description source

Esri

Description of values

Coordinates defining the features.

Field GlobalID ►

Alias Global ID
Data type GlobalID
Width 38

Precision 0
Scale 0

Description source
NCDOT Traffic Systems Operations Unit

Field description

A field of type UUID (Universal Unique Identifier) in which values are automatically assigned by the geodatabase when a row is created. The GlobalID field is necessary for maintaining object uniqueness across replicas. All feature classes and tables participating in one-way or two-way replication must contain the GlobalID field. This field is not editable and is automatically populated when it is added for existing data.

Description of values
Values vary.

Field Owner ►

Alias Owner
Data type String
Width 50
Precision 0
Scale 0

Description source
NCDOT Traffic Systems Operations Unit

Field description
Owner of the asset.

List of values

Value NCDOT
Description The junction is owned by the North Carolina Department of Transportation.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Municipality
Description The junction is owned by the municipality.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value OMC
Description The junction is owned by OMC.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value NCDIT
Description The junction is owned by the North Carolina Department of Information Technology.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value AT&T
Description The junction is owned by AT&T.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Spectrum
Description The junction is owned by Spectrum.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Crown Castle
Description The junction is owned by Crown Castle.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Duke Energy
Description The junction is owned by Duke Energy.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Verizon

Description The junction is owned by Verizon.

Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Zayo

Description The junction is owned by Zayo.

Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Other

Description The junction is owned by some other owner.

Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Unknown

Description It is not known who owns the junction.

Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Field JunctionType ►

Alias Type of Junction

Data type String

Width 50

Precision 0

Scale 0

Description source

NCDOT Traffic Systems Operations Unit

Field description

Identifies the type of junction installed.

List of values

Value Standard Junction Box

Description Type of junction is a Standard Junction Box

Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Oversized Junction Box

Description Type of junction is an Oversized Junction Box.

Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Special Oversized Junction Box

Description Type of junction is a Special Oversized Junction Box.

Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Manhole

Description Type of junction is a manhole.

Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Vault

Description Type of junction is a vault.

Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Other

Description Type of junction is some other undefined type.

Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Unknown

Description Type of junction is unknown.

Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Field JunctionLidType ►

Alias Junction Lid Type

Data type String
Width 50
Precision 0
Scale 0

Description source
NCDOT Traffic Systems Operations Unit

Field description
Describes the type of lid for the junction.

List of values
Value Standard Lid
Description Junction lid is standard type.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Lid with Tracer Wire Test Switch Hatch
Description Junction lid features a hatch for tracer wire test access for easy NC 811 locating.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Other
Description Type of junction lid is some other undefined type.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Unknown
Description Type of junction lid is unknown.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Field JunctionDepth ►

Alias Junction Depth
Data type String
Width 50
Precision 0
Scale 0

Description source
NCDOT Traffic Systems Operations Unit

Field description
Describes the junction box lid relative to grade.

List of values
Value Buried
Description Junction box lid is buried below grade.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value At Grade
Description Junction box lid is at grade.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Other
Description Junction box lid is depth is at some other depth.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Value Unknown
Description Junction box lid is depth is unknown.
Enumerated domain value definition source NCDOT Traffic Systems Operations Unit

Field MarkerBall ►

Alias Marker Ball

Data type String
Width 25
Precision 0
Scale 0

Description source
NCDOT Traffic Systems Operations Unit

Field description
Marker ball ID (can vary depending on manufacturer).

Description of values
Values vary.

Field InstallDate ►
Alias Date Installed
Data type Date
Width 8
Precision 0
Scale 0

Description source
NCDOT Traffic Systems Operations Unit

Field description
Date the junction was installed (or changed out).

Description of values
Dates vary.

Field Comments ►
Alias Comments
Data type String
Width 255
Precision 0
Scale 0

Description source
NCDOT Traffic Systems Operations Unit

Field description
Additional comments.

Description of values
Text.

Field ProjectID ►
Alias Project ID
Data type String
Width 50
Precision 0
Scale 0

Description source
NCDOT Traffic Systems Operations Unit

Field description
Identifies what NCDOT Project the junction box was installed under (if available).

Description of values

Values vary.

Field created_user ►

Alias Created User

Data type String

Width 255

Precision 0

Scale 0

Description source

NCDOT Traffic Systems Operations Unit

Field description

Name of authorized user who created/added a feature to the feature class.

Description of values

Text.

Field created_date ►

Alias Created Date

Data type Date

Width 8

Precision 0

Scale 0

Description source

NCDOT Traffic Systems Operations Unit

Field description

Date and time the authorized user created/added the feature to the feature class.

Description of values

Dates will vary.

Field last_edited_user ►

Alias Last Edited User

Data type String

Width 255

Precision 0

Scale 0

Description source

NCDOT Traffic Systems Operations Unit

Field description

Name of authorized user who last modified a feature or attribute value in the feature class.

Description of values

Text.

Field last_edited_date ►

Alias Last Edited Date

Data type Date

Width 8

Precision 0

Scale 0

Description source

NCDOT Traffic Systems Operations Unit

Field description

Date and time the authorized user last modified a feature or attribute value in the feature class.

Description of values

Dates will vary.

Metadata Details ►

Metadata language English (UNITED STATES)
Metadata character set utf8 - 8 bit UCS Transfer Format

Scope of the data described by the metadata dataset
Scope name dataset

Last update 2022-05-17

ArcGIS metadata properties
Metadata format ArcGIS 1.0
Standard or profile used to edit metadata ISO19139

Created in ArcGIS for the item 2022-04-27 18:53:27
Last modified in ArcGIS for the item 2022-05-17 84:74:20

Automatic updates

Have been performed Yes
Last update 2022-05-13 15:10:03

Metadata Contacts ►

Metadata contact - point of contact
Organization's name North Carolina Department of Information Technology -Transportation, GIS Unit
Contact's position GIS Data and Services Consultant

Contact information ►

Address
Type physical
Delivery point 4101 Capital Boulevard
City Raleigh
Administrative area NC
Postal code 27604
Country US
e-mail address gishelp@ncdot.gov
Hours of service
9:00am - 5:00pm Monday - Friday

Contact instructions

Please send an email with any issues, questions, or comments regarding the Right of Way Geodatabase. If it is an immediate need, please call the contact number or indicate as such in the subject line in an email.

Metadata Maintenance ►

Maintenance
Update frequency as needed

Scope of the updates dataset

Maintenance contact - point of contact
Organization's name North Carolina Department of Information Technology -Transportation, GIS Unit
Contact's position GIS Data and Services Consultant

Contact information ►

Address

Type physical

Delivery point 4101 Capital Boulevard

City Raleigh

Administrative area NC

Postal code 27604

Country US

e-mail address gishelp@ncdot.gov

Hours of service

9:00am - 5:00pm Monday - Friday

Contact instructions

Please send an email with any issues, questions, or comments regarding the Right of Way Geodatabase. If it is an immediate need, please call the contact number or indicate as such in the subject line in an email.

Metadata Constraints ►

Constraints

Limitations of use

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

All fiber asset data is the sole property of NCDOT and any public purpose use is subject to approval and release by NCDOT. No data, whole or in part, shall be released, published, or shared without prior written approval by NCDOT. No information concerning the data shall be divulged to anyone outside the proper officials at NCDOT. All fiber asset data is strictly confidential to NCDOT and its approved contractors.

This data should be used for planning, maintenance, and decision-making support purposes only. It should be used only by those who fully understand the extents, limitations, and content of the data. The data should not be used in place of field survey or data collection efforts that are normally performed by license professionals and it should not replace any data collection efforts that are typically required as a part of detailed design and construction efforts.

Security constraints

Classification confidential

Classification system None

Limitations of use

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

All fiber asset data is the sole property of NCDOT and any public purpose use is subject to approval and release by NCDOT. No data, whole or in part, shall be released, published, or shared without prior written approval by NCDOT. No information concerning the data shall be divulged to anyone outside the proper officials at NCDOT. All fiber asset data is strictly confidential to NCDOT and its approved contractors.

This data should be used for planning, maintenance, and decision-making support purposes only. It should be used only by those who fully understand the extents, limitations, and content of the data. The data should not be used in place of field survey or data collection efforts that are normally performed by license professionals and it should not replace any data collection efforts that are typically required as a part of detailed design and construction efforts.

Thumbnail and Enclosures ►

Thumbnail

Thumbnail type

Image file

