

# NC Pavement International Roughness Index and Rutting, Continuous Capture - NC Department of Transportation

SDE Geodatabase Feature Class



## Tags

Line, NCDOT, Pavement, Pavement Condition, Pavement Management, International Roughness Index, IRI, Rutting, Transportation, Highway, Roads, Routes, State Highway Network, Transportation Planning, Location

## Summary

Line layer containing the International Roughness Index dynamically attached to state maintained roads, represented as centerlines. The mean International Roughness Index is based on the International Roughness Index values of the left and right wheel paths created on the road's surface.

## Description

The International Roughness Index and rutting attributes are derived from the Pavement Condition Survey (PCS) that is dynamically matched to the NCDIT-T GIS Unit's Linear Reference System Network of routes.

The NCDOT Pavement Management Unit under Division of Highways, Operations Program Management maintains the authoritative pavement data in the NCDOT Pavement Management System.

The Pavement Management Systems manages pavement condition data, maintains a history of road construction and maintenance treatments, and conducts pavement analyses which assist the department in optimizing limited funding resources. Also responsible for reporting to the federal Highway Performance Monitoring System (HPMS).

The main goal of the Pavement Condition Survey (PCS) is to assist in establishing a uniform level-of-service for maintenance across the state and to help maximize the benefit of all dollars spent on roads in the state.

Other goals of the PCS include:

- A ranking system to prioritize maintenance needs.
- A summary of the overall condition of the pavements in any area of the state.
- A uniform rating system for each Division.
- A means to monitor the condition of any section of pavement.
- A historical record of pavement performance and maintenance practices.

Information from that Pavement Management Systems is consumed through an automated integration with the North Carolina Department of Information-Transportation (NCDIT-T) GIS Unit database systems. That integration allows for the translation of the tabular information into a spatial representation for distribution in the form of geospatial services in Go!NC.

This dataset is designed to give a linear representation of the attribute information collected in the Pavement Condition Survey database. This database consists of the Asphalt table and the Jointed Concrete Pavement (JCP) tables, with IRI (International Roughness Index) data attached. These attributes were dynamically matched to the NCDIT-T GIS Unit's Linear Reference System Network of routes to produce this layer.

## Credits

The North Carolina Department of Transportation, Division of Highways, Pavement Management Unit.

Support and maintenance of the enterprise spatial database where this data resides is handled by the North Carolina Department of Information Technology-Transportation, GIS Unit.

### Use limitations

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

### Extent

**West** -84.321511    **East** -75.461601  
**North** 36.568355    **South** 33.865960

### Scale Range

**Maximum (zoomed in)** 1:5,000  
**Minimum (zoomed out)** 1:50,000

### ArcGIS Metadata ►

### Topics and Keywords ►

THEMES OR CATEGORIES OF THE RESOURCE    location, planning/Cadastre, transportation

CONTENT TYPE    Geographic Services  
EXPORT TO FGDC CSDGM XML FORMAT AS RESOURCE DESCRIPTION    No

PLACE KEYWORDS    North Carolina

#### THESAURUS ►

TITLE    User  
CREATION DATE    2012-11-09 00:00:00  
PUBLICATION DATE    2017-04-14 00:00:00

*Hide Thesaurus ▲*

THEME KEYWORDS    Line, NCDOT, Pavement, Pavement Condition, Pavement Management, International Roughness Index, IRI, Rutting, Transportation, Highway, Roads, Routes, State Highway Network, Transportation Planning, Location

#### THESAURUS ►

TITLE    User  
CREATION DATE    2012-11-09 00:00:00  
PUBLICATION DATE    2017-04-14 00:00:00

*Hide Thesaurus ▲*

*Hide Topics and Keywords ▲*

### Citation ►

TITLE    NC Pavement International Roughness Index and Rutting, Continuous Capture - NC Department of Transportation

ALTERNATE TITLES    Pavement International Roughness Index

CREATION DATE    2012-11-09 00:00:00  
PUBLICATION DATE    2017-04-14 00:00:00

PRESENTATION FORMATS    \* digital map

*Hide Citation ▲*

## Citation Contacts ▶

### RESPONSIBLE PARTY

ORGANIZATION'S NAME North Carolina Department of Transportation, Pavement Management Unit  
CONTACT'S POSITION Pavement Management Engineer  
CONTACT'S ROLE originator

### CONTACT INFORMATION ▶

#### PHONE

VOICE 919-733-3725

#### ADDRESS

TYPE physical  
DELIVERY POINT 4809 Beryl Road  
CITY Raleigh  
ADMINISTRATIVE AREA NC  
POSTAL CODE 27606  
COUNTRY US  
E-MAIL ADDRESS [crcoombes@ncdot.gov](mailto:crcoombes@ncdot.gov)

#### HOURS OF SERVICE

9:00am - 5:00pm Monday – Friday

#### CONTACT INSTRUCTIONS

Please send an email with any issues, questions, or comments regarding the data. If it is an immediate need, please call the contact number or indicate as such in the subject line in an email.

[Hide Contact information ▲](#)

### RESPONSIBLE PARTY

ORGANIZATION'S NAME North Carolina Department of Information Technology -Transportation, GIS Unit  
CONTACT'S POSITION GIS Data and Services Consultant  
CONTACT'S ROLE resource provider

### CONTACT INFORMATION ▶

#### ADDRESS

TYPE physical  
DELIVERY POINT Century Center – Building B, 1020 Birch Ridge Drive  
CITY Raleigh  
ADMINISTRATIVE AREA NC  
POSTAL CODE 27610  
E-MAIL ADDRESS [gishelp@ncdot.gov](mailto:gishelp@ncdot.gov)

#### HOURS OF SERVICE

9:00am - 5:00pm Monday – Friday

#### CONTACT INSTRUCTIONS

Please send an email with any issues, questions, or comments regarding the data. If it is an immediate need, please indicate as such in the subject line in an email.

[Hide Contact information ▲](#)

### RESPONSIBLE PARTY

ORGANIZATION'S NAME North Carolina Department of Information Technology -Transportation, GIS Unit  
CONTACT'S POSITION GIS Data and Services Consultant  
CONTACT'S ROLE point of contact

### CONTACT INFORMATION ▶

#### ADDRESS

TYPE physical  
DELIVERY POINT Century Center – Building B, 1020 Birch Ridge Drive  
CITY Raleigh

ADMINISTRATIVE AREA NC  
POSTAL CODE 27610  
E-MAIL ADDRESS [gishelp@ncdot.gov](mailto:gishelp@ncdot.gov)

HOURS OF SERVICE  
9:00am - 5:00pm Monday – Friday

CONTACT INSTRUCTIONS  
Please send an email with any issues, questions, or comments regarding the data. If it is an immediate need, please indicate as such in the subject line in an email.

[Hide Contact information ▲](#)

[Hide Citation Contacts ▲](#)

## Resource Details ►

DATASET LANGUAGES \* English (UNITED STATES)  
DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

STATUS on-going  
SPATIAL REPRESENTATION TYPE \* vector

\* PROCESSING ENVIRONMENT Version 6.2 (Build 9200) ; Esri ArcGIS 10.8.1.14362

### CREDITS

The North Carolina Department of Transportation, Division of Highways, Pavement Management Unit.

Support and maintenance of the enterprise spatial database where this data resides is handled by the North Carolina Department of Information Technology-Transportation, GIS Unit.

[Hide Resource Details ▲](#)

## Extents ►

### EXTENT

#### GEOGRAPHIC EXTENT

##### BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

\* WEST LONGITUDE -84.321511

\* EAST LONGITUDE -75.461601

\* NORTH LATITUDE 36.568355

\* SOUTH LATITUDE 33.865960

\* EXTENT CONTAINS THE RESOURCE Yes

### EXTENT IN THE ITEM'S COORDINATE SYSTEM

\* WEST LONGITUDE -84.321511

\* EAST LONGITUDE -75.461601

\* SOUTH LATITUDE 33.865960

\* NORTH LATITUDE 36.568355

\* EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

## Resource Points of Contact ►

### POINT OF CONTACT

ORGANIZATION'S NAME North Carolina Department of Information Technology -Transportation, GIS Unit

CONTACT'S POSITION GIS Data and Services Consultant

CONTACT'S ROLE point of contact

#### CONTACT INFORMATION ►

##### ADDRESS

TYPE physical

DELIVERY POINT Century Center – Building B, 1020 Birch Ridge Drive

CITY Raleigh

ADMINISTRATIVE AREA NC

POSTAL CODE 27610

E-MAIL ADDRESS [gishelp@ncdot.gov](mailto:gishelp@ncdot.gov)

##### HOURS OF SERVICE

9:00am - 5:00pm Monday – Friday

##### CONTACT INSTRUCTIONS

Please send an email with any issues, questions, or comments regarding the data. If it is an immediate need, please indicate as such in the subject line in an email.

[Hide Contact information ▲](#)

[Hide Resource Points of Contact ▲](#)

## Resource Maintenance ►

#### RESOURCE MAINTENANCE

UPDATE FREQUENCY continual

SCOPE OF THE UPDATES dataset

#### OTHER MAINTENANCE REQUIREMENTS

The North Carolina Department of Transportation, Division of Highways, Pavement Management Unit maintenance is as needed and not regularly scheduled.

Support and maintenance of the enterprise spatial database where this data resides is handled by the North Carolina Department of Information Technology-Transportation, GIS Unit.

#### MAINTENANCE CONTACT

ORGANIZATION'S NAME North Carolina Department of Information Technology -Transportation, GIS Unit

CONTACT'S POSITION GIS Data and Services Consultant

CONTACT'S ROLE point of contact

#### CONTACT INFORMATION ►

##### ADDRESS

TYPE physical

DELIVERY POINT Century Center – Building B, 1020 Birch Ridge Drive

CITY Raleigh

ADMINISTRATIVE AREA NC

POSTAL CODE 27610

E-MAIL ADDRESS [gishelp@ncdot.gov](mailto:gishelp@ncdot.gov)

##### HOURS OF SERVICE

9:00am - 5:00pm Monday – Friday

##### CONTACT INSTRUCTIONS

Please send an email with any issues, questions, or comments regarding the data. If it is an immediate need, please indicate as such in the subject line in an email.

[Hide Contact information ▲](#)

[Hide Resource Maintenance ▲](#)

## Resource Constraints ►

#### CONSTRAINTS

## LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

## LEGAL CONSTRAINTS

### LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

## SECURITY CONSTRAINTS

CLASSIFICATION unclassified

CLASSIFICATION SYSTEM None

### LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

[Hide Resource Constraints ▲](#)

## Spatial Reference ►

### ARCGIS COORDINATE SYSTEM

\* TYPE Geographic

\* GEOGRAPHIC COORDINATE REFERENCE GCS\_WGS\_1984

\* COORDINATE REFERENCE DETAILS

#### GEOGRAPHIC COORDINATE SYSTEM

WELL-KNOWN IDENTIFIER 4326

X ORIGIN -400

Y ORIGIN -400

XY SCALE 999999999.99999988

Z ORIGIN 0

Z SCALE 1

M ORIGIN 0

M SCALE 1

XY TOLERANCE 8.983152841195215e-09

Z TOLERANCE 0.001

M TOLERANCE 0.001

HIGH PRECISION true

LEFT LONGITUDE -180

LATEST WELL-KNOWN IDENTIFIER 4326

#### WELL-KNOWN TEXT

GEOGCS["GCS\_WGS\_1984",DATUM["D\_WGS\_1984",SPHEROID["WGS\_1984",6378137.0,298.257223563]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433],AUTHORITY["EPSG",4326]]

### REFERENCE SYSTEM IDENTIFIER

\* VALUE 4326

\* CODESPACE EPSG

\* VERSION 6.14(3.0.1)

[Hide Spatial Reference ▲](#)

## Spatial Data Properties ►

## VECTOR ▶

\* LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

### GEOMETRIC OBJECTS

FEATURE CLASS NAME PmuIriRutting

\* OBJECT TYPE composite

\* OBJECT COUNT 374802

[Hide Vector ▲](#)

## ARCGIS FEATURE CLASS PROPERTIES ▶

FEATURE CLASS NAME PmuIriRutting

\* FEATURE TYPE Simple

\* GEOMETRY TYPE Polyline

\* HAS TOPOLOGY FALSE

\* FEATURE COUNT 374802

\* SPATIAL INDEX TRUE

\* LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

## Data Quality ▶

### SCOPE OF QUALITY INFORMATION ▶

RESOURCE LEVEL dataset

[Hide Scope of quality information ▲](#)

### DATA QUALITY REPORT - COMPLETENESS COMMISSION ▶

#### MEASURE DESCRIPTION

Data quality assessments are performed by the NC Department of Transportation's Pavement Management Unit on the source data at their discretion. No additional quality assessments are made on the GIS product.

#### CONFORMANCE TEST RESULTS

TEST PASSED Yes

RESULT EXPLANATION

Pass.

### PRODUCT SPECIFICATION ▶

TITLE NCDOT Geospatial Data Specifications

CREATION DATE 2012-11-09 00:00:00

PUBLICATION DATE 2017-04-14 00:00:00

[Hide Product specification ▲](#)

[Hide Data quality report - Completeness commission ▲](#)

[Hide Data Quality ▲](#)

## Lineage ▶

### LINEAGE STATEMENT

This dataset originated as attribute information collected in the Pavement Condition Survey database. This database consists of the Asphalt table and the Jointed Concrete Pavement (JCP) tables, with IRI (International Roughness Index) data attached. The NCDOT Pavement Management Unit under Division of Highways, Operations Program Management maintains the authoritative pavement data in the NCDOT Pavement Management System. Information from that Pavement Management Systems is consumed through an automated integration with the North Carolina Department of Information-

Transportation (NCDIT-T) GIS Unit database systems. These Pavement Condition Survey database attributes were dynamically matched to the NCDIT-T GIS Unit's Linear Reference System Network of routes to produce this spatial, linear representation layer. This spatial representation is then distributed in the form of geospatial services in Go!NC (<https://ncdot.maps.arcgis.com/home/index.html>).

PROCESS STEP ▶

WHEN THE PROCESS OCCURRED 2012-11-09 00:00:00

DESCRIPTION

The NCDOT Pavement Management Unit under Operations Program Management maintains the authoritative pavement data in the Pavement Management System.

PROCESS CONTACT

ORGANIZATION'S NAME North Carolina Department of Transportation, Pavement Management Unit  
CONTACT'S POSITION Pavement Management Engineer  
CONTACT'S ROLE originator

CONTACT INFORMATION ▶

PHONE

VOICE 919-733-3725

ADDRESS

TYPE physical

DELIVERY POINT 4809 Beryl Road

CITY Raleigh

ADMINISTRATIVE AREA NC

POSTAL CODE 27606

COUNTRY US

E-MAIL ADDRESS [crcoombes@ncdot.gov](mailto:crcoombes@ncdot.gov)

HOURS OF SERVICE

9:00am - 5:00pm Monday – Friday

CONTACT INSTRUCTIONS

Please send an email with any issues, questions, or comments regarding the data. If it is an immediate need, please call the contact number or indicate as such in the subject line in an email.

[Hide Contact information ▲](#)

[Hide Process step ▲](#)

PROCESS STEP ▶

WHEN THE PROCESS OCCURRED 2017-04-14 00:00:00

DESCRIPTION

Information from the Pavement Management System is consumed through an automated integration with the NCDIT-T GIS Unit database systems. That integration allows for the translation of the tabular information into a spatial representation for distribution in the form of geospatial services in Go!NC.

PROCESS CONTACT

ORGANIZATION'S NAME North Carolina Department of Information Technology -Transportation, GIS Unit  
CONTACT'S POSITION GIS Data and Services Consultant  
CONTACT'S ROLE point of contact

CONTACT INFORMATION ▶

ADDRESS

TYPE physical

DELIVERY POINT Century Center – Building B, 1020 Birch Ridge Drive

CITY Raleigh

ADMINISTRATIVE AREA NC

POSTAL CODE 27610

E-MAIL ADDRESS [gishelp@ncdot.gov](mailto:gishelp@ncdot.gov)

HOURS OF SERVICE



9:00am - 5:00pm Monday – Friday

CONTACT INSTRUCTIONS

Please send an email with any issues, questions, or comments regarding the data. If it is an immediate need, please indicate as such in the subject line in an email.

[Hide Contact information ▲](#)

[Hide Process step ▲](#)

[Hide Lineage ▲](#)

## Distribution ►

### DISTRIBUTOR ►

CONTACT INFORMATION

ORGANIZATION'S NAME North Carolina Department of Information Technology -Transportation, GIS Unit  
CONTACT'S POSITION GIS Data and Services Consultant  
CONTACT'S ROLE distributor

CONTACT INFORMATION ►

ADDRESS

TYPE physical  
DELIVERY POINT Century Center – Building B, 1020 Birch Ridge Drive  
CITY Raleigh  
ADMINISTRATIVE AREA NC  
POSTAL CODE 27610  
E-MAIL ADDRESS [gishelp@ncdot.gov](mailto:gishelp@ncdot.gov)

HOURS OF SERVICE

9:00am - 5:00pm Monday – Friday

CONTACT INSTRUCTIONS

Please send an email with any issues, questions, or comments regarding the data. If it is an immediate need, please indicate as such in the subject line in an email.

[Hide Contact information ▲](#)

[Hide Distributor ▲](#)

### DISTRIBUTION FORMAT

NAME SDE Geodatabase Feature Class  
VERSION ArcGIS Pro 2.9.5

[Hide Distribution ▲](#)

## Fields ►

### DETAILS FOR OBJECT [PmuIriRutting](#) ►

\* TYPE Feature Class  
\* ROW COUNT 374802

DEFINITION SOURCE

North Carolina Department of Transportation, Pavement Management Unit

DEFINITION

International Roughness Index and Rutting in Pavement

### FIELD [OBJECTID](#) ►

\* ALIAS OBJECTID  
\* DATA TYPE OID  
\* WIDTH 4  
\* PRECISION 0

\* SCALE 0  
\* FIELD DESCRIPTION  
Internal feature number.

\* DESCRIPTION SOURCE  
Esri

\* DESCRIPTION OF VALUES  
Sequential unique whole numbers that are automatically generated.

*Hide Field OBJECTID ▲*

FIELD ROUTEID ►

\* ALIAS ROUTEID  
\* DATA TYPE String  
\* WIDTH 49  
\* PRECISION 0  
\* SCALE 0

FIELD DESCRIPTION

Ten digit route number. This follows the 11-digit route naming convention used by NCDOT with one exception: The last two digits follow the County ID scheme starting with "00" for Alamance and ""99" for Yancey.

See <https://xfer.services.ncdot.gov/gisdot/DistDOTData/Guide%20to%20the%20NCDOT%20Eleven-Digit%20Route%20Number%20-%20Rome%20Implementation.pdf>.

DESCRIPTION SOURCE  
NCDOT

DESCRIPTION OF VALUES  
Values vary

*Hide Field ROUTEID ▲*

FIELD AMS\_ROUTE\_NAME ►

\* ALIAS AMS\_ROUTE\_NAME  
\* DATA TYPE String  
\* WIDTH 51  
\* PRECISION 0  
\* SCALE 0

FIELD DESCRIPTION

Asphalt Management System Route Name follows the 11-digit route naming convention used by NCDOT. Each digit has a different meaning. The last three digits of the route number are the SAP county code. The county code starts at 001 for Alamance County and ends with 100 for Yancey County.

See <https://xfer.services.ncdot.gov/gisdot/DistDOTData/Guide%20to%20the%20NCDOT%20Eleven-Digit%20Route%20Number%20-%20Rome%20Implementation.pdf>.

DESCRIPTION SOURCE  
NCDOT

DESCRIPTION OF VALUES  
Values vary.

*Hide Field AMS\_ROUTE\_NAME ▲*

FIELD ROUTE ►

\* ALIAS ROUTE  
\* DATA TYPE String  
\* WIDTH 8  
\* PRECISION 0  
\* SCALE 0

FIELD DESCRIPTION

8-digit code that describes the route. Follows the naming convention of the first 8 digits of NCDOT's 11-digit Route Number.  
See <https://xfer.services.ncdot.gov/gisdot/DistDOTData/Guide%20to%20the%20NCDOT%20Eleven-Digit%20Route%20Number%20-%20Rome%20Implementation.pdf>.

DESCRIPTION SOURCE  
NCDOT

DESCRIPTION OF VALUES  
Values vary.

*Hide Field ROUTE ▲*

FIELD **SAP\_COUNTY** ►

- \* ALIAS SAP\_COUNTY
- \* DATA TYPE Double
- \* WIDTH 8
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

The SAP County code. Starts at 1 for Alamance County and 100 for Yancey County.  
See <https://slph.dph.ncdhhs.gov/doc/NorthCarolinaCountyCodes.pdf>.

DESCRIPTION SOURCE  
NCDOT

RANGE OF VALUES  
MINIMUM VALUE 1  
MAXIMUM VALUE 100

*Hide Field SAP\_COUNTY ▲*

FIELD **DIVISION** ►

- \* ALIAS DIVISION
- DATA TYPE Small Integer
- \* WIDTH 2
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

NCDOT Division Number.

DESCRIPTION SOURCE  
NCDOT

RANGE OF VALUES  
MINIMUM VALUE 1  
MAXIMUM VALUE 14

*Hide Field DIVISION ▲*

FIELD **BEG\_MP** ►

- \* ALIAS BEG\_MP
- \* DATA TYPE Double
- \* WIDTH 8
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

Indicates the milepost of the beginning point of the route section, measured to the nearest 0.001 mile.

DESCRIPTION SOURCE  
NCDOT

DESCRIPTION OF VALUES

Values vary.

[Hide Field BEG\\_MP ▲](#)

FIELD END\_MP ►

- \* ALIAS END\_MP
- \* DATA TYPE Double
- \* WIDTH 8
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

Indicates the milepost of the ending point of the route section, measured to the nearest 0.001 mile.

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

Values vary.

[Hide Field END\\_MP ▲](#)

FIELD LANE\_ID ►

- \* ALIAS LANE\_ID
- \* DATA TYPE Double
- \* WIDTH 8
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

Lane identifier number.

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

Values vary.

[Hide Field LANE\\_ID ▲](#)

FIELD PROFILE\_YEAR ►

- \* ALIAS PROFILE\_YEAR
- \* DATA TYPE Double
- \* WIDTH 8
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

Year a transverse profile of the pavement surface was made.

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

Values vary.

[Hide Field PROFILE\\_YEAR ▲](#)

FIELD LEFT\_IRI ►

- \* ALIAS LEFT\_IRI
- \* DATA TYPE Double
- \* WIDTH 8
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

International Roughness Index for the left wheel path.

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

Values vary.

[Hide Field LEFT\\_IRI ▲](#)

FIELD RIGHT\_IRI ►

- \* ALIAS RIGHT\_IRI
- \* DATA TYPE Double
- \* WIDTH 8
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

International Roughness Index for the right wheel path.

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

Values vary.

[Hide Field RIGHT\\_IRI ▲](#)

FIELD MEAN\_IRI ►

- \* ALIAS MEAN\_IRI
- \* DATA TYPE String
- \* WIDTH 384
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

The mean International Roughness Index based on the International Roughness Index values of the left and right wheel paths.

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

Values vary.

[Hide Field MEAN\\_IRI ▲](#)

FIELD RUT\_DEPTH ►

- \* ALIAS RUT\_DEPTH
- \* DATA TYPE Double
- \* WIDTH 8
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

The average rut depth, in inches, of the left and right wheel paths maximum rut depths over a 0.1 mile section.

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

Values vary.

[Hide Field RUT\\_DEPTH ▲](#)

FIELD [NC\\_SYSTEM\\_CODE](#) ▶

- \* ALIAS NC\_SYSTEM\_CODE
- \* DATA TYPE String
- \* WIDTH 100
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

NCDOT System Code where the road is classified as an Interstate, US, NC, Secondary, Federal, or Non-system.

DESCRIPTION SOURCE

NCDOT

LIST OF VALUES

VALUE Non-system

DESCRIPTION Road is not in the NCDOT supported network of routes.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE Interstate

DESCRIPTION Road is an Interstate Highway

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE US

DESCRIPTION Road is a US Route

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE NC

DESCRIPTION Road is an NC Route

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE SR

DESCRIPTION Road is a Secondary Route

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE Federal

DESCRIPTION Road is a Federal Route

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

*Hide Field [NC\\_SYSTEM\\_CODE](#) ▲*

FIELD [NC\\_TIER](#) ▶

- \* ALIAS NC\_TIER
- \* DATA TYPE String
- \* WIDTH 50
- \* PRECISION 0
- \* SCALE 0

FIELD DESCRIPTION

Transportation tier category the road provides, such as statewide, regional, or sub-regional.

DESCRIPTION SOURCE

NCDOT

LIST OF VALUES

VALUE Statewide

DESCRIPTION Carry passengers and freight between regions of the state as well as to and from neighboring states.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE Regional

DESCRIPTION Provide travel within regions, access statewide corridors, and support moderate traffic volumes at moderate speeds.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE Sub-regional

DESCRIPTION Minor collectors, local and/or secondary roads, provide travel between and within communities.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE Non-System

DESCRIPTION Route is not in the NCDOT supported network or routes.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

*Hide Field NC\_TIER ▲*

FIELD EFF\_DATE ►

\* ALIAS EFF\_DATE

\* DATA TYPE Date

\* WIDTH 8

\* PRECISION 0

\* SCALE 0

FIELD DESCRIPTION

Date the transverse profile of the pavement surface was made.

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

Values vary.

*Hide Field EFF\_DATE ▲*

FIELD GEOM ►

\* ALIAS GEOM

\* DATA TYPE Geometry

\* WIDTH 0

\* PRECISION 0

\* SCALE 0

FIELD DESCRIPTION

Geometry type: Polyline.

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

Polyline.

*Hide Field GEOM ▲*

FIELD GEOM\_Length ►

\* ALIAS GEOM\_Length

\* DATA TYPE Double

\* WIDTH 8

\* PRECISION 0

\* SCALE 0

FIELD DESCRIPTION

Internal system line measurement.

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

Values vary.

[Hide Field GEOM\\_Length ▲](#)

[Hide Details for object PmuIriRutting ▲](#)

[Hide Fields ▲](#)

## Metadata Details ►

\* METADATA LANGUAGE English (UNITED STATES)  
METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA \* dataset  
SCOPE NAME \* dataset

\* LAST UPDATE 2023-11-20

### ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0  
METADATA STYLE ISO 19139 Metadata Implementation Specification  
STANDARD OR PROFILE USED TO EDIT METADATA ISO19139

CREATED IN ARCGIS FOR THE ITEM 2023-03-02 20:07:35  
LAST MODIFIED IN ARCGIS FOR THE ITEM 2023-11-20 12:51:38

### AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes  
LAST UPDATE 2023-11-20 12:51:38

[Hide Metadata Details ▲](#)

## Metadata Contacts ►

### METADATA CONTACT

ORGANIZATION'S NAME North Carolina Department of Information Technology -Transportation, GIS Unit  
CONTACT'S POSITION GIS Data and Services Consultant  
CONTACT'S ROLE point of contact

### CONTACT INFORMATION ►

#### ADDRESS

TYPE physical  
DELIVERY POINT Century Center – Building B, 1020 Birch Ridge Drive  
CITY Raleigh  
ADMINISTRATIVE AREA NC  
POSTAL CODE 27610  
E-MAIL ADDRESS [gishelp@ncdot.gov](mailto:gishelp@ncdot.gov)

### HOURS OF SERVICE

9:00am - 5:00pm Monday – Friday

### CONTACT INSTRUCTIONS

Please send an email with any issues, questions, or comments regarding the data. If it is an immediate need, please indicate as such in the subject line in an email.

[Hide Contact information ▲](#)

[Hide Metadata Contacts ▲](#)

## Metadata Maintenance ►

### MAINTENANCE

UPDATE FREQUENCY as needed



SCOPE OF THE UPDATES dataset

MAINTENANCE CONTACT

ORGANIZATION'S NAME North Carolina Department of Information Technology -Transportation, GIS Unit  
CONTACT'S POSITION GIS Data and Services Consultant  
CONTACT'S ROLE point of contact

CONTACT INFORMATION ►

ADDRESS

TYPE physical  
DELIVERY POINT Century Center – Building B, 1020 Birch Ridge Drive  
CITY Raleigh  
ADMINISTRATIVE AREA NC  
POSTAL CODE 27610  
E-MAIL ADDRESS gishelp@ncdot.gov

HOURS OF SERVICE

9:00am - 5:00pm Monday – Friday

CONTACT INSTRUCTIONS

Please send an email with any issues, questions, or comments regarding the data. If it is an immediate need, please indicate as such in the subject line in an email.

[Hide Contact information ▲](#)

[Hide Metadata Maintenance ▲](#)

## Metadata Constraints ►

CONSTRAINTS

LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

SECURITY CONSTRAINTS

CLASSIFICATION unclassified  
CLASSIFICATION SYSTEM None

LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

[Hide Metadata Constraints ▲](#)

## Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)