North Carolina Rail Crossings – 4th Quarter 2023 - North Carolina Department of Transportation

File Geodatabase Feature Class



Tags

NC, North Carolina, NCDOT, Official NCDOT, Transportation, Railroad, Rail, Crossing, Railway

Summary

This dataset is made available to provide a representation of state maintained railroad crossings in North Carolina for mapping, planning and modeling purposes. Locations are approximate and data is not guaranteed to be complete.

Description

The dataset provided includes point data for use in GIS that represents public rail crossings in North Carolina. Only crossings with open or inactive crossing statuses are included; closed crossings have been omitted from this dataset. Attributes for each crossing include the crossing's Federal Railroad Administration (FRA) identification number and the latitude and longitude of the crossing. Crossing location and status were verified by cross-referencing FRA public crossing database with North Carolina Department of Transportation Rail Division's crossing database, railroad company track charts and aerial imagery. Where in doubt, crossing status has been confirmed by contacting the rail company, land owner, or municipality within whose jurisdiction the crossing falls. The attributes are derived directly from NCDOT's State Authoritative Rail and Highway (SARAH) database.

Credits

North Carolina Department of Transportation Rail Division, Moffatt & Nichol Engineers, WGI **Use limitations**

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

Extent

West -84.124533 East -76.090847

North 36.572504 South 33.846568

Scale Range

Maximum (zoomed in) 1:5,000

Minimum (zoomed out) 1:625,000

ArcGIS Metadata ▶

Topics and Keywords ▶

```
THEMES OR CATEGORIES OF THE RESOURCE transportation
```

* CONTENT TYPE Downloadable Data

EXPORT TO FGDC CSDGM XML FORMAT AS RESOURCE DESCRIPTION No

THEME KEYWORDS Transportation, Railways, Rail Crossings

Hide Topics and Keywords ▲

Citation ▶

TITLE North Carolina Rail Crossings - 4th Quarter 2023 - North Carolina Department of Transportation

PUBLICATION DATE 2023-11-06 00:00:00

CREATION DATE 2013-08-01 00:00:00

REVISION DATE 2023-10-26 00:00:00

PRESENTATION FORMATS * digital map

Hide Citation ▲

Citation Contacts ▶

RESPONSIBLE PARTY

INDIVIDUAL'S NAME Todd Meyer

ORGANIZATION'S NAME NCDOT Rail Division

CONTACT'S POSITION Inventory & Data Analysis Manager

CONTACT'S ROLE originator

CONTACT INFORMATION >

PHONE

VOICE 9197074121

ADDRESS

Type postal

DELIVERY POINT 1556 Mail Service Center

CITY Raleigh

ADMINISTRATIVE AREA NC

POSTAL CODE 27699

COUNTRY US

E-MAIL ADDRESS tmeyer@ncdot.gov

Hide Contact information ▲

RESPONSIBLE PARTY

ORGANIZATION'S NAME North Carolina Department of Transportation Geographic Information Systems Unit

CONTACT'S POSITION GIS Help Desk

CONTACT'S ROLE resource provider

CONTACT INFORMATION >

PHONE

VOICE 919.707.2165

FAX 919.707.2210

ADDRESS

Type both

DELIVERY POINT 4101 Capital Boulevard

CITY Raleigh

ADMINISTRATIVE AREA North Carolina

POSTAL CODE 27604

COUNTRY US

E-MAIL ADDRESS gishelp@ncdot.gov

HOURS OF SERVICE

8am to 5pm, M-F

CONTACT INSTRUCTIONS

phone or email

Hide Contact information ▲

RESPONSIBLE PARTY

ORGANIZATION'S NAME North Carolina Department of Transportation Geographic Information Systems Unit

CONTACT'S POSITION GIS Help Desk

Hide Resource Details ▲

Extents ▶

```
CONTACT INFORMATION >
     PHONE
      VOICE 919.707.2165
      FAX 919.707.2210
     ADDRESS
      Type both
      DELIVERY POINT 4101 Capital Boulevard
      CITY Raleigh
      ADMINISTRATIVE AREA North Carolina
      POSTAL CODE 27604
       COUNTRY US
       E-MAIL ADDRESS gishelp@ncdot.gov
     HOURS OF SERVICE
      8am to 5pm, M-F
     CONTACT INSTRUCTIONS
       phone or email
    Hide Contact information ▲
 Hide Citation Contacts ▲
Resource Details ▶
 DATASET LANGUAGES English (UNITED STATES)
 DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format
 STATUS on-going
 SPATIAL REPRESENTATION TYPE vector
 * PROCESSING ENVIRONMENT Version 6.2 (Build 9200); Esri ArcGIS 10.8.1.14362
 CREDITS
      North Carolina Department of Transportation Rail Division, Moffatt & Nichol Engineers, WGI
```

EXTENT

DESCRIPTION

Date data was obtained from State Authoritative Rail and Highway (SARAH) database.

TEMPORAL EXTENT

DATE AND TIME 2023-01-13 00:00:00

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

* WEST LONGITUDE -84.124533

* EAST LONGITUDE -76.090847

* NORTH LATITUDE 36.572504

* SOUTH LATITUDE 33.846568

* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 493586.790479

* EAST LONGITUDE 2854662.538463

* SOUTH LATITUDE 72807.773870

* NORTH LATITUDE 1027329.782473

* EXTENT CONTAINS THE RESOURCE Yes

Hide Extents ▲

Resource Points of Contact ▶

POINT OF CONTACT

INDIVIDUAL'S NAME Todd Meyer

ORGANIZATION'S NAME NCDOT Rail Division

CONTACT'S POSITION Inventory & Data Analysis Manager

CONTACT'S ROLE originator

CONTACT INFORMATION

PHONE

VOICE 9197074121

```
ADDRESS
     Type postal
     DELIVERY POINT 1556 Mail Service Center
     CITY Raleigh
     ADMINISTRATIVE AREA NC
     POSTAL CODE 27699
     COUNTRY US
     E-MAIL ADDRESS tmeyer@ncdot.gov
  Hide Contact information ▲
POINT OF CONTACT
 ORGANIZATION'S NAME North Carolina Department of Transportation Geographic Information Systems Unit
 CONTACT'S POSITION GIS Help Desk
 CONTACT'S ROLE resource provider
  CONTACT INFORMATION >
    PHONE
     VOICE 919.707.2165
     FAX 919.707.2210
    ADDRESS
     Type both
     DELIVERY POINT 4101 Capital Boulevard
     CITY Raleigh
     ADMINISTRATIVE AREA North Carolina
     POSTAL CODE 27604
     COUNTRY US
     E-MAIL ADDRESS gishelp@ncdot.gov
    HOURS OF SERVICE
     8am to 5pm, M-F
```

CONTACT INSTRUCTIONS

phone or email

POINT OF CONTACT

ORGANIZATION'S NAME North Carolina Department of Transportation Geographic Information Systems Unit

CONTACT'S POSITION GIS Help Desk

CONTACT'S ROLE point of contact

CONTACT INFORMATION >

PHONE

VOICE 919.707.2165

FAX 919.707.2210

ADDRESS

TYPE both

DELIVERY POINT 4101 Capital Boulevard

CITY Raleigh

ADMINISTRATIVE AREA North Carolina

POSTAL CODE 27604

COUNTRY US

E-MAIL ADDRESS gishelp@ncdot.gov

HOURS OF SERVICE

8am to 5pm, M-F

CONTACT INSTRUCTIONS

phone or email

Hide Contact information ▲

Hide Resource Points of Contact ▲

Resource Maintenance ▶

RESOURCE MAINTENANCE

UPDATE FREQUENCY quarterly

MAINTENANCE CONTACT

INDIVIDUAL'S NAME Todd Meyer

ORGANIZATION'S NAME NCDOT Rail Division

CONTACT'S POSITION Inventory & Data Analysis Manager

CONTACT'S ROLE originator

CONTACT INFORMATION

PHONE

VOICE 9197074121

ADDRESS

Type postal

DELIVERY POINT 1556 Mail Service Center

CITY Raleigh

ADMINISTRATIVE AREA NC

POSTAL CODE 27699

COUNTRY US

E-MAIL ADDRESS tmeyer@ncdot.gov

Hide Contact information ▲

Hide Resource Maintenance ▲

Resource Constraints >

CONSTRAINTS

LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

LEGAL CONSTRAINTS

LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

CLASSIFICATION unclassified

CLASSIFICATION SYSTEM None

ADDITIONAL RESTRICTIONS

None

LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

Hide Resource Constraints ▲

Spatial Reference ▶

ARCGIS COORDINATE SYSTEM

- * TYPE Projected
- * GEOGRAPHIC COORDINATE REFERENCE GCS_North_American_1983
- * PROJECTION NAD_1983_StatePlane_North_Carolina_FIPS_3200_Feet
- * COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

Well-known identifier 102719

X ORIGIN -121841900

Y ORIGIN -93659000

XY SCALE 3048.0060960121928

Z ORIGIN -100000

Z SCALE 10000

M ORIGIN -100000

M SCALE 10000

XY TOLERANCE 0.003280833333333333333

Z TOLERANCE 0.001

M TOLERANCE 0.001

HIGH PRECISION true

LATEST WELL-KNOWN IDENTIFIER 2264

WELL-KNOWN TEXT

 $\label{lem:projcs} PROJCS["NAD_1983_StatePlane_North_Carolina_FIPS_3200_Feet", GEOGCS["GCS_North_American_1983", DATUM["D_North_American_1983", SPHEROID["GRS_1980", 6378137.0, 298.257222101]], PRIMEM["Greenwich", 0.0], UNIT["Degree", 0.0174532925199433]], PROJECTION["Lambert_Conformal_Conic"], PARAMET ER["False_Easting", 2000000.002616666], PARAMETER["False_Northing", 0.0], PARAMETER["Central_Meridian", -$

REFERENCE SYSTEM IDENTIFIER

DIMENSION horizontal

VALUE SR-ORG:12

* CODESPACE EPSG

* VERSION 6.12(9.0.0)

Hide Spatial Reference ▲

Spatial Data Properties ▶

VECTOR >

* Level of topology for this dataset geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME RailroadCrossings

- * OBJECT TYPE point
- * OBJECT COUNT 4843

Hide Vector ▲

ARCGIS FEATURE CLASS PROPERTIES >

FEATURE CLASS NAME RailroadCrossings

- * FEATURE TYPE Simple
- * GEOMETRY TYPE Point
- * HAS TOPOLOGY FALSE
- * FEATURE COUNT 4843
- * SPATIAL INDEX TRUE
- * LINEAR REFERENCING FALSE

Hide ArcGIS Feature Class Properties ▲

Hide Spatial Data Properties ▲

Data Quality ▶

SCOPE OF QUALITY INFORMATION RESOURCE LEVEL dataset Hide Scope of quality information ▲ DATA QUALITY REPORT - CONCEPTUAL CONSISTENCY MEASURE DESCRIPTION There are no measurement, precision, or spatial standards assigned to this data set. QUANTITATIVE TEST RESULTS VALUE Shape_Length **UNITS** SYMBOL [ft_us] Hide Data quality report - Conceptual consistency ▲ DATA QUALITY REPORT - COMPLETENESS OMISSION MEASURE DESCRIPTION There are no measurement, precision, or spatial standards assigned to this data set. **CONFORMANCE TEST RESULTS** TEST PASSED Yes **RESULT EXPLANATION** Complies with SARAH data. Hide Data quality report - Completeness omission ▲ DATA QUALITY REPORT - ABSOLUTE EXTERNAL POSITIONAL ACCURACY **DIMENSION** horizontal MEASURE DESCRIPTION Various sources with varying degree of accuracy have been used over time to create/update this

dataset. NCDOT used best available information at the time of editing.

CONFORMANCE TEST RESULTS TEST PASSED Yes

RESULT EXPLANATION

Complies with current SARAH data.

Hide Data quality report - Absolute external positional accuracy ▲

Hide Data Quality ▲

Lineage ▶

LINEAGE STATEMENT

Moffatt & Nichol Engineers initially performed analysis to verify the location of every open public crossing in the state of North Carolina. Subsequent updates added all pedestrian and inactive crossings to the dataset. Dataset is updated by NCDOT Rail Division and offered as an online resource by the NCDIT-Transportation GIS Unit.

Crossing locations from several sources were compared and the probable location of each crossing was determined. Sources include NCDOT Rail Division's Statewide Authoritative Rail and Highway (SARAH) database, Federal Railroad Administration's crossing database, NCDOT State Route LRS dataset. Where study of these resources was unable to positively locate a crossing, each crossing was individually investigated by contacting the land owner, controlling municipality, or the relevant railroad company.

Additional crossing attributes have been ported from the NCDOT SARAH Database by WGI. These attributes are maintained as a separate data source and have been imported without any additional processing or analysis.

PROCESS STEP



DESCRIPTION

Review Metadata and process for publication.

PROCESS CONTACT

ORGANIZATION'S NAME North Carolina Department of Transportation Geographic Information Systems Unit

CONTACT'S POSITION GIS Help Desk

CONTACT'S ROLE distributor

CONTACT INFORMATION



PHONE

VOICE 919,707,2165

FAX 919.707.2210

```
ADDRESS
        Type both
        DELIVERY POINT 4101 Capital Boulevard
        CITY Raleigh
        ADMINISTRATIVE AREA North Carolina
        POSTAL CODE 27604
        COUNTRY US
        E-MAIL ADDRESS gishelp@ncdot.gov
      HOURS OF SERVICE
      8am to 5pm, M-F
       CONTACT INSTRUCTIONS
      phone or email
     Hide Contact information ▲
 Hide Process step ▲
 Hide Lineage ▲
Distribution ▶
 DISTRIBUTOR
  CONTACT INFORMATION
    ORGANIZATION'S NAME North Carolina Department of Transportation Geographic Information Systems Unit
    CONTACT'S POSITION GIS Help Desk
    CONTACT'S ROLE distributor
     CONTACT INFORMATION >
      PHONE
        VOICE 919.707.2165
        FAX 919.707.2210
       ADDRESS
        Type both
```

```
CITY Raleigh
        ADMINISTRATIVE AREA North Carolina
        POSTAL CODE 27604
        COUNTRY US
        E-MAIL ADDRESS gishelp@ncdot.gov
       HOURS OF SERVICE
       8am to 5pm, M-F
       CONTACT INSTRUCTIONS
       phone or email
     Hide Contact information ▲
 Hide Distributor ▲
 DISTRIBUTION FORMAT
  VERSION 10.5
  * NAME File Geodatabase Feature Class
 TRANSFER OPTIONS
  ONLINE SOURCE
    LOCATION https://connect.ncdot.gov/resources/gis/Pages/GIS-Data-Layers.aspx
 Hide Distribution
Fields ▶
 Details for object RailroadCrossings ▶
  * TYPE Feature Class
  * ROW COUNT 4843
  DEFINITION
       Point data representing all open/inactive, public crossing points in North Carolina
  DEFINITION SOURCE
       NCDOT
```

DELIVERY POINT 4101 Capital Boulevard

* ALIAS OBJECTID * DATA TYPE OID * WIDTH 4 * PRECISION 0 * SCALE 0 FIELD DESCRIPTION Internal feature number. **DESCRIPTION SOURCE** Esri **DESCRIPTION OF VALUES** Sequential unique whole numbers that are automatically generated Hide Field OBJECTID ▲ FIELD Shape ▶ * ALIAS Shape * DATA TYPE Geometry * WIDTH 0 * PRECISION 0 * SCALE 0 FIELD DESCRIPTION Feature geometry. **DESCRIPTION SOURCE** Esri **DESCRIPTION OF VALUES**

Coordinates defining the features

FIELD OBJECTID ▶

FIELD CrossingId >

ALIAS Crossing ID

- * DATA TYPE String
- * WIDTH 100
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

The US DOT Crossing Inventory Number contains six digits followed by an alpha check character. The alpha character is a check to ensure that the number is valid and provides a unique identifying number which was designed to prevent the possibility of error by ensuring that the crossing information is recorded for the correct location.

DESCRIPTION SOURCE

U.S. DOT - FRA

DESCRIPTION OF VALUES

Six digits followed by an alpha check character

Hide Field CrossingId ▲

FIELD PrfxMilePost ▶

ALIAS Milepost Prefix

- * DATA TYPE String
- * WIDTH 100
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Prefix to the railroad milepost.

DESCRIPTION SOURCE

NCDOT Rail Division

DESCRIPTION OF VALUES

3 digit-maximum code chosen by the operating railroad company

* DATA TYPE String

* WIDTH 100

FIELD PosXing ▶ **ALIAS Crossing Position** * DATA TYPE String * WIDTH 100 * PRECISION 0 * SCALE 0 FIELD DESCRIPTION Position of the railroad relative to the crossing. **DESCRIPTION SOURCE NCDOT** LIST OF VALUES VALUE AT GRADE DESCRIPTION Railroad intersects roadway ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT VALUE RR OVER DESCRIPTION Railroad is grade separated over roadway ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT VALUE RR UNDER DESCRIPTION Railroad is grade separated under roadway ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT Hide Field PosXing ▲ FIELD XPurpose > **ALIAS Crossing Purpose**

```
* PRECISION 0
 * SCALE 0
 FIELD DESCRIPTION
    Purpose of the crossing.
 DESCRIPTION SOURCE
    NCDOT Rail Division
 LIST OF VALUES
  VALUE HIGHWAY
  DESCRIPTION Highway use
   ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT
  VALUE PATHWAY, PED.
   DESCRIPTION Pedestrian use, not within a passenger station
   ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT
  VALUE STATION, PED.
  DESCRIPTION Pedestrian use within a passenger station
   ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT
Hide Field XPurpose ▲
FIELD SfxMilePost ▶
 ALIAS Milepost Suffix
 * DATA TYPE String
 * WIDTH 10
 * PRECISION 0
 * SCALE 0
 FIELD DESCRIPTION
```

DESCRIPTION SOURCE

NCDOT Rail Division

Suffix to the railroad milepost.

DESCRIPTION OF VALUES

3 digit-maximum code chosen by the operating railroad company

Hide Field SfxMilePost ▲

FIELD Street ▶

- * ALIAS Street
- * DATA TYPE String
- * WIDTH 255
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Values represent the name of the highway or street. If multiple street names exist at a crossing then each is separated by a slash "/".

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

Street name spelled without abbreviations.

Hide Field Street ▲

FIELD Nearest

ALIAS In or Near

- * DATA TYPE String
- * WIDTH 25
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Describes the relationship the crossing has with municipal boundaries.

DESCRIPTION SOURCE

NCDOT

```
VALUE In
  DESCRIPTION Crossing falls within municipal boundaries
  ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT
  VALUE Near
   DESCRIPTION Crossing does not fall within any municipal boundaries
   ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT
Hide Field Nearest A
FIELD Highway >
 * ALIAS Highway
 * DATA TYPE String
 * WIDTH 15
 * PRECISION 0
 * SCALE 0
 FIELD DESCRIPTION
    The Highway Type, Number and Designation.
 DESCRIPTION SOURCE
    NCDOT
 LIST OF VALUES
  VALUE US
   DESCRIPTION US Route
  ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT
  VALUE NC
   DESCRIPTION NC Route
   ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT
  VALUE I
   DESCRIPTION Interstate
```

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

LIST OF VALUES

VALUE SR

DESCRIPTION Secondary Route

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE LS

DESCRIPTION Local Street

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE NON

DESCRIPTION Pedestrian Path, not a roadway

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE BYP

DESCRIPTION Bypass

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE BUS

DESCRIPTION Business

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE ALT

DESCRIPTION Alternate

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

Hide Field Highway ▲

FIELD CityCD ▶

ALIAS City

- * DATA TYPE String
- * WIDTH 255
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Values represent the name of the city, town, or village where the crossing is located (maximum of 32 characters) which must be a valid location within the state.

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

The City name must be recognized on the Geographic Locator Code list for North Carolina. The Geographic Locator Codes with updated city names and codes are available at https://www.gsa.gov/reference/geographic-locator-codes-glcs-overview.

Hide Field CityCD ▲

FIELD CntyCD ▶

ALIAS County

- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Values represent the county where the crossing is located. When a crossing is located on a county line, it is suggested that the crossing be inventoried in the county that is south or east geographically.

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

North Carolina Counties

Hide Field CntyCD ▲

FIELD Railroad

- * ALIAS Railroad
- * DATA TYPE String
- * WIDTH 100
- * PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Values represent the valid railroad code (up to 4 letters) for the "Primary Operating Railroad" company, i.e., the railroad that operates train movements over the crossing. The primary operating railroad will normally be the reporting railroad, but may or may not own and maintain the roadbed, tracks, and signal system controlling the crossing.

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

See FRA accepted RR codes

Hide Field Railroad

FIELD MilePost ▶

ALIAS Milepost

- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Values represent the railroad milepost number at the crossing in miles and thousandths of miles.

DESCRIPTION SOURCE

NCDOT

RANGE OF VALUES

MINIMUM VALUE 0

MAXIMUM VALUE 999

Hide Field MilePost ▲

FIELD DIVISION >

- * ALIAS NCDOT Division
- * DATA TYPE SmallInteger

- * WIDTH 2
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

The NCDOT Division number the crossing is in.

DESCRIPTION SOURCE

NCDOT

RANGE OF VALUES

MINIMUM VALUE 1

MAXIMUM VALUE 14

Hide Field DIVISION ▲

FIELD Latitude >

- * ALIAS Latitude
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Latitude coordinate of the crossing

DESCRIPTION SOURCE

NCDOT

RANGE OF VALUES

MINIMUM VALUE 33.945853

MAXIMUM VALUE 36.540988

UNITS OF MEASURE Decimal Degrees

Hide Field Latitude ▲

```
ALIAS Photo North
 * DATA TYPE String
 * WIDTH 200
 * PRECISION 0
 * SCALE 0
 FIELD DESCRIPTION
    Link to a picture of the crossing, facing North
 DESCRIPTION SOURCE
    NCDOT
 DESCRIPTION OF VALUES
    Uniform Resource Locator for Crossing photos
Hide Field Photo_N ▲
FIELD Photo_S ▶
 ALIAS Photo South
 * DATA TYPE String
 * WIDTH 200
 * PRECISION 0
 * SCALE 0
 FIELD DESCRIPTION
    Link to a picture of the crossing, facing South
 DESCRIPTION SOURCE
    NCDOT
 DESCRIPTION OF VALUES
    Uniform Resource Locator for Crossing photos
Hide Field Photo_S ▲
```

FIELD Photo E

```
ALIAS Photo East
 * DATA TYPE String
 * WIDTH 200
 * PRECISION 0
 * SCALE 0
 FIELD DESCRIPTION
    Link to a picture of the crossing, facing East
 DESCRIPTION SOURCE
    NCDOT
 DESCRIPTION OF VALUES
    Uniform Resource Locator for Crossing photos
Hide Field Photo_E ▲
FIELD Photo_W ▶
 ALIAS Photo West
 * DATA TYPE String
 * WIDTH 200
 * PRECISION 0
 * SCALE 0
 FIELD DESCRIPTION
    Link to a picture of the crossing, facing West
 DESCRIPTION SOURCE
    NCDOT
 DESCRIPTION OF VALUES
    Uniform Resource Locator for Crossing photos
Hide Field Photo_W ▲
```

FIELD Longitude >

- * ALIAS Longitude
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Longitude coordinate of the crossing

DESCRIPTION SOURCE

NCDOT

RANGE OF VALUES

MINIMUM VALUE -84.038128

MAXIMUM VALUE -76.095401

UNITS OF MEASURE Decimal Degrees

Hide Field Longitude ▲

FIELD PolCont ▶

ALIAS Emergency Contact

- * DATA TYPE String
- * WIDTH 100
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Value represents the telephone number (area code and phone number) for the Emergency Notification System Contact (e.g., Law Enforcement, Railroad Emergency Contact or State Emergency Contact) associated with the crossing. Normally, this will be the ENS telephone number posted at the crossing or along the railroad branch line. This should be a 24-hour number that can be called to speak with an Emergency Notification Center who can send emergency responder(s) to the crossing in the event of problems, signal malfunctions, or other emergencies at the crossing. Note: 911 cannot be used as the Emergency Notification Telephone No.

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

Any 10-digit phone number

FIELD WARNING_TYPE ▶

- * ALIAS Warning Type
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

The type of device installed at the railroad crossing which provides the highest level of warning regarding possible rail activity to a highway user.

DESCRIPTION SOURCE

NCDOT

LIST OF VALUES

VALUE 00 - NONE

DESCRIPTION No warning devices installed at crossing

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 01 - CROSSBUCKS

DESCRIPTION Crossbuck signs (MUTCD R15-1) installed at crossing

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 02 - TRAFFIC SIGNAL

DESCRIPTION Highway traffic signal installed at nearby highway intersection which controls traffic over crossing but does not detect approaching trains, with no other rail-related warning devices present

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 03 - T. SIGNAL PRE.

DESCRIPTION Highway traffic signal installed at nearby highway intersection which controls traffic over crossing and does detect approaching trains, reacting to preempt normal operations and clear highway traffic off the crossing; might include train activated blank-out signs with the highway traffic signals, but no other train-activated warning devices present.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 04 - FLASHERS

DESCRIPTION Train activated flashing lights and bells installed at crossing on a vertical mast, with no crossing gate arms present.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 05 - CANTILEVERS

DESCRIPTION Train activated flashing lights and bells installed on a cantilevered structure over the traffic lanes, with no crossing gate arms present.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 06 - GATES

DESCRIPTION Train activated flashing lights, bells, and crossing gate arms installed along the highway approaches to a crossing ("entrance gates" only) on a vertical mast.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 07 - GATES AND CANT.

DESCRIPTION Train activated flashing lights, bells, and crossing gate arms installed along the highway approaches to a crossing ("entrance gates" only) on, or accompanying a cantilevered structure over the traffic lanes.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 08 - 4-QUAD GATES

DESCRIPTION Train activated flashing lights, bells, and crossing gate arms installed along the highway approaches to, and departures from a crossing ("entrance gates" and "exit gates"). The equipment can be installed on vertical masts or cantilevered structures over the traffic lanes.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 09 - VEHICLE DETECTION

DESCRIPTION 4-Quad Gates assembly with an additional vehicle detection system installed at the crossing which is capable of detecting and reporting in real-time the presence of a vehicle on the crossing and may adjust the lowering of the crossing "exit gates" as necessary to allow vehicles to clear the crossing.

ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

Hide Field WARNING TYPE ▲

Hide Details for object RailroadCrossings ▲

Hide Fields ▲

METADATA LANGUAGE English (UNITED STATES)

METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA dataset

SCOPE NAME * dataset

* LAST UPDATE 2023-10-31

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0

METADATA STYLE ISO 19139 Metadata Implementation Specification

STANDARD OR PROFILE USED TO EDIT METADATA ISO19139

CREATED IN ARCGIS FOR THE ITEM 2023-10-31 08:21:01 LAST MODIFIED IN ARCGIS FOR THE ITEM 2023-10-31 22:34:33

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes

LAST UPDATE 2023-10-31 22:32:00

Hide Metadata Details A

Metadata Contacts ▶

METADATA CONTACT

INDIVIDUAL'S NAME Todd Meyer

ORGANIZATION'S NAME NCDOT Rail Division

CONTACT'S POSITION Inventory & Data Analysis Manager

CONTACT'S ROLE originator

CONTACT INFORMATION >

PHONE

VOICE 9197074121

ADDRESS

Type postal

DELIVERY POINT 1556 Mail Service Center

CITY Raleigh

ADMINISTRATIVE AREA NC

POSTAL CODE 27699

COUNTRY US

Hide Contact information ▲

METADATA CONTACT

ORGANIZATION'S NAME North Carolina Department of Transportation Geographic Information Systems Unit

CONTACT'S POSITION GIS Help Desk

CONTACT'S ROLE point of contact

CONTACT INFORMATION >

PHONE

VOICE 919.707.2165

FAX 919.707.2210

ADDRESS

Type both

DELIVERY POINT 4101 Capital Boulevard

CITY Raleigh

ADMINISTRATIVE AREA North Carolina

POSTAL CODE 27604

COUNTRY US

E-MAIL ADDRESS gishelp@ncdot.gov

Hours of Service

8am to 5pm, M-F

CONTACT INSTRUCTIONS

phone or email

Hide Contact information ▲

METADATA CONTACT

ORGANIZATION'S NAME North Carolina Department of Transportation Geographic Information Systems Unit

CONTACT'S POSITION GIS Help Desk

CONTACT'S ROLE resource provider

```
CONTACT INFORMATION >
```

PHONE

VOICE 919.707.2165

FAX 919.707.2210

ADDRESS

Type both

DELIVERY POINT 4101 Capital Boulevard

CITY Raleigh

ADMINISTRATIVE AREA North Carolina

POSTAL CODE 27604

COUNTRY US

E-MAIL ADDRESS gishelp@ncdot.gov

HOURS OF SERVICE

8am to 5pm, M-F

CONTACT INSTRUCTIONS

phone or email

Hide Contact information ▲

Hide Metadata Contacts ▲

Metadata Maintenance ▶

MAINTENANCE

UPDATE FREQUENCY quarterly

MAINTENANCE CONTACT

INDIVIDUAL'S NAME Todd Meyer

ORGANIZATION'S NAME NCDOT Rail Division

CONTACT'S POSITION Inventory & Data Analysis Manager

CONTACT'S ROLE originator

CONTACT INFORMATION

PHONE

VOICE 9197074121

ADDRESS

Type postal

DELIVERY POINT 1556 Mail Service Center

CITY Raleigh

ADMINISTRATIVE AREA NC

POSTAL CODE 27699

COUNTRY US

E-MAIL ADDRESS tmeyer@ncdot.gov

Hide Contact information ▲

Hide Metadata Maintenance

Metadata Constraints ▶

CONSTRAINTS

LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

LEGAL CONSTRAINTS

LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

SECURITY CONSTRAINTS

CLASSIFICATION unclassified

CLASSIFICATION SYSTEM None

ADDITIONAL RESTRICTIONS

None

LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources

from which this data was compiled must be consulted for verification of information contained in this data.

Hide Metadata Constraints ▲

Thumbnail and Enclosures ▶

THUMBNAIL

THUMBNAIL TYPE JPG

Hide Thumbnail and Enclosures ▲