

onemap_prod.SDEADMIN.air

Data format: SDE Feature Class

File or table name: SDV_PUBLIC.AIRPORT_POINT

Coordinate system: Lambert Conformal Conic

Theme keywords: Airports, Airport locations, Airport landing facilities

Abstract: NCCGIA developed a GIS data set representing point locations for airports located in North Carolina.

FGDC and ESRI Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)
- [Geoprocessing History](#)

Metadata elements shown with blue text are defined in the Federal Geographic Data Committee's (FGDC) [Content Standard for Digital Geospatial Metadata \(CSDGM\)](#). Elements shown with green text are defined in the [ESRI Profile of the CSDGM](#). Elements shown with a green asterisk (*) will be automatically updated by ArcCatalog. ArcCatalog adds hints indicating which FGDC elements are mandatory; these are shown with gray text.

Identification Information:

Citation:

Citation information:

Originators: The North Carolina Center for Geographic Information and Analysis (NCCGIA)

Title:

onemap_prod.SDEADMIN.air

***File or table name:** SDV_PUBLIC.AIRPORT_POINT

Publication date: 20040316

Geospatial data presentation form: vector digital data

Other citation details:

NCCGIA distributes this dataset

Online linkage:

Description:

Abstract:

NCCGIA developed a GIS data set representing point locations for airports located in North Carolina.

Purpose:

These data were created to assist governmental agencies and others in making resource management decisions through use of a Geographic Information System (GIS).

Supplemental information:

Point locations were verified using 1998 Digital Orthophoto Quarter Quads where a runway was visible.

***Language of dataset:** en

Time period of content:**Time period information:****Single date/time:**

Calendar date: 20040316

Time of day: unknown

Currentness reference:

publication date

Status:

Progress: Complete

Maintenance and update frequency: As needed

Spatial domain:**Bounding coordinates:**

West bounding coordinate: -84.110286

East bounding coordinate: -75.564368

North bounding coordinate: 36.547538

South bounding coordinate: 33.829985

Keywords:**Theme:**

Theme keywords: Airports, Airport locations, Airport landing facilities

Theme keyword thesaurus: None

Place:

Place keywords: North Carolina

Place keyword thesaurus: William S. Powell, The North Carolina GAZETTEER, A Dictionary of Tar Heel Places, (Chapel Hill: University of North Carolina Press), August 1984.

Access constraints: None

Use constraints:

Acknowledgement of products derived from this data set should cite the following: The source of the North Carolina Airport Locations data is the North Carolina Corporate Geographic Database. Earlier versions of this dataset may exist. The user must be sure to use the appropriate data set for the time period of interest. While efforts have been made to ensure that these data are accurate and reliable within the state of the art, NCCGIA cannot assume liability for any damages or misrepresentation caused by any inaccuracies in the data or as a result of changes to the data caused by system transfers.

Point of contact:**Contact information:****Contact organization primary:****Contact organization:** NC CGIA**Contact address:****Address type:** mailing address**Address:**

20322 Mail Service Center

City: Raleigh**State or province:** NC**Postal code:** 27699-0322**Country:** USA**Contact voice telephone:** 919-733-2090**Contact facsimile telephone:** 919-715-0725**Contact electronic mail address:** dataq@cgia.state.nc.us**Hours of service:** 9:00 to 5:00**Data set credit:**

Federal Aviation Administration, Aeronautical Information Services

ATA-100, Room 626

800 Independence Ave, S.W.

Washington D.C, 20591

Toll free number: 1-866-295-8236 ext.35442

Fax number: 1-202-493-4266

Email: 9-awa-ata100-feedback@faa.gov

NC Department of Transportation

Division of Aviation

1050 Meridian Drive

RDU Airport, NC 27623

North Carolina Center for Geographic Information and Analysis

NC Dept. of Environment and Natural Resources

Project Manager - Jeff Brown

301 North Wilmington Street, Suite 700

Raleigh, NC 27699-0322

***Native dataset format:** SDE Feature Class**Native data set environment:**

Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog

9.1.0.722

Cross reference:**Citation information:****Originators:** NC CGIA**Title:**

Airport Locations In North Carolina

Publication date: 20030616

Geospatial data presentation form: vector digital data[Back to Top](#)

Data Quality Information:**Attribute accuracy:****Attribute accuracy report:**

In December 2003, NCCGIA created a point shapefile from lat/longs provided by NC DOT. A shapefile was also created from data supplied by the FAA. Because there was not a common field for joining tables, NCCGIA identified FAA points that coincided with or were near a state point. The FAA points within 3,200 feet of a state point were selected in ArcView. These points were converted to a shapefile. Then the selection was switched to make the FAA points selected as those not near a state point. That selection was converted to a shapefile. The two datasets were merged to fill in gaps that occurred in both datasets allowing for a more complete statewide airports coverage. NCCGIA then used digital orthophotography from 1998 to verify the points. The data were intended for planning purposes and were not verified or documented for GIS.

Logical consistency report:

Using ESRI's ARC/INFO Arcview software, a point shapefile was created.

Completeness report:

These data represent the locations of airports in North Carolina as identified by the NC DOT and the FAA.

Positional accuracy:**Horizontal positional accuracy:****Horizontal positional accuracy report:**

For the larger airports, point locations (approximate center of airport) were verified using 1998 digital orthophoto quarter quads at 1-meter resolution. The smallest airports were not visible on photos and not verified by other means.

Lineage:**Source information:****Source citation:****Citation information:**

Originators: Federal Aviation Administration

Title:

FAA Landing Facility Database

Publication date: 2003

Geospatial data presentation form: tabular digital data

Online linkage:

<http://www.faa.gov/ats/ata/ata100/120/datadistr.html>

Type of source media: CD-ROM

Source citation abbreviation:

FAA

Source contribution:

Point locations for airports not included in state DOT files were extracted from the national FAA dataset.

Source time period of content:

Time period information:

Single date/time:

Calendar date: 2003

Source currentness reference:

publication date

Source information:

Source citation:

Citation information:

Originators: NC Department of Transportation, Division of Aviation

Title:

Division of Aviation North Carolina 2003 Airport Guide

Publication date: 2003

Geospatial data presentation form: document

Type of source media: paper

Source citation abbreviation:

NC DOT Airport Division

Source contribution:

Latitude/longitude locations and attributes for airports in North Carolina

Source time period of content:

Time period information:

Single date/time:

Calendar date: 2003

Source currentness reference:

publication date

Process step:

Process description:

In December 2003, NCCGIA created a point shapefile from lat/longs provided by NC DOT. A shapefile was also created from data supplied by the FAA. Because there was not a common field for joining tables, NCCGIA identified FAA points that coincided with or were near a state point. The FAA points within 3,200 feet of a state point were selected in ArcView. These points were converted to a shapefile. Then the selection was switched to make the FAA points selected as those not near a state point. That selection was converted to a shapefile. The two datasets were merged to fill in gaps that occurred in both datasets allowing for a more complete statewide airports coverage. NCCGIA then used digital orthophotography from 1998 to verify the points.

Process date: 200312

Process contact:

Contact information:

Contact person primary:

Contact person: Jeff Brown

Contact organization: NC Center for Geographic Information and Analysis

Contact position: Project Manager

Contact address:

Address type: physical address

Address:

301 North Wilmington Street, Suite 700

City: Raleigh

State or province: NC

Postal code: 27601

Country: USA

Contact voice telephone: (919) 733-2090

Contact facsimile telephone: (919) 715-0725

Contact electronic mail address: dataq@cgia.state.nc.us

Hours of service: 8:30AM - 5:30PM

Contact instructions:

Phone and electronic mail preferred

Process step:

Process description:

Metadata imported.

Source used citation abbreviation:

C:\DOCUME~1\david\LOCALS~1\Temp\xml11.tmp

Process step:

Process description:

Dataset copied.

Source used citation abbreviation:

Server=cgiatdb; Service=5151; Database=onemap_test; User=sdeadmin;
Version=sde.DEFAULT

Process step:

Process description:

Metadata imported.

Process date: 20101021

Process time: 16580700

Source used citation abbreviation:

C:\DOCUME~1\DDJOHN~1\LOCALS~1\Temp\xml257.tmp

[Back to Top](#)

Spatial Data Organization Information:

Direct spatial reference method: Vector

Point and vector object information:

SDTS terms description:

***Name:** SDV_PUBLIC.AIRPORT_POINT
SDTS point and vector object type: Entity point
Point and vector object count: 366

ESRI terms description:

***Name:** SDV_PUBLIC.AIRPORT_POINT
***ESRI feature type:** Simple
***ESRI feature geometry:** Point
***ESRI topology:** FALSE
***ESRI feature count:** 0
***Spatial index:** TRUE
***Linear referencing:** FALSE

[Back to Top](#)

Spatial Reference Information:**Horizontal coordinate system definition:****Coordinate system name:**

***Projected coordinate system name:**
NAD_1983_StatePlane_North_Carolina_FIPS_3200_Feet
***Geographic coordinate system name:** GCS_North_American_1983

Planar:**Map projection:**

***Map projection name:** Lambert Conformal Conic
Lambert conformal conic:
***Standard parallel:** 34.333333
***Standard parallel:** 36.166667
***Longitude of central meridian:** -79.000000
***Latitude of projection origin:** 33.750000
***False easting:** 2000000.002617
***False northing:** 0.000000

Planar coordinate information:

Planar coordinate encoding method: coordinate pair

Coordinate representation:

Abcissa resolution: 0.002048
Ordinate resolution: 0.002048
Planar distance units: meters

Geodetic model:

Horizontal datum name: North American Datum of 1983
Ellipsoid name: Geodetic Reference System 80
Semi-major axis: 6378137.000000
Denominator of flattening ratio: 298.257222

Vertical coordinate system definition:**Altitude system definition:**

Altitude resolution: 1.000000
Altitude encoding method: Explicit elevation coordinate included with horizontal coordinates

[Back to Top](#)

Entity and Attribute Information:

Detailed description:

***Name:** SDV_PUBLIC.AIRPORT_POINT

Entity type:

Entity type label: onemap_prod.SDEADMIN.air

***Entity type type:** Feature Class

***Entity type count:** 0

Entity type definition:

Airports Locations in North Carolina

Entity type definition source:

CGIA

Attribute:

Attribute label: STATUS

***Attribute alias:** OBJECTID_1

Attribute definition:

Status of point location

Attribute definition source:

CGIA

***Attribute type:** OID

***Attribute width:** 4

***Attribute precision:** 10

***Attribute scale:** 0

Attribute domain values:

Enumerated domain:

Enumerated domain value: edited

Enumerated domain value definition:

a point was moved to reflect its correct location as verified by orthophotography

Enumerated domain value definition source:

NCCGIA

*Unrepresentable domain:

Coordinates defining the features.

Attribute domain values:

Enumerated domain:

Enumerated domain value: ok

Enumerated domain value definition:

point locations were verified in orthophotos

Enumerated domain value definition source:

CGIA

*Unrepresentable domain:

Coordinates defining the features.

Attribute domain values:

Enumerated domain:

Enumerated domain value: no ortho

Enumerated domain value definition:

No orthophoto was available for the point location; not verified

Enumerated domain value definition source:

CGIA

***Unrepresentable domain:**

Coordinates defining the features.

Attribute domain values:

Enumerated domain:

Enumerated domain value: not verified

Enumerated domain value definition:

point location could not be verified on available orthophoto

Enumerated domain value definition source:

CGIA

***Unrepresentable domain:**

Coordinates defining the features.

Beginning date of attribute values: 2000

Ending date of attribute values: 2004

Attribute measurement frequency:

As needed

Attribute:

Attribute label: SHAPE

***Attribute alias:** LOCID

Attribute definition:

Feature geometry.

Attribute definition source:

ESRI

***Attribute type:** String

***Attribute width:** 10

***Attribute precision:** 0

***Attribute scale:** 0

Attribute domain values:

Unrepresentable domain:

Coordinates defining the features.

Attribute:

Attribute label: LOCID

***Attribute alias:** Shape

Attribute definition:

Airport Location Identifier

Attribute definition source:

FAA

***Attribute type:** Geometry

***Attribute width:** 4

***Attribute precision:** 0

***Attribute scale:** 0

Attribute domain values:
Unrepresentable domain:
 variable

Beginning date of attribute values: 2000
Ending date of attribute values: 2004

Attribute measurement frequency:
 As needed

Attribute:

Attribute label: Shape
***Attribute alias:** ARPT_NAME
Attribute definition:
 Feature geometry.
Attribute definition source:
 ESRI

***Attribute type:** String
***Attribute width:** 50
***Attribute precision:** 0
***Attribute scale:** 0

Attribute domain values:
Unrepresentable domain:
 Coordinates defining the features.

Beginning date of attribute values: 030104
Ending date of attribute values: 030104

Attribute:

Attribute label: ARPT_NAME
***Attribute alias:** ARPT_ID
Attribute definition:
 Airport Name
Attribute definition source:
 FAA

***Attribute type:** Double
***Attribute width:** 8
***Attribute precision:** 38
***Attribute scale:** 8

Attribute domain values:
Unrepresentable domain:
 Airport Name

Beginning date of attribute values: 2000
Ending date of attribute values: 2004

Attribute measurement frequency:
 As needed

Attribute:

Attribute label: ARPT_ID
***Attribute alias:** CLASS

Attribute definition:

Airport Identification Number

Attribute definition source:

NC DOT

Attribute type:** StringAttribute width:** 254***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Unrepresentable domain:**

variable

Beginning date of attribute values: 2000**Ending date of attribute values:** 2004**Attribute measurement frequency:**

As needed

Attribute:**Attribute label:** CLASS***Attribute alias:** ARPT_USE**Attribute definition:**

Airport Facility Type

Attribute definition source:

FAA

Attribute type:** StringAttribute width:** 254***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Enumerated domain:****Enumerated domain value:** AIRPORT**Enumerated domain value definition:**

Facility is an airport

Enumerated domain value definition source:

FAA

Attribute domain values:**Enumerated domain:****Enumerated domain value:** GLIDERPORT**Enumerated domain value definition:**

The facility is a glider port

Enumerated domain value definition source:

FAA

Attribute domain values:**Enumerated domain:****Enumerated domain value:** HELIPORT**Enumerated domain value definition:**

The facility is a heliport

Enumerated domain value definition source:

FAA

Attribute domain values:**Enumerated domain:****Enumerated domain value:** MAJOR AIRPORT**Enumerated domain value definition:**

The facility is a major airport

Enumerated domain value definition source:

NC DOT

Attribute domain values:**Enumerated domain:****Enumerated domain value:** SEAPLANE BASE**Enumerated domain value definition:**

The facility is a base for a seaplane

Enumerated domain value definition source:

FAA

Attribute domain values:**Enumerated domain:****Enumerated domain value:** STOLPORT**Enumerated domain value definition:**

The facility is a stolport

Enumerated domain value definition source:

FAA

Attribute domain values:**Enumerated domain:****Enumerated domain value:** ULTRALIGHT**Enumerated domain value definition:**

The facility is for ultralight aircraft

Enumerated domain value definition source:

FAA

Beginning date of attribute values: 2000**Ending date of attribute values:** 2004**Attribute measurement frequency:**

As needed

Attribute:**Attribute label:** ARPT_USE***Attribute alias:** COUNTY**Attribute definition:**

Airport Ownership Type

Attribute definition source:

FAA

Attribute type:** StringAttribute width:** 254***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Enumerated domain:****Enumerated domain value:** PU**Enumerated domain value definition:**

Public

Enumerated domain value definition source:
FAA

Attribute domain values:**Enumerated domain:****Enumerated domain value:** PR**Enumerated domain value definition:**

Private

Enumerated domain value definition source:

FAA

Beginning date of attribute values: 2000**Ending date of attribute values:** 2004**Attribute measurement frequency:**

As needed

Attribute:**Attribute label:** COUNTY***Attribute alias:** STATE**Attribute definition:**

County where airport is located

Attribute definition source:

FAA

Attribute type:** StringAttribute width:** 2***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Codeset Ddomain:****Codeset name:** County names**Codeset source:** State of North Carolina**Beginning date of attribute values:** 2000**Ending date of attribute values:** 2004**Attribute measurement frequency:**

As needed

Attribute:**Attribute label:** STATE***Attribute alias:** ASSO_CITY**Attribute definition:**

State where airport is located

Attribute definition source:

NC DOT

Attribute type:** StringAttribute width:** 50***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:**

Enumerated domain:**Enumerated domain value:** NC**Enumerated domain value definition:**

North Carolina

Enumerated domain value definition source:

NC DOT

Beginning date of attribute values: 2000**Ending date of attribute values:** 2004**Attribute measurement frequency:**

As needed

Attribute:**Attribute label:** ASSO_CITY***Attribute alias:** CO_FIPS**Attribute definition:**

City associated with airport

Attribute definition source:

FAA

Attribute type:** DoubleAttribute width:** 8***Attribute precision:** 38***Attribute scale:** 8**Attribute domain values:****Unrepresentable domain:**

variable

Beginning date of attribute values: 2000**Ending date of attribute values:** 2004**Attribute measurement frequency:**

As needed

Attribute:**Attribute label:** CO_FIPS***Attribute alias:** MSL**Attribute definition:**

County code according to the Federal Information Processing Standards

Attribute definition source:

NC DOT

Attribute type:** DoubleAttribute width:** 8***Attribute precision:** 38***Attribute scale:** 8**Attribute domain values:****Codeset Ddomain:****Codeset name:** County FIPS**Codeset source:** US Bureau of the Census**Beginning date of attribute values:** 2000**Ending date of attribute values:** 2004

Attribute measurement frequency:

As needed

Attribute:**Attribute label:** MSL***Attribute alias:** NAME1**Attribute definition:**

Airport Elevation above mean sea level

Attribute definition source:

FAA

Attribute type:** StringAttribute width:** 50***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Range domain:****Range domain minimum:** 0**Range domain maximum:** 5000**Attribute units of measure:** feet**Beginning date of attribute values:** 2000**Ending date of attribute values:** 2004**Attribute measurement frequency:**

As needed

Attribute:**Attribute label:** NAME1***Attribute alias:** NAME2**Attribute definition:**

Primary Contact Name

Attribute definition source:

NC DOT

Attribute type:** StringAttribute width:** 50***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Unrepresentable domain:**

variable

Beginning date of attribute values: 2000**Ending date of attribute values:** 2004**Attribute measurement frequency:**

As needed

Attribute:**Attribute label:** NAME2***Attribute alias:** NAME3**Attribute definition:**

Secondary Contact Name

Attribute definition source:

NC DOT

***Attribute type:** String

***Attribute width:** 50

***Attribute precision:** 0

***Attribute scale:** 0

Attribute domain values:

Unrepresentable domain:

variable

Beginning date of attribute values: 2000

Ending date of attribute values: 2004

Attribute measurement frequency:

As needed

Attribute:

Attribute label: NAME3

***Attribute alias:** PHONE1

Attribute definition:

Tertiary Contact Name

Attribute definition source:

NC DOT

***Attribute type:** String

***Attribute width:** 20

***Attribute precision:** 0

***Attribute scale:** 0

Attribute domain values:

Unrepresentable domain:

variable

Beginning date of attribute values: 2000

Ending date of attribute values: 2004

Attribute measurement frequency:

As needed

Attribute:

Attribute label: PHONE1

***Attribute alias:** PHONE2

Attribute definition:

Primary Contact Phone Number

Attribute definition source:

NC DOT

***Attribute type:** String

***Attribute width:** 20

***Attribute precision:** 0

***Attribute scale:** 0

Attribute domain values:

Unrepresentable domain:

variable

Beginning date of attribute values: 2000**Ending date of attribute values:** 2004**Attribute measurement frequency:**

As needed

Attribute:**Attribute label:** PHONE2***Attribute alias:** PHONE3**Attribute definition:**

Secondary Contact Phone Number

Attribute definition source:

NC DOT

Attribute type:** StringAttribute width:** 20***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Unrepresentable domain:**

variable

Beginning date of attribute values: 2000**Ending date of attribute values:** 2004**Attribute measurement frequency:**

As needed

Attribute:**Attribute label:** PHONE3***Attribute alias:** OBJECTID**Attribute definition:**

Tertiary Contact Phone Number

Attribute definition source:

NC DOT

Attribute type:** DoubleAttribute width:** 8***Attribute precision:** 38***Attribute scale:** 8**Attribute domain values:****Unrepresentable domain:**

variable

Beginning date of attribute values: 2000**Ending date of attribute values:** 2004**Attribute measurement frequency:**

As needed

Attribute:

Attribute label: OBJECTID

***Attribute alias:** STATUS

Attribute definition:

Internal feature number.

Attribute definition source:

ESRI

***Attribute type:** String

***Attribute width:** 16

***Attribute precision:** 0

***Attribute scale:** 0

Attribute domain values:

Unrepresentable domain:

Sequential unique whole numbers that are automatically generated.

Overview description:

Entity and attribute overview:

The theme includes airport name, type, and contact information.

Entity and attribute detail citation:

Division of Aviation North Carolina 2003 Airport Guide, NC Department of Transportation, Division of Aviation, 2003

[Back to Top](#)

Distribution Information:

Distributor:

Contact information:

Contact organization primary:

Contact organization: NC CGIA

Contact address:

Address type: mailing address

Address:

20322 Mail Service Center

City: Raleigh

State or province: NC

Postal code: 27699-0322

Country: USA

Contact voice telephone: 919-733-2090

Contact facsimile telephone: 919-715-0725

Contact electronic mail address: dataq@cgia.state.nc.us

Hours of service: 9:00 to 5:00

Resource description: GIS data layer

Distribution liability:

NCCGIA is charged with the development and maintenance of the State's corporate

geographic database and, in cooperation with other mapping organizations, is committed to offering its users accurate, useful, and current information about the state. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the corporate database may be reflected in the data supplied. The client must be aware of data conditions and bear responsibility for the appropriate use of the information with respect to possible errors, original map scale, collection methodology, currency of data, and other conditions specific to certain data. NCCGIA does not support secondary distribution of these data. The use of trade names or commercial products does not constitute their endorsement by the NCCGIA or North Carolina State Government.

Standard order process:**Digital form:****Digital transfer information:****Format name:** shapefile**Transfer size:** 0.435**Digital transfer option:****Offline option:****Offline media:** CD-ROM**Recording format:** shapefile**Fees:** contact CGIA for offline data distribution fees**Ordering instructions:**

Contact CGIA 919-733-2090

Custom order process:

Data creation and large data analysis jobs contact Database Administration P:(919) 733-2090. All data are available through standard ordering procedures on a cost recovery basis.

Technical prerequisites:

All formats supplied are created using ARC/INFO GIS software on Unix workstations or ArcGIS on Windows PCs. Other formats are available. Format compatibility is the user's responsibility. For more information on formats and media, use a web browser: <http://www.cgia.state.nc.us/cost.html>

Available time period:**Time period information:****Single date/time:****Calendar date:** 2004[Back to Top](#)

Metadata Reference Information:**Metadata date:** 20060406**Metadata review date:** 20040319

***Language of metadata:** en

Metadata contact:

Contact information:

Contact organization primary:

Contact person: REQUIRED: The person responsible for the metadata information.

Contact organization: North Carolina Center for Geographic Information and Analysis

Contact position: Database Manager

Contact address:

Address type: physical address

Address:

301 North Wilmington Street, Suite 700

City: Raleigh

State or province: NC

Postal code: 27601

Country: USA

Contact voice telephone: (919) 733-2090

Contact facsimile telephone: (919) 715-0725

Contact electronic mail address: dataq@cgia.state.nc.us

Hours of service: 8:30AM - 5:30PM

Contact instructions:

Phone and electronic mail preferred

Metadata standard name: FGDC Content Standards for Digital Geospatial Metadata

Metadata standard version: FGDC-STD-001-1998

Metadata time convention: local time

Metadata access constraints: None

Metadata use constraints:

This metadata file is to accompany the data set identified and received from NCCGIA. NCCGIA does not support secondary distribution. If this data file was received from anyone besides NCCGIA, this metadata file and the data set it describes may contain discrepancies.

Metadata extensions:

Online linkage: <http://www.esri.com/metadata/esriprof80.html>

Profile name: ESRI Metadata Profile

Metadata extensions:

Online linkage: <http://www.esri.com/metadata/esriprof80.html>

Profile name: ESRI Metadata Profile

Metadata extensions:

Online linkage: <http://www.esri.com/metadata/esriprof80.html>

Profile name: ESRI Metadata Profile

Metadata extensions:

Online linkage: <http://www.esri.com/metadata/esriprof80.html>

Profile name: ESRI Metadata Profile

Metadata extensions:

- ***Online linkage:** <http://www.esri.com/metadata/esriprof80.html>
- ***Profile name:** ESRI Metadata Profile

[Back to Top](#)

Geoprocessing History:**Process:**

```

*Date: 20101022
*Time: 103945
*Tool location: D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Conversion
Tools.tbx\FeatureClassToFeatureClass
*Command issued: FeatureClassToFeatureClass "S:\GIS-
TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT" "Database
Connections\sdv_public@tccdt26.sde" AIRPORT_POINT # "OBJECTID 'OBJECTID' true
true false 8 Double 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,OBJECTID,-1,-
1;ARPT_NAME 'ARPT_NAME' true true false 50 Text 0 0 ,First,#,S:\GIS-
TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,ARPT_NAME,-1,-
1;ARPT_ID 'ARPT_ID' true true false 8 Double 0 0 ,First,#,S:\GIS-
TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,ARPT_ID,-1,-1;CLASS
'CLASS' true true false 254 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV
Priority 2 Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,CLASS,-1,-
1;ARPT_USE 'ARPT_USE' true true false 254 Text 0 0 ,First,#,S:\GIS-
TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,ARPT_USE,-1,-
1;COUNTY 'COUNTY' true true false 254 Text 0 0 ,First,#,S:\GIS-
TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,COUNTY,-1,-1;STATE
'STATE' true true false 2 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV
Priority 2 Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,STATE,-1,-
1;ASSO_CITY 'ASSO_CITY' true true false 50 Text 0 0 ,First,#,S:\GIS-
TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,ASSO_CITY,-1,-
1;CO_FIPS 'CO_FIPS' true true false 8 Double 0 0 ,First,#,S:\GIS-
TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,CO_FIPS,-1,-1;MSL
'MSL' true true false 8 Double 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV
Priority 2 Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,MSL,-1,-
1;NAME1 'NAME1' true true false 50 Text 0 0 ,First,#,S:\GIS-
TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,NAME1,-1,-1;NAME2
'NAME2' true true false 50 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV
Priority 2 Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,NAME2,-1,-
1;NAME3 'NAME3' true true false 50 Text 0 0 ,First,#,S:\GIS-
TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,NAME3,-1,-1;PHONE1
'PHONE1' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV
Priority 2 Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,PHONE1,-1,-
1;PHONE2 'PHONE2' true true false 20 Text 0 0 ,First,#,S:\GIS-

```

```
TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,PHONE2,-1,-1;PHONE3
'PHONE3' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV
Priority 2 Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,PHONE3,-1,-
1;STATUS 'STATUS' true true false 16 Text 0 0 ,First,#,S:\GIS-
TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,STATUS,-1,-1;LOCID
'LOCID' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV
Priority 2 Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POINT,LOCID,-1,-1"
# "Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT"
```

Process:

***Date:** 20101026

***Time:** 190516

***Tool location:** D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Conversion
Tools.tbx\FeatureClassToFeatureClass

***Command issued:** FeatureClassToFeatureClass "Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT" "Database
Connections\sdv_public@tccdt26.sde" AIRPORT_POINT # "OBJECTID 'OBJECTID' true
true false 8 Double 8 38 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,OBJECTID,-1,-
1;ARPT_NAME 'ARPT_NAME' true true false 50 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,ARPT_NAME,-1,-
1;ARPT_ID 'ARPT_ID' true true false 8 Double 8 38 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,ARPT_ID,-1,-
1;CLASS 'CLASS' true true false 254 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,CLASS,-1,-
1;ARPT_USE 'ARPT_USE' true true false 254 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,ARPT_USE,-1,-
1;COUNTY 'COUNTY' true true false 254 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,COUNTY,-1,-
1;STATE 'STATE' true true false 2 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,STATE,-1,-
1;ASSO_CITY 'ASSO_CITY' true true false 50 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,ASSO_CITY,-1,-
1;CO_FIPS 'CO_FIPS' true true false 8 Double 8 38 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,CO_FIPS,-1,-
1;MSL 'MSL' true true false 8 Double 8 38 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,MSL,-1,-1;NAME1
'NAME1' true true false 50 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,NAME1,-1,-
1;NAME2 'NAME2' true true false 50 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,NAME2,-1,-
1;NAME3 'NAME3' true true false 50 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,NAME3,-1,-
1;PHONE1 'PHONE1' true true false 20 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,PHONE1,-1,-
1;PHONE2 'PHONE2' true true false 20 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,PHONE2,-1,-
1;PHONE3 'PHONE3' true true false 20 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,PHONE3,-1,-
1;STATUS 'STATUS' true true false 16 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,STATUS,-1,-
1;LOCID 'LOCID' true true false 10 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT,LOCID,-1,-1" #
"Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POINT"

Process:

***Date:** 20101026
***Time:** 190521
***Tool location:** D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\ChangePrivileges
***Command issued:** ChangePrivileges "Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.AIRPORT_POINT" SDV_PUBLIC_READER GRANT AS_IS "Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.AIRPORT_POINT"

Process:

***Date:** 20101026
***Time:** 190526
***Tool location:** D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\Analyze
***Command issued:** Analyze "Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.AIRPORT_POINT" BUSINESS "Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.AIRPORT_POINT"

Process:

***Date:** 20101026
***Time:** 190531
***Tool location:** D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\Analyze
***Command issued:** Analyze "Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.AIRPORT_POINT" FEATURE "Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.AIRPORT_POINT"

[Back to Top](#)