

North Carolina Hospitals

Data format: SDE Feature Class

File or table name: SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT

Coordinate system: Lambert Conformal Conic

Theme keywords: Hospitals, Specialty hospitals, Veterans' hospitals, Prison hospitals, Public hospitals, Psychiatric hospitals, Substance abuse treatment facilities, health, structure

Abstract: Hospitals in North Carolina The term "hospital" ... means an institution which- (1) is primarily engaged in providing, by or under the supervision of physicians, to inpatients > (A) diagnostic services and therapeutic services for medical diagnosis, treatment, and care of injured, disabled, or sick persons, or > (B) rehabilitation services for the rehabilitation of injured, disabled, or sick persons; (...) (5) provides 24-hour nursing service rendered or supervised by a registered professional nurse, and has a licensed practical nurse or registered professional nurse on duty at all times; ... (...) (7) in the case of an institution in any State in which State or applicable local law provides for the licensing of hospitals, > (A) is licensed pursuant to such law or > (B) is approved, by the agency of such State or locality responsible for licensing hospitals, as meeting the standards established for such licensing; (Excerpt from Title XVIII of the Social Security Act [42 U.S.C. § 1395x(e)], <http://www4.law.cornell.edu/uscode/html/uscode42/usc_sec_42_00001395---x000-.html>) Included in this dataset are General Medical and Surgical Hospitals, Psychiatric and Substance Abuse Hospitals, and Specialty Hospitals (e.g., Children's Hospitals, Cancer Hospitals, Maternity Hospitals, Rehabilitation Hospitals, etc.). TGS has made a concerted effort to include all general medical/surgical hospitals in North Carolina. Other types of hospitals are included if they were represented in datasets sent by the state. Therefore, not all of the specialty hospitals in North Carolina are represented in this dataset. Hospitals operated by the Veterans Administration (VA) are included, even if the state they are located in does not license VA Hospitals. Nursing homes and Urgent Care facilities are excluded because they are included in a separate dataset. Locations that are administrative offices only are excluded from the dataset. Records with "-DOD" appended to the end of the [NAME] value are located on a military base, as defined by the Defense Installation Spatial Data Infrastructure (DISDI) military installations and military range boundaries. Text fields in this dataset have been set to all upper case to facilitate consistent database engine search results. All diacritics (e.g., the German umlaut or the Spanish tilde) have been replaced with their closest equivalent English character to facilitate use with database systems that may not support diacritics. The currentness of this dataset is indicated by the [CONTDTE] field. Based upon this field, the oldest record dates from 12/28/2005 and the newest record dates from 05/09/2008

FGDC and ESRI Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)
- [Geoprocessing History](#)

Metadata elements shown with blue text are defined in the Federal Geographic Data Committee's (FGDC) [Content Standard for Digital Geospatial Metadata \(CSDGM\)](#). Elements shown with green text are defined in the [ESRI Profile of the CSDGM](#). Elements shown with a green asterisk (*) will be automatically updated by ArcCatalog. ArcCatalog adds hints indicating which FGDC elements are mandatory; these are shown with gray text.

Identification Information:

Citation:

Citation information:

Originators: TechniGraphics, Inc.

Title:

North Carolina Hospitals

***File or table name:** SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT

Publication date: 20080920

Edition: 4th Quarter 2008

Geospatial data presentation form: vector digital data

***Online linkage:** Service=sde:oracle11g;/;LOCAL=TCCDQ26;User=sdv_public;Version=SDE.DEFAULT

Description:

Abstract:

Hospitals in North Carolina

The term "hospital" ... means an institution which-

(1) is primarily engaged in providing, by or under the supervision of physicians, to inpatients

> (A) diagnostic services and therapeutic services for medical diagnosis, treatment, and care of injured, disabled, or sick persons, or
> (B) rehabilitation services for the rehabilitation of injured, disabled, or sick persons;

(...)

(5) provides 24-hour nursing service rendered or supervised by a registered professional nurse, and has a licensed practical nurse or registered professional nurse on duty at all times; ...

(...)

(7) in the case of an institution in any State in which State or applicable local law provides for the licensing of hospitals,

> (A) is licensed pursuant to such law or
> (B) is approved, by the agency of such State or locality responsible for licensing hospitals, as meeting the standards established for such licensing;

(Excerpt from Title XVIII of the Social Security Act [42 U.S.C. § 1395x(e)],
<http://www4.law.cornell.edu/uscode/html/uscode42/usc_sec_42_00001395---x000-.html>)

Included in this dataset are General Medical and Surgical Hospitals, Psychiatric and Substance Abuse Hospitals, and Specialty Hospitals (e.g., Children's Hospitals, Cancer Hospitals, Maternity Hospitals, Rehabilitation Hospitals, etc.).

TGS has made a concerted effort to include all general medical/surgical hospitals in North Carolina. Other types of hospitals are included if they were represented in datasets sent by the state. Therefore, not all of the specialty hospitals in North Carolina are represented in this dataset.

Hospitals operated by the Veterans Administration (VA) are included, even if the state they are located in does not license VA Hospitals.

Nursing homes and Urgent Care facilities are excluded because they are included in a separate dataset. Locations that are administrative offices only are excluded from the dataset.

Records with "-DOD" appended to the end of the [NAME] value are located on a military base, as defined by the Defense Installation Spatial Data Infrastructure (DISDI) military installations and military range boundaries.

Text fields in this dataset have been set to all upper case to facilitate consistent database engine search results.

All diacritics (e.g., the German umlaut or the Spanish tilde) have been replaced with their closest equivalent English character to facilitate use with database systems that may not support diacritics.

The currentness of this dataset is indicated by the [CONDDATE] field. Based upon this field, the oldest record dates from 12/28/2005 and the newest record dates from 05/09/2008

Purpose:

Homeland Security

Use Cases: Use cases describe how the data may be used and help to define and clarify requirements.

- 1) A disaster has overwhelmed local medical facilities and capacity must be found in the surrounding area.
- 2) A threat against hospitals has been identified and measures must be taken to protect the hospital.
- 3) An assessment as to the adequacy of the total capacity to handle emergency medical care in a given area needs to be made as part of a disaster mitigation plan.
- 4) A disaster has occurred, or is in the process of occurring, and facilities in the vicinity with people needing evacuation assistance must be identified.

***Language of dataset:** en

Time period of content:

Time period information:

Single date/time:

Calendar date: REQUIRED: The year (and optionally month, or month and day) for which the data set corresponds to the ground.

Range of dates/times:

Beginning date: 20051228

Ending date: 20080509

Currentness reference:

ground condition

Status:

Progress: Complete

Maintenance and update frequency: Unknown

Spatial domain:

Bounding coordinates:

West bounding coordinate: -83.966279

East bounding coordinate: -75.617875

North bounding coordinate: 36.509438

South bounding coordinate: 33.929793

Keywords:

Theme:

Theme keywords: Hospitals, Specialty hospitals, Veterans' hospitals, Prison hospitals, Public hospitals, Psychiatric hospitals, Substance abuse treatment facilities

Theme keyword thesaurus: LCSH - Library of Congress subject headings (Washington, DC: LC, Cataloging Distribution Service)
<http://authorities.loc.gov/>

Theme:

Theme keywords: health, structure

Theme keyword thesaurus: ISO 19115 Topic Category

Place:

Place keywords: North Carolina

Place keyword thesaurus: LCSH - Library of Congress subject headings (Washington, DC: LC, Cataloging Distribution Service)
<http://authorities.loc.gov/>

Access constraints: None

Use constraints:

None

Point of contact:

Contact information:

Contact person primary:
Contact person: Mike Thompson
Contact organization: TechniGraphics, Inc.
Contact position: Director of Geospatial Datasets

Contact address:
Address type: Mailing and Physical Address
Address:
 3351 Eastbrook Drive
City: Fort Collins
State or province: CO
Postal code: 80525
Country: USA

Contact voice telephone: 970-224-4996
Contact facsimile telephone: 970-224-3001

Contact electronic mail address: mthompson@tgstech.com

Hours of service: Monday - Friday 0800 - 1700 MST

Security information:
Security classification system: DOD
Security classification: Unclassified
Security handling description: Unclassified

***Native dataset format:** SDE Feature Class

Native data set environment:

Microsoft Windows XP Professional Version 2002 Service Pack 2 TGS PinPoint® v.1.10.2 Metadata written using TKME by Peter N. Schweitzer (U.S. Geological Survey, Reston, VA 22092) version 2.9.17 <<http://geology.usgs.gov/tools/metadata/>> Metadata tested for compliance to FGDC-STD-001-1998 and converted to HTML using MP version 2.8.25 by Peter N. Schweitzer (U.S. Geological Survey) <<http://geology.usgs.gov/tools/metadata/>>

[Back to Top](#)

Data Quality Information:

Attribute accuracy:

Attribute accuracy report:

For entities that were contacted, the name, address, city, state, and five (5) digit zip codes were verified to be correct as of the date indicated by the [CONDATE] field. The existence of the entity was also verified, as well as whether or not it met the criteria for inclusion in this dataset. Four (4) digit zip code extensions were derived from USPS (United States Postal Service) data and were not verified.

ID Check: The [ID] field is not blank and each of its values is unique.

Coordinate Check: Coordinates are not null or zero and the x and y fields match the shape.

Basic Address Check: Physical addresses were verified to be non blank and to not be a "PO Box", "General Delivery", "Highway Contract", or "Rural Route" address.

Highway Address without Type Check: Physical addresses containing the word "Highway" or "Route" were verified to also contain a type designator such as "State", "US", or "County", if one actually exists for the highway or route. These type designators are often missing from addresses, leading to confusion if more than one "Highway" of the given number exists in an area.

Basic Name Check: Entity name is not blank, is not the same as entity city, and has a minimum of 2 characters. Name does not contain punctuation characters that can interfere with database operations, such as " (quote) and * (asterisk).

City Check: Entity's [CITY] field is not blank, and entity is located within 25 miles of its tabular city as found in the NAVTEQ Named Places reference file.

State Check: The entity is located within its tabular state.

County FIPS to State Compare Check: The county represented by the tabular FIPS Code is actually in the state specified in the [STATE] field.

County Name to State Compare Check: The county represented by the tabular county name is actually in the state specified in the [STATE] field.

Basic Phone Check: All phone numbers (including the area code) are ten (10) numeric digits. Alphabetic characters have been converted to the corresponding numeric digit.

NPA_NXX Check: Area codes (sometimes called "Number Planning Areas", or NPA's) and central office codes (sometimes known as exchanges, or NXX's) were validated against data from the North American Number Planning Administration (NANPA). In some cases, NPA-NXX combinations did not show up in the NANPA data but were verified to work.

Area Code Distance Check: The entity's area code (NPA) is valid, and the entity is not more than 25 miles from its area code boundary, as defined by data from the North American Number Planning Administration (NANPA), unless TGS has previously verified that the phone number rings to a headquarters location or otherwise does not ring to the entity's location.

Zip Code Check: The zip code is five (5) or nine (9) numeric digits, is listed in the postal database, is in the same state as indicated by the entity's [STATE] value, and is not a PO Box only zip code.

Zip City Check: The entity's zip code and its city were verified to match according to the USPS Address Information System (AIS).

Zip Code Distance Check: The entity is located within 25 miles of its zip code boundary, as defined by the U.S. Census Bureau's 1999 Zip Code file.

NAICS Code Check: The NAICS field is not blank, the NAICS Code is one of the accepted codes for this layer, the NAICS Description is an acceptable Index Entry for the NAICS Code, and certain key words in the entity name do not conflict with the NAICS Code.

Collocation Check: Entities with different addresses must not share the exact same geospatial location.

Geographic Spell Check: Words that appear in the entity name were checked against a standard English word list (and Spanish word list for entities in Puerto Rico). Words not appearing in these standard word lists were then checked against names appearing in the Geographic Names Information System (GNIS) of geographic features that are located within 25 miles of the entity. Proper names were manually reviewed for correct spelling.

Logical consistency report:

See "Attribute_Accuracy_Report". Many of the checks described in that section check for both attribute accuracy and logical consistency.

Completeness report:

Included in this dataset are General Medical and Surgical Hospitals, Psychiatric and Substance Abuse Hospitals, and Specialty Hospitals (e.g., Children's Hospitals, Cancer Hospitals, Maternity Hospitals, Rehabilitation Hospitals, etc.).

TGS has made a concerted effort to include all general medical/surgical hospitals in North Carolina. Other types of hospitals are included if they were represented in datasets sent by the state. Therefore, not all of the specialty hospitals in North Carolina are represented in this dataset.

Hospitals operated by the Veterans Administration (VA) are included, even if the state they are located in does not license VA Hospitals.

Nursing homes and Urgent Care facilities are excluded because they are included in a separate dataset. Locations that are administrative offices only are excluded from the dataset.

Positional accuracy:

Horizontal positional accuracy:

Horizontal positional accuracy report:

The geographic location of entities was verified to be correct relative to the street data and version indicated by the [ST_VENDOR] and [ST_VERSION] fields. The horizontal accuracy is indicated by the [GEOPREC] field. A value of "BLOCKFACE" indicates the entity was geocoded on the correct street segment (block) and correct side of the street. A value of "ONENTITY" indicates that the location is on the entity's facility, as determined by USGS DOQQ imagery, and that it is on the correct street segment (block) and correct side of the street. Entities that are part of a larger institution (e.g., University Campus or Military Base) with "BLOCKFACE" precision may be located at the main entrance to the larger institution.

Records with "-DOD" appended to the end of the [NAME] value are located on a military base, as defined by the Defense Installation Spatial Data Infrastructure (DISDI) military installations and military range boundaries.

Lineage:

Source information:

Source citation:

Citation information:

Originators: TechniGraphics, Inc.

Title:

Hospitals 2008 Q2

Publication date: 20080430

Edition: 2nd Quarter 2008

Geospatial data presentation form: vector digital data

Type of source media: Digital Database File

Source citation abbreviation:

Hospitals_2008_Q2

Source contribution:

The basic attribution (name, address, city, state, zip code, and telephone number) came from this dataset, unless the entity was updated by TGS during Q408 processing.

Source time period of content:

Time period information:

Range of dates/times:

Beginning date: 20050323

Ending date: 20080325

Source currentness reference:

ground condition

Source information:

Source citation:

Citation information:

Originators: North Carolina Center for Geographic Information and Analysis (NCCGIA), North Carolina State Center for Health Statistics (NCDHHS)

Title:

onemap_test.SDEADMIN.hls

Publication date: 20010601

Edition: Unknown

Online linkage: <ftp://204.211.239.203/outgoing/vector/hls.zip>

Type of source media: Online

Source citation abbreviation:

NC_Hospitals

Source contribution:

This was used as a source for hospitals in North Carolina.

Source time period of content:

Time period information:

Single date/time:

Calendar date: 20010601

Source currentness reference:
publication date

Source information:

Source citation:

Citation information:

Originators: NAVTEQ

Title:

NAVSTREETS

Publication date: 2008

Edition: 2008.1

Geospatial data presentation form: vector digital data

Type of source media: CD-ROM

Source citation abbreviation:

NAVTEQ_Streets_2008_Q1

Source contribution:

This version of NAVTEQ streets was used as a reference for automatic shifting of entities that were previously manually geocoded and for the manual geolocating of entities.

Source time period of content:

Time period information:

Single date/time:

Calendar date: 2008

Source currentness reference:

publication date

Process step:

Process description:

1) Entities were processed to determine or verify their name, physical address, city, state, five (5) digit zip code, phone number, and geospatial location. Entities not located on military bases were contacted and asked to describe their location relative to landmarks in reference data (mainly streets) and features visible in ortho imagery.

>

>

2) Due to a request made by the Department of Defense, TGS made every effort to not contact military bases starting 03/27/2007 and ending 05/28/2008. During this time, entities located on military bases were verified through alternate resources, such as maps and ortho imagery. These records have not been contacted by TGS, and therefore, do not have directions.

>

>

3) All text fields were set to all upper case.

>

>

4) Leading and trailing spaces were trimmed from all text fields.

>

>

5) Non printable and diacritic characters were removed from all text fields.

>

>

Process date: 20080920

Source used citation abbreviation:

Hospitals_2008_Q2

Source used citation abbreviation:

NC_Hospitals

Source used citation abbreviation:

NAVTEQ_Streets_2008_Q1

Source produced citation abbreviation:

Hospitals_2008_Q4

Process contact:

Contact information:

Contact person primary:

Contact person: Nicole Hackworth

Contact organization: TechniGraphics, Inc.

Contact position: Project Manager

Contact address:

Address type: Mailing and Physical Address

Address:

2000 Noble Drive

City: Wooster

State or province: OH

Postal code: 44691

Country: USA

Contact voice telephone: 330-263-6222

Contact electronic mail address: nhackworth@tgstech.com

Hours of service: Monday - Friday 0730 - 1630 EST

Process step:

Process description:
Metadata imported.

Process date: 20101021
Process time: 15450900

Source used citation abbreviation:
C:\DOCUME~1\DDJOHN~1\LOCALS~1\Temp\xml23F.tmp

[Back to Top](#)

Spatial Data Organization Information:

***Direct spatial reference method:** Vector

Point and vector object information:

SDTS terms description:

***Name:** SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT
***SDTS point and vector object type:** Entity point
***Point and vector object count:** 0

ESRI terms description:

***Name:** SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT
***ESRI feature type:** Simple
***ESRI feature geometry:** Point
***ESRI topology:** FALSE
***ESRI feature count:** 0
***Spatial index:** TRUE
***Linear referencing:** FALSE

[Back to Top](#)

Spatial Reference Information:

Horizontal coordinate system definition:

Coordinate system name:

***Projected coordinate system name:** NAD_1983_StatePlane_North_Carolina_FIPS_3200_Feet
***Geographic coordinate system name:** GCS_North_American_1983

Planar:

Map projection:

***Map projection name:** Lambert Conformal Conic
Lambert conformal conic:
***Standard parallel:** 34.333333
***Standard parallel:** 36.166667
***Longitude of central meridian:** -79.000000
***Latitude of projection origin:** 33.750000
***False easting:** 2000000.002617
***False northing:** 0.000000

Planar coordinate information:

Planar coordinate encoding method: coordinate pair
Coordinate representation:
Abscissa resolution: 0.0001
Ordinate resolution: 0.0001
Planar distance units: meters

Geodetic model:

Horizontal datum name: North American Datum of 1983
Ellipsoid name: Geodetic Reference System 80
Semi-major axis: 6378137.000000
Denominator of flattening ratio: 298.257222

Vertical coordinate system definition:

Altitude system definition:

***Altitude resolution:** 1.000000
***Altitude encoding method:** Explicit elevation coordinate included with horizontal coordinates

[Back to Top](#)

Entity and Attribute Information:

Detailed description:

***Name:** SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT

Entity type:

Entity type label: Hospitals in North Carolina
***Entity type type:** Feature Class
***Entity type count:** 0
Entity type definition:

The term "hospital" ... means an institution which- (1) is primarily engaged in providing, by or under the supervision of physicians, to

inpatients > (A) diagnostic services and therapeutic services for medical diagnosis, treatment, and care of injured, disabled, or sick persons, or > (B) rehabilitation services for the rehabilitation of injured, disabled, or sick persons; (...) (5) provides 24-hour nursing service rendered or supervised by a registered professional nurse, and has a licensed practical nurse or registered professional nurse on duty at all times; ... (...) (7) in the case of an institution in any State in which State or applicable local law provides for the licensing of hospitals, > (A) is licensed pursuant to such law or > (B) is approved, by the agency of such State or locality responsible for licensing hospitals, as meeting the standards established for such licensing

Entity type definition source:

Excerpt from Title XVIII of the Social Security Act [42 U.S.C. § 1395x(e)]
http://www4.law.cornell.edu/uscode/html/uscode42/usc_sec_42_00001395---x000-.html

Attribute:

***Attribute label:** OBJECTID
***Attribute alias:** OBJECTID
***Attribute definition:**
 Internal feature number.
***Attribute definition source:**
 ESRI

***Attribute type:** OID
***Attribute width:** 4
***Attribute precision:** 10
***Attribute scale:** 0

Attribute domain values:

***Unrepresentable domain:**
 Sequential unique whole numbers that are automatically generated.

Attribute:

Attribute label: SHAPE
***Attribute alias:** Shape
Attribute definition:
 Feature geometry.
Attribute definition source:
 ESRI

***Attribute type:** Geometry
***Attribute width:** 4
***Attribute precision:** 0
***Attribute scale:** 0

Attribute domain values:

Unrepresentable domain:
 Coordinates defining the features.

Attribute:

Attribute label: ID
***Attribute alias:** ID
Attribute definition:
 Unique identifier for feature.
Attribute definition source:
 TGS

***Attribute type:** String
***Attribute width:** 50
***Attribute precision:** 0
***Attribute scale:** 0

Attribute domain values:

Unrepresentable domain:
 Text

Attribute:

Attribute label: SECCLASS
***Attribute alias:** SECCLASS
Attribute definition:
 Security classification of feature.
Attribute definition source:
 TGS

***Attribute type:** String
***Attribute width:** 30
***Attribute precision:** 0
***Attribute scale:** 0

Attribute domain values:

Enumerated domain:
Enumerated domain value: UNCLASSIFIED
Enumerated domain value definition:
 Entity is unclassified.
Enumerated domain value definition source:
 TGS

Attribute:

Attribute label: NAME
***Attribute alias:** NAME
Attribute definition:
 Name of entity.
Attribute definition source:
 TGS

*Attribute type: String
 *Attribute width: 254
 *Attribute precision: 0
 *Attribute scale: 0

Attribute domain values:
Unrepresentable domain:
 Text

Attribute:

Attribute label: TELEPHONE
 *Attribute alias: TELEPHONE
Attribute definition:
 Ten (10) digit telephone number for entity formatted as nnn-xxx-xxxx.
Attribute definition source:
 TGS

*Attribute type: String
 *Attribute width: 12
 *Attribute precision: 0
 *Attribute scale: 0

Attribute domain values:
Unrepresentable domain:
 Phone numbers formatted as nnn-xxx-xxxx. Only numeric digits are used. The area code and exchange must form a valid combination. A list of valid area code and exchange combinations can be obtained from <<http://www.nanpa.com>>.

Attribute:

Attribute label: ADDRESS
 *Attribute alias: ADDRESS
Attribute definition:
 Physical street address for entity. "PO Box", "General Delivery", "Rural Route", and "Highway Contract" addresses are not considered physical addresses and should not appear in this field. Some areas do not have regular city style addressing, so entities in those areas may not have a street number. In such cases, the name of the road on which they are located is listed in this field. Some rural areas may not have named roads. In these rare cases, this field will be blank.
Attribute definition source:
 TGS

*Attribute type: String
 *Attribute width: 80
 *Attribute precision: 0
 *Attribute scale: 0

Attribute domain values:
Unrepresentable domain:
 Text

Attribute:

Attribute label: ADDRESS2
 *Attribute alias: ADDRESS2
Attribute definition:
 Location within physical address, e.g., floor, suite, building.
Attribute definition source:
 TGS

*Attribute type: String
 *Attribute width: 80
 *Attribute precision: 0
 *Attribute scale: 0

Attribute domain values:
Unrepresentable domain:
 Text

Attribute:

Attribute label: CITY
 *Attribute alias: CITY
Attribute definition:
 The name of the city associated with the entity's physical address. For physical addresses that the U.S. Postal Service (USPS) delivers to, this should be a "city" acceptable to the USPS as defined in their Address Information System (AIS). Sometimes the USPS does not deliver mail to a physical address but recognizes the location (i.e., they list the location as "undeliverable"). The cities associated with these locations are acceptable. In some cases, the USPS does not recognize individual physical addresses in a city, rather, they list the city as having "General Delivery". In these cases, the city and associated zip code are acceptable (the entity's [ADDRESS] field will contain a street address, not "general delivery"). The entity may not actually be located within the city limits of the "city" specified in its [CITY] field. Instead, it may actually be located within the city limits of another city. In some cases, the "city" that appears in this field may not even be a city in an administrative sense, but it is still an acceptable "city" to the USPS. An example of this is "Notre Dame, IN". There is no city in Indiana called "Notre Dame", but this is considered an acceptable city by the USPS for any delivery going to the University of Notre Dame which is actually located in the city of South Bend. "Notre Dame", like most USPS cities, is an easily recognized place, and it gives the user of the data a good general idea of where the entity is located (if the entity is located in a small municipality, the USPS "city" may be more recognizable than the name of the municipality), and it would be part of the address one would use to send a shipment to the entity's location. Using the USPS acceptable "city" also allows someone to do a logical consistency check between the zip code and the city by using the USPS AIS.

Sometimes an entity may report a city that is not accepted by the USPS, and although TGS has tried to replace those cities with an acceptable alternative, some of them may remain in this dataset.

Attribute definition source:
 TGS

*Attribute type: String
 *Attribute width: 120

*Attribute precision: 0
*Attribute scale: 0

Attribute domain values:
Unrepresentable domain:
Text

Attribute:

Attribute label: STATE
***Attribute alias:** STATE
Attribute definition:

Two (2) character abbreviation for state associated with the entity's physical address. In almost all cases, this is the same as the state where the entity has been depicted geospatially. However, there are cases, particularly where an entity is part of a larger facility that cuts across state lines, where the entity's location may be depicted in a state other than the one indicated in this field. Also, the state in which an entity appears to be located may change depending on the scale of the state boundary theme being used.

Attribute definition source:
TGS

*Attribute type: String
*Attribute width: 2
*Attribute precision: 0
*Attribute scale: 0

Attribute domain values:
Codeset Ddomain:
Codeset name: Official USPS Abbreviations - State Abbreviations
Codeset source: United States Postal Service http://www.usps.com/ncsc/lookups/usps_abbreviations.html

Attribute:

Attribute label: ZIP
***Attribute alias:** ZIP
Attribute definition:

Five (5) digit USPS zip code for entity's physical location.

Attribute definition source:
TGS

*Attribute type: String
*Attribute width: 5
*Attribute precision: 0
*Attribute scale: 0

Attribute domain values:
Codeset Ddomain:
Codeset name: USPS Address Information System - Domain is further restricted by only allowing physical (non PO Box) zip codes.
Codeset source: United States Postal Service

Attribute:

Attribute label: ZIPP4
***Attribute alias:** ZIPP4
Attribute definition:

Four (4) digit USPS zip code extension. These values are automatically assigned using the entity's physical address and USPS address information system (AIS) data.

Attribute definition source:
TGS

*Attribute type: String
*Attribute width: 4
*Attribute precision: 0
*Attribute scale: 0

Attribute domain values:
Codeset Ddomain:
Codeset name: USPS Address Information System (AIS) - ZIP9
Codeset source: United States Postal Service

Attribute:

Attribute label: COUNTY
***Attribute alias:** COUNTY
Attribute definition:

County name where entity is located.

Attribute definition source:
TGS

*Attribute type: String
*Attribute width: 50
*Attribute precision: 0
*Attribute scale: 0

Attribute domain values:
Codeset Ddomain:
Codeset name: Geographic Names Information System (GNIS)
Codeset source: US Department of the Interior - US Geologic Survey

Attribute:

Attribute label: FIPS
***Attribute alias:** FIPS
Attribute definition:

Five (5) digit FIPS (Federal Information Processing Standards) Code for the County where entity is located. The first two (2) digits represent the state and the last three (3) digits identify the county within the state.

Attribute definition source:

TGS

***Attribute type:** String
 ***Attribute width:** 5
 ***Attribute precision:** 0
 ***Attribute scale:** 0

Attribute domain values:**Codeset Ddomain:**

Codeset name: Federal Information Processing Standards Publications - Counties and Equivalent Entities of the U.S., Its Possessions, and Associated Areas.

Codeset source: National Institute of Standards and Technology (NIST) <<http://www.itl.nist.gov/fipspubs/co-codes/states.txt>>

Attribute:**Attribute label:** DIRECTIONS***Attribute alias:** DIRECTIONS**Attribute definition:**

Directions to entity location, or description of the entity's location.

Attribute definition source:

TGS

***Attribute type:** String
 ***Attribute width:** 254
 ***Attribute precision:** 0
 ***Attribute scale:** 0

Attribute domain values:**Unrepresentable domain:**

Text

Attribute:**Attribute label:** EMERGTITLE***Attribute alias:** EMERGTITLE**Attribute definition:**

Title of person or name of office for emergency point of contact.

Attribute definition source:

TGS

***Attribute type:** String
 ***Attribute width:** 50
 ***Attribute precision:** 0
 ***Attribute scale:** 0

Attribute domain values:**Unrepresentable domain:**

Text

Attribute:**Attribute label:** EMERGTEL***Attribute alias:** EMERGTEL**Attribute definition:**

Ten (10) digit telephone number of emergency point of contact formatted as nnn-xxx-nxxx. All alphabetic characters have been translated to the corresponding numeric digit.

Attribute definition source:

TGS

***Attribute type:** String
 ***Attribute width:** 15
 ***Attribute precision:** 0
 ***Attribute scale:** 0

Attribute domain values:**Unrepresentable domain:**

Phone numbers, including area code, formatted as nnn-xxx-nxxx. A list of valid area code and exchange combinations can be found at <http://www.nanpa.com>

Attribute:**Attribute label:** EMERGEXT***Attribute alias:** EMERGEXT**Attribute definition:**

Telephone extension for emergency point of contact.

Attribute definition source:

TGS

***Attribute type:** String
 ***Attribute width:** 10
 ***Attribute precision:** 0
 ***Attribute scale:** 0

Attribute domain values:**Unrepresentable domain:**

Text

Attribute:**Attribute label:** CONTDAT***Attribute alias:** CONTDAT**Attribute definition:**

Date entity was contacted by TGS.

Attribute definition source:

TGS

*Attribute type: Date
 *Attribute width: 36
 *Attribute precision: 0
 *Attribute scale: 0

Attribute domain values:
Unrepresentable domain:
 Date

Attribute:

Attribute label: CONTHOW
 *Attribute alias: CONTHOW
Attribute definition:
 Method by which entity was contacted.
Attribute definition source:
 TGS

*Attribute type: String
 *Attribute width: 10
 *Attribute precision: 0
 *Attribute scale: 0

Attribute domain values:
Enumerated domain:
Enumerated domain value: PHONE
Enumerated domain value definition:
 Entity was contacted by phone.
Enumerated domain value definition source:
 TGS

Attribute domain values:
Enumerated domain:
Enumerated domain value: FAX
Enumerated domain value definition:
 Entity was contacted by fax.
Enumerated domain value definition source:
 TGS

Attribute domain values:
Enumerated domain:
Enumerated domain value: MAIL
Enumerated domain value definition:
 Entity was contacted by mail.
Enumerated domain value definition source:
 TGS

Attribute domain values:
Enumerated domain:
Enumerated domain value: EMAIL
Enumerated domain value definition:
 Entity was contacted by email.
Enumerated domain value definition source:
 TGS

Attribute domain values:
Enumerated domain:
Enumerated domain value: WEB
Enumerated domain value definition:
 Entity information was gathered and/or verified by official entity website as a last resort.
Enumerated domain value definition source:
 TGS

Attribute domain values:
Enumerated domain:
Enumerated domain value: ALT REF
Enumerated domain value definition:
 Geospatial reference information obtained from local authorities, e.g., downloadable parcel maps, 911 streets, and shape files.
Enumerated domain value definition source:
 TGS

Attribute domain values:
Enumerated domain:
Enumerated domain value: <BLANK>
Enumerated domain value definition:
 Entity has not been contacted by TGS.
Enumerated domain value definition source:
 TGS

Attribute:

Attribute label: GEODATE
 *Attribute alias: GEODATE
Attribute definition:
 Date entity was geocoded by TGS.
Attribute definition source:
 TGS

*Attribute type: Date

*Attribute width: 36
 *Attribute precision: 0
 *Attribute scale: 0

Attribute domain values:
Unrepresentable domain:
 Date

Attribute:

Attribute label: GEOHOW
***Attribute alias:** GEOHOW
Attribute definition:
 Method by which entity was geocoded.
Attribute definition source:
 TGS

*Attribute type: String
 *Attribute width: 10
 *Attribute precision: 0
 *Attribute scale: 0

Attribute domain values:
Enumerated domain:
Enumerated domain value: AUTO
Enumerated domain value definition:
 Entity was automatically geocoded.
Enumerated domain value definition source:
 TGS

Attribute domain values:
Enumerated domain:
Enumerated domain value: MANUAL
Enumerated domain value definition:
 Entity was manually geocoded.
Enumerated domain value definition source:
 TGS

Attribute domain values:
Enumerated domain:
Enumerated domain value: ADJUSTED
Enumerated domain value definition:
 Entity was shifted by TGS to an updated set of NAVTEQ streets. This only applies if the entity was manually geocoded by TGS to a previous version of NAVTEQ streets.
Enumerated domain value definition source:
 TGS

Attribute domain values:
Enumerated domain:
Enumerated domain value: PROVIDED
Enumerated domain value definition:
 Entity was geocoded using coordinates provided by the original source.
Enumerated domain value definition source:
 TGS

Attribute:

Attribute label: NAICSCODE
***Attribute alias:** NAICSCODE
Attribute definition:
 NAICS (North American Industry Classification System) Code for entity. NAICS Codes (and NAICS Descriptions) have been assigned based upon the entity's primary function, regardless of if that is the function that qualified it to be included in this dataset.
Attribute definition source:
 TGS

*Attribute type: String
 *Attribute width: 6
 *Attribute precision: 0
 *Attribute scale: 0

Attribute domain values:
Codeset Ddomain:
Codeset name: North American Industry Classification System (NAICS 2007)
Codeset source: US Census Bureau - <<http://www.census.gov/epcd/www/naics.html>>

Attribute:

Attribute label: NAICSDSCR
***Attribute alias:** NAICSDSCR
Attribute definition:
 NAICS (North American Industry Classification System) Description for entity. The "Index Entries" that appear on the NAICS webpage (<<http://www.census.gov/epcd/www/naics.html>>) are being used to populate this field, as opposed to the "NAICS Title". While there is a one to one correspondence between NAICS Codes and "NAICS Titles", there is a one to many relationship between NAICS Codes and the "Index Entries". By using the "Index Entries", we have placed the entities that make up this layer into more specific categories; however, the user of this data should be aware that this was not the intended purpose of these "Index Entries". The "Index Entries" were intended as a way to search the NAICS database and as a way of enumerating ways in which establishments falling under the given NAICS Code may be named. Thus, there are often two or more "Index Entries" that are synonyms, for example: "Prisons" and "Penitentiaries". In cases like this, we have standardized on one "Index Entry".

NAICS Descriptions (and NAICS Codes) have been assigned based upon the entity's primary function, regardless of if that is the function that qualified it to be included in this dataset.

Attribute definition source:
 TGS

*Attribute type: String
 *Attribute width: 120
 *Attribute precision: 0
 *Attribute scale: 0

Attribute domain values:

Enumerated domain:

Enumerated domain value: CANCER HOSPITALS

Enumerated domain value definition:

CANCER HOSPITALS - [NAICS Code 622310]: Entities that are known and licensed as specialty hospitals that provide care for cancer patients are classified under this description.

Enumerated domain value definition source:

TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: CHILDREN'S HOSPITALS, GENERAL

Enumerated domain value definition:

CHILDREN'S HOSPITALS, GENERAL - [NAICS Code 622110]: Entities that are known and licensed as general medical and surgical hospitals that provide general care to children are classified under this description.

Enumerated domain value definition source:

TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: CHILDREN'S HOSPITALS, PSYCHIATRIC OR SUBSTANCE ABUSE

Enumerated domain value definition:

CHILDREN'S HOSPITALS, PSYCHIATRIC OR SUBSTANCE ABUSE - [NAICS Code 622210]: Entities that are known and licensed as psychiatric and substance abuse hospitals that provide treatment for children are classified under this description.

Enumerated domain value definition source:

TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: CHILDREN'S HOSPITALS, SPECIALTY (EXCEPT PSYCHIATRIC, SUBSTANCE ABUSE)

Enumerated domain value definition:

CHILDREN'S HOSPITALS, SPECIALTY (EXCEPT PSYCHIATRIC, SUBSTANCE ABUSE) - [NAICS Code 622310]: Entities that are known and licensed as specialty hospitals that provide treatment of a specific type of disease or medical condition for children that is not psychiatric or substance abuse related are classified under this description.

Enumerated domain value definition source:

TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: DETOXIFICATION HOSPITALS

Enumerated domain value definition:

DETOXIFICATION HOSPITALS - [NAICS Code 622210]: Entities that are known and licensed as psychiatric and substance abuse hospitals that provide medically supervised inpatient treatment to people with physical and psychological dependence on alcohol or drugs are classified under this description.

Enumerated domain value definition source:

TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: EYE, EAR, NOSE, AND THROAT HOSPITALS

Enumerated domain value definition:

EYE, EAR, NOSE, AND THROAT HOSPITALS - [NAICS Code 622310]: Entities that are known and licensed as specialty hospitals that provide treatment for all conditions relating to the eyes, ears, nose, and throat are classified under this description.

Enumerated domain value definition source:

TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: HOSPITALS, ADDICTION

Enumerated domain value definition:

HOSPITALS, ADDICTION - [NAICS Code 622210]: Entities that are known and licensed as psychiatric and substance abuse hospitals that provide inpatient treatment for all people with a physical or psychological need for a habit-forming substance, such as a drug or alcohol, are classified under this description.

Enumerated domain value definition source:

TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: HOSPITALS, GENERAL MEDICAL AND SURGICAL

Enumerated domain value definition:

HOSPITALS, GENERAL MEDICAL AND SURGICAL - [NAICS Code 622110]: Entities that are known and licensed as general medical and surgical hospitals that provide general medical treatment are classified under this description.

Enumerated domain value definition source:

TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: HOSPITALS, MENTAL (EXCEPT MENTAL RETARDATION)

Enumerated domain value definition:

HOSPITALS, MENTAL (EXCEPT MENTAL RETARDATION) - [NAICS Code 622210]: Entities that are known and licensed as psychiatric and substance abuse hospitals that provide inpatient treatment for all people affected with disorders of the mind who are not mentally retarded are classified under this description.

Enumerated domain value definition source:
TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: HOSPITALS, PSYCHIATRIC (EXCEPT CONVALESCENT)

Enumerated domain value definition:

HOSPITALS, PSYCHIATRIC (EXCEPT CONVALESCENT) - [NAICS Code 622210]: Entities that are known and licensed as psychiatric and substance abuse hospitals that provide treatment and prevention of mental and emotional disorders without recovery are classified under this description.

Enumerated domain value definition source:
TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: HOSPITALS, SPECIALTY (EXCEPT PSYCHIATRIC, SUBSTANCE ABUSE)

Enumerated domain value definition:

HOSPITALS, SPECIALTY (EXCEPT PSYCHIATRIC, SUBSTANCE ABUSE) - [NAICS Code 622310]: Entities that are known and licensed as specialty hospitals that provide treatment for a specific type of disease or medical condition that is not psychiatric or substance abuse related are classified under this description.

Enumerated domain value definition source:
TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: MENTAL RETARDATION HOSPITALS

Enumerated domain value definition:

MENTAL RETARDATION HOSPITALS - [NAICS Code 623210]: Entities that are known and licensed as mental retardation hospitals that provide residential care services for persons diagnosed with mental retardation are classified under this description.

Enumerated domain value definition source:
TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: NEUROLOGICAL HOSPITALS

Enumerated domain value definition:

NEUROLOGICAL HOSPITALS - [NAICS Code 622310]: Entities that are known and licensed as specialty hospitals that provide treatment in dealing with disorders of the nervous system are classified under this description.

Enumerated domain value definition source:
TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: OBSTETRICAL HOSPITAL

Enumerated domain value definition:

OBSTETRICAL HOSPITAL - [NAICS Code 622310]: Entities that are known and licensed as specialty hospitals that provide treatment of women during and after pregnancy are classified under this description.

Enumerated domain value definition source:
TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: ORTHOPEDIC HOSPITALS

Enumerated domain value definition:

ORTHOPEDIC HOSPITALS - [NAICS Code 622310]: Entities that are known and licensed as specialty hospitals that provide prevention or correction of injuries or disorders of the skeletal system and associated muscles, joints, and ligaments are classified under this description.

Enumerated domain value definition source:
TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: OSTEOPATHIC HOSPITALS

Enumerated domain value definition:

OSTEOPATHIC HOSPITALS - [NAICS Code 622110]: Entities that are known and licensed as general medical and surgical hospitals that provide treatment for disorders which can be corrected by various manipulative techniques in conjunction with conventional medical, surgical, pharmacological, and other therapeutic procedures are classified under this description.

Enumerated domain value definition source:
TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: REHABILITATION HOSPITALS (EXCEPT ALCOHOLISM, DRUG ADDICTION)

Enumerated domain value definition:

REHABILITATION HOSPITALS (EXCEPT ALCOHOLISM, DRUG ADDICTION) - [NAICS Code 622310]: Entities that are known and licensed as specialty hospitals that provide restoration of a sick or disabled person by therapeutic measures and reeducation that are not dependent on drugs or alcohol are classified under this description.

Enumerated domain value definition source:
TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: TUBERCULOSIS AND OTHER RESPIRATORY ILLNESS HOSPITALS

Enumerated domain value definition:

TUBERCULOSIS AND OTHER RESPIRATORY ILLNESS HOSPITALS - [NAICS Code 622310]: This industry consists of establishments known and licensed as specialty hospitals primarily engaged in providing diagnostic and medical treatment to inpatients with tuberculosis and other respiratory illnesses (except psychiatric or substance abuse).

Enumerated domain value definition source:
TGS

Attribute:**Attribute label:** GEOLINKID***Attribute alias:** GEOLINKID**Attribute definition:**

Link ID for the street segment to which the entity was geocoded. Refer to the [ST_VENDOR] and [ST_VERSION] fields for the street vendor and version that was used to geocode the entity.

Attribute definition source:

TGS

Attribute type:** StringAttribute width:** 10***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Unrepresentable domain:**

Text

Attribute:**Attribute label:** X***Attribute alias:** X**Attribute definition:**

Longitude in WGS 84 Decimal Degrees.

Attribute definition source:

TGS

Attribute type:** DoubleAttribute width:** 8***Attribute precision:** 38***Attribute scale:** 8**Attribute domain values:****Range domain:****Range domain minimum:** -180**Range domain maximum:** 180**Attribute units of measure:** WGS 84 Decimal Degrees**Attribute:****Attribute label:** Y***Attribute alias:** Y**Attribute definition:**

Latitude in WGS 84 Decimal Degrees.

Attribute definition source:

TGS

Attribute type:** DoubleAttribute width:** 8***Attribute precision:** 38***Attribute scale:** 8**Attribute domain values:****Range domain:****Range domain minimum:** -90**Range domain maximum:** 90**Attribute units of measure:** WGS 84 Decimal Degrees**Attribute:****Attribute label:** ST_VENDOR***Attribute alias:** ST_VENDOR**Attribute definition:**

Indicates name of vendor providing original street data used for geocoding.

Attribute definition source:

TGS

Attribute type:** StringAttribute width:** 10***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Enumerated domain:****Enumerated domain value:** NAVTEQ**Enumerated domain value definition:**

NAVTEQ streets were used for geocoding.

Enumerated domain value definition source:

TGS

Attribute domain values:**Enumerated domain:****Enumerated domain value:** TGS**Enumerated domain value definition:**

TGS drew in a new street segment that does not exist in the file supplied by NAVTEQ.

Enumerated domain value definition source:

TGS

Attribute domain values:**Enumerated domain:****Enumerated domain value:** TIGER**Enumerated domain value definition:**

TIGER/Line streets were used for geocoding.
Enumerated domain value definition source:
 TGS

Attribute:

Attribute label: ST_VERSION
***Attribute alias:** ST_VERSION
Attribute definition:
 Indicates the year and quarter of streets used for geocoding.
Attribute definition source:
 TGS

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute domain values:
Enumerated domain:
Enumerated domain value: 2008Q1
Enumerated domain value definition:
 1st Quarter 2008 NAVTEQ street data was used for geocoding.
Enumerated domain value definition source:
 TGS

Attribute domain values:
Enumerated domain:
Enumerated domain value: 2006FE
Enumerated domain value definition:
 2006fe version of TIGER/Line streets were used for geocoding in areas where NAVTEQ does not have coverage.
Enumerated domain value definition source:
 TGS

Attribute:

Attribute label: GEOPREC
***Attribute alias:** GEOPREC
Attribute definition:
 Geocoding precision.
Attribute definition source:
 TGS

***Attribute type:** String
***Attribute width:** 32
***Attribute precision:** 0
***Attribute scale:** 0

Attribute domain values:
Enumerated domain:
Enumerated domain value: BLOCKFACE
Enumerated domain value definition:
 Entity is geocoded to correct block and correct side of street per street data indicated by [ST_VENDOR] and [ST_VERSION].
Enumerated domain value definition source:
 TGS

Attribute domain values:
Enumerated domain:
Enumerated domain value: ONENTITY
Enumerated domain value definition:
 Entity is geocoded on entity rooftop per aerial imagery (in most cases USGS DOQQs).
Enumerated domain value definition source:
 TGS

Attribute:

Attribute label: PHONELOC
***Attribute alias:** PHONELOC
Attribute definition:
 Indicates whether the phone number in the [TELEPHONE] field rings to the actual location of the entity.
Attribute definition source:
 TGS

***Attribute type:** String
***Attribute width:** 3
***Attribute precision:** 0
***Attribute scale:** 0

Attribute domain values:
Enumerated domain:
Enumerated domain value: YES
Enumerated domain value definition:
 Phone number rings to the actual entity location.
Enumerated domain value definition source:
 TGS

Attribute domain values:
Enumerated domain:
Enumerated domain value: NO
Enumerated domain value definition:
 Phone number does not ring to the actual entity location. It may ring to an administrative office or central location.
Enumerated domain value definition source:
 TGS

Attribute domain values:**Enumerated domain:****Enumerated domain value:** <BLANK>**Enumerated domain value definition:**

Unknown - It is not known if the entity's phone number rings to the entity's location.

Enumerated domain value definition source:

TGS

Attribute:**Attribute label:** QC_QA***Attribute alias:** QC_QA**Attribute definition:**

Organization that performed Quality Control/Quality Assurance on the record.

Attribute definition source:

TGS

Attribute type:** StringAttribute width:** 3***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Enumerated domain:****Enumerated domain value:** TGS**Enumerated domain value definition:**

TGS has performed Quality Control/Quality Assurance on all TGS added records and all records contacted since 01/01/2005.

Enumerated domain value definition source:

TGS

Attribute domain values:**Enumerated domain:****Enumerated domain value:** <BLANK>**Enumerated domain value definition:**

The record is not TGS added or has not had Quality Control/Quality Assurance performed by TGS, or Quality Control/Quality Assurance was performed prior to 01/01/2005.

Enumerated domain value definition source:

TGS

Attribute:**Attribute label:** STATE_ID***Attribute alias:** STATE_ID**Attribute definition:**

State Hospital Data ID. For states that contributed data, this field is populated with the unique ID used by the state to track hospitals.

Attribute definition source:

TGS

Attribute type:** StringAttribute width:** 90***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Unrepresentable domain:**

Text

Attribute:**Attribute label:** LIC_NUMBER***Attribute alias:** LIC_NUMBER**Attribute definition:**

Hospital's license number.

The values in this field have not been verified by TGS.

Attribute definition source:

TGS

Attribute type:** StringAttribute width:** 30***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Unrepresentable domain:**

Text

Attribute:**Attribute label:** NUMBEDS***Attribute alias:** NUMBEDS**Attribute definition:**

Total number of beds per facility.

The values in this field have not been verified by TGS.

Attribute definition source:

TGS

Attribute type:** DoubleAttribute width:** 8***Attribute precision:** 38***Attribute scale:** 8

Attribute domain values:
Unrepresentable domain:
 Number

Attribute:

Attribute label: EMERPHONE
***Attribute alias:** EMERPHONE
Attribute definition:

Emergency Contact Number as provided by individual states. Some values also include telephone extensions and/or alternate telephone numbers. All alphabetic characters have been translated to the corresponding numeric digit.

The values in this field have not been verified by TGS.

Attribute definition source:
 TGS

***Attribute type:** String
***Attribute width:** 32
***Attribute precision:** 0
***Attribute scale:** 0

Attribute domain values:
Unrepresentable domain:

Phone numbers, including area code, formatted as nnn-xxx-xxxx. A list of valid area code and exchange combinations can be found at <<http://www.nanpa.com>>

Attribute:

Attribute label: TRAUMA_1
***Attribute alias:** TRAUMA_1
Attribute definition:

Indicates whether or not the hospital is a Trauma Level 1 facility.

The values in this field have not been verified by TGS.

Attribute definition source:
 TGS

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute domain values:
Enumerated domain:

Enumerated domain value: Y
Enumerated domain value definition:
 Entity is a trauma level 1 facility.

Enumerated domain value definition source:
 TGS

Attribute domain values:
Enumerated domain:

Enumerated domain value: N
Enumerated domain value definition:
 Entity is not a trauma level 1 facility.

Enumerated domain value definition source:
 TGS

Attribute domain values:
Enumerated domain:

Enumerated domain value: <BLANK>
Enumerated domain value definition:
 Unknown or not available.

Enumerated domain value definition source:
 TGS

Attribute:

Attribute label: TRAUMA_2
***Attribute alias:** TRAUMA_2
Attribute definition:

Indicates whether or not the hospital is a Trauma Level 2 facility.

The values in this field have not been verified by TGS.

Attribute definition source:
 TGS

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute domain values:
Enumerated domain:

Enumerated domain value: Y
Enumerated domain value definition:
 Entity is a trauma level 2 facility.

Enumerated domain value definition source:
 TGS

Attribute domain values:
Enumerated domain:

Enumerated domain value: N

Enumerated domain value definition:

Entity is not a trauma level 2 facility.

Enumerated domain value definition source:

TGS

Attribute domain values:**Enumerated domain:****Enumerated domain value:** <BLANK>**Enumerated domain value definition:**

Unknown or not available.

Enumerated domain value definition source:

TGS

Attribute:**Attribute label:** TRAUMA_3***Attribute alias:** TRAUMA_3**Attribute definition:**

Indicates whether or not the hospital is a Trauma Level 3 facility.

The values in this field have not been verified by TGS.

Attribute definition source:

TGS

Attribute type:** StringAttribute width:** 10***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Enumerated domain:****Enumerated domain value:** Y**Enumerated domain value definition:**

Entity is a trauma level 3 facility.

Enumerated domain value definition source:

TGS

Attribute domain values:**Enumerated domain:****Enumerated domain value:** N**Enumerated domain value definition:**

Entity is not a trauma level 3 facility.

Enumerated domain value definition source:

TGS

Attribute domain values:**Enumerated domain:****Enumerated domain value:** <BLANK>**Enumerated domain value definition:**

Unknown or not available.

Enumerated domain value definition source:

TGS

Attribute:**Attribute label:** TRAUMA_4***Attribute alias:** TRAUMA_4**Attribute definition:**

Indicates whether or not the hospital is a Trauma Level 4 facility.

The values in this field have not been verified by TGS.

Attribute definition source:

TGS

Attribute type:** StringAttribute width:** 10***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Enumerated domain:****Enumerated domain value:** Y**Enumerated domain value definition:**

Entity is a trauma level 4 facility.

Enumerated domain value definition source:

TGS

Attribute domain values:**Enumerated domain:****Enumerated domain value:** N**Enumerated domain value definition:**

Entity is not a trauma level 4 facility.

Enumerated domain value definition source:

TGS

Attribute domain values:**Enumerated domain:****Enumerated domain value:** <BLANK>**Enumerated domain value definition:**

Unknown or not available.

Enumerated domain value definition source:

TGS

Attribute:**Attribute label:** BURN_UNIT***Attribute alias:** BURN_UNIT**Attribute definition:**

Indicates whether or not the hospital has a Burn Unit.

The values in this field have not been verified by TGS.

Attribute definition source:

TGS

Attribute type:** StringAttribute width:** 11***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Enumerated domain:****Enumerated domain value:** Y**Enumerated domain value definition:**

Entity has a burn unit.

Enumerated domain value definition source:

TGS

Attribute domain values:**Enumerated domain:****Enumerated domain value:** N**Enumerated domain value definition:**

Entity does not have a burn unit.

Enumerated domain value definition source:

TGS

Attribute domain values:**Enumerated domain:****Enumerated domain value:** <BLANK>**Enumerated domain value definition:**

Unknown or not available.

Enumerated domain value definition source:

TGS

Attribute:**Attribute label:** ER_STATUS***Attribute alias:** ER_STATUS**Attribute definition:**

Indicates whether or not the hospital has an emergency room.

The values in this field have not been verified by TGS.

Attribute definition source:

TGS

Attribute type:** StringAttribute width:** 1***Attribute precision:** 0***Attribute scale:** 0**Attribute domain values:****Enumerated domain:****Enumerated domain value:** Y**Enumerated domain value definition:**

Indicates that facility has an emergency room.

Enumerated domain value definition source:

TGS

Attribute domain values:**Enumerated domain:****Enumerated domain value:** N**Enumerated domain value definition:**

Indicates that facility does not have an emergency room.

Enumerated domain value definition source:

TGS

Attribute domain values:**Enumerated domain:****Enumerated domain value:** <BLANK>**Enumerated domain value definition:**

Unknown or not available.

Enumerated domain value definition source:

TGS

Attribute:**Attribute label:** LIC_ED_LEV***Attribute alias:** LIC_ED_LEV**Attribute definition:**

Level of emergency care offered at hospital.

The values in this field have not been verified by TGS.

Attribute definition source:

TGS

***Attribute type:** String

*Attribute width: 40
 *Attribute precision: 0
 *Attribute scale: 0

Attribute domain values:

Enumerated domain:

Enumerated domain value: EMERGENCY - BASIC

Enumerated domain value definition:

This facility offers basic emergency level care.

Enumerated domain value definition source:

TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: EMERGENCY - COMPREHENSIVE

Enumerated domain value definition:

This facility offers comprehensive emergency level care.

Enumerated domain value definition source:

TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: EMERGENCY - STANDBY

Enumerated domain value definition:

This facility offers standby emergency level care.

Enumerated domain value definition source:

TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: <BLANK>

Enumerated domain value definition:

Unknown or not available.

Enumerated domain value definition source:

TGS

Attribute:

Attribute label: ACUTE

*Attribute alias: ACUTE

Attribute definition:

Indicates whether or not the hospital provides acute care.

The values in this field have not been verified by TGS.

Attribute definition source:

TGS

*Attribute type: String

*Attribute width: 3

*Attribute precision: 0

*Attribute scale: 0

Attribute domain values:

Enumerated domain:

Enumerated domain value: Y

Enumerated domain value definition:

Hospital does provide acute care.

Enumerated domain value definition source:

TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: N

Enumerated domain value definition:

Hospital does not provide acute care.

Enumerated domain value definition source:

TGS

Attribute domain values:

Enumerated domain:

Enumerated domain value: <BLANK>

Enumerated domain value definition:

Unknown or not available.

Enumerated domain value definition source:

TGS

Attribute:

Attribute label: ICU

*Attribute alias: ICU

Attribute definition:

Indicates whether or not the hospital has an Intensive Care Unit.

The values in this field have not been verified by TGS.

Attribute definition source:

TGS

*Attribute type: String

*Attribute width: 3

*Attribute precision: 0

*Attribute scale: 0

Attribute domain values:
Enumerated domain:
Enumerated domain value: Y
Enumerated domain value definition:
Hospital has an ICU.
Enumerated domain value definition source:
TGS

Attribute domain values:
Enumerated domain:
Enumerated domain value: N
Enumerated domain value definition:
No ICU.
Enumerated domain value definition source:
TGS

Attribute domain values:
Enumerated domain:
Enumerated domain value: <BLANK>
Enumerated domain value definition:
Unknown or not available.
Enumerated domain value definition source:
TGS

Attribute:

Attribute label: HOSP_TYPE
***Attribute alias:** HOSP_TYPE
Attribute definition:
Indicates the type of hospital.

The values in this field have not been verified by TGS.

Attribute definition source:
TGS

***Attribute type:** String
***Attribute width:** 100
***Attribute precision:** 0
***Attribute scale:** 0

Attribute domain values:
Unrepresentable domain:
Text

Attribute:

Attribute label: OWNER_TYPE
***Attribute alias:** OWNER_TYPE
Attribute definition:
Indicates the type of owner for the hospital.

The values in this field have not been verified by TGS.

Attribute definition source:
TGS

***Attribute type:** String
***Attribute width:** 100
***Attribute precision:** 0
***Attribute scale:** 0

Attribute domain values:
Unrepresentable domain:
Text

Attribute:

Attribute label: PERM_ID
***Attribute alias:** PERM_ID
Attribute definition:
The unique permanent identifier of The National Structures Dataset.

The values in this field have not been verified by TGS.

Attribute definition source:
TGS

***Attribute type:** String
***Attribute width:** 40
***Attribute precision:** 0
***Attribute scale:** 0

Attribute domain values:
Unrepresentable domain:
Text

Attribute:

Attribute label: GNIS_ID
***Attribute alias:** GNIS_ID
Attribute definition:
The unique permanent identifier of the Geographic Names Information System that is up to eight (8) digits in length and unique within the nation.

The values in this field have not been verified by TGS.

Attribute definition source:

TGS

*Attribute type: String
 *Attribute width: 32
 *Attribute precision: 0
 *Attribute scale: 0

Attribute domain values:
Unrepresentable domain:
 Text

[Back to Top](#)

Distribution Information:

Distributor:

Contact information:

Contact organization primary:
Contact organization: NC CGIA

Contact address:

Address type: Physical
Address:
 301 N. Wilmington Street, Suite 700
City: Raleigh
State or province: North Carolina
Postal code: 27601-2825
Country: U.S.A.

Contact address:

Address type: Mailing
Address:
 20322 Mail Service Center
City: Raleigh
State or province: North Carolina
Postal code: 27699
Country: U.S.A.

Contact voice telephone: (919) 733-2090
Contact facsimile telephone: (919)715-0725

Contact electronic mail address: dataq@ncmail.net

Hours of service: 8am to 5pm

Contact instructions:
 Phone and electronic mail preferred

Resource description: Natural Heritage Element Occurrences

Distribution liability:

NCCGIA is charged with the development and maintenance of NC OneMap and, in cooperation with other mapping organizations, is committed to offering its users accurate, useful, and current information. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop this dataset may be reflected in the data supplied. The user must be aware of possible conditions and bear responsibility for the appropriate use of the information with respect to possible errors, original map scale, collection methodology, currency of data, and other conditions specific to certain data. NCCGIA does not support secondary distribution of this dataset without its current, compliant metadata record. The use of trade names or commercial products does not constitute their endorsement by NCCGIA or North Carolina State Government.

Standard order process:

Digital form:

Digital transfer information:
Format name: ESRI shapefile (*.shp)

Digital transfer option:

Online option:
Computer contact information:
Network address:
Network resource name: [NC OneMap](#)

Fees: None. Download from www.nconemap.com is free of charge.

Custom order process:

Data can be customized on a cost-recovery basis. Contact dataq@ncmail.net or 919-733-2090 for more information.

Technical prerequisites:

All formats available from www.nconemap.com are in ESRI shapefile. Other formats are available on a cost-recovery basis - contact dataq@ncmail.net or 919.733.2090 for more information. Format compatibility is the user's responsibility.

Available time period:

Time period information:

Range of dates/times:
Beginning date: 20090727
Ending date: Present

[Back to Top](#)

Metadata Reference Information:

Metadata date: 20090727

***Language of metadata:** en

Metadata contact:

Contact information:

Contact person primary:

Contact person: Mike Thompson
Contact organization: TechniGraphics, Inc.

Contact organization primary:

Contact person: REQUIRED: The person responsible for the metadata information.
Contact organization: REQUIRED: The organization responsible for the metadata information.

Contact position: Director of Geospatial Datasets

Contact address:

Address type: Mailing and Physical Address

Address:

3351 Eastbrook Drive

City: Fort Collins

State or province: CO

Postal code: 80525

Country: USA

Contact voice telephone: 970-224-4996

Contact facsimile telephone: 970-224-3001

Contact electronic mail address: mthompson@tgstech.com

Hours of service: Monday - Friday 0800 - 1700 MST

Metadata standard name: FGDC Content Standards for Digital Geospatial Metadata

Metadata standard version: FGDC-STD-001-1998

***Metadata time convention:** local time

Metadata extensions:

***Online linkage:** <http://www.esri.com/metadata/esriprof80.html>

***Profile name:** ESRI Metadata Profile

[Back to Top](#)

Geoprocessing History:

Process:

***Date:** 20101021

***Time:** 163020

***Tool location:** D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToFeatureClass

***Command issued:** FeatureClassToFeatureClass D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT "Database Connections\sdv_public@tccd26.sde" PUBLIC_HOSPITAL_LOCATION_POINT # "ID 'ID' true true false 50 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,ID,-1,-1;SECCLASS 'SECCLASS' true true false 30 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,SECCLASS,-1,-1;NAME 'NAME' true true false 254 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,NAME,-1,-1;TELEPHONE 'TELEPHONE' true true false 12 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,TELEPHONE,-1,-1;ADDRESS 'ADDRESS' true true false 80 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,ADDRESS,-1,-1;ADDRESS2 'ADDRESS2' true true false 80 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,ADDRESS2,-1,-1;CITY 'CITY' true true false 120 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,CITY,-1,-1;STATE 'STATE' true true false 2 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,STATE,-1,-1;ZIP 'ZIP' true true false 5 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,ZIP,-1,-1;ZIPP4 'ZIPP4' true true false 4 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,ZIPP4,-1,-1;COUNTY 'COUNTY' true true false 50 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,COUNTY,-1,-1;FIPS 'FIPS' true true false 5 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,FIPS,-1,-1;DIRECTIONS 'DIRECTIONS' true true false 254 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,DIRECTIONS,-1,-1;EMERGTTITLE 'EMERGTTITLE' true true false 50 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,EMERGTTITLE,-1,-1;EMERGTEL 'EMERGTEL' true true false 15 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,EMERGTEL,-1,-1;EMERGEXT 'EMERGEXT' true true false 10 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,EMERGEXT,-1,-1;CONTDATE 'CONTDATE' true true false 8 Date 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,CONTDATE,-1,-1;CONTHOW 'CONTHOW' true true false 10 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,CONTHOW,-1,-1;GEODATE 'GEODATE' true true false 8 Date 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,GEODATE,-1,-1;GEOHOW 'GEOHOW' true true false 10 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,GEOHOW,-1,-1;NAICSCODE 'NAICSCODE' true true false 6 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,NAICSCODE,-1,-1;NAICSDDESCR 'NAICSDDESCR' true true false 120 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,NAICSDDESCR,-1,-1;GEOLINKID 'GEOLINKID' true true false 10 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,GEOLINKID,-1,-1;X 'X' true true false 8 Double 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,X,-1,-1;Y 'Y' true true false 8 Double 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,Y,-1,-1;ST_VENDOR 'ST_VENDOR' true true false 10 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,ST_VENDOR,-1,-1;ST_VERSION 'ST_VERSION' true true false 10 Text 0


```

0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,ST_VERSION,-1,-1;GEOPREC 'GEOPREC' true true false
32 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,GEOPREC,-1,-1;PHONELOC 'PHONELOC' true
true false 3 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,PHONELOC,-1,-1;QC_QA 'QC_QA'
true true false 3 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,QC_QA,-1,-1;STATE_ID
'STATE_ID' true true false 90 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,STATE_ID,-1,-
1;LIC_NUMBER 'LIC_NUMBER' true true false 30 Text 0
0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,LIC_NUMBER,-1,-1;NUMBEDS 'NUMBEDS' true true false
8 Double 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,NUMBEDS,-1,-1;EMERPHONE
'EMERPHONE' true true false 32 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,EMERPHONE,-
1,-1;TRAUMA_1 'TRAUMA_1' true true false 10 Text 0
0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,TRAUMA_1,-1,-1;TRAUMA_2 'TRAUMA_2' true true
false 10 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,TRAUMA_2,-1,-1;TRAUMA_3
'TRAUMA_3' true true false 10 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,TRAUMA_3,-1,-
1;TRAUMA_4 'TRAUMA_4' true true false 10 Text 0
0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,TRAUMA_4,-1,-1;BURN_UNIT 'BURN_UNIT' true true false
11 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,BURN_UNIT,-1,-1;ER_STATUS
'ER_STATUS' true true false 1 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,ER_STATUS,-1,-
1;LIC_ED_LEV 'LIC_ED_LEV' true true false 40 Text 0
0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,LIC_ED_LEV,-1,-1;ACUTE 'ACUTE' true true false 3 Text
0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,ACUTE,-1,-1;ICU 'ICU' true true false 3 Text 0
0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,ICU,-1,-1;HOSP_TYPE 'HOSP_TYPE' true true false 100
Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,HOSP_TYPE,-1,-1;OWNER_TYPE 'OWNER_TYPE'
true true false 100 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,OWNER_TYPE,-1,-1;PERM_ID
'PERM_ID' true true false 40 Text 0 0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,PERM_ID,-1,-
1;GNIS_ID 'GNIS_ID' true true false 32 Text 0
0 ,First,#,D:\SDV\InitialLoad\PublicFacilitiesPilot2.gdb\PUBLIC_HOSPITAL_LOCATION_POINT,GNIS_ID,-1,-1" # "Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT"

```

Process:

```

*Date: 20101026
*Time: 184739
*Tool location: D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToFeatureClass
*Command issued: FeatureClassToFeatureClass "Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT" "Database Connections\sdv_public@tccdt26.sde"
PUBLIC_HOSPITAL_LOCATION_POINT # "ID 'ID' true true false 50 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,ID,-1,-1;SECCLASS 'SECCLASS' true true false 30 Text 0
0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,SECCLASS,-1,-1;NAME 'NAME' true
true false 254 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,NAME,-1,-
1;TELEPHONE 'TELEPHONE' true true false 12 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,TELEPHONE,-1,-1;ADDRESS 'ADDRESS' true true false 80
Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,ADDRESS,-1,-1;ADDRESS2
'ADDRESS2' true true false 80 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,ADDRESS2,-1,-1;CITY 'CITY' true true false 120 Text 0
0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,CITY,-1,-1;STATE 'STATE' true true
false 2 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,STATE,-1,-1;ZIP 'ZIP'
true true false 5 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,ZIP,-1,-
1;ZIP4 'ZIP4' true true false 4 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,ZIP4,-1,-1;COUNTY 'COUNTY' true true false 50 Text 0
0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,COUNTY,-1,-1;FIPS 'FIPS' true true
false 5 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,FIPS,-1,-1;DIRECTIONS
'DIRECTIONS' true true false 254 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,DIRECTIONS,-1,-1;EMERGTTITLE 'EMERGTTITLE' true true
false 50 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,EMERGTTITLE,-1,-
1;EMERGTEL 'EMERGTEL' true true false 15 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,EMERGTEL,-1,-1;EMERGEXT 'EMERGEXT' true true false
10 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,EMERGEXT,-1,-1;CONTDTE
'CONTDTE' true true false 36 Date 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,CONTDTE,-1,-1;CONTHOW 'CONTHOW' true true false 10
Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,CONTHOW,-1,-1;GEODATE
'GEODATE' true true false 36 Date 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,GEODATE,-1,-1;GEOHOW 'GEOHOW' true true false 10
Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,GEOHOW,-1,-1;NAICSCODE
'NAICSCODE' true true false 6 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,NAICSCODE,-1,-1;NAICSDSCR 'NAICSDSCR' true true
false 120 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,NAICSDSCR,-1,-
1;GEOLINKID 'GEOLINKID' true true false 10 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,GEOLINKID,-1,-1;X 'X' true true false 8 Double 8
38 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,X,-1,-1;Y 'Y' true true false 8 Double
8 38 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,Y,-1,-1;ST_VENDOR 'ST_VENDOR'
true true false 10 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,ST_VENDOR,-1,-1;ST_VERSION 'ST_VERSION' true true
false 10 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,ST_VERSION,-1,-
1;GEOPREC 'GEOPREC' true true false 32 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,GEOPREC,-1,-1;PHONELOC 'PHONELOC' true true false 3
Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,PHONELOC,-1,-1;QC_QA
'QC_QA' true true false 3 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,QC_QA,-1,-1;STATE_ID 'STATE_ID' true true false 90 Text
0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,STATE_ID,-1,-1;LIC_NUMBER
'LIC_NUMBER' true true false 30 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,LIC_NUMBER,-1,-1;NUMBEDS 'NUMBEDS' true true false 8
Double 8 38 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,NUMBEDS,-1,-
1;EMERPHONE 'EMERPHONE' true true false 32 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,EMERPHONE,-1,-1;TRAUMA_1 'TRAUMA_1' true true false
10 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,TRAUMA_1,-1,-1;TRAUMA_2
'TRAUMA_2' true true false 10 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,TRAUMA_2,-1,-1;TRAUMA_3 'TRAUMA_3' true true false
10 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,TRAUMA_3,-1,-1;TRAUMA_4
'TRAUMA_4' true true false 10 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,TRAUMA_4,-1,-1;BURN_UNIT 'BURN_UNIT' true true false
11 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,BURN_UNIT,-1,-

```

```

1;ER_STATUS 'ER_STATUS' true true false 1 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,ER_STATUS,-1,-1;LIC_ED_LEV 'LIC_ED_LEV' true true
false 40 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,LIC_ED_LEV,-1,-
1;ACUTE 'ACUTE' true true false 3 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,ACUTE,-1,-1;ICU 'ICU' true true false 3 Text 0
0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,ICU,-1,-1;HOSP_TYPE 'HOSP_TYPE'
true true false 100 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,HOSP_TYPE,-1,-1;OWNER_TYPE 'OWNER_TYPE' true true
false 100 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,OWNER_TYPE,-1,-
1;PERM_ID 'PERM_ID' true true false 40 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,PERM_ID,-1,-1;GNIS_ID 'GNIS_ID' true true false 32 Text
0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT,GNIS_ID,-1,-1 # "Database
Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT"

```

Process:

```

*Date: 20101026
*Time: 184744
*Tool location: D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\ChangePrivileges
*Command issued: ChangePrivileges "Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT"
SDV_PUBLIC_READER GRANT AS_IS "Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT"

```

Process:

```

*Date: 20101026
*Time: 184749
*Tool location: D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\Analyze
*Command issued: Analyze "Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT" BUSINESS
"Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT"

```

Process:

```

*Date: 20101026
*Time: 184755
*Tool location: D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\Analyze
*Command issued: Analyze "Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT" FEATURE
"Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.PUBLIC_HOSPITAL_LOCATION_POINT"

```

[Back to Top](#)