

North Carolina Speed Limits, North Carolina Department of Transportation, Prioritization 7.0, February 2023

File Geodatabase Feature Class



Tags

Speed Limits, Speed, North Carolina, NC Speed Limits, Miles per Hour, MPH, Prioritization 7.0 (P7), Strategic Prioritization Office of Transportation (SPOT), North Carolina Department of Transportation (NCDOT)

Summary

Speed limits of North Carolina roads were extracted from the Traffic Engineering Accident Analysis System (TEAAS) Dataset. Speed Limits used for Prioritization 7.0. have been manipulated and updated per the Strategic Prioritization Office of Transportation (SPOT) and Divisions. These speed limits are utilized for display purposes and used as part of Strategic Planning Office of Transportation Prioritization 7.0 (P7).

Description

Speed limits for state maintained roads in North Carolina as designated by ordinances and the TEAAS (Traffic Engineering Accident Analysis System) database. Speed limits are controlled by general statutes and local and state ordinances. Within incorporated municipalities, the statutory speed limit is 35 miles per hour unless otherwise ordained and posted. The statutory speed limit on roads outside the incorporated municipalities is 55 miles per hour unless otherwise ordained and posted. Some highways have speed limits of up to 70 miles per hour on certain sections. However, the speed limit along these routes may drop to 55 miles per hour in certain areas.

Speed limits for P7 were pulled from Prioritization 6.0 (P6) and from Road Characteristics (TEAAS). The primary routes were then overlaid with what was in NC Routes for Q1 2023. These changes were made manually by the GIS Department.

For the purpose of the Strategic Planning Office of Transportation Prioritization 7.0 project (P7), speed limit data is not updated after February 2023. Speed limit data aids in project planning by assisting in selecting a project speed limit, calculating travel time savings, and calculating congestion criteria.

For further information about domains and fields used in SPOT see the SPOT P7 Domains document here:

<https://xfer.services.ncdot.gov/gisdot/metadata/spot/NCDOT%20SPOT%20Prioritization%207%20Online%20omain%20Reference.pdf>

Credits

North Carolina Department of Transportation Geographic Information Systems Unit, Strategic Prioritization Office of Transportation (SPOT)

Use limitations

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

SPOT OnLine is the NC Department of Transportation's online project prioritization evaluation system. All data used for scoring and evaluating projects, including scores and preliminary point-in-time cost estimates either

generated by the SPOT On!ine application or provided by the user, are only intended for use in the Department's Strategic Prioritization Process. All SPOT On!ine project data will be used for preliminary level planning, scoring, and evaluation purposes only, and must undergo further review prior to use in the Department's programming process. By entering SPOT On!ine, the user hereby acknowledges this statement.

Extent

West -84.421464 **East** -75.418363
North 36.615122 **South** 33.751362

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ▶

Topics and Keywords ▶

THEMES OR CATEGORIES OF THE RESOURCE transportation

* CONTENT TYPE Downloadable Data

PLACE KEYWORDS North Carolina

THESAURUS ▶

TITLE User

PUBLICATION DATE 2023-07-17 00:00:00

Hide Thesaurus ▲

THEME KEYWORDS Speed Limits, Speed, North Carolina, NC Speed Limits, Miles per Hour, MPH, Prioritization 7.0 (P7), Strategic Prioritization Office of Transportation (SPOT), North Carolina Department of Transportation (NCDOT)

THESAURUS ▶

TITLE User

PUBLICATION DATE 2023-07-17 00:00:00

Hide Thesaurus ▲

Hide Topics and Keywords ▲

Citation ▶

TITLE North Carolina Speed Limits, North Carolina Department of Transportation, Prioritization 7.0, February 2023

ALTERNATE TITLES Speed_Limit

PUBLICATION DATE 2023-07-17 00:00:00

PRESENTATION FORMATS digital map

Hide Citation ▲

Citation Contacts ▶

RESPONSIBLE PARTY

ORGANIZATION'S NAME NC Department of Transportation Strategic Prioritization Office of Transportation (SPOT)

CONTACT'S ROLE resource provider

CONTACT INFORMATION ►

PHONE

VOICE 919.707.4742

ADDRESS

TYPE postal

DELIVERY POINT Century Center Building B, 1020 Birch Ridge Drive

CITY Raleigh

ADMINISTRATIVE AREA North Carolina

POSTAL CODE 27610

COUNTRY US

E-MAIL ADDRESS spot@ncdot.gov

HOURS OF SERVICE

8am to 5pm, Monday - Friday

CONTACT INSTRUCTIONS

Phone or Email.

[Hide Contact information ▲](#)

RESPONSIBLE PARTY

ORGANIZATION'S NAME North Carolina Department of Transportation Strategic Prioritization Office of Transportation (SPOT)

CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE

VOICE 919.707.4742

ADDRESS

TYPE postal

DELIVERY POINT Century Center Building B, 1020 Birch Ridge Drive

CITY Raleigh

ADMINISTRATIVE AREA NC

POSTAL CODE 27610

COUNTRY US

E-MAIL ADDRESS spot@ncdot.gov

HOURS OF SERVICE

8am-5pm, M-F

CONTACT INSTRUCTIONS

Phone or email

[Hide Contact information ▲](#)

[Hide Citation Contacts ▲](#)

Resource Details ►

DATASET LANGUAGES English (UNITED STATES)

DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

SPATIAL REPRESENTATION TYPE vector

* PROCESSING ENVIRONMENT Version 6.2 (Build 9200) ; Esri ArcGIS 10.8.1.14362

CREDITS

North Carolina Department of Transportation Geographic Information Systems Unit, Strategic Prioritization Office of Transportation (SPOT)

* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

WEST LONGITUDE -84.421461

EAST LONGITUDE -75.418363

SOUTH LATITUDE 33.751265

NORTH LATITUDE 36.615122

EXTENT CONTAINS THE RESOURCE Yes

TEMPORAL EXTENT

DATE AND TIME 2023-07-17 00:00:00

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

* WEST LONGITUDE -84.421464

* EAST LONGITUDE -75.418363

* NORTH LATITUDE 36.615122

* SOUTH LATITUDE 33.751362

* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 406980.080163

* EAST LONGITUDE 3051823.000440

* SOUTH LATITUDE 42564.600105

* NORTH LATITUDE 1042848.119875

* EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Resource Points of Contact ►

POINT OF CONTACT

ORGANIZATION'S NAME NC Department of Transportation Strategic Prioritization Office of Transportation (SPOT)

CONTACT'S ROLE point of contact

CONTACT INFORMATION ►

PHONE

VOICE 919.707.4742

ADDRESS

TYPE postal

DELIVERY POINT Century Center Building B, 1020 Birch Ridge Drive

CITY Raleigh

ADMINISTRATIVE AREA North Carolina

POSTAL CODE 27610
COUNTRY US
E-MAIL ADDRESS spot@ncdot.gov

HOURS OF SERVICE
8am to 5pm, Monday - Friday

CONTACT INSTRUCTIONS
Phone or Email.

[Hide Contact information ▲](#)

[Hide Resource Points of Contact ▲](#)

Resource Maintenance ►

RESOURCE MAINTENANCE
UPDATE FREQUENCY annually

SCOPE OF THE UPDATES dataset

MAINTENANCE CONTACT

ORGANIZATION'S NAME NC Department of Transportation Strategic Prioritization Office of Transportation (SPOT)
CONTACT'S ROLE point of contact

CONTACT INFORMATION ►

PHONE
VOICE 919.707.4742

ADDRESS

TYPE postal
DELIVERY POINT Century Center Building B, 1020 Birch Ridge Drive
CITY Raleigh
ADMINISTRATIVE AREA North Carolina
POSTAL CODE 27610
COUNTRY US
E-MAIL ADDRESS spot@ncdot.gov

HOURS OF SERVICE
8am to 5pm, Monday - Friday

CONTACT INSTRUCTIONS
Phone or Email.

[Hide Contact information ▲](#)

[Hide Resource Maintenance ▲](#)

Resource Constraints ►

CONSTRAINTS
LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

SPOT On!ine is the NC Department of Transportation’s online project prioritization evaluation system. All data used for scoring and evaluating projects, including scores and preliminary point-in-time cost estimates either generated by the SPOT On!ine application or provided by the user, are only intended for use in the Department’s Strategic Prioritization Process. All SPOT On!ine project data will be used for preliminary level planning, scoring, and evaluation purposes only, and must undergo further review prior to use in the Department’s programming process. By entering SPOT On!ine, the user hereby acknowledges this statement.

LEGAL CONSTRAINTS

LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this metadata. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

SPOT On!ine is the NC Department of Transportation’s online project prioritization evaluation system. All data used for scoring and evaluating projects, including scores and preliminary point-in-time cost estimates either generated by the SPOT On!ine application or provided by the user, are only intended for use in the Department’s Strategic Prioritization Process. All SPOT On!ine project data will be used for preliminary level planning, scoring, and evaluation purposes only, and must undergo further review prior to use in the Department’s programming process. By entering SPOT On!ine, the user hereby acknowledges this statement.

SECURITY CONSTRAINTS

CLASSIFICATION unclassified

LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

SPOT On!ine is the NC Department of Transportation’s online project prioritization evaluation system. All data used for scoring and evaluating projects, including scores and preliminary point-in-time cost estimates either generated by the SPOT On!ine application or provided by the user, are only intended for use in the Department’s Strategic Prioritization Process. All SPOT On!ine project data will be used for preliminary level planning, scoring, and evaluation purposes only, and must undergo further review prior to use in the Department’s programming process. By entering SPOT On!ine, the user hereby acknowledges this statement.

[Hide Resource Constraints ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

- * TYPE Projected
- * GEOGRAPHIC COORDINATE REFERENCE GCS_North_American_1983
- * PROJECTION NAD_1983_StatePlane_North_Carolina_FIPS_3200_Feet
- * COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

- WELL-KNOWN IDENTIFIER 102719
- X ORIGIN -121841900
- Y ORIGIN -93659000
- XY SCALE 3048.0060960121928
- Z ORIGIN 0
- Z SCALE 1
- M ORIGIN 0
- M SCALE 1
- XY TOLERANCE 0.0032808333333333331

Z TOLERANCE 0.001
M TOLERANCE 0.001
HIGH PRECISION true
LATEST WELL-KNOWN IDENTIFIER 2264
WELL-KNOWN TEXT
PROJCS["NAD_1983_StatePlane_North_Carolina_FIPS_3200_Feet",GEOGCS["GCS_North_American_1983",DATUM["D_North_American_1983",SPHEROID["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION["Lambert_Conformal_Conic"],PARAMETER["False_Easting",2000000.0026166666],PARAMETER["False_Northing",0.0],PARAMETER["Central_Meridian",-79.0],PARAMETER["Standard_Parallel_1",34.33333333333334],PARAMETER["Standard_Parallel_2",36.16666666666666],PARAMETER["Latitude_Of_Origin",33.75],UNIT["Foot_US",0.3048006096012192],AUTHORITY["EPSG",2264]]

REFERENCE SYSTEM IDENTIFIER

VALUE 2264
* CODESPACE EPSG
* VERSION 6.12(9.0.0)

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

* LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME Speed_Limit
* OBJECT TYPE composite
* OBJECT COUNT 86971

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

FEATURE CLASS NAME Speed_Limit
* FEATURE TYPE Simple
* GEOMETRY TYPE Polyline
* HAS TOPOLOGY FALSE
* FEATURE COUNT 86971
* SPATIAL INDEX TRUE
* LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Data Quality ►

SCOPE OF QUALITY INFORMATION ►

RESOURCE LEVEL dataset

[Hide Scope of quality information ▲](#)

DATA QUALITY REPORT - CONCEPTUAL CONSISTENCY ►
CONFORMANCE TEST RESULTS

TEST PASSED Yes

RESULT EXPLANATION

The dataset is converted to file geodatabase (FGDB) format using tools in ArcGIS. Quality checks were performed by the Strategic Prioritization Office of Transportation (SPOT) and the North Carolina Department of Transportation Geographic Information Systems Unit and errors were accepted as within business range or identified as exceptions.

PRODUCT SPECIFICATION ▶

TITLE NCDOT Geospatial Data Specifications

PUBLICATION DATE 2023-07-17 00:00:00

[Hide Product specification ▲](#)

[Hide Data quality report - Conceptual consistency ▲](#)

[Hide Data Quality ▲](#)

Lineage ▶

LINEAGE STATEMENT

Data is based off of TEAAS dataset and modified to create a feature class.

PROCESS STEP ▶

DESCRIPTION

Extracted and aggregated the TEAAS source dataset

PROCESS CONTACT

ORGANIZATION'S NAME NC Department of Transportation Strategic Prioritization Office of Transportation (SPOT)

CONTACT'S ROLE processor

CONTACT INFORMATION ▶

PHONE

VOICE 919.707.4742

ADDRESS

TYPE postal

DELIVERY POINT Century Center Building B, 1020 Birch Ridge Drive

CITY Raleigh

ADMINISTRATIVE AREA North Carolina

POSTAL CODE 27610

COUNTRY US

E-MAIL ADDRESS spot@ncdot.gov

HOURS OF SERVICE

8am to 5pm, Monday - Friday

CONTACT INSTRUCTIONS

Phone or Email.

[Hide Contact information ▲](#)

[Hide Process step ▲](#)

PROCESS STEP ►

DESCRIPTION

Dissolved TEAAS and blanket speed limit datasets. The dataset from TEAAS overwrites/replaces its counterpart in the speed blanket.

PROCESS CONTACT

ORGANIZATION'S NAME NC Department of Transportation Strategic Prioritization Office of Transportation (SPOT)

CONTACT'S ROLE processor

CONTACT INFORMATION ►

PHONE

VOICE 919.707.4742

ADDRESS

TYPE postal

DELIVERY POINT Century Center Building B, 1020 Birch Ridge Drive

CITY Raleigh

ADMINISTRATIVE AREA North Carolina

POSTAL CODE 27610

COUNTRY US

E-MAIL ADDRESS spot@ncdot.gov

HOURS OF SERVICE

8am to 5pm, Monday - Friday

CONTACT INSTRUCTIONS

Phone or Email.

[Hide Contact information ▲](#)

[Hide Process step ▲](#)

PROCESS STEP ►

DESCRIPTION

Created the speed limit blanket. Assigned a speed limit value of 35 for routes within the municipal boundary layer. For routes outside the municipal boundary layer, a speed limit value of 55 was assigned. The dataset does not contain routes designated as projects, ramps, rest areas, local streets, and federal or state parks.

PROCESS CONTACT

ORGANIZATION'S NAME NC Department of Transportation Strategic Prioritization Office of Transportation (SPOT)

CONTACT'S ROLE processor

CONTACT INFORMATION ►

PHONE

VOICE 919.707.4742

ADDRESS

TYPE postal
DELIVERY POINT Century Center Building B, 1020 Birch Ridge Drive
CITY Raleigh
ADMINISTRATIVE AREA North Carolina
POSTAL CODE 27610
COUNTRY US
E-MAIL ADDRESS spot@ncdot.gov

HOURS OF SERVICE
8am to 5pm, Monday - Friday

CONTACT INSTRUCTIONS
Phone or Email.

[Hide Contact information ▲](#)

[Hide Process step ▲](#)

PROCESS STEP ►

DESCRIPTION

Transformed TEAAS dataset from milepost values to G1Ftseg values.

PROCESS CONTACT

ORGANIZATION'S NAME NC Department of Transportation Strategic Prioritization Office of Transportation (SPOT)

CONTACT'S ROLE processor

CONTACT INFORMATION ►

PHONE

VOICE 919.707.4742

ADDRESS

TYPE postal
DELIVERY POINT Century Center Building B, 1020 Birch Ridge Drive
CITY Raleigh
ADMINISTRATIVE AREA North Carolina
POSTAL CODE 27610
COUNTRY US
E-MAIL ADDRESS spot@ncdot.gov

HOURS OF SERVICE
8am to 5pm, Monday - Friday

CONTACT INSTRUCTIONS
Phone or Email.

[Hide Contact information ▲](#)

[Hide Process step ▲](#)

PROCESS STEP ►

DESCRIPTION

Metadata is updated for publication

PROCESS CONTACT

ORGANIZATION'S NAME NC Department of Transportation Strategic Prioritization Office of Transportation (SPOT)
CONTACT'S ROLE processor

CONTACT INFORMATION ▶

PHONE

VOICE 919.707.4742

ADDRESS

TYPE postal

DELIVERY POINT Century Center Building B, 1020 Birch Ridge Drive

CITY Raleigh

ADMINISTRATIVE AREA North Carolina

POSTAL CODE 27610

COUNTRY US

E-MAIL ADDRESS spot@ncdot.gov

HOURS OF SERVICE

8am to 5pm, Monday - Friday

CONTACT INSTRUCTIONS

Phone or Email.

[Hide Contact information ▲](#)

[Hide Process step ▲](#)

[Hide Lineage ▲](#)

Distribution ▶

DISTRIBUTOR ▶

CONTACT INFORMATION

ORGANIZATION'S NAME NC Department of Transportation Strategic Prioritization Office of Transportation (SPOT)
CONTACT'S ROLE distributor

CONTACT INFORMATION ▶

PHONE

VOICE 919.707.4742

ADDRESS

TYPE postal

DELIVERY POINT Century Center Building B, 1020 Birch Ridge Drive

CITY Raleigh

ADMINISTRATIVE AREA North Carolina

POSTAL CODE 27610

COUNTRY US

E-MAIL ADDRESS spot@ncdot.gov

HOURS OF SERVICE

8am to 5pm, Monday - Friday

CONTACT INSTRUCTIONS

Phone or Email.

[Hide Contact information ▲](#)

[Hide Distributor ▲](#)

DISTRIBUTION FORMAT

VERSION ArcGIS 10.3

* NAME File Geodatabase Feature Class

[Hide Distribution ▲](#)

Fields ►

DETAILS FOR OBJECT [Speed_Limit ►](#)

* TYPE Feature Class

* ROW COUNT 86971

DEFINITION SOURCE

NCDOT

DEFINITION

Speed limits in North Carolina.

FIELD [OBJECTID ►](#)

* ALIAS OBJECTID

* DATA TYPE OID

* WIDTH 4

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Internal feature number.

DESCRIPTION SOURCE

Esri

DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID ▲](#)

FIELD [Rte_ID ►](#)

* ALIAS Rte_Id

* DATA TYPE String

* WIDTH 11

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

The 11-digit route number is a route naming convention used by NCDOT

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

Positive real numbers that are manually generated

[Hide Field Rte_ID ▲](#)

FIELD Shape_Length ►

- * ALIAS Shape_Length
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Length of feature in internal units.

DESCRIPTION SOURCE

Esri

DESCRIPTION OF VALUES

Positive real numbers that are automatically generated.

[Hide Field Shape_Length ▲](#)

FIELD Speed ►

- * ALIAS Speed
- * DATA TYPE Double
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Speed Limit for segment

DESCRIPTION SOURCE

P7 Valid Code Source

LIST OF VALUES

VALUE 35
DESCRIPTION Speed limit of 35 miles per hour
ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 30
DESCRIPTION Speed limit of 30 miles per hour
ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 15
DESCRIPTION Speed limit of 15 miles per hour
ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 20
DESCRIPTION Speed limit of 20 miles per hour
ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 55
DESCRIPTION Speed limit of 55 miles per hour
ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 70
DESCRIPTION Speed limit of 70 miles per hour
ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 25
DESCRIPTION Speed limit of 25 miles per hour
ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 50
DESCRIPTION Speed limit of 50 miles per hour
ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 40
DESCRIPTION Speed limit of 40 miles per hour
ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 60
DESCRIPTION Speed limit of 60 miles per hour
ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 65
DESCRIPTION Speed limit of 65 miles per hour
ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

VALUE 45
DESCRIPTION Speed limit of 45 miles per hour
ENUMERATED DOMAIN VALUE DEFINITION SOURCE NCDOT

DESCRIPTION OF VALUES
Speed limit

Hide Field Speed ▲

FIELD Shape ►
* ALIAS Shape
* DATA TYPE Geometry
* WIDTH 0
* PRECISION 0
* SCALE 0
FIELD DESCRIPTION
Feature geometry.

DESCRIPTION SOURCE
Esri

DESCRIPTION OF VALUES
Coordinates defining the features.

Hide Field Shape ▲

FIELD BegMp1 ►
* ALIAS BegMp1
* DATA TYPE Double

* WIDTH 8
* PRECISION 0
* SCALE 0

FIELD DESCRIPTION

Route milepost at the beginning of the reference

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

No domain

[Hide Field BegMp1 ▲](#)

FIELD EndMp1 ►

* ALIAS EndMp1
* DATA TYPE Double
* WIDTH 8
* PRECISION 0
* SCALE 0

FIELD DESCRIPTION

Route milepost at the end of the reference

DESCRIPTION SOURCE

NCDOT

DESCRIPTION OF VALUES

No domain

[Hide Field EndMp1 ▲](#)

[Hide Details for object Speed_Limit ▲](#)

[Hide Fields ▲](#)

Metadata Details ►

METADATA LANGUAGE English (UNITED STATES)
METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA dataset
SCOPE NAME * dataset

* LAST UPDATE 2024-02-26

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0
STANDARD OR PROFILE USED TO EDIT METADATA ISO19139

CREATED IN ARCGIS FOR THE ITEM 2023-12-06 09:06:09
LAST MODIFIED IN ARCGIS FOR THE ITEM 2024-02-26 17:08:53

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes

LAST UPDATE 2024-02-26 17:08:53

[Hide Metadata Details ▲](#)

Metadata Contacts ►

METADATA CONTACT

ORGANIZATION'S NAME NC Department of Transportation Strategic Prioritization Office of Transportation (SPOT)
CONTACT'S ROLE resource provider

CONTACT INFORMATION ►

PHONE

VOICE 919.707.4742

ADDRESS

TYPE postal

DELIVERY POINT Century Center Building B, 1020 Birch Ridge Drive

CITY Raleigh

ADMINISTRATIVE AREA North Carolina

POSTAL CODE 27610

COUNTRY US

E-MAIL ADDRESS spot@ncdot.gov

HOURS OF SERVICE

8am to 5pm, Monday - Friday

CONTACT INSTRUCTIONS

Phone or Email.

[Hide Contact information ▲](#)

[Hide Metadata Contacts ▲](#)

Metadata Maintenance ►

MAINTENANCE

UPDATE FREQUENCY annually

SCOPE OF THE UPDATES dataset

MAINTENANCE CONTACT

ORGANIZATION'S NAME NC Department of Transportation Strategic Prioritization Office of Transportation (SPOT)
CONTACT'S ROLE resource provider

CONTACT INFORMATION ►

PHONE

VOICE 919.707.4742

ADDRESS

TYPE postal

DELIVERY POINT Century Center Building B, 1020 Birch Ridge Drive

CITY Raleigh

ADMINISTRATIVE AREA North Carolina

POSTAL CODE 27610

COUNTRY US

E-MAIL ADDRESS spot@ncdot.gov

HOURS OF SERVICE

8am to 5pm, Monday - Friday

CONTACT INSTRUCTIONS

Phone or Email.

[Hide Contact information ▲](#)

[Hide Metadata Maintenance ▲](#)

Metadata Constraints ►

LEGAL CONSTRAINTS

LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this metadata. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

SPOT On!ine is the NC Department of Transportation's online project prioritization evaluation system. All data used for scoring and evaluating projects, including scores and preliminary point-in-time cost estimates either generated by the SPOT On!ine application or provided by the user, are only intended for use in the Department's Strategic Prioritization Process. All SPOT On!ine project data will be used for preliminary level planning, scoring, and evaluation purposes only, and must undergo further review prior to use in the Department's programming process. By entering SPOT On!ine, the user hereby acknowledges this statement.

SECURITY CONSTRAINTS

CLASSIFICATION unclassified

CLASSIFICATION SYSTEM none

LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

SPOT On!ine is the NC Department of Transportation's online project prioritization evaluation system. All data used for scoring and evaluating projects, including scores and preliminary point-in-time cost estimates either generated by the SPOT On!ine application or provided by the user, are only intended for use in the Department's Strategic Prioritization Process. All SPOT On!ine project data will be used for preliminary level planning, scoring, and evaluation purposes only, and must undergo further review prior to use in the Department's programming process. By entering SPOT On!ine, the user hereby acknowledges this statement.

CONSTRAINTS

LIMITATIONS OF USE

The North Carolina Department of Transportation shall not be held liable for any errors in this data. This includes errors of omission, commission, errors concerning the content of the data, and relative and positional accuracy of the data. This data cannot be construed to be a legal document. Primary sources from which this data was compiled must be consulted for verification of information contained in this data.

SPOT On!ine is the NC Department of Transportation's online project prioritization evaluation system. All data used for scoring and evaluating projects, including scores and preliminary point-in-time cost estimates either generated by the SPOT On!ine application or provided by the user, are only intended for use in the Department's Strategic Prioritization Process. All SPOT On!ine project data will be used

for preliminary level planning, scoring, and evaluation purposes only, and must undergo further review prior to use in the Department's programming process. By entering SPOT On!ine, the user hereby acknowledges this statement.

[Hide Metadata Constraints ▲](#)