

SDV_PUBLIC.AIRPORT_POLYGON

Data format: SDE Feature Class

File or table name: SDV_PUBLIC.AIRPORT_POLYGON

Coordinate system: Lambert Conformal Conic

Theme keywords: Airports, Airport locations, Airport landing facilities

Abstract: Polygons for airports located in North Carolina.

FGDC and ESRI Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)
- [Geoprocessing History](#)

Metadata elements shown with blue text are defined in the Federal Geographic Data Committee's (FGDC) [Content Standard for Digital Geospatial Metadata \(CSDGM\)](#). Elements shown with green text are defined in the [ESRI Profile of the CSDGM](#). Elements shown with a green asterisk (*) will be automatically updated by ArcCatalog. ArcCatalog adds hints indicating which FGDC elements are mandatory; these are shown with gray text.

Identification Information:

Citation:

Citation information:

Originators: The North Carolina Center for Geographic Information and Analysis (NCCGIA)

*Title:

SDV_PUBLIC.AIRPORT_POLYGON

***File or table name:** SDV_PUBLIC.AIRPORT_POLYGON

Publication date: 20040316

***Geospatial data presentation form:** vector digital data

Other citation details:

NCCGIA distributes this dataset

***Online linkage:** Service=sde:oracle11g:/;LOCAL=TCDDQ26;User=sdv_public;Version=SDE.DEFAULT

Description:

Abstract:

Polygons for airports located in North Carolina.

Purpose:

These data were created to assist governmental agencies and others in making resource management decisions through use of a Geographic Information System (GIS).

Supplemental information:

Polygons were verified using County Photography where a runway was visible.

***Language of dataset:** en

Time period of content:

Time period information:

Single date/time:

Calendar date: 20040316

Time of day: unknown

Currentness reference:

publication date

Status:

Progress: Complete

Maintenance and update frequency: As needed

Spatial domain:

Bounding coordinates:

- ***West bounding coordinate:** -84.338820
- ***East bounding coordinate:** -75.559704
- ***North bounding coordinate:** 36.547806
- ***South bounding coordinate:** 33.794143

Local bounding coordinates:

- ***Left bounding coordinate:** 429991.618457
- ***Right bounding coordinate:** 3011131.026378
- ***Top bounding coordinate:** 1018336.592783
- ***Bottom bounding coordinate:** 56949.648106

Keywords:

Theme:

Theme keywords: Airports, Airport locations, Airport landing facilities
Theme keyword thesaurus: None

Place:

Place keywords: North Carolina
Place keyword thesaurus: William S. Powell, The North Carolina GAZETTEER, A Dictionary of Tar Heel Places, (Chapel Hill: University of North Carolina Press), August 1984.

Access constraints: None

Use constraints:

Acknowledgement of products derived from this data set should cite the following: While efforts have been made to ensure that these data are accurate and reliable within the state of the art, NCDOT is not responsible for any damages or misrepresentation caused by any inaccuracies in the data or as a result of changes to the data caused by system transfers.

Point of contact:

Contact information:

Contact organization primary:
Contact organization: NC CGIA

Contact address:

Address type: mailing address
Address:
 20322 Mail Service Center
City: Raleigh
State or province: NC
Postal code: 27699-0322
Country: USA

Contact voice telephone: 919-733-2090
Contact facsimile telephone: 919-715-0725

Contact electronic mail address: dataq@cgia.state.nc.us

Hours of service: 9:00 to 5:00

Data set credit:

Federal Aviation Administration, Aeronautical Information Services
 ATA-100, Room 626
 800 Independence Ave, S.W.
 Washington D.C, 20591
 Toll free number: 1-866-295-8236 ext.35442
 Fax number: 1-202-493-4266
 Email: 9-awa-ata100-feedback@faa.gov

NC Department of Transportation
 Division of Aviation
 1050 Meridian Drive
 RDU Airport, NC 27623

North Carolina Center for Geographic Information and Analysis
 NC Dept. of Environment and Natural Resources
 Project Manager - Jeff Brown
 301 North Wilmington Street, Suite 700
 Raleigh, NC 27699-0322

***Native dataset format:** SDE Feature Class

***Native data set environment:**

Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 3; ESRI ArcCatalog 9.3.1.3000

Cross reference:**Citation information:****Originators:** NC CGIA**Title:**

Airport Locations In North Carolina

Publication date: 20030616**Geospatial data presentation form:** vector digital data[Back to Top](#)

Data Quality Information:**Attribute accuracy:****Attribute accuracy report:**

In December 2003, NCCGIA created a point shapefile from lat/longs provided by NC DOT. A shapefile was also created from data supplied by the FAA. Because there was not a common field for joining tables, NCCGIA identified FAA points that coincided with or were near a state point. The FAA points within 3,200 feet of a state point were selected in ArcView. These points were converted to a shapefile. Then the selection was switched to make the FAA points selected as those not near a state point. That selection was converted to a shapefile. The two datasets were merged to fill in gaps that occurred in both datasets allowing for a more complete statewide airports coverage. NCCGIA then used digital orthophotography from 1998 to verify the points. The data were intended for planning purposes and were not verified or documented for GIS.

Logical consistency report:

Using ESRI's ARC/INFO Arcview software, a point shapefile was created.

Completeness report:

These data represent the locations of airports in North Carolina as identified by the NC DOT and the FAA.

Positional accuracy:**Horizontal positional accuracy:****Horizontal positional accuracy report:**

For the larger airports, point locations (approximate center of airport) were verified using 1998 digital orthophoto quarter quads at 1-meter resolution. The smallest airports were not visible on photos and not verified by other means.

Lineage:**Source information:****Source citation:****Citation information:****Originators:** Federal Aviation Administration**Title:**

FAA Landing Facility Database

Publication date: 2003**Geospatial data presentation form:** tabular digital data**Online linkage:** <http://www.faa.gov/ats/ata/ata100/120/datadistr.html>**Type of source media:** CD-ROM**Source citation abbreviation:**

FAA

Source contribution:

Point locations for airports not included in state DOT files were extracted from the national FAA dataset.

Source time period of content:**Time period information:****Single date/time:****Calendar date:** 2003**Source currentness reference:**

publication date

Source information:**Source citation:****Citation information:****Originators:** NC Department of Transportation, Division of Aviation**Title:**

Division of Aviation North Carolina 2003 Airport Guide

Publication date: 2003

Geospatial data presentation form: document

Type of source media: paper

Source citation abbreviation:

NC DOT Airport Division

Source contribution:

Latitude/longitude locations and attributes for airports in North Carolina

Source time period of content:

Time period information:

Single date/time:

Calendar date: 2003

Source currentness reference:

publication date

Process step:

Process description:

In December 2003, NCCGIA created a point shapefile from lat/longs provided by NC DOT. A shapefile was also created from data supplied by the FAA. Because there was not a common field for joining tables, NCCGIA identified FAA points that coincided with or were near a state point. The FAA points within 3,200 feet of a state point were selected in ArcView. These points were converted to a shapefile. Then the selection was switched to make the FAA points selected as those not near a state point. That selection was converted to a shapefile. The two datasets were merged to fill in gaps that occurred in both datasets allowing for a more complete statewide airports coverage. NCCGIA then used digital orthophotography from 1998 to verify the points.

Process date: 200312

Process contact:

Contact information:

Contact person primary:

Contact person: Jeff Brown

Contact organization: NC Center for Geographic Information and Analysis

Contact position: Project Manager

Contact address:

Address type: physical address

Address:

301 North Wilmington Street, Suite 700

City: Raleigh

State or province: NC

Postal code: 27601

Country: USA

Contact voice telephone: (919) 733-2090

Contact facsimile telephone: (919) 715-0725

Contact electronic mail address: dataq@cgia.state.nc.us

Hours of service: 8:30AM - 5:30PM

Contact instructions:

Phone and electronic mail preferred

Process step:

Process description:

Metadata imported.

Source used citation abbreviation:

C:\DOCUME~1\david\LOCALS~1\Temp\xml11.tmp

Process step:

Process description:

Dataset copied.

Source used citation abbreviation:

Server=cgiatdb; Service=5151; Database=onemap_test; User=sdeadmin; Version=sde.DEFAULT

Process step:

Process description:

Metadata imported.

Source used citation abbreviation:

C:\DOCUME~1\bmiller\LOCALS~1\Temp\xmlD7.tmp

[Back to Top](#)

Spatial Data Organization Information:

*Direct spatial reference method: Vector

Point and vector object information:**SDTS terms description:**

*Name: SDV_PUBLIC.AIRPORT_POLYGON
 *SDTS point and vector object type: G-polygon
 *Point and vector object count: 0

ESRI terms description:

*Name: SDV_PUBLIC.AIRPORT_POLYGON
 *ESRI feature type: Simple
 *ESRI feature geometry: Polygon
 *ESRI topology: FALSE
 *ESRI feature count: 0
 *Spatial index: TRUE
 *Linear referencing: FALSE

[Back to Top](#)

Spatial Reference Information:**Horizontal coordinate system definition:****Coordinate system name:**

*Projected coordinate system name: NAD_1983_StatePlane_North_Carolina_FIPS_3200_Feet
 *Geographic coordinate system name: GCS_North_American_1983

Planar:**Map projection:**

*Map projection name: Lambert Conformal Conic
 Lambert conformal conic
 *Standard parallel: 34.333333
 *Standard parallel: 36.166667
 *Longitude of central meridian: -79.000000
 *Latitude of projection origin: 33.750000
 *False easting: 2000000.002617
 *False northing: 0.000000

Planar coordinate information:

*Planar coordinate encoding method: coordinate pair
 Coordinate representation:
 *Abscissa resolution: 0.000328
 *Ordinate resolution: 0.000328
 *Planar distance units: survey feet

Geodetic model:

*Horizontal datum name: North American Datum of 1983
 *Ellipsoid name: Geodetic Reference System 80
 *Semi-major axis: 6378137.000000
 *Denominator of flattening ratio: 298.257222

Vertical coordinate system definition:**Altitude system definition:**

*Altitude resolution: 1.000000
 *Altitude encoding method: Explicit elevation coordinate included with horizontal coordinates

[Back to Top](#)

Entity and Attribute Information:**Detailed description:**

*Name: SDV_PUBLIC.AIRPORT_POLYGON

Entity type:

*Entity type label: SDV_PUBLIC.AIRPORT_POLYGON
 *Entity type type: Feature Class
 *Entity type count: 0

Entity type definition:

Airports Locations in North Carolina

Entity type definition source:

CGIA

Attribute:

Attribute label: SHAPE
***Attribute alias:** DESCRIPTION
Attribute definition:
 Feature geometry.
Attribute definition source:
 ESRI

***Attribute type:** String
***Attribute width:** 60
***Attribute precision:** 0
***Attribute scale:** 0

Attribute domain values:
Unrepresentable domain:
 Coordinates defining the features.

Attribute:

***Attribute label:** Description
***Attribute alias:** SITENUMBER

***Attribute type:** String
***Attribute width:** 11
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** SiteNumber
***Attribute alias:** TYPE

***Attribute type:** String
***Attribute width:** 18
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** Type
***Attribute alias:** LOCATIONID

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** LocationID
***Attribute alias:** EFFECTIVEDATE

***Attribute type:** Date
***Attribute width:** 36
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** EffectiveDate
***Attribute alias:** REGION

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** Region
***Attribute alias:** DISTRICTOFFICE

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** DistrictOffice
***Attribute alias:** STATENAME

***Attribute type:** String
***Attribute width:** 14

*Attribute precision: 0
 *Attribute scale: 0

Attribute:

*Attribute label: COUNTY
 *Attribute alias: COUNTY
 Attribute definition:
 County where airport is located
 Attribute definition source:
 FAA

*Attribute type: String
 *Attribute width: 12
 *Attribute precision: 0
 *Attribute scale: 0

Attribute domain values:

Codeset Ddomain:
 Codeset name: County names
 Codeset source: State of North Carolina

Beginning date of attribute values: 2000
 Ending date of attribute values: 2004

Attribute measurement frequency:
 As needed

Attribute:

*Attribute label: State
 *Attribute alias: COUNTYSTATE

*Attribute type: String
 *Attribute width: 10
 *Attribute precision: 0
 *Attribute scale: 0

Attribute:

*Attribute label: StateName
 *Attribute alias: CITY

*Attribute type: String
 *Attribute width: 24
 *Attribute precision: 0
 *Attribute scale: 0

Attribute:

*Attribute label: County
 *Attribute alias: FACILITYNAME

*Attribute type: String
 *Attribute width: 39
 *Attribute precision: 0
 *Attribute scale: 0

Attribute:

*Attribute label: CountyState
 *Attribute alias: OWNERSHIP

*Attribute type: String
 *Attribute width: 10
 *Attribute precision: 0
 *Attribute scale: 0

Attribute:

*Attribute label: City
 *Attribute alias: USE

*Attribute type: String
 *Attribute width: 10
 *Attribute precision: 0
 *Attribute scale: 0

Attribute:

*Attribute label: FacilityName
 *Attribute alias: OWNER

*Attribute type: String

*Attribute width: 35
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: Ownership
*Attribute alias: OWNERADDRESS

*Attribute type: String
*Attribute width: 39
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: Use
*Attribute alias: OWNERCSZ

*Attribute type: String
*Attribute width: 29
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: Owner
*Attribute alias: OWNERPHONE

*Attribute type: String
*Attribute width: 16
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: OwnerAddress
*Attribute alias: MANAGER

*Attribute type: String
*Attribute width: 32
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: OwnerCSZ
*Attribute alias: MANAGERADDRESS

*Attribute type: String
*Attribute width: 52
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: OwnerPhone
*Attribute alias: MANAGERCSZ

*Attribute type: String
*Attribute width: 29
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: Manager
*Attribute alias: MANAGERPHONE

*Attribute type: String
*Attribute width: 16
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: ManagerAddress
*Attribute alias: LATITUDE

*Attribute type: String
*Attribute width: 16
*Attribute precision: 0
*Attribute scale: 0

Attribute:

***Attribute label:** ManagerCSZ
***Attribute alias:** ARPLATITUDES

***Attribute type:** String
***Attribute width:** 12
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** ManagerPhone
***Attribute alias:** LONGITUDE

***Attribute type:** String
***Attribute width:** 16
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** Latitude
***Attribute alias:** ARPLONGITUDES

***Attribute type:** String
***Attribute width:** 12
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** ARPLatitudeS
***Attribute alias:** ARPMETHOD

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** Longitude
***Attribute alias:** ARPELEVATION

***Attribute type:** String
***Attribute width:** 20
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** ARPLongitudeS
***Attribute alias:** ARPELEVATIONMETHOD

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** ARPMethod
***Attribute alias:** MAGNETICVARIATION

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** ARPElevation
***Attribute alias:** MAGNETICVARIATIONYEAR

***Attribute type:** String
***Attribute width:** 20
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** ARPElevationMethod
***Attribute alias:** TRAFFICPATTERNALTITUDE

***Attribute type:** String
***Attribute width:** 20

*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: MagneticVariation
*Attribute alias: CHARTNAME

*Attribute type: String
*Attribute width: 10
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: MagneticVariationYear
*Attribute alias: DISTANCEFROMCBD

*Attribute type: String
*Attribute width: 20
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: TrafficPatternAltitude
*Attribute alias: DIRECTIONFROMCBD

*Attribute type: String
*Attribute width: 10
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: ChartName
*Attribute alias: LANDAREACOVEREDBYAIRPORT

*Attribute type: String
*Attribute width: 20
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: DistanceFromCBD
*Attribute alias: BOUNDARYARTCCID

*Attribute type: String
*Attribute width: 10
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: DirectionFromCBD
*Attribute alias: BOUNDARYARTCCCOMPUTERID

*Attribute type: String
*Attribute width: 10
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: LandAreaCoveredByAirport
*Attribute alias: BOUNDARYARTCCNAME

*Attribute type: String
*Attribute width: 12
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: BoundaryARTCCID
*Attribute alias: RESPONSIBLEARTCCID

*Attribute type: String
*Attribute width: 10
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: BoundaryARTCCComputerID

***Attribute alias:** RESPONSIBLEARTCCCOMPUTERID

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** BoundaryARTCCName
***Attribute alias:** RESPONSIBLEARTCCNAME

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** ResponsibleARTCCID
***Attribute alias:** TIEINFSS

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** ResponsibleARTCCComputerID
***Attribute alias:** TIEINFSSID

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** ResponsibleARTCCName
***Attribute alias:** TIEINFSSNAME

***Attribute type:** String
***Attribute width:** 17
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** TieInFSS
***Attribute alias:** AIRPORTTOFSSPHONENUMBER

***Attribute type:** String
***Attribute width:** 20
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** TieInFSSID
***Attribute alias:** TIEINFSSSTOLLFREENUMBER

***Attribute type:** String
***Attribute width:** 14
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** TieInFSSName
***Attribute alias:** ALTERNATEFSSID

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** AirportToFSSPhoneNumber
***Attribute alias:** ALTERNATEFSSNAME

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0

*Attribute scale: 0

Attribute:

*Attribute label: TieInFSSTollFreeNumber
*Attribute alias: ALTERNATEFSSTOLLFREENUMBER

*Attribute type: String
*Attribute width: 14
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: AlternateFSSID
*Attribute alias: NOTAMFACILITYID

*Attribute type: String
*Attribute width: 10
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: AlternateFSSName
*Attribute alias: NOTAMSERVICE

*Attribute type: String
*Attribute width: 10
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: AlternateFSSTollFreeNumber
*Attribute alias: ACTIVATIONDATE

*Attribute type: Date
*Attribute width: 36
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: NOTAMFacilityID
*Attribute alias: AIRPORTSTATUSCODE

*Attribute type: String
*Attribute width: 10
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: NOTAMService
*Attribute alias: CERTIFICATIONTYPEDEDATE

*Attribute type: String
*Attribute width: 13
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: ActivationDate
*Attribute alias: FEDERALAGREEMENTS

*Attribute type: String
*Attribute width: 10
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: AirportStatusCode
*Attribute alias: AIRSPACEDETERMINATION

*Attribute type: String
*Attribute width: 13
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: CertificationTypeDate
*Attribute alias: CUSTOMSAIRPORTOFENTRY

*Attribute type: String
 *Attribute width: 10
 *Attribute precision: 0
 *Attribute scale: 0

Attribute:

*Attribute label: FederalAgreements
 *Attribute alias: CUSTOMSLANDINGRIGHTS

*Attribute type: String
 *Attribute width: 10
 *Attribute precision: 0
 *Attribute scale: 0

Attribute:

*Attribute label: AirspaceDetermination
 *Attribute alias: MILITARYJOINTUSE

*Attribute type: String
 *Attribute width: 10
 *Attribute precision: 0
 *Attribute scale: 0

Attribute:

*Attribute label: CustomsAirportOfEntry
 *Attribute alias: MILITARYLANDINGRIGHTS

*Attribute type: String
 *Attribute width: 10
 *Attribute precision: 0
 *Attribute scale: 0

Attribute:

*Attribute label: CustomsLandingRights
 *Attribute alias: NATIONALEMERGENCYSTATUS

*Attribute type: String
 *Attribute width: 20
 *Attribute precision: 0
 *Attribute scale: 0

Attribute:

*Attribute label: MilitaryJointUse
 *Attribute alias: NATIONALEMERGENCYINTEREST

*Attribute type: String
 *Attribute width: 10
 *Attribute precision: 0
 *Attribute scale: 0

Attribute:

*Attribute label: MilitaryLandingRights
 *Attribute alias: INSPECTIONMETHOD

*Attribute type: String
 *Attribute width: 10
 *Attribute precision: 0
 *Attribute scale: 0

Attribute:

*Attribute label: NationalEmergencyStatus
 *Attribute alias: INSPECTIONGROUP

*Attribute type: String
 *Attribute width: 10
 *Attribute precision: 0
 *Attribute scale: 0

Attribute:

*Attribute label: NationalEmergencyInterest
 *Attribute alias: LASTINSPECTIONDATE

*Attribute type: Integer
 *Attribute width: 4
 *Attribute precision: 10
 *Attribute scale: 0

Attribute:

***Attribute label:** InspectionMethod
***Attribute alias:** LASTOWNERINFORMATIONDATE

***Attribute type:** Integer
***Attribute width:** 4
***Attribute precision:** 10
***Attribute scale:** 0

Attribute:

***Attribute label:** InspectionGroup
***Attribute alias:** FUELTPES

***Attribute type:** String
***Attribute width:** 15
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** LastInspectionDate
***Attribute alias:** AIRFRAMERPAIR

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** LastOwnerInformationDate
***Attribute alias:** POWERPLANTREPAIR

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** FuelTypes
***Attribute alias:** BOTTLEDOXYGENTYPE

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** AirframeRepair
***Attribute alias:** BULKOXYGENTYPE

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** PowerPlantRepair
***Attribute alias:** LIGHTINGSCHEDULE

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** BottledOxygenType
***Attribute alias:** ATCT

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** BulkOxygenType
***Attribute alias:** UNICOMFREQUENCIES

*Attribute type: Double
*Attribute width: 8
*Attribute precision: 38
*Attribute scale: 8

Attribute:

*Attribute label: LightingSchedule
*Attribute alias: CTAFFREQUENCY

*Attribute type: Double
*Attribute width: 8
*Attribute precision: 38
*Attribute scale: 8

Attribute:

*Attribute label: ATCT
*Attribute alias: SEGMENTEDCIRCLE

*Attribute type: String
*Attribute width: 10
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: UNICOMFrequencies
*Attribute alias: BEACONCOLOR

*Attribute type: String
*Attribute width: 10
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: CTAffrequency
*Attribute alias: NONCOMMERCIALLANDINGFEE

*Attribute type: String
*Attribute width: 10
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: SegmentedCircle
*Attribute alias: MEDICALUSE

*Attribute type: String
*Attribute width: 10
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: BeaconColor
*Attribute alias: SINGLEENGINEGA

*Attribute type: String
*Attribute width: 20
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: NonCommercialLandingFee
*Attribute alias: MULTIENGINEGA

*Attribute type: String
*Attribute width: 20
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: MedicalUse
*Attribute alias: JETENGINEGA

*Attribute type: String
*Attribute width: 20
*Attribute precision: 0
*Attribute scale: 0

Attribute:

***Attribute label:** SingleEngineGA
 ***Attribute alias:** HELICOPTERSGA

***Attribute type:** String
 ***Attribute width:** 20
 ***Attribute precision:** 0
 ***Attribute scale:** 0

Attribute:

***Attribute label:** MultiEngineGA
 ***Attribute alias:** GLIDERSOPERATIONAL

***Attribute type:** String
 ***Attribute width:** 20
 ***Attribute precision:** 0
 ***Attribute scale:** 0

Attribute:

***Attribute label:** JetEngineGA
 ***Attribute alias:** MILITARYOPERATIONAL

***Attribute type:** String
 ***Attribute width:** 20
 ***Attribute precision:** 0
 ***Attribute scale:** 0

Attribute:

***Attribute label:** HelicoptersGA
 ***Attribute alias:** ULTRALIGHTS

***Attribute type:** String
 ***Attribute width:** 20
 ***Attribute precision:** 0
 ***Attribute scale:** 0

Attribute:

***Attribute label:** GlidersOperational
 ***Attribute alias:** OPERATIONSCOMMERCIAL

***Attribute type:** Integer
 ***Attribute width:** 4
 ***Attribute precision:** 10
 ***Attribute scale:** 0

Attribute:

***Attribute label:** MilitaryOperational
 ***Attribute alias:** OPERATIONSCOMMUTER

***Attribute type:** String
 ***Attribute width:** 20
 ***Attribute precision:** 0
 ***Attribute scale:** 0

Attribute:

***Attribute label:** Ultralights
 ***Attribute alias:** OPERATIONSAIR TAXI

***Attribute type:** Integer
 ***Attribute width:** 4
 ***Attribute precision:** 10
 ***Attribute scale:** 0

Attribute:

***Attribute label:** OperationsCommercial
 ***Attribute alias:** Shape
 ***Attribute definition:**
 Feature geometry.
 ***Attribute definition source:**
 ESRI

***Attribute type:** Geometry
 ***Attribute width:** 4
 ***Attribute precision:** 0
 ***Attribute scale:** 0

Attribute domain values:

***Unrepresentable domain:**
Coordinates defining the features.

Attribute:

***Attribute label:** OperationsCommuter
***Attribute alias:** STATE

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** OperationsAirTaxi
***Attribute alias:** OBJECTID
***Attribute definition:**
Internal feature number.
***Attribute definition source:**
ESRI

***Attribute type:** OID
***Attribute width:** 4
***Attribute precision:** 10
***Attribute scale:** 0

Attribute domain values:

***Unrepresentable domain:**
Sequential unique whole numbers that are automatically generated.

Attribute:

Attribute label: Shape
***Attribute alias:** OPERATIONSGALOCAL
Attribute definition:
Feature geometry.
Attribute definition source:
ESRI

***Attribute type:** Integer
***Attribute width:** 4
***Attribute precision:** 10
***Attribute scale:** 0

Attribute domain values:

Unrepresentable domain:
Coordinates defining the features.

Beginning date of attribute values: 030104

Ending date of attribute values: 030104

Attribute:

Attribute label: STATE
***Attribute alias:** OPERATIONSGAITIN
Attribute definition:
State where airport is located
Attribute definition source:
NC DOT

***Attribute type:** Integer
***Attribute width:** 4
***Attribute precision:** 10
***Attribute scale:** 0

Attribute domain values:

Enumerated domain:
Enumerated domain value: NC
Enumerated domain value definition:
North Carolina
Enumerated domain value definition source:
NC DOT

Beginning date of attribute values: 2000

Ending date of attribute values: 2004

Attribute measurement frequency:
As needed

Attribute:

Attribute label: OBJECTID
***Attribute alias:** OPERATIONS MILITARY
Attribute definition:
 Internal feature number.
Attribute definition source:
 ESRI

***Attribute type:** Integer
***Attribute width:** 4
***Attribute precision:** 10
***Attribute scale:** 0

Attribute domain values:
Unrepresentable domain:
 Sequential unique whole numbers that are automatically generated.

Attribute:

***Attribute label:** OperationsGALocal
***Attribute alias:** OPERATIONS DATE

***Attribute type:** Date
***Attribute width:** 36
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** OperationsGAIIn
***Attribute alias:** AIRPORTPOSITIONSOURCE

***Attribute type:** String
***Attribute width:** 16
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** OperationsMilitary
***Attribute alias:** AIRPORTPOSITIONSOURCE DATE

***Attribute type:** Integer
***Attribute width:** 4
***Attribute precision:** 10
***Attribute scale:** 0

Attribute:

***Attribute label:** OperationsDate
***Attribute alias:** AIRPORTELEVATIONSOURCE

***Attribute type:** String
***Attribute width:** 16
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** AirportPositionSource
***Attribute alias:** AIRPORTELEVATIONSOURCE DATE

***Attribute type:** Integer
***Attribute width:** 4
***Attribute precision:** 10
***Attribute scale:** 0

Attribute:

***Attribute label:** AirportPositionSourceDate
***Attribute alias:** CONTRACTFUELAAVAILABLE

***Attribute type:** String
***Attribute width:** 20
***Attribute precision:** 0
***Attribute scale:** 0

Attribute:

***Attribute label:** AirportElevationSource
***Attribute alias:** TRANSIENTSTORAGE

***Attribute type:** String
***Attribute width:** 10
***Attribute precision:** 0

*Attribute scale: 0

Attribute:

*Attribute label: AirportElevationSourceDate
*Attribute alias: OTHERSERVICES

*Attribute type: String
*Attribute width: 47
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: ContractFuelAvailable
*Attribute alias: WINDINDICATOR

*Attribute type: String
*Attribute width: 10
*Attribute precision: 0
*Attribute scale: 0

Attribute:

*Attribute label: TransientStorage
*Attribute alias: DISTANCE

*Attribute type: Double
*Attribute width: 8
*Attribute precision: 38
*Attribute scale: 8

Attribute:

*Attribute label: OtherServices
*Attribute alias: SHAPE.AREA
*Attribute definition:
Length of feature in internal units.
*Attribute definition source:
ESRI

*Attribute type: Double
*Attribute width: 0
*Attribute precision: 0
*Attribute scale: 0

Attribute domain values:

*Unrepresentable domain:
Positive real numbers that are automatically generated.

Attribute:

*Attribute label: WindIndicator
*Attribute alias: SHAPE.LEN
*Attribute definition:
Area of feature in internal units squared.
*Attribute definition source:
ESRI

*Attribute type: Double
*Attribute width: 0
*Attribute precision: 0
*Attribute scale: 0

Attribute domain values:

*Unrepresentable domain:
Positive real numbers that are automatically generated.

Attribute:

*Attribute label: Distance
*Attribute alias: Distance

*Attribute type: Double
*Attribute width: 8
*Attribute precision: 0
*Attribute scale: 0

Overview description:

Entity and attribute overview:

The theme includes airport name, type, and contact information.

Entity and attribute detail citation:

[Back to Top](#)

Distribution Information:**Distributor:****Contact information:****Contact organization primary:****Contact organization:** NC CGIA**Contact address:****Address type:** mailing address**Address:**

20322 Mail Service Center

City: Raleigh**State or province:** NC**Postal code:** 27699-0322**Country:** USA**Contact voice telephone:** 919-733-2090**Contact facsimile telephone:** 919-715-0725**Contact electronic mail address:** dataq@cgia.state.nc.us**Hours of service:** 9:00 to 5:00**Resource description:** GIS data layer**Distribution liability:**

NCCGIA is charged with the development and maintenance of the State's corporate geographic database and, in cooperation with other mapping organizations, is committed to offering its users accurate, useful, and current information about the state. Although every effort has been made to ensure the accuracy of information, errors and conditions originating from physical sources used to develop the corporate database may be reflected in the data supplied. The client must be aware of data conditions and bear responsibility for the appropriate use of the information with respect to possible errors, original map scale, collection methodology, currency of data, and other conditions specific to certain data. NCCGIA does not support secondary distribution of these data. The use of trade names or commercial products does not constitute their endorsement by the NCCGIA or North Carolina State Government.

Standard order process:**Digital form:****Digital transfer information:****Format name:** shapefile**Transfer size:** 0.435**Digital transfer option:****Offline option:****Offline media:** CD-ROM**Recording format:** shapefile**Fees:** contact CGIA for offline data distribution fees**Ordering instructions:**

Contact CGIA 919-733-2090

Custom order process:

Data creation and large data analysis jobs contact Database Administration P:(919)733-2090. All data are available through standard ordering procedures on a cost recovery basis.

Technical prerequisites:

All formats supplied are created using ARC/INFO GIS software on Unix workstations or ArcGIS on Windows PCs. Other formats are available. Format compatibility is the user's responsibility. For more information on formats and media, use a web browser: <http://www.cgia.state.nc.us/cost.html>

Available time period:**Time period information:****Single date/time:****Calendar date:** 2004[Back to Top](#)

Metadata Reference Information:

***Metadata date:** 20101026
Metadata review date: 20040319

***Language of metadata:** en

Metadata contact:

Contact information:

Contact organization primary:

Contact person: REQUIRED: The person responsible for the metadata information.

Contact organization: North Carolina Center for Geographic Information and Analysis

Contact position: Database Manager

Contact address:

Address type: physical address

Address:

301 North Wilmington Street, Suite 700

City: Raleigh

State or province: NC

Postal code: 27601

Country: USA

Contact voice telephone: (919) 733-2090

Contact facsimile telephone: (919) 715-0725

Contact electronic mail address: dataq@cgia.state.nc.us

Hours of service: 8:30AM - 5:30PM

Contact instructions:

Phone and electronic mail preferred

***Metadata standard name:** FGDC Content Standards for Digital Geospatial Metadata

***Metadata standard version:** FGDC-STD-001-1998

***Metadata time convention:** local time

Metadata access constraints: None

Metadata use constraints:

This metadata file is to accompany the data set identified and received from NCCGIA. NCCGIA does not support secondary distribution. If this data file was received from anyone besides NCCGIA, this metadata file and the data set it describes may contain discrepancies.

Metadata extensions:

Online linkage: <http://www.esri.com/metadata/esriprof80.html>

Profile name: ESRI Metadata Profile

Metadata extensions:

Online linkage: <http://www.esri.com/metadata/esriprof80.html>

Profile name: ESRI Metadata Profile

Metadata extensions:

Online linkage: <http://www.esri.com/metadata/esriprof80.html>

Profile name: ESRI Metadata Profile

Metadata extensions:

Online linkage: <http://www.esri.com/metadata/esriprof80.html>

Profile name: ESRI Metadata Profile

Metadata extensions:

***Online linkage:** <http://www.esri.com/metadata/esriprof80.html>

***Profile name:** ESRI Metadata Profile

[Back to Top](#)

Geoprocessing History:

Process:

***Process name:** FeatureClassToFeatureClass_1

***Date:** 20080428

***Time:** 105203

***Tool location:** D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToFeatureClass

***Command issued:** FeatureClassToFeatureClass

D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA

D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb Airport2 # "Description Description true true false 60 Text
 0 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,Description,-1,-1;SiteNumber
 SiteNumber true true false 11 Text 0

0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,SiteNumber,-1,-1;Type Type true

```

true false 18 Text 0 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,Type,-1,-
1;LocationID LocationID true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,LocationID,-1,-1;EffectiveDate
EffectiveDate true true false 8 Date 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,EffectiveDate,-1,-1;Region Region
true true false 10 Text 0 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,Region,-
1,-1;DistrictOffice DistrictOffice true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,DistrictOffice,-1,-1;State State
true true false 10 Text 0 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,State,-1,-
1;StateName StateName true true false 14 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,StateName,-1,-1;County County
true true false 12 Text 0 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,County,-
1,-1;CountyState CountyState true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,CountyState,-1,-1;City City true
true false 24 Text 0 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,City,-1,-
1;FacilityName FacilityName true true false 39 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,FacilityName,-1,-1;Ownership
Ownership true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,Ownership,-1,-1;Use Use true true
false 10 Text 0 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,Use,-1,-1;Owner
Owner true true false 35 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,Owner,-1,-1;OwnerAddress
OwnerAddress true true false 39 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,OwnerAddress,-1,-1;OwnerCSZ
OwnerCSZ true true false 29 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,OwnerCSZ,-1,-1;OwnerPhone
OwnerPhone true true false 16 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,OwnerPhone,-1,-1;Manager
Manager true true false 32 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,Manager,-1,-1;ManagerAddress
ManagerAddress true true false 52 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,ManagerAddress,-1,-
1;ManagerCSZ ManagerCSZ true true false 29 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,ManagerCSZ,-1,-1;ManagerPhone
ManagerPhone true true false 16 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,ManagerPhone,-1,-1;Latitude
Latitude true true false 16 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,Latitude,-1,-1;ARPLatitudeS
ARPLatitudeS true true false 12 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,ARPLatitudeS,-1,-1;Longitude
Longitude true true false 16 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,Longitude,-1,-1;ARPLongitudeS
ARPLongitudeS true true false 12 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,ARPLongitudeS,-1,-1;ARPMMethod
ARPMMethod true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,ARPMMethod,-1,-1;ARPElevation
ARPElevation true true false 20 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,ARPElevation,-1,-
1;ARPElevationMethod ARPElevationMethod true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,ARPElevationMethod,-1,-
1;MagneticVariation MagneticVariation true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,MagneticVariation,-1,-
1;MagneticVariationYear MagneticVariationYear true true false 20 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,MagneticVariationYear,-1,-
1;TrafficPatternAltitude TrafficPatternAltitude true true false 20 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,TrafficPatternAltitude,-1,-
1;ChartName ChartName true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,ChartName,-1,-
1;DistanceFromCBD DistanceFromCBD true true false 20 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,DistanceFromCBD,-1,-
1;DirectionFromCBD DirectionFromCBD true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,DirectionFromCBD,-1,-
1;LandAreaCoveredByAirport LandAreaCoveredByAirport true true false 20 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,LandAreaCoveredByAirport,-1,-
1;BoundaryARTCCID BoundaryARTCCID true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,BoundaryARTCCID,-1,-
1;BoundaryARTCCComputerID BoundaryARTCCComputerID true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,BoundaryARTCCComputerID,-1,-
1;BoundaryARTCCName BoundaryARTCCName true true false 12 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,BoundaryARTCCName,-1,-
1;ResponsibleARTCCID ResponsibleARTCCID true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,ResponsibleARTCCID,-1,-
1;ResponsibleARTCCComputerID ResponsibleARTCCComputerID true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,ResponsibleARTCCComputerID,-
1,-1;ResponsibleARTCCName ResponsibleARTCCName true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,ResponsibleARTCCName,-1,-
1;TieInFSS TieInFSS true true false 10 Text 0

```

0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,TieInFSS,-1,-1;TieInFSSID
 TieInFSSID true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,TieInFSSName,-1,-1;TieInFSSName
 TieInFSSName true true false 17 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,TieInFSSName,-1,-
 1;AirportToFSSPhoneNumber AirportToFSSPhoneNumber true true false 20 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,AirportToFSSPhoneNumber,-1,-
 1;TieInFSS TollFreeNumber TieInFSS TollFreeNumber true true false 14 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,TieInFSS TollFreeNumber,-1,-
 1;AlternateFSSID AlternateFSSID true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,AlternateFSSID,-1,-
 1;AlternateFSSName AlternateFSSName true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,AlternateFSSName,-1,-
 1;AlternateFSS TollFreeNumber AlternateFSS TollFreeNumber true true false 14 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,AlternateFSS TollFreeNumber,-1,-
 1;NOTAMFacilityID NOTAMFacilityID true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,NOTAMFacilityID,-1,-
 1;NOTAMService NOTAMService true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,NOTAMService,-1,-
 1;ActivationDate ActivationDate true true false 8 Date 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,ActivationDate,-1,-
 1;AirportStatusCode AirportStatusCode true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,AirportStatusCode,-1,-
 1;CertificationTypeDate CertificationTypeDate true true false 13 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,CertificationTypeDate,-1,-
 1;FederalAgreements FederalAgreements true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,FederalAgreements,-1,-
 1;AirspaceDetermination AirspaceDetermination true true false 13 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,AirspaceDetermination,-1,-
 1;CustomsAirportOfEntry CustomsAirportOfEntry true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,CustomsAirportOfEntry,-1,-
 1;CustomsLandingRights CustomsLandingRights true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,CustomsLandingRights,-1,-
 1;MilitaryJointUse MilitaryJointUse true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,MilitaryJointUse,-1,-
 1;MilitaryLandingRights MilitaryLandingRights true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,MilitaryLandingRights,-1,-
 1;NationalEmergencyStatus NationalEmergencyStatus true true false 20 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,NationalEmergencyStatus,-1,-
 1;NationalEmergencyInterest NationalEmergencyInterest true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,NationalEmergencyInterest,-1,-
 1;InspectionMethod InspectionMethod true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,InspectionMethod,-1,-
 1;InspectionGroup InspectionGroup true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,InspectionGroup,-1,-
 1;LastInspectionDate LastInspectionDate true true false 4 Long 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,LastInspectionDate,-1,-
 1;LastOwnerInformationDate LastOwnerInformationDate true true false 4 Long 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,LastOwnerInformationDate,-1,-
 1;FuelTypes FuelTypes true true false 15 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,FuelTypes,-1,-1;AirframeRepair
 AirframeRepair true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,AirframeRepair,-1,-
 1;PowerPlantRepair PowerPlantRepair true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,PowerPlantRepair,-1,-
 1;BottledOxygenType BottledOxygenType true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,BottledOxygenType,-1,-
 1;BulkOxygenType BulkOxygenType true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,BulkOxygenType,-1,-
 1;LightingSchedule LightingSchedule true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,LightingSchedule,-1,-1;ATCT ATCT
 true true false 10 Text 0 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,ATCT,-1,-
 1;UNICOMFrequencies UNICOMFrequencies true true false 4 Float 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,UNICOMFrequencies,-1,-
 1;CTAFFrequency CTAFFrequency true true false 4 Float 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,CTAFFrequency,-1,-
 1;SegmentedCircle SegmentedCircle true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,SegmentedCircle,-1,-
 1;BeaconColor BeaconColor true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,BeaconColor,-1,-
 1;NonCommercialLandingFee NonCommercialLandingFee true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,NonCommercialLandingFee,-1,-
 1;MedicalUse MedicalUse true true false 10 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,MedicalUse,-1,-1;SingleEngineGA
 SingleEngineGA true true false 20 Text 0
 0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,SingleEngineGA,-1,-
 1;MultiEngineGA MultiEngineGA true true false 20 Text 0


```

0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,MultiEngineGA,-1,-1;JetEngineGA
JetEngineGA true true false 20 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,JetEngineGA,-1,-1;HelicoptersGA
HelicoptersGA true true false 20 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,HelicoptersGA,-1,-
1;GlidersOperational GlidersOperational true true false 20 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,GlidersOperational,-1,-
1;MilitaryOperational MilitaryOperational true true false 20 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,MilitaryOperational,-1,-
1;Ultralights Ultralights true true false 20 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,Ultralights,-1,-
1;OperationsCommercial OperationsCommercial true true false 4 Long 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,OperationsCommercial,-1,-
1;OperationsCommuter OperationsCommuter true true false 20 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,OperationsCommuter,-1,-
1;OperationsAirTaxi OperationsAirTaxi true true false 4 Long 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,OperationsAirTaxi,-1,-
1;OperationsGALocal OperationsGALocal true true false 4 Long 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,OperationsGALocal,-1,-
1;OperationsGAItin OperationsGAItin true true false 4 Long 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,OperationsGAItin,-1,-
1;OperationsMilitary OperationsMilitary true true false 4 Long 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,OperationsMilitary,-1,-
1;OperationsDate OperationsDate true true false 8 Date 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,OperationsDate,-1,-
1;AirportPositionSource AirportPositionSource true true false 16 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,AirportPositionSource,-1,-
1;AirportPositionSourceDate AirportPositionSourceDate true true false 4 Long 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,AirportPositionSourceDate,-1,-
1;AirportElevationSource AirportElevationSource true true false 16 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,AirportElevationSource,-1,-
1;AirportElevationSourceDate AirportElevationSourceDate true true false 4 Long 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,AirportElevationSourceDate,-1,-
1;ContractFuelAvailable ContractFuelAvailable true true false 20 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,ContractFuelAvailable,-1,-
1;TransientStorage TransientStorage true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,TransientStorage,-1,-
1;OtherServices OtherServices true true false 47 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,OtherServices,-1,-1;WindIndicator
WindIndicator true true false 10 Text 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,WindIndicator,-1,-1;Distance
Distance true true false 8 Double 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,Distance,-1,-1;Shape_Length
Shape_Length false true true 8 Double 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,Shape_Length,-1,-1;Shape_Area
Shape_Area false true true 8 Double 0
0 ,First,#,D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airports_FAA,Shape_Area,-1,-1" #
D:\BILL\ArcMap_MapBooks\GIS_Transportation\DOT_Airport.gdb\Airport2

```

Process:

```

*Date: 20100817
*Time: 115530
*Tool location: C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\CopyFeatures
*Command issued: CopyFeatures T:\AnalysisProjects\GeoDatabases\GIS_Transportation\DOT_Airport.gdb\Airport_FAA
S:\GIS-Contractor\AChamberlain\GIS\PROJECTS\ESRI_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA # 0 0 0

```

Process:

```

*Date: 20101004
*Time: 110856
*Tool location: C:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToFeatureClass
*Command issued: FeatureClassToFeatureClass
C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA "S:\GIS-TechShare\SDVProject_Data\SDV
Priority 2 Data\49Airports\NCDOT_Airports.gdb" NCDOT_Airports # "Description 'Description' true true false 60 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,Description,-1,-1;SiteNumber
'SiteNumber' true true false 11 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,SiteNumber,-1,-1;Type 'Type'
true true false 18 Text 0 0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,Type,-
1,-1;LocationID 'LocationID' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,LocationID,-1,-1;EffectiveDate
'EffectiveDate' true true false 8 Date 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,EffectiveDate,-1,-1;Region
'Region' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,Region,-1,-1;DistrictOffice
'DistrictOffice' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,DistrictOffice,-1,-1;State 'State'
true true false 10 Text 0 0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,State,-
1,-1;StateName 'StateName' true true false 14 Text 0

```



```

1;AlternateFSSID 'AlternateFSSID' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,AlternateFSSID,-1,-
1;AlternateFSSName 'AlternateFSSName' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,AlternateFSSName,-1,-
1;AlternateFSS TollFreeNumber 'AlternateFSS TollFreeNumber' true true false 14 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,AlternateFSS TollFreeNumber,-
1,-1;NOTAMFacilityID 'NOTAMFacilityID' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,NOTAMFacilityID,-1,-
1;NOTAMService 'NOTAMService' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,NOTAMService,-1,-
1;ActivationDate 'ActivationDate' true true false 8 Date 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,ActivationDate,-1,-
1;AirportStatusCode 'AirportStatusCode' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,AirportStatusCode,-1,-
1;CertificationTypeDate 'CertificationTypeDate' true true false 13 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,CertificationTypeDate,-1,-
1;FederalAgreements 'FederalAgreements' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,FederalAgreements,-1,-
1;AirspaceDetermination 'AirspaceDetermination' true true false 13 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,AirspaceDetermination,-1,-
1;CustomsAirportOfEntry 'CustomsAirportOfEntry' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,CustomsAirportOfEntry,-1,-
1;CustomsLandingRights 'CustomsLandingRights' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,CustomsLandingRights,-1,-
1;MilitaryJointUse 'MilitaryJointUse' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,MilitaryJointUse,-1,-
1;MilitaryLandingRights 'MilitaryLandingRights' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,MilitaryLandingRights,-1,-
1;NationalEmergencyStatus 'NationalEmergencyStatus' true true false 20 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,NationalEmergencyStatus,-1,-
1;NationalEmergencyInterest 'NationalEmergencyInterest' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,NationalEmergencyInterest,-1,-
1;InspectionMethod 'InspectionMethod' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,InspectionMethod,-1,-
1;InspectionGroup 'InspectionGroup' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,InspectionGroup,-1,-
1;LastInspectionDate 'LastInspectionDate' true true false 4 Long 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,LastInspectionDate,-1,-
1;LastOwnerInformationDate 'LastOwnerInformationDate' true true false 4 Long 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,LastOwnerInformationDate,-1,-
1;FuelTypes 'FuelTypes' true true false 15 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,FuelTypes,-1,-1;AirframeRepair
'AirframeRepair' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,AirframeRepair,-1,-
1;PowerPlantRepair 'PowerPlantRepair' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,PowerPlantRepair,-1,-
1;BottledOxygenType 'BottledOxygenType' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,BottledOxygenType,-1,-
1;BulkOxygenType 'BulkOxygenType' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,BulkOxygenType,-1,-
1;LightingSchedule 'LightingSchedule' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,LightingSchedule,-1,-1;ATCT
'ATCT' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,ATCT,-1,-1;UNICOMFrequencies
'UNICOMFrequencies' true true false 4 Float 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,UNICOMFrequencies,-1,-
1;CTAFFrequency 'CTAFFrequency' true true false 4 Float 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,CTAFFrequency,-1,-
1;SegmentedCircle 'SegmentedCircle' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,SegmentedCircle,-1,-
1;BeaconColor 'BeaconColor' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,BeaconColor,-1,-
1;NonCommercialLandingFee 'NonCommercialLandingFee' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,NonCommercialLandingFee,-1,-
1;MedicalUse 'MedicalUse' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,MedicalUse,-1,-
1;SingleEngineGA 'SingleEngineGA' true true false 20 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,SingleEngineGA,-1,-
1;MultiEngineGA 'MultiEngineGA' true true false 20 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,MultiEngineGA,-1,-
1;JetEngineGA 'JetEngineGA' true true false 20 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,JetEngineGA,-1,-
1;HelicoptersGA 'HelicoptersGA' true true false 20 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,HelicoptersGA,-1,-
1;GlidersOperational 'GlidersOperational' true true false 20 Text 0
0 ,First,#,C:\GIS\PROJECTS\Esri_Basemap_Proposal\Esri_Basemap_Data.mdb\Airport_FAA,GlidersOperational,-1,-
1;MilitaryOperational 'MilitaryOperational' true true false 20 Text 0

```

```

0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,MilitaryOperational,-1,-
1;Ultralights 'Ultralights' true true false 20 Text 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,Ultralights,-1,-
1;OperationsCommercial 'OperationsCommercial' true true false 4 Long 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,OperationsCommercial,-1,-
1;OperationsCommuter 'OperationsCommuter' true true false 20 Text 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,OperationsCommuter,-1,-
1;OperationsAirTaxi 'OperationsAirTaxi' true true false 4 Long 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,OperationsAirTaxi,-1,-
1;OperationsGALocal 'OperationsGALocal' true true false 4 Long 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,OperationsGALocal,-1,-
1;OperationsGAIitin 'OperationsGAIitin' true true false 4 Long 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,OperationsGAIitin,-1,-
1;OperationsMilitary 'OperationsMilitary' true true false 4 Long 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,OperationsMilitary,-1,-
1;OperationsDate 'OperationsDate' true true false 8 Date 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,OperationsDate,-1,-
1;AirportPositionSource 'AirportPositionSource' true true false 16 Text 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,AirportPositionSource,-1,-
1;AirportPositionSourceDate 'AirportPositionSourceDate' true true false 4 Long 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,AirportPositionSourceDate,-1,-
1;AirportElevationSource 'AirportElevationSource' true true false 16 Text 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,AirportElevationSource,-1,-
1;AirportElevationSourceDate 'AirportElevationSourceDate' true true false 4 Long 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,AirportElevationSourceDate,-1,-
1;ContractFuelAvailable 'ContractFuelAvailable' true true false 20 Text 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,ContractFuelAvailable,-1,-
1;TransientStorage 'TransientStorage' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,TransientStorage,-1,-
1;OtherServices 'OtherServices' true true false 47 Text 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,OtherServices,-1,-
1;WindIndicator 'WindIndicator' true true false 10 Text 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,WindIndicator,-1,-1;Distance
'Distance' true true false 8 Double 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,Distance,-1,-1;Shape_Length
'Shape_Length' false true true 8 Double 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,Shape_Length,-1,-
1;Shape_Area 'Shape_Area' false true true 8 Double 0
0 ,First,#,C:\GIS\PROJECTS\Escri_Basemap_Proposal\Escri_Basemap_Data.mdb\Airport_FAA,Shape_Area,-1,-1" # "S:\GIS-
TechShare\SDVProject_Data\SDV Priority 2 Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports"

```

Process:

```

*Date: 20101022
*Time: 104035
*Tool location: D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToFeatureClass
*Command issued: FeatureClassToFeatureClass "S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY" "Database Connections\sdv_public@tccdt26.sde"
AIRPORT_POLYGON # "Description 'Description' true true false 60 Text 0 0 ,First,#,S:\GIS-
TechShare\SDVProject_Data\SDV Priority 2 Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,Description,-1,-
1;SiteNumber 'SiteNumber' true true false 11 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,SiteNumber,-1,-1;Type 'Type' true true false 18 Text 0
0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,Type,-1,-1;LocationID 'LocationID' true true false 10 Text 0
0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,LocationID,-1,-1;EffectiveDate 'EffectiveDate' true true false 8
Date 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,EffectiveDate,-1,-1;Region 'Region' true true false 10 Text 0
0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,Region,-1,-1;DistrictOffice 'DistrictOffice' true true false 10
Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,DistrictOffice,-1,-1;State 'State' true true false 10 Text 0
0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,State,-1,-1;StateName 'StateName' true true false 14 Text 0
0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,StateName,-1,-1;County 'County' true true false 12 Text 0
0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,County,-1,-1;CountyState 'CountyState' true true false 10
Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,CountyState,-1,-1;City 'City' true true false 24 Text 0
0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,City,-1,-1;FacilityName 'FacilityName' true true false 39 Text 0
0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,FacilityName,-1,-1;Ownership 'Ownership' true true false 10
Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,Ownership,-1,-1;Use 'Use' true true false 10 Text 0
0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,Use,-1,-1;Owner 'Owner' true true false 35 Text 0

```


0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,Owner,-1,-1;OwnerAddress 'OwnerAddress' true true false 39
Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,OwnerAddress,-1,-1;OwnerCSZ 'OwnerCSZ' true true false 29
Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,OwnerCSZ,-1,-1;OwnerPhone 'OwnerPhone' true true false 16
Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,OwnerPhone,-1,-1;Manager 'Manager' true true false 32 Text 0
0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,Manager,-1,-1;ManagerAddress 'ManagerAddress' true true
false 52 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,ManagerAddress,-1,-1;ManagerCSZ 'ManagerCSZ' true true
false 29 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,ManagerCSZ,-1,-1;ManagerPhone 'ManagerPhone' true true
false 16 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,ManagerPhone,-1,-1;Latitude 'Latitude' true true false 16 Text
0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,Latitude,-1,-1;ARPLatitudeS 'ARPLatitudeS' true true false 12
Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,ARPLatitudeS,-1,-1;Longitude 'Longitude' true true false 16
Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,Longitude,-1,-1;ARPLongitudeS 'ARPLongitudeS' true true
false 12 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,ARPLongitudeS,-1,-1;ARPMMethod 'ARPMMethod' true true false
10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,ARPMMethod,-1,-1;ARPElevation 'ARPElevation' true true false
20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,ARPElevation,-1,-1;ARPElevationMethod 'ARPElevationMethod'
true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,ARPElevationMethod,-1,-1;MagneticVariation
'MagneticVariation' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,MagneticVariation,-1,-1;MagneticVariationYear
'MagneticVariationYear' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,MagneticVariationYear,-1,-1;TrafficPatternAltitude
'TrafficPatternAltitude' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,TrafficPatternAltitude,-1,-1;ChartName 'ChartName' true true
false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,ChartName,-1,-1;DistanceFromCBD 'DistanceFromCBD' true
true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,DistanceFromCBD,-1,-1;DirectionFromCBD 'DirectionFromCBD'
true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,DirectionFromCBD,-1,-1;LandAreaCoveredByAirport
'LandAreaCoveredByAirport' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,LandAreaCoveredByAirport,-1,-1;BoundaryARTCCID
'BoundaryARTCCID' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,BoundaryARTCCID,-1,-1;BoundaryARTCCComputerID
'BoundaryARTCCComputerID' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,BoundaryARTCCComputerID,-1,-1;BoundaryARTCCName
'BoundaryARTCCName' true true false 12 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,BoundaryARTCCName,-1,-1;ResponsibleARTCCID
'ResponsibleARTCCID' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,ResponsibleARTCCID,-1,-1;ResponsibleARTCCComputerID
'ResponsibleARTCCComputerID' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,ResponsibleARTCCComputerID,-1,-1;ResponsibleARTCCName
'ResponsibleARTCCName' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,ResponsibleARTCCName,-1,-1;TieInFSS 'TieInFSS' true true
false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,TieInFSS,-1,-1;TieInFSSID 'TieInFSSID' true true false 10 Text
0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,TieInFSSID,-1,-1;TieInFSSName 'TieInFSSName' true true
false 17 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,TieInFSSName,-1,-1;AirportToFSSPhoneNumber
'AirportToFSSPhoneNumber' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,AirportToFSSPhoneNumber,-1,-1;TieInFSS TollFreeNumber
'TieInFSS TollFreeNumber' true true false 14 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,TieInFSS TollFreeNumber,-1,-1;AlternateFSSID
'AlternateFSSID' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,AlternateFSSID,-1,-1;AlternateFSSName 'AlternateFSSName'
true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,AlternateFSSName,-1,-1;AlternateFSS TollFreeNumber
'AlternateFSS TollFreeNumber' true true false 14 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,AlternateFSS TollFreeNumber,-1,-1;NOTAMFacilityID
'NOTAMFacilityID' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,NOTAMFacilityID,-1,-1;NOTAMService 'NOTAMService' true
true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,NOTAMService,-1,-1;ActiviationDate 'ActiviationDate' true true
false 8 Date 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,ActivationDate,-1,-1;AirportStatusCode 'AirportStatusCode' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,AirportStatusCode,-1,-1;CertificationTypeDate 'CertificationTypeDate' true true false 13 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,AirportStatusCode,-1,-1;FederalAgreements 'FederalAgreements' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,FederalAgreements,-1,-1;AirspaceDetermination 'AirspaceDetermination' true true false 13 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,AirspaceDetermination,-1,-1;CustomsAirportOfEntry 'CustomsAirportOfEntry' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,CustomsAirportOfEntry,-1,-1;CustomsLandingRights 'CustomsLandingRights' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,CustomsLandingRights,-1,-1;MilitaryJointUse 'MilitaryJointUse' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,MilitaryJointUse,-1,-1;MilitaryLandingRights 'MilitaryLandingRights' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,MilitaryLandingRights,-1,-1;NationalEmergencyStatus 'NationalEmergencyStatus' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,NationalEmergencyStatus,-1,-1;NationalEmergencyInterest 'NationalEmergencyInterest' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,NationalEmergencyInterest,-1,-1;InspectionMethod 'InspectionMethod' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,InspectionMethod,-1,-1;InspectionGroup 'InspectionGroup' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,InspectionGroup,-1,-1;LastInspectionDate 'LastInspectionDate' true true false 4 Long 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY>LastInspectionDate,-1,-1;LastOwnerInformationDate 'LastOwnerInformationDate' true true false 4 Long 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY>LastOwnerInformationDate,-1,-1;FuelTypes 'FuelTypes' true true false 15 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,FuelTypes,-1,-1;AirframeRepair 'AirframeRepair' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,AirframeRepair,-1,-1;PowerPlantRepair 'PowerPlantRepair' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,PowerPlantRepair,-1,-1;BottledOxygenType 'BottledOxygenType' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,BottledOxygenType,-1,-1;BulkOxygenType 'BulkOxygenType' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,BulkOxygenType,-1,-1;LightingSchedule 'LightingSchedule' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,LightingSchedule,-1,-1;ATCT 'ATCT' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,ATCT,-1,-1;UNICOMFrequencies 'UNICOMFrequencies' true true false 4 Float 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,UNICOMFrequencies,-1,-1;CTAFFrequency 'CTAFFrequency' true true false 4 Float 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,CTAFFrequency,-1,-1;SegmentedCircle 'SegmentedCircle' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,SegmentedCircle,-1,-1;BeaconColor 'BeaconColor' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,BeaconColor,-1,-1;NonCommercialLandingFee 'NonCommercialLandingFee' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,NonCommercialLandingFee,-1,-1;MedicalUse 'MedicalUse' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,MedicalUse,-1,-1;SingleEngineGA 'SingleEngineGA' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,SingleEngineGA,-1,-1;MultiEngineGA 'MultiEngineGA' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,MultiEngineGA,-1,-1;JetEngineGA 'JetEngineGA' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,JetEngineGA,-1,-1;HelicoptersGA 'HelicoptersGA' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,HelicoptersGA,-1,-1;GlidersOperational 'GlidersOperational' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,GlidersOperational,-1,-1;MilitaryOperational 'MilitaryOperational' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,MilitaryOperational,-1,-1;Ultralights 'Ultralights' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,Ultralights,-1,-1;OperationsCommercial 'OperationsCommercial' true true false 4 Long 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,OperationsCommercial,-1,-1;OperationsCommuter 'OperationsCommuter' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,OperationsCommuter,-1,-1;OperationsAirTaxi 'OperationsAirTaxi' true true false 4 Long 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,OperationsAirTaxi,-1,-1;OperationsGALocal 'OperationsGALocal' true true false 4 Long 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2

Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,OperationsGALocal,-1,-1;OperationsGAItin 'OperationsGAItin'

```

true true false 4 Long 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,OperationsGAItin,-1,-1;OperationsMilitary 'OperationsMilitary'
true true false 4 Long 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,OperationsMilitary,-1,-1;OperationsDate 'OperationsDate' true
true false 8 Date 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,OperationsDate,-1,-1;AirportPositionSource
'AirportPositionSource' true true false 16 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,AirportPositionSource,-1,-1;AirportPositionSourceDate
'AirportPositionSourceDate' true true false 4 Long 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,AirportPositionSourceDate,-1,-1;AirportElevationSource
'AirportElevationSource' true true false 16 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,AirportElevationSource,-1,-1;AirportElevationSourceDate
'AirportElevationSourceDate' true true false 4 Long 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,AirportElevationSourceDate,-1,-1;ContractFuelAvailable
'ContractFuelAvailable' true true false 20 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,ContractFuelAvailable,-1,-1;TransientStorage
'TransientStorage' true true false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,TransientStorage,-1,-1;OtherServices 'OtherServices' true true
false 47 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,OtherServices,-1,-1;WindIndicator 'WindIndicator' true true
false 10 Text 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,WindIndicator,-1,-1;Distance 'Distance' true true false 8
Double 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,Distance,-1,-1;Shape_Length 'Shape_Length' false true true 8
Double 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,Shape_Length,-1,-1;Shape_Area 'Shape_Area' false true true
8 Double 0 0 ,First,#,S:\GIS-TechShare\SDVProject_Data\SDV Priority 2
Data\49Airports\NCDOT_Airports.gdb\NCDOT_Airports_POLY,Shape_Area,-1,-1 # "Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON"

```

Process:

```

*Date: 20101026
*Time: 190613
*Tool location: D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Conversion Tools.tbx\FeatureClassToFeatureClass
*Command issued: FeatureClassToFeatureClass "Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON" "Database Connections\sdv_public@tccdq26.sde"
AIRPORT_POLYGON # "DESCRIPTION 'DESCRIPTION' true true false 60 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,DESCRIPTION,-1,-1;SITENUMBER 'SITENUMBER'
true true false 11 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,SITENUMBER,-1,-1;TYPE 'TYPE' true true false 18
Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,TYPE,-1,-1;LOCATIONID
'LOCATIONID' true true false 10 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,LOCATIONID,-1,-1;EFFECTIVEDATE
'EFFECTIVEDATE' true true false 36 Date 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,EFFECTIVEDATE,-1,-1;REGION 'REGION' true true
false 10 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,REGION,-1,-
1;DISTRICTOFFICE 'DISTRICTOFFICE' true true false 10 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,DISTRICTOFFICE,-1,-1;STATE 'STATE' true true
false 10 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,STATE,-1,-
1;STATENAME 'STATENAME' true true false 14 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,STATENAME,-1,-1;COUNTY 'COUNTY' true true false
12 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,COUNTY,-1,-
1;COUNTYSTATE 'COUNTYSTATE' true true false 10 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,COUNTYSTATE,-1,-1;CITY 'CITY' true true false 24
Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,CITY,-1,-
1;FACILITYNAME 'FACILITYNAME' true true false 39 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,FACILITYNAME,-1,-1;OWNERSHIP 'OWNERSHIP'
true true false 10 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,OWNERSHIP,-1,-1;USE 'USE' true true false 10 Text
0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,USE,-1,-1;OWNER 'OWNER'
true true false 35 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,OWNER,-1,-1;OWNERADDRESS 'OWNERADDRESS'
true true false 39 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,OWNERADDRESS,-1,-1;OWNERCSZ 'OWNERCSZ'
true true false 29 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,OWNERCSZ,-1,-1;OWNERPHONE 'OWNERPHONE'
true true false 16 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,OWNERPHONE,-1,-1;MANAGER 'MANAGER' true true
false 32 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,MANAGER,-1,-
1;MANAGERADDRESS 'MANAGERADDRESS' true true false 52 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,MANAGERADDRESS,-1,-1;MANAGERCSZ
'MANAGERCSZ' true true false 29 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,MANAGERCSZ,-1,-1;MANAGERPHONE
'MANAGERPHONE' true true false 16 Text 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,MANAGERPHONE,-1,-1;LATITUDE 'LATITUDE' true
true false 16 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,LATITUDE,-
1,-1;ARPLATITUDES 'ARPLATITUDES' true true false 12 Text 0 0 ,First,#,Database

```


Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,ARPLATTITUDES,-1,-1;LONGITUDE 'LONGITUDE' true true false 16 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,ARPLONGITUDES 'ARPLONGITUDES' true true false 12 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,ARPLONGITUDES,-1,-1;ARPMETHOD 'ARPMETHOD' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,ARPELEVATION 'ARPELEVATION' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,ARPELEVATION,-1,-1;ARPELEVATIONMETHOD 'ARPELEVATIONMETHOD' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,ARPELEVATIONMETHOD,-1,-1;MAGNETICVARIATION 'MAGNETICVARIATION' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,MAGNETICVARIATION,-1,-1;MAGNETICVARIATIONYEAR 'MAGNETICVARIATIONYEAR' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,MAGNETICVARIATIONYEAR,-1,-1;TRAFFICPATTERNALTITUDE 'TRAFFICPATTERNALTITUDE' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,TRAFFICPATTERNALTITUDE,-1,-1;CHARTNAME 'CHARTNAME' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,CHARTNAME,-1,-1;DISTANCEFROMCBD 'DISTANCEFROMCBD' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,DISTANCEFROMCBD,-1,-1;DIRECTIONFROMCBD 'DIRECTIONFROMCBD' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,DIRECTIONFROMCBD,-1,-1;LANDAREACOVEREDBYAIRPORT 'LANDAREACOVEREDBYAIRPORT' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,LANDAREACOVEREDBYAIRPORT,-1,-1;BOUNDARYARTCCID 'BOUNDARYARTCCID' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,BOUNDARYARTCCID,-1,-1;BOUNDARYARTCCCOMPUTERID 'BOUNDARYARTCCCOMPUTERID' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,BOUNDARYARTCCCOMPUTERID,-1,-1;BOUNDARYARTCCNAME 'BOUNDARYARTCCNAME' true true false 12 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,BOUNDARYARTCCNAME,-1,-1;RESPONSIBLEARTCCID 'RESPONSIBLEARTCCID' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,RESPONSIBLEARTCCID,-1,-1;RESPONSIBLEARTCCCOMPUTERID 'RESPONSIBLEARTCCCOMPUTERID' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,RESPONSIBLEARTCCCOMPUTERID,-1,-1;RESPONSIBLEARTCCNAME 'RESPONSIBLEARTCCNAME' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,RESPONSIBLEARTCCNAME,-1,-1;TIEINFSS 'TIEINFSS' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,TIEINFSS,-1,-1;TIEINFSSID 'TIEINFSSID' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,TIEINFSSID,-1,-1;TIEINFSSNAME 'TIEINFSSNAME' true true false 17 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,TIEINFSSNAME,-1,-1;AIRPORTTOFSSPHONENUMBER 'AIRPORTTOFSSPHONENUMBER' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,AIRPORTTOFSSPHONENUMBER,-1,-1;TIEINFSSSTOLLFREENUMBER 'TIEINFSSSTOLLFREENUMBER' true true false 14 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,TIEINFSSSTOLLFREENUMBER,-1,-1;ALTERNATEFSSID 'ALTERNATEFSSID' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,ALTERNATEFSSID,-1,-1;ALTERNATEFSSNAME 'ALTERNATEFSSNAME' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,ALTERNATEFSSNAME,-1,-1;ALTERNATEFSSSTOLLFREENUMBER 'ALTERNATEFSSSTOLLFREENUMBER' true true false 14 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,ALTERNATEFSSSTOLLFREENUMBER,-1,-1;NOTAMFACILITYID 'NOTAMFACILITYID' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,NOTAMFACILITYID,-1,-1;NOTAMSERVICE 'NOTAMSERVICE' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,NOTAMSERVICE,-1,-1;ACTIVIATIONDATE 'ACTIVIATIONDATE' true true false 36 Date 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,ACTIVIATIONDATE,-1,-1;AIRPORTSTATUSCODE 'AIRPORTSTATUSCODE' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,AIRPORTSTATUSCODE,-1,-1;CERTIFICATIONYPEDATE 'CERTIFICATIONYPEDATE' true true false 13 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,CERTIFICATIONYPEDATE,-1,-1;FEDERALAGREEMENTS 'FEDERALAGREEMENTS' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,FEDERALAGREEMENTS,-1,-1;AIRSPACEDETERMINATION 'AIRSPACEDETERMINATION' true true false 13 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,AIRSPACEDETERMINATION,-1,-1;CUSTOMSAIRPORTOFENTRY 'CUSTOMSAIRPORTOFENTRY' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,CUSTOMSAIRPORTOFENTRY,-1,-1;CUSTOMSLANDINGRIGHTS 'CUSTOMSLANDINGRIGHTS' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,CUSTOMSLANDINGRIGHTS,-1,-1;MILITARYJOINTUSE 'MILITARYJOINTUSE' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,MILITARYJOINTUSE,-1,-1;MILITARYLANDINGRIGHTS 'MILITARYLANDINGRIGHTS' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,MILITARYLANDINGRIGHTS,-1,-1;NATIONALEMERGENCYSTATUS 'NATIONALEMERGENCYSTATUS' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,NATIONALEMERGENCYSTATUS,-1,-1;NATIONALEMERGENCYINTEREST 'NATIONALEMERGENCYINTEREST' true true false 10 Text 0 0 ,First,#,Database

Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,NATIONALEMERGENCYINTEREST,-1,-
 1;INSPECTIONMETHOD 'INSPECTIONMETHOD' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,INSPECTIONMETHOD,-1,-1;INSPECTIONGROUP
 'INSPECTIONGROUP' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,INSPECTIONGROUP,-1,-1;LASTINSPECTIONDATE
 'LASTINSPECTIONDATE' true true false 4 Long 0 10 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,LASTINSPECTIONDATE,-1,-
 1;LASTOWNERINFORMATIONDATE 'LASTOWNERINFORMATIONDATE' true true false 4 Long 0 10 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,LASTOWNERINFORMATIONDATE,-1,-1;FUELTYPES
 'FUELTYPES' true true false 15 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,FUELTYPES,-1,-1;AIRFRAMEREPAIR
 'AIRFRAMEREPAIR' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,AIRFRAMEREPAIR,-1,-1;POWERPLANTREPAIR
 'POWERPLANTREPAIR' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,POWERPLANTREPAIR,-1,-1;BOTTLEDOXYGENTYPE
 'BOTTLEDOXYGENTYPE' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,BOTTLEDOXYGENTYPE,-1,-1;BULKOXYGENTYPE
 'BULKOXYGENTYPE' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,BULKOXYGENTYPE,-1,-1;LIGHTINGSCHEDULE
 'LIGHTINGSCHEDULE' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,LIGHTINGSCHEDULE,-1,-1;ATCT 'ATCT' true true
 false 10 Text 0 0 ,First,#,Database Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,ATCT,-1,-
 1;UNICOMFREQUENCIES 'UNICOMFREQUENCIES' true true false 8 Double 8 38 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,UNICOMFREQUENCIES,-1,-1;CTAFFREQUENCY
 'CTAFFREQUENCY' true true false 8 Double 8 38 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,CTAFFREQUENCY,-1,-1;SEGMENTEDCIRCLE
 'SEGMENTEDCIRCLE' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,SEGMENTEDCIRCLE,-1,-1;BEACONCOLOR
 'BEACONCOLOR' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,BEACONCOLOR,-1,-
 1;NONCOMMERCIALLANDINGFEE 'NONCOMMERCIALLANDINGFEE' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,NONCOMMERCIALLANDINGFEE,-1,-1;MEDICALUSE
 'MEDICALUSE' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,MEDICALUSE,-1,-1;SINGLEENGINEGA
 'SINGLEENGINEGA' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,SINGLEENGINEGA,-1,-1;MULTIENGINEGA
 'MULTIENGINEGA' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,MULTIENGINEGA,-1,-1;JETENGINEGA
 'JETENGINEGA' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,JETENGINEGA,-1,-1;HELICOPTERSGA
 'HELICOPTERSGA' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,HELICOPTERSGA,-1,-1;GLIDERSOPERATIONAL
 'GLIDERSOPERATIONAL' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,GLIDERSOPERATIONAL,-1,-
 1;MILITARYOPERATIONAL 'MILITARYOPERATIONAL' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,MILITARYOPERATIONAL,-1,-1;ULTRALIGHTS
 'ULTRALIGHTS' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,ULTRALIGHTS,-1,-1;OPERATIONSCOMMERCIAL
 'OPERATIONSCOMMERCIAL' true true false 4 Long 0 10 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,OPERATIONSCOMMERCIAL,-1,-
 1;OPERATIONSCOMMUTER 'OPERATIONSCOMMUTER' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,OPERATIONSCOMMUTER,-1,-
 1;OPERATIONS AIR TAXI 'OPERATIONS AIR TAXI' true true false 4 Long 0 10 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,OPERATIONS AIR TAXI,-1,-1;OPERATIONSGALOCAL
 'OPERATIONSGALOCAL' true true false 4 Long 0 10 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,OPERATIONSGALOCAL,-1,-1;OPERATIONSGAITIN
 'OPERATIONSGAITIN' true true false 4 Long 0 10 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,OPERATIONSGAITIN,-1,-1;OPERATIONSMILITARY
 'OPERATIONSMILITARY' true true false 4 Long 0 10 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,OPERATIONSMILITARY,-1,-1;OPERATIONS DATE
 'OPERATIONS DATE' true true false 36 Date 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,OPERATIONS DATE,-1,-1;AIRPORTPOSITIONSOURCE
 'AIRPORTPOSITIONSOURCE' true true false 16 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,AIRPORTPOSITIONSOURCE,-1,-
 1;AIRPORTPOSITIONSOURCE DATE 'AIRPORTPOSITIONSOURCE DATE' true true false 4 Long 0 10 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,AIRPORTPOSITIONSOURCE DATE,-1,-
 1;AIRPORTELEVATIONSOURCE 'AIRPORTELEVATIONSOURCE' true true false 16 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,AIRPORTELEVATIONSOURCE,-1,-
 1;AIRPORTELEVATIONSOURCE DATE 'AIRPORTELEVATIONSOURCE DATE' true true false 4 Long 0 10 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,AIRPORTELEVATIONSOURCE DATE,-1,-
 1;CONTRACTFUELAVAILABLE 'CONTRACTFUELAVAILABLE' true true false 20 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,CONTRACTFUELAVAILABLE,-1,-
 1;TRANSIENTSTORAGE 'TRANSIENTSTORAGE' true true false 10 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,TRANSIENTSTORAGE,-1,-1;OTHERSERVICES
 'OTHERSERVICES' true true false 47 Text 0 0 ,First,#,Database
 Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,OTHERSERVICES,-1,-1;WINDINDICATOR
 'WINDINDICATOR' true true false 10 Text 0 0 ,First,#,Database


```
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,WINDINDICATOR,-1,-1;DISTANCE 'DISTANCE' true
true false 8 Double 8 38 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,DISTANCE,-1,-1;SHAPE_AREA 'SHAPE_AREA' false
false true 0 Double 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,SHAPE.AREA,-1,-1;SHAPE_LEN 'SHAPE_LEN' false
false true 0 Double 0 0 ,First,#,Database
Connections\sdv_public@tccdt26.sde\SDV_PUBLIC.AIRPORT_POLYGON,SHAPE.LEN,-1,-1" # "Database
Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.AIRPORT_POLYGON"
```

Process:

```
*Date: 20101026
*Time: 190618
*Tool location: D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\ChangePrivileges
*Command issued: ChangePrivileges "Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.AIRPORT_POLYGON"
SDV_PUBLIC_READER GRANT AS_IS "Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.AIRPORT_POLYGON"
```

Process:

```
*Date: 20101026
*Time: 190624
*Tool location: D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\Analyze
*Command issued: Analyze "Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.AIRPORT_POLYGON" BUSINESS
"Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.AIRPORT_POLYGON"
```

Process:

```
*Date: 20101026
*Time: 190629
*Tool location: D:\Program Files\ArcGIS\ArcToolbox\Toolboxes\Data Management Tools.tbx\Analyze
*Command issued: Analyze "Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.AIRPORT_POLYGON" FEATURE
"Database Connections\sdv_public@tccdq26.sde\SDV_PUBLIC.AIRPORT_POLYGON"
```

[Back to Top](#)