Attachment 1:

CAMA Major Permit Application Forms

APPLICATION for Major Development Permit

1. Primary Applicant/ Landowner Information

N.C. Department Of Transportation/N.C. Turnpike Authority

MI

Α



(last revised 12/27/06)

Business Name

Patrick

Applicant 1: First Name

North Carolina DIVISION OF COASTAL MANAGEMENT

Project Name (if applicable)

Mid-Currituck Bridge

Last Name

Norman

Applicant 2: First Name		MI	Last Name			
If additional applicants, pleas	se attach an additional pag	e(s) with names	listed.			
Mailing Address 1578 Mail Service Center	r		PO Box City Raleigh		State NC	
ZIP 27966- 1578	Country USA	Phone No. 919 - 707			FAX No.	-
Street Address (if different fr 1 South Wilmington Street			City Raleigh	State NC	ZIP 2769	9 1578
Email pnorman@ncdot.gov						
2. Agent/Contracto	or Information					
Business Name N/A						
Agent/ Contractor 1: First N	ame	MI	Last Name			
Agent/ Contractor 2: First N	ame	MI	Last Name			
Mailing Address			РО Вох	City		State
ZIP		Phone No. 1	- ext.	Phone	No. 2	ext.
FAX No.		Contractor #		•		
Street Address (if different fr	rom above)		City State		ZIP	-
Email			•	•	1	

<Form continues on back>

3. Project Location						
County (can be multiple) Currituck Dare	Street Address New location bridg South of Corolla		Currituck Sound from Ayo	llett to	State Rd. # N/A	
Subdivision Name N/A		City Currituck Sound from Aydlett to South of Corolla		State NC	Zip N/A -	
Phone No. N/A ext.			Lot No.(s) (if many, attach N/A, , ,	additional pa	age with list)	
In which NC river basin is the project Pasquotank	t located?		b. Name of body of water Currituck Sound	nearest to pr	oposed project	
c. Is the water body identified in (b) abo ⊠Natural □Manmade □Unknow		ade?	d. Name the closest major Currituck Sound	water body	to the proposed project site.	
e. Is proposed work within city limits or planning jurisdiction? ⊠Yes □No f. If applicable, list the plan work falls within. Currituck County		nning jurisdic	tion or city limit the proposed			
4. Site Description						
a. Total length of shoreline on the tract +/-230' west side, +/-300' east s	` '		b. Size of entire tract (sq.fl	t.)		
c. Size of individual lot(s) NA, , (If many lot sizes, please attach add	itional page with a list))	d. Approximate elevation of tract above NHW (normal high water) or NWL (normal water level) 0'-15' □NHW or ⊠NWL			
e. Vegetation on tract Grasses, estuarine vegeation, v	vetland vegetation, a	agricultur	al species, forest (non-we	tland) vege	tation.	
f. Man-made features and uses now on tract Agricultural fields, single-family residences and lots, roads and associated infrastruture.						
g. Identify and describe the existing land uses <u>adjacent</u> to the proposed project site. Agricultural land near US 158 interchange, swamp forest (Maple Swamp), single-family residences, open waters.						
h. How does local government zone the tract? Conservation, Limited Service Area (preferred for low density development), Full Service Area (preferred for Community Centers) - Source Currituck County Land Use Plan,			Is the proposed project consistent with the applicable zoning? (Attach zoning compliance certificate, if applicable) ☐Yes ☐No ☐NA			
j. Is the proposed activity part of an urb	an waterfront redevel	opment pro	posal?			
k. Has a professional archaeological as	ssessment been done	for the tra	ct? If yes, attach a copy.	ct? If yes, attach a copy. ⊠Yes □No □NA		
If yes, by whom?				Archaeol detailed i	ogical survey information in FEIS.	

I. Is the proposed project located in a National Registered Historic District or does it involve a National Register listed or eligible property?	□Yes ⊠No □NA
<form continues="" next="" on="" page=""></form>	
m. (i) Are there wetlands on the site?	⊠Yes □No
(ii) Are there coastal wetlands on the site?	⊠Yes □No
(iii) If yes to either (i) or (ii) above, has a delineation been conducted? (Attach documentation, if available)	⊠Yes □No
n. Describe existing wastewater treatment facilities. N/A	
Describe existing drinking water supply source. N/A	
p. Describe existing storm water management or treatment systems. N/A	
5. Activities and Impacts	
a. Will the project be for commercial, public, or private use?	□Commercial ☑Public/Government □Private/Community
 b. Give a brief description of purpose, use, and daily operations of the project when complete. Public toll bridge crossing Currituck Sound to allow for more efficient traffic flow to a Currituck County and nothern Dare County. 	and from the Outer Bank's portion of
c. Describe the proposed construction methodology, types of construction equipment to be used of equipment and where it is to be stored.	d during construction, the number of each type
Proposed construction will utilize temporary work bridges, barges and staging areas include cranes, bulldozers, dump trucks, motor graders, tugs, etc	s. Typical construction equipment will
d. List all development activities you propose.	
This project proposes to construct a new bridge on a new alignment across Curritud 12 south of Corolla. The project would involve +/- 4.6-mile bridge across the Curritud Maple Swamp. The bridge over the Currituck Sound would have minimum navigation bridges and barges would be utilized to accomplish the construction of the bridge, e channels. There would also be localized improvements to US 158 and NC 12 to ad project.	ck Sound, with additional bridging over onal clearance of 20 feet. Temporary work eliminating the need to dredge work
e. Are the proposed activities maintenance of an existing project, new work, or both?	New
f. What is the approximate total disturbed land area resulting from the proposed project?	The area for disturbed land for the project is approximately 100 acres. This includes all areas except the
	open water in Currituck Sound □Sq.Ft or ⊠Acres

h. Describe location and type of existing and proposed discharges to waters of the state.	
An on-site stormwater plan was developed by NCDOT after input from the regulat Water Resources) and finalized on February 17, 2021. Overall, this plan utilizes we practical to treat the newly built upon area. The proposed bridges will have deck of scuppers places on 12-foot centers. Permeable pavement will be used at the park facility and at the Toll Collection Building. Infiltration basins will be installed at specinstalled at the beginning and ending of the Bridge.	vetland swales to the maximum extent drains installed in the form of 6-inch king lot for the Proposed Toll Maintenance
i. Will wastewater or stormwater be discharged into a wetland?	⊠Yes □No □NA
If yes, will this discharged water be of the same salinity as the receiving water?	□Yes ⊠No □NA
j. Is there any mitigation proposed?	⊠Yes □No □NA
If yes, attach a mitigation proposal.	
<form back="" continues="" on=""></form>	
6. Additional Information	
In addition to this completed application form, (MP-1) the following items below, if applicable, package to be complete. Items (a) $-$ (f) are always applicable to any major development appliant instruction booklet on how to properly prepare the required items below.	
a. A project narrative.	
b. An accurate, dated work plat (including plan view and cross-sectional drawings) drawn to s proposed project. Is any portion already complete? If previously authorized work, clearly i between work completed and proposed.	
c. A site or location map that is sufficiently detailed to guide agency personnel unfamiliar with	the area to the site.
d. A copy of the deed (with state application only) or other instrument under which the application	ant claims title to the affected properties.
e. The appropriate application fee. Check or money order made payable to DENR.	
f. A list of the names and complete addresses of the adjacent waterfront (riparian) landowner owners have received a copy of the application and plats by certified mail. Such landowne which to submit comments on the proposed project to the Division of Coastal Management	ers must be advised that they have 30 days in
Name See attached sheet	Phone No.
Address	
Name See attached sheet	Phone No.
Address	
Name See attached sheet	Phone No.
Address	
Addition	
g. A list of previous state or federal permits issued for work on the project tract. Include perm	nit numbers, permittee, and issuing dates.
N/A	
-	_
<u> </u>	
h. Signed consultant or agent authorization form, if applicable.	
i. Wetland delineation, if necessary.	
j. A signed AEC hazard notice for projects in oceanfront and inlet areas. (Must be signed by	property owner)
k. A statement of compliance with the N.C. Environmental Policy Act (N.C.G.S. 113A 1-10), if	

7. Certification and Permission to Enter on Land

I understand that any permit issued in response to this application will allow only the development described in the application. The project will be subject to the conditions and restrictions contained in the permit.

enter on the aforementioned la monitoring of the project.	ands in connection with evalua	nission to representatives of state and federal review agencies to ating information related to this permit application and follow-up
I further certify that the informat	tion provided in this application	is truthful to the best of my knowledge.
Date	Print Name	
	Signature	
Please indicate application atta ⊠DCM MP-2 Excavation and □DCM MP-3 Upland Develop □DCM MP-4 Structures Inform	Fill Information	posed project. ⊠DCM MP-5 Bridges and Culverts

Form DCM MP-2

EXCAVATION and FILL

(Except for bridges and culverts)

Attach this form to Joint Application for CAMA Major Permit, Form DCM MP-1. Be sure to complete all other sections of the Joint Application that relate to this proposed project. Please include all supplemental information.

Describe below the purpose of proposed excavation and/or fill activities. All values should be given in feet.

	Access Channel (NLW or NWL)	Canal	Boat Basin	Boat Ramp	Rock Groin	Rock Breakwater	Other (excluding shoreline stabilization)
Length							
Width							
Avg. Existing Depth					NA	NA	
Final Project Depth					NA	NA	

XCAVATION		⊠This section not applicable
mount of material to be excavated from below NHW or NWL in ubic yards.	b.	Type of material to be excavated.
Does the area to be excavated include coastal wetlands/marsh (CW), submerged aquatic vegetation (SAV), shell bottom (SB), or other wetlands (WL)? If any boxes are checked, provide the number of square feet affected. CW	d.	High-ground excavation in cubic yards.
□WL □None) Describe the purpose of the excavation in these areas:		
ISPOSAL OF EXCAVATED MATERIAL		⊠This section not applicable
ISPOSAL OF EXCAVATED MATERIAL ocation of disposal area.	b.	☐ This section not applicable Dimensions of disposal area.
ocation of disposal area. Do you claim title to disposal area? Yes \Boxed{NO} \Boxed{NA}	b.	Dimensions of disposal area. (i) Will a disposal area be available for future maintenance? ☐Yes ☐No ☐NA
ocation of disposal area. Do you claim title to disposal area?		Dimensions of disposal area. (i) Will a disposal area be available for future maintenance?
ocation of disposal area. Do you claim title to disposal area? Yes \Boxed{NO} \Boxed{NA}		Dimensions of disposal area. (i) Will a disposal area be available for future maintenance? ☐Yes ☐No ☐NA

3.	SHORELINE STABILIZATION (If development is a wood groin, use MP-4 – Structures)		☐This section not applicable
a.	Type of shoreline stabilization:	b.	Length: <u>+/-230'</u>
	☐Bulkhead ☐Riprap ☐Breakwater/Sill ☐Other:		Width: <u>+/-25' to 30'</u>
c.	Average distance waterward of NHW or NWL: 10'	d.	Maximum distance waterward of NHW or NWL: 10'
e.	Type of stabilization material:	f.	(i) Has there been shoreline erosion during preceding 12 months? ☐ Yes ☐ No ☐ NA
			(ii) If yes, state amount of erosion and source of erosion amount information.
g.	Number of square feet of fill to be placed below water level. Bulkhead backfill Riprap 2,300 Breakwater/Sill Other	h.	Type of fill material. Class VII riprap and fill material
i.	Source of fill material. Upland borrow sources and quarries		
4.	OTHER FILL ACTIVITIES (Excluding Shoreline Stabilization)		⊠This section not applicable
a.	(i) Will fill material be brought to the site?	b.	(i) Will fill material be placed in coastal wetlands/marsh (CW), submerged aquatic vegetation (SAV), shell bottom (SB), or other wetlands (WL)? If any boxes are checked, provide the number of square feet affected.
5.	GENERAL		
a.	How will excavated or fill material be kept on site and erosion controlled? Standard sedimentation and erosion control measures, as outlined in NCDOT Erosiona and Sedimentation Control Design and Construction Manual	b.	What type of construction equipment will be used (e.g., dragline, backhoe, or hydraulic dredge)? Typical construction equipment will include cranes, bulldozers, dump trucks, motor graders, tugs, etc
C.	 (i) Will navigational aids be required as a result of the project? ☐ Yes ☐ No ☐ NA (ii) If yes, explain what type and how they will be implemented. Project will adhere to all lighting and marking requirements of the U.S. Coast Guard. 	d.	(i) Will wetlands be crossed in transporting equipment to project site? Yes No NA (ii) If yes, explain steps that will be taken to avoid or minimize environmental impacts. Temporary construction matting will be used whenever crossing wetlands. Temporary bridging will be utilized to cross many wetland area.
Date		Proj	ect Name

Form DCM MP-2 (Excavation and Fill, Page 3 of 3)

Applicant Name		
Applicant Signature		

252-808-2808 :: 1-888-4RCOAST :: <u>www.nccoastalmanagement.net</u>

Form DCM MP-5 BRIDGES and CULVERTS

Attach this form to Joint Application for CAMA Major Permit, Form DCM MP-1. Be sure to complete all other sections of the Joint Application that relate to this proposed project. Please include all supplemental information.

	☐This section not applicable
b. nunity	. Water body to be crossed by bridge: Currituck Sound
d. ngs)	. Water depth at the proposed crossing at NLW or NWL: 1' to 9'
s ⊠No f.	If yes,
	(ii) Length of existing culvert:
<u> </u>	(iii) Width of existing culvert:(iv) Height of the top of the existing culvert above the NHW or NWL:
	(v) Will all, or a part of, the existing culvert be removed? (Explain)
<u>er</u> h.	Width of proposed bridge: generally the bridge is 36' clear roadway width except at the east end where it widens to 60' clear roadway
s ⊠No j.	Will the proposed bridge affect navigation by reducing or increasing the existing navigable opening?
<u>20'</u> l.	Have you contacted the U.S. Coast Guard concerning their approval?
S □No oss	Height of proposed bridge above wetlands: +/-10' (over wetlands in Maple Swamp)
S	igable n s

CULVERTS		⊠This section not applicable
Number of culverts proposed:	b.	Water body in which the culvert is to be placed:
4 =		
Type of culvert (construction material):	nues	on back>
(i) Will proposed culvert replace an existing bridge? Yes No	e.	(i) Will proposed culvert replace an existing culvert? ☐Yes ☐No If yes, (ii) Length of existing culvert(s): (iii) Width of existing culvert(s): (iv) Height of the top of the existing culvert above the NHW or NWL: (v) Will all, or a part of, the existing culvert be removed? (Explain)
Length of proposed culvert: Height of the top of the proposed culvert above the NHW or NWL.	g. i.	Width of proposed culvert: Depth of culvert to be buried below existing bottom contour.
Will the proposed culvert affect navigation by reducing or increasing the existing navigable opening? ☐ Yes ☐ No If yes, explain:	k.	Will the proposed culvert affect existing water flow? ☐Yes ☐No If yes, explain:
EXCAVATION and FILL		□This section not applicable
(i) Will the placement of the proposed bridge or culvert require any excavation below the NHW or NWL?	b.	(i) Will the placement of the proposed bridge or culvert require any excavation within coastal wetlands/marsh (CW), submerged aquatic vegetation (SAV), shell bottom (SB), or other wetlands (WL)? If any boxes are checked, provide the number of square feet affected. □CW □SAV □SB □WL □SB □WL □None (ii) Describe the purpose of the excavation in these areas: N/A
	Value Val	Variable Variable

Form DCM MP-5 (Bridges and Culverts, Page 3 of 4)

If yes, explain: See attached Utility Relocation		If yes, explain:
Will the proposed project require the relocation of any existing utility lines?	b.	Will the proposed project require the construction of any temporary detour structures? ☐Yes ☒No
GENERAL		
(iv) Purpose of fill: See Permit Drawings		
(iii) Avg. width of area to be filled: <u>varies</u>		
(ii) Avg. length of area to be filled: varies		
If yes,		
(i) Will the placement of the proposed bridge or culvert result in any fill (other than excavated material described in Item d above) to be placed on high-ground? ⊠Yes □No		
Permit Drawings.		(ii) Describe the purpose of the excavation in these areas: Roadway fill and roadway construction
rip-rap for slope stability along the west bank. See		hydraulic and 0.06 (temporary) for utilities None
		☐CW ☐SAV ☐SB ☐WL 1.07 acres permanent, 4.66 (temporary) for
		feet affected. ☐CW ☐SAV ☐SB
•		(WL)? If any boxes are checked, provide the number of square
. — — —		be placed within coastal wetlands/marsh (CW), submerged aquatic vegetation (SAV), shell bottom (SB), or other wetlands
(i) Will the placement of the proposed bridge or culvert result in any fill (other than excavated material described in Item d above) to	f.	(i) Will the placement of the proposed bridge or culvert result in any fill (other than excavated material described in Item d above) to
If yes, give dimensions if different from (ii) above.		
(vi) Does the disposal area include any area below the NHW or NWL	? ? []Yes □No
	ove.	
bottom (SB)? CW SAV WL SB None	, จนมเก	erged aqualic vegetalion (SAVS), other wellands (WL), or shell
(iv) Will the disposal area be available for future maintenance?	s 🔲	No
• • • • • • • • • • • • • • • • • • • •	tach a	letter granting permission from the owner.)
· -		
	ise cor	mplete the following:
(v) Amount of material to be excavated in cubic yards:		
(iv) Avg. depth of area to be excavated:		
(iii) Avg. width of area to be excavated:		
(ii) Avg. length of area to be excavated:		
high-ground excavation? ☐Yes ☐No If yes,		
	If yes, (ii) Avg. length of area to be excavated:	high-ground excavation? If yes, (ii) Avg. length of area to be excavated: (iii) Avg. width of area to be excavated: (iv) Avg. depth of area to be excavated: (v) Avg. depth of area to be excavated: (v) Amount of material to be excavated in cubic yards: If the placement of the bridge or culvert involves any excavation, please cor (i) Location of the spoil disposal area: (ii) Dimensions of the spoil disposal area: (iii) Do you claim title to the disposal area? ☐ Yes ☐ No (If no, attach a (iv) Will the disposal area be available for future maintenance? ☐ Yes ☐ If (iv) Will the disposal area include any coastal wetlands/marsh (CW), submotom (SB)? ☐ CW ☐ SAV ☐ WL ☐ SB ☐ None If any boxes are checked, give dimensions if different from (ii) above. (vi) Does the disposal area include any area below the NHW or NWL?? ☐ If yes, give dimensions if different from (ii) above. (vi) Does the disposal area include any area below the NHW or NWL?? ☐ If yes, give dimensions if different from (ii) above. (vi) Does the disposal area to be filled: varies (iii) Avg. length of area to be filled: varies (iii) Avg. width of area to be filled: varies (iv) Purpose of fill: The only fill in Currituck Sound will be rip-rap for slope stability along the west bank. See Permit Drawings. (i) Will the placement of the proposed bridge or culvert result in any fill (other than excavated material described in Item d above) to be placed on high-ground? If yes, (ii) Avg. length of area to be filled: varies (iii) Avg. length of area to be filled: varies (iii) Avg. length of area to be filled: varies (iii) Avg. length of area to be filled: varies (iii) Avg. width of area to be filled: varies (iii) Avg. width of area to be filled: varies (iii) Avg. width of area to be filled: varies (iii) Avg. width of area to be filled: varies (iii) Avg. width of area to be filled: varies (iii) Avg. width of area to be filled: varies

	If this portion of the proposed project has already received approval from local authorities, please attach a copy of the approval or certification.		
	< Form conti	nues	on back>
C.	Will the proposed project require any work channels? ☐Yes ☐No If yes, complete Form DCM-MP-2.	d.	How will excavated or fill material be kept on site and erosion controlled? Standard sedimentation and erosion control measures, as outlined in NCDOT Erosion and Sedimentation Control Design and Construction Manual.
e.	What type of construction equipment will be used (for example, dragline, backhoe, or hydraulic dredge)? Standard roadway and bridge construction equipment, including bull dozers, back hoes, excavators, dump trucks, cranes, barges, andpaving equipment.	f.	Will wetlands be crossed in transporting equipment to project site? ☑Yes ☐No If yes, explain steps that will be taken to avoid or minimize environmental impacts. Temporary construction matting will be used whenever crossing wetlands. Temporary bridging will be utilized to cross many wetland areas.
g.	Will the placement of the proposed bridge or culvert require any shoreline stabilization? ☐ Yes ☐ No If yes, complete form MP-2, Section 3 for Shoreline Stabilization only.		
Date			
Project Name			
Applicant Name			
Арр	Applicant Signature		